

*Estimated total annual burden on respondents:* 125 hours.

*Frequency of collection:* On occasion and annually.

*Form 8-R.*

*Respondents/Affected Entities:* 5 principals per each of 125 swap dealers and major swap participants.

*Estimated number of respondents:* 625.

*Estimated burden per response:* 0.8 hour.

*Estimated total annual burden on respondents:* 500 hours.

*Frequency of collection:* On occasion. *Form 8-T.*

*Respondents/Affected Entities:* 1 principal per each of 20 swap dealers and major swap participants.

*Estimated number of respondents:* 20.

*Estimated burden per response:* 0.2 hour.

*Estimated total annual burden on respondents:* 4 hours.

*Frequency of collection:* On occasion.

*Authority:* 44 U.S.C. 3501 *et seq.*

Dated: January 16, 2015.

**Christopher J. Kirkpatrick,**  
*Secretary of the Commission.*

[FR Doc. 2015-01105 Filed 1-22-15; 8:45 am]

**BILLING CODE 6351-01-P**

## DEPARTMENT OF DEFENSE

### Office of the Secretary

#### Defense Acquisition University Board of Visitors; Notice of Federal Advisory Committee Meeting; Cancellation

**AGENCY:** Defense Acquisition University, DoD.

**ACTION:** Meeting notice; cancellation.

**SUMMARY:** On Tuesday, January 13, 2015 (80 FR 1627-1628), the Department of Defense published a notice announcing a meeting of the Defense Acquisition University Board of Visitors. The Department of Defense is publishing this notice to announce the cancellation of this meeting, which was scheduled for Wednesday, January 28, 2015, from 9:00 a.m. to 12:00 p.m.

**DATES:** The meeting scheduled for Wednesday, January 28, 2015, from 9:00 a.m. to 12:00 p.m. has been cancelled.

#### FOR FURTHER INFORMATION CONTACT:

Caren Hergenroeder, Protocol Director, DAU. Phone: 703-805-5134. Fax: 703-805-5940. Email: [caren.hergenroeder@dau.mil](mailto:caren.hergenroeder@dau.mil).

**SUPPLEMENTARY INFORMATION:** Due to difficulties beyond the control of the Department of Defense, the Designated Federal Officer was unable to submit the **Federal Register** notice pertaining to

cancelling the Defense Acquisition University Board of Visitors' meeting, scheduled for January 28, 2015, that ensured compliance with the requirements of 41 CFR 102-3.150(a). Accordingly, the Advisory Committee Management Officer for the Department of Defense, waives the 15-calendar day notification requirement pursuant to 41 CFR 102-3.150(b).

Dated: January 20, 2015.

**Aaron Siegel,**

*Alternate OSD Federal Register Liaison Officer, Department of Defense.*

[FR Doc. 2015-01134 Filed 1-22-15; 8:45 am]

**BILLING CODE 5001-06-P**

## DEPARTMENT OF DEFENSE

### Department of the Army, U.S. Army Corps of Engineers

#### Notice of Intent To Prepare an Environmental Assessment and Conduct Public Scoping Meeting for the Crescent City Harbor Dredged Material Management Plan, City of Crescent and County of Del Norte, CA

**AGENCY:** Department of the Army, U.S. Army Corps of Engineers, DOD.

**ACTION:** Notice of intent.

**SUMMARY:** The purpose of this notice is to initiate the scoping process for the preparation of a Dredged Material Management Plan (DMMP) and Environmental Assessment for continued maintenance dredging at Crescent City Harbor. The goal of the plan will be to identify suitable sites for placement of dredged material to accommodate maintenance dredging over the next twenty years.

**DATES:** A public scoping meeting will be held on February 11, 2015 at 7:00 p.m. (PST). Submit comments concerning this notice on or before February 26, 2015.

**ADDRESSES:** The scoping meeting location is the Meeting Room at the Crescent City Harbor District Office, 101 Citizens Dock Road, Crescent City, California 95531. Mail written comments concerning this notice to: U.S. Army Corps of Engineers, San Francisco District, Project Management Division, ATTN: 1455 Market Street, San Francisco, CA 94103-1398. Comment letters should include the commenter's physical mailing address and the project title in the subject line.

#### FOR FURTHER INFORMATION CONTACT:

Mark Wiechmann, U.S. Army Corps of Engineers, San Francisco District, Environmental Resources, 1455 Market Street, San Francisco CA 94103-1398,

(415) 503-6846, [mark.j.wiechmann@usace.army.mil](mailto:mark.j.wiechmann@usace.army.mil).

#### SUPPLEMENTARY INFORMATION:

In accordance with the National Environmental Policy Act (NEPA), the Corps intends to prepare a Dredged Material Management Plan (DMMP) and accompanying Environmental Assessment (EA). The primary Federal actions under consideration are dredging, dredged material placement, and transport of dredged material for the purpose of ocean placement and/or upland beneficial reuse. The Crescent City Harbor District is the Non-Federal Sponsor (NFS). The Draft DMMP is intended to be sufficient in scope to address the Federal, state and local requirements and environmental issues concerning the proposed activities and permit approvals.

#### Project Site and Background

**Information:** Crescent City Harbor is located on the Northern California coast about 280 nautical miles north of San Francisco and about 17 miles south of the Oregon border. The harbor is located on the south edge of a broad marine terrace bordered on the south and west by the Pacific Ocean and on the north and east by densely forested coastal mountains. Crescent City Harbor is a shallow-draft critical harbor of refuge, supporting a U.S. Coast Guard search and rescue station, commercial and sport fishing, waterfront industry, and recreational boating.

The harbor's naturally crescent-shaped beach is bound by a 4,700-foot long rubble-mound outer breakwater to the west, a 2,400-foot long sand barrier to the east, and a 1,600-foot rubble-mound inner breakwater to the south. The harbor's opening faces south and is about 2,000 feet across.

There are currently three federally constructed and maintained navigation channels at Crescent City Harbor. The Inner Harbor Basin Channel extends for 2,200 feet along the inside and around the tip of the inner breakwater, where it connects to the Entrance Channel, a 200 foot wide channel that extends 2,200 feet to the outer breakwater. The Marina Access Channel is 140-210 feet wide and extends 1,200 feet from the Inner Harbor Basin Channel to the small boat basin.

The Entrance Channel has a project depth of 20 feet mean lower low water (MLLW) while the interior channels, Inner Harbor Basin and Marina Access, have a project depth of 15 feet MLLW.

**Proposed Action(S):** This study report will: (1) verify that continued federal maintenance is justified; and (2) present a viable 20-year plan for dredging and disposal of materials associated with