

product, do not [bullet] heat [bullet] microwave [bullet] use near an open flame [bullet] add to hot water or any container where heating water. May cause splattering and result in burns.” [Information highlighted in bold type.]

(vi) *For any product containing camphor or menthol for steam inhalation use.* “When using this product, do not [bullet] heat [bullet] microwave [bullet] use near an open flame [bullet] add to hot water or any container where heating water except when adding to cold water only in a hot steam vaporizer. May cause splattering and result in burns.” [Information highlighted in bold type.]

(vii) *For any product formulated in a volatile vehicle.* The labeling contains the following statement under the heading “Other information”: “Close container tightly and store at room temperature away from heat.”

(d) * * *

(2) * * *

(i) *For products containing camphor identified in § 341.14(b)(1) in a suitable ointment vehicle.* The product contains 4.7 to 5.3 percent camphor. “[bullet] see important warnings under ‘When using this product’ ” [appears as the first statement under the heading “Directions” and is highlighted in bold type] [bullet] adults and children 2 years and older: [bullet] rub on the throat and chest in a thick layer [bullet] cover with a warm, dry cloth if desired [bullet] clothing should be loose about throat and chest to help vapors reach the nose and mouth [bullet] use up to three times daily or as directed by a doctor [bullet] children under 2 years of age: Ask a doctor.

(ii) *For products containing menthol identified in § 341.14(b)(2) in a suitable ointment vehicle.* The product contains 2.6 to 2.8 percent menthol. “[bullet] see important warnings under ‘When using this product’ ” [appears as the first statement under the heading “Directions” and is highlighted in bold type] [bullet] adults and children 2 years and older: [bullet] rub on the throat and chest in a thick layer [bullet] cover with a warm, dry cloth if desired [bullet] clothing should be loose about throat and chest to help vapors reach the nose and mouth [bullet] use up to three times daily or as directed by a doctor [bullet] children under 2 years of age: Ask a doctor.

* * * * *

(iv) *For products containing camphor identified in § 341.14(b)(1) for steam inhalation use.* The product contains 6.2 percent camphor. “[bullet] see important warnings under ‘When using this product’ ” [appears as the first

statement under the heading “Directions” and is highlighted in bold type] [bullet] adults and children 2 years and older: (select one of the following, as appropriate: *For products formulated to be added directly to cold water inside a hot steam vaporizer.* [bullet] use 1 tablespoonful of solution for each quart of water or 1½ teaspoonsful of solution for each pint of water [bullet] add solution directly to cold water only in a hot steam vaporizer [bullet] follow manufacturer’s directions for using vaporizer or *For products formulated to be placed in the medication chamber of a hot steam vaporizer.* [bullet] place water in the vaporizer and follow manufacturer’s directions for using vaporizer [bullet] place solution in the medication chamber only) [bullet] breathe in the medicated vapors [bullet] use up to three times daily or as directed by a doctor [bullet] children under 2 years of age: Ask a doctor.

(v) *For products containing menthol identified in § 341.14(b)(2) for steam inhalation use.* The product contains 3.2 percent menthol. “[bullet] see important warnings under ‘When using this product’ ” [appears as the first statement under the heading “Directions” and is highlighted in bold type] [bullet] adults and children 2 years and older: (select one of the following, as appropriate: *For products formulated to be added directly to cold water inside a hot steam vaporizer.* [bullet] use 1 tablespoonful of solution for each quart of water or 1½/2 teaspoonsful of solution for each pint of water [bullet] add solution directly to cold water only in a hot steam vaporizer [bullet] follow manufacturer’s directions for using vaporizer or *For products formulated to be placed in the medication chamber of a hot steam vaporizer.* [bullet] place water in the vaporizer and follow manufacturer’s directions for using vaporizer [bullet] place solution in the medication chamber only) [bullet] breathe in the medicated vapors [bullet] use up to three times daily or as directed by a doctor [bullet] children under 2 years of age: Ask a doctor.

* * * * *

Dated: July 21, 2000.

Margaret M. Dotzel,

Associate Commissioner for Policy.

[FR Doc. 00–19302 Filed 7–31–00; 8:45 am]

BILLING CODE 4160–01–F

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD01–99–067]

RIN 2115–AE47

Drawbridge Operation Regulations: Gowanus Canal, New York

AGENCY: Coast Guard, DOT.

ACTION: Final rule.

SUMMARY: The Coast Guard is changing the operating rules for four New York City bridges across the Gowanus Canal—the Ninth Street Bridge, at mile 1.4; the Third Street Bridge, at mile 1.8; the Carroll Street Bridge, at mile 2.0; and the Union Street Bridge, at mile 2.1—all in Brooklyn, New York. The bridge owner asked the Coast Guard to change the regulations to require a two-hour advance notice for openings. This action will relieve the owner of the bridge from the requirement to crew these bridges at all times by using a roving crew of drawtenders and still meet the reasonable needs of navigation.

DATES: This rule is effective August 31, 2000.

ADDRESSES: Comments and material received from the public, as well as documents indicated in this preamble as being available in the docket, are part of docket (CGD01–99–067) and are available for inspection or copying at the First Coast Guard District, Bridge Branch Office, 408 Atlantic Avenue, Boston, Massachusetts 02110, 7 a.m. to 3 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Mr. John W. McDonald, Project Officer, First Coast Guard District, (617) 223–8364.

SUPPLEMENTARY INFORMATION:

Regulatory Information

On April 27, 2000, we published a notice of proposed rulemaking (NPRM) entitled Drawbridge Operation Regulations; Gowanus Canal, New York, in the **Federal Register** (65 FR 24664). We received no comments in response to the notice of proposed rulemaking. No public hearing was requested and none was held.

Background and Purpose

Ninth Street Bridge

The Ninth Street Bridge, at mile 1.4, across the Gowanus Canal at Brooklyn, has a vertical clearance of 5 feet at mean high water and 9 feet at mean low water. The existing operating regulations for the Ninth Street Bridge require the bridge to open on signal at all times.

Third Street Bridge

The Third Street Bridge, at mile 1.8, across the Gowanus Canal at Brooklyn, has a vertical clearance of 10 feet at mean high water and 14 feet at mean low water. The existing operating regulations in 33 CFR 117.787, require the draw to open on signal at all times; except that, from May 1 through September 30, the draw shall open on signal after a six-hour advance notice is given to the New York City Highway Department's Radio (Hotline) Room.

Carroll Street Bridge

The Carroll Street Bridge, at mile 2.0, has a vertical clearance of 3 feet at MHW and 7 feet at MLW. The existing regulations require the draw to open on signal at all times; except that, from May 1 through September 30, the draw shall open after a six-hour advance notice is given to the New York City Highway Department's Radio (Hotline) Room.

Union Street Bridge

The Union Street Bridge, at mile 2.1, has a vertical clearance of 9 feet at

MHW and 13 feet at MLW. The existing regulations require the draw to open on signal at all times; except that, from May 1 through September 30, the draw shall open after a six-hour advance notice is given to the New York City Highway Department's Radio (Hotline) Room.

The owner of all four bridges, the New York City Department of Transportation (NYCDOT), submitted bridge opening log data to the Coast Guard for review.

	1991	1992	1993	1994	1995	1996	1997	1998	1999
Ninth	864	984	927	836	0	0	0	0	423
Third	410	549	663	732	432	256	149	107	244
Carroll	517	627	669	704	432	245	142	114	228
Union	502	547	657	713	432	236	144	104	245

The bridge owner plans to operate these bridges with a roving crew of drawtenders. A review of the monthly breakdown of the opening data did not identify any months that had a significantly higher number of openings that would make the roving crew concept unworkable. The waterway users are all commercial vessels which operate year round. They presently provide a six-hour advance notice May 1 through September 30 at all the above bridges except the Ninth Street Bridge, which is required to open on signal.

The bridge owner has requested that all four bridges open after a two-hour advance notice is given year round. This advance notice requirement will allow the bridge owner to use a roving crew of drawtenders to operate these bridges. The Coast Guard believes this rule is reasonable based upon the fact that three of the bridges presently open after a six-hour notice May 1 through September 30, which is greater than the two-hour notice during those five months.

The Coast Guard believes that the two-hour advance notice October 1 through April 30 is reasonable because the bridges will still open on signal provided the two-hour notice is given. The commercial vessel transits on Gowanus Canal are scheduled in advance. Providing a two-hour notice for bridge openings for the additional seven months of the year, October 1 through April 30, should not prevent vessels from transiting the waterway in a timely manner.

The reduction from six-hours advance notice to two-hours advance notice during the remaining five months of the year, May 1 through September 30, should make vessel transits easier to schedule during that time period. This

rule is expected to relieve the bridge owner of the burden of crewing each bridge continually, establish a consistent bridge operating schedule for the bridges listed in this rulemaking, and still meet the reasonable needs of navigation.

Discussion of Proposal

The Coast Guard is revising the operating regulations for the Gowanus Canal at 33 CFR 117.787 as follows:

Ninth Street Bridge

Add operating regulations for the Ninth Street Bridge, mile 1.4, Across the Gowanus Canal to require that the draw shall open on signal, if at least a two-hour advance notice is given.

Third Street Bridge

Revise the operating regulations for the Third Street Bridge, mile 1.8, across the Gowanus Canal to require that the draw shall open on signal, if at least a two-hour advance notice is given.

Carroll Street Bridge

Revise the operating regulations for the Carroll Street, mile 2.0, across the Gowanus Canal to require that the draw shall open on signal, if at least a two-hour advance notice is given.

Union Street Bridge

Revise the operating regulations for the Union Street, mile 2.1, across the Gowanus Canal to require that the draw shall open on signal, if at least a two-hour advance notice is given.

Notice for bridge openings shall be given to the NYCDOT Hotline or NYCDOT Bridge Operation Office.

The bridge owner plans to use two crews of drawtenders to operate the Gowanus Canal bridges. The use of two

crews is expected to provide bridge openings in a timely manner. The Hamilton Avenue Bridge, mile 1.2, also across Gowanus Canal was not included in the roving drawtender plan because the frequency of bridge openings were considerably higher than the other bridges on this waterway.

Regulatory Evaluation

This rule is not a "significant regulatory action" under section 3(f) of Executive Order 12866 and does not require an assessment of potential costs and benefits under section 6(a)(3) of that Order. The Office of Management and Budget has not reviewed it under that Order. It is not "significant" under the regulatory policies and procedures of the Department of Transportation (DOT) (44 FR 11040; February 26, 1979). This conclusion is based on the fact that three of the bridges presently open after a six-hour notice May 1 through September 30, which is greater than the proposed two-hour notice during those five months.

The Coast Guard believes that the two-hour advance notice October 1 through April 30 is reasonable because the bridges will still open on signal provided the two-hour notice is given. The commercial vessel movements on Gowanus Canal are scheduled in advance by the commercial operators. Providing two-hours notice for bridge openings for the additional seven months of the year, October 1 through April 30, should not prevent vessels from still transiting the waterway in a timely manner.

Small Entities

Under the Regulatory Flexibility Act (5 U.S.C. 601-612) we considered whether this rule would have a

significant economic impact on a substantial number of small entities. "Small entities" comprises small businesses, not-for-profit organizations that are independently owned and operated and are not dominant in their fields, and governmental jurisdictions with populations less than 50,000.

The Coast Guard certifies under 5 U.S.C. 605(b) that this rule will not have a significant economic impact on a substantial number of small entities. This conclusion is based on the fact that three of the bridges presently open after a six-hour notice May 1 through September 30, which is greater than the proposed two-hour notice during those five months.

The Coast Guard believes that the two-hour advance notice October 1 through April 30 is reasonable because the bridges will still open on signal provided the two-hour notice is given. The commercial vessel transits on Gowanus Canal are scheduled in advance by the commercial operators. Providing two-hours notice for bridge openings for the additional seven months of the year, October 1 through April 30, when the bridge formerly opened on signal, should not prevent vessels from still transiting the waterway in a timely manner.

Collection of Information

This rule calls for no new collection of information under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520).

Federalism

We have analyzed this rule under Executive Order 13132 and have determined that this rule does not have implications for federalism under that Order.

Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1531–1538) governs the issuance of Federal regulations that require unfunded mandates. An unfunded mandate is a regulation that requires a State, local, or tribal government or the private sector to incur direct costs without the Federal Government's having first provided the funds to pay those unfunded mandate costs. This rule will not impose an unfunded mandate.

Taking of Private Property

This rule will not effect a taking of private property or otherwise have taking implications under Executive Order 12630, Governmental Actions and Interference with Constitutionally Protected Property Rights.

Civil Justice Reform

This rule meets applicable standards in sections 3(a) and 3(b)(2) of Executive Order 12988, Civil Justice Reform, to minimize litigation, eliminate ambiguity, and reduce burden.

Protection of Children

We have analyzed this rule under Executive Order 13045, Protection of Children from Environmental Health Risks and Safety Risks. This rule is not an economically significant rule and does not concern an environmental risk to health or risk to safety that may disproportionately affect children.

Environment

The Coast Guard considered the environmental impact of this rule and concluded that under figure 2–1, paragraph (32)(e) of Commandant Instruction M16475.1C, this rule is categorically excluded from further environmental documentation because promulgation of changes to drawbridge regulations have been found to not have a significant effect on the environment. A "Categorical Exclusion Determination" is available in the docket for inspection or copying where indicated under **ADDRESSES**.

List of Subjects in 33 CFR Part 117

Bridges.

Regulations

For the reasons set out in the preamble, the Coast Guard amends 33 CFR part 117 as follows:

PART 117—DRAWBRIDGE OPERATION REGULATIONS

1. The authority citation for part 117 continues to read as follows:

Authority: 33 U.S.C. 499; 49 CFR 1.46; 33 CFR 1.05–1(g); section 117.255 also issued under the authority of Pub. L. 102–587, 106 Stat. 5039.

2. Section 117.787 is revised to read as follows:

§ 117.787 Gowanus Canal

The draws of the Ninth Street Bridge, mile 1.4, the Third Street Bridge, mile 1.8, the Carroll Street Bridge, mile 2.0, and the Union Street Bridge, mile 2.1, at Brooklyn, shall open on signal, if at least a two-hour advance notice is given to the New York City Department of Transportation (NYCDOT), Radio Hotline, or the NYCDOT Bridge Operations Office.

Dated: July 19, 2000.

G.N. Naccara,

Rear Admiral, U.S. Coast Guard, Commander, First Coast Guard District.

[FR Doc. 00–19396 Filed 7–31–00; 8:45 am]

BILLING CODE 4910–15–P

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD01–99–069]

RIN 2115–AE47

Drawbridge Operation Regulations: Newtown Creek, Dutch Kills, English Kills and their tributaries, New York

AGENCY: Coast Guard, DOT.

ACTION: Final rule.

SUMMARY: The Coast Guard is changing the drawbridge operation regulations for six New York City bridges: The Pulaski Bridge, at mile 0.6, across Newtown Creek between Brooklyn and Queens; the Greenpoint Avenue Bridge, at mile 1.3, across the Newtown Creek between Brooklyn and Queens; the Grand Street/Avenue Bridge, at mile 3.1, across Newtown Creek (East Branch) between Brooklyn and Queens; the Metropolitan Avenue Bridge, at mile 3.4, across English Kills at Brooklyn; the Borden Avenue Bridge, at mile 1.2, across Dutch Kills at Queens; and the Hunters Point Avenue Bridge, at mile 1.4, across Dutch Kills at Queens all in New York.

The bridge owner asked the Coast Guard to change the regulations to require a two-hour advance notice for openings. It is expected to relieve the bridge owner from the requirement to crew the bridges at all times by using multiple crews of drawtenders and still meet the reasonable needs of navigation.

DATES: This rule is effective August 31, 2000.

ADDRESSES: Comments and material received from the public, as well as documents indicated in this preamble as being available in the docket, are part of docket (CGD01–99–069) and are available for inspection or copying at the First Coast Guard District, Bridge Branch Office, 408 Atlantic Avenue, Boston, Massachusetts, 02110, 7 a.m. to 3 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: John W. McDonald, Project Officer, First Coast Guard District, (617) 223–8364.

SUPPLEMENTARY INFORMATION: