State and county	Location	Dates and name of newspaper where notice was published	Chief executive officer of community	Effective date of modification	Commu- nity number
Cameron (FEMA Docket No. 7304).	Unincorporated Areas.	August 13, 1999, August 20, 1999, <i>Brownsville Herald</i> .	The Honorable Gilberton Hinojosa, Cameron County Judge, 964 East Harrison, Brownsville, Texas 78520.	July 26, 1999	480101
Bexar (FEMA Docket No. 7304).	City of Castle Hills	August 27, 1999, September 3, 1999, San Antonio Express-News.	The Honorable Bob Anderson, Mayor, City of Castle Hills, 6915 West Avenue, San An- tonio, Texas 78213–1822.	August 9, 1999	480037
Denton (FEMA Docket No. 7304).	City of Coppell	August 13, 1999, August 20, 1999, Citizen's Advocate.	The Honorable Candy Sheehan, Mayor, City of Coppell, 255 Parkway Bou- levard, Coppell, Texas 75019.	July 6, 1999	480170
Denton (FEMA Docket No. 7304).	Town of Double Oak.	August 20, 1999, August 27, 1999, <i>Lewisville News</i> .	The Honorable Bill Wilkinson, Mayor, Town of Double Oak, City Hall, 100 Cross Timbers Drive, Double Oak, Texas 75067.	July 27, 1999	481516
El Paso (FEMA Docket No. 7304).	City of El Paso	September 23, 1999, September 30, 1999, <i>El Paso Times</i> .	The Honorable Charles M. Ramirez, Mayor, City of El Paso, Two Civic Center Plaza, El Paso, Texas 79901–1196.	August 30, 1999	480214
Dallas (FEMA Docket No. 7304).	City of Farmers Branch.	October 1, 1999, October 8, 1999, <i>Metrocrest News</i> .	The Honorable Bob Phelps, Mayor, City of Farmers Branch, P.O. Box 819010, Farmers Branch, Texas 75381–9010.	September 1, 1999	480174
Denton (FEMA Docket No. 7304).	Town of Flower Mound.	August 20, 1999, August 27, 1999, <i>Lewisville News</i> .	The Honorable Lori DeLuca, Mayor, Town of Flower Mound, 2121 Cross Timbers Road, Flower Mound, Texas 75028.	July 27, 1999	480777
Collin (FEMA Docket No. 7304).	City of Frisco	August 13, 1999, August 20, 1999, <i>Frisco Enterprise</i> .	The Honorable Kathy Seei, Mayor, City of Frisco, P.O. Box 1100, Frisco, Texas 75034.	July 13, 1999	480134
Tarrant (FEMA Docket No. 7304).	City of Hurst	August 11, 1999, August 18, 1999, <i>Dallas Morning News</i> .	The Honorable Bill Sounder, Mayor, City of Hurst, 1505 Precinct Line Road, Hurst, Texas 76054.	July 15, 1999	480601
Denton (FEMA Docket No. 7304).	City of Lewisville	August 18, 1999, August 25, 1999, <i>Lewisville News</i> .	The Honorable Bobbie J. Mitchell, Mayor, City of Lewisville, P.O. Box 299002, Lewisville, Texas 75029– 9002.	July 22, 1999	480195
Parker (FEMA Docket No. 7304).	Unincorporated Areas.	August 20, 1999, August 27, 1999, Weatherford Demo- crat.	The Honorable Mark Riley, County Judge, One Court- house Square, Weatherford, Texas 76086.	July 30, 1999	480520
Bexar (FEMA Docket No. 7304).	City of San Antonio	August 27, 1999, September 3, 1999, San Antonio Express-News.	The Honorable Howard W. Peak, Mayor, City of San Antonio, P.O. Box 839966, San Antonio, Texas 78283– 3966.	August 9, 1999	480045
Bexar (FEMA Docket No. 7304).	City of Shavano Park.	August 27, 1999, September 3, 1999, San Antonio Express-News.	The Honorable Tommy Peyton, Mayor, City of Shavano Park, 99 Sandletree Road, San Antonio, Texas 78231.	August 9, 1999	480047

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: January 28, 2000.

Michael J. Armstrong,

Associate Director for Mitigation. [FR Doc. 00–2798 Filed 2–7–00; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that

each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATE: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646–3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the Federal Register.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR Part 67.

FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR Part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director for Mitigation certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is amended to read as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of \S 67.11 are amended as follows:

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)
CALIFORNIA	
Butte County (and Incor porated Areas) (FEMA Docket No. 7270)	
Keefer Slough: Just upstream of State Route 99 Approximately 930 feet upstream of Keefer Road Maps are available for inspection at the Butte County Public Works Department, 7 County Center Drive, Oroville California.	None None

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)
Fremont (City), Alameda County (FEMA Docket No. 7242)	
Line K (Zone 6): At confluence with Line E (Zone 6) Laguna Creek Approximately 2,170 feet upstream of Paseo Padre	*42
Parkway (at downstream end of 60-inch reinforced concrete pipe)	*263
At upstream side of Interstate 880	*32
stream of Paseo Padre Parkway Line C (Zone 6) (Torges Creek):	*56
At confluence of Line D (Zone 6)	*13
Just upstream of Interstate 680	*183
Line E (Zone 6) Laguna Creek: At mouth Approximately 2,400 feet	*9
downstream of Cushing Parkway Approximately 50 feet up-	*10
stream of parking lot drive- way	*54
Line F (Zone 6) Arroyo Del Agua Caliente Creek: At confluence with Line E	
(Zone 6) Laguna Creek Approximately 1,300 feet up-	*10
stream of Curtner Road Maps are available for inspection at the City of Fremont Planning Department, 39550 Liberty Street, Fremont, California.	*200
IDAHO	
Carey (City) and Blaine County (Unincorporated Areas) (FEMA Docket No. 7294)	
Little Wood River: Approximately 1.5 miles downstream of Santa Rosa	
downstream of Santa Rosa Lane Approximately 1.2 miles up-	*4,754
stream of Highway 26/93 (Main Street) Middle Branch of Little Wood River:	*4,805
Approximately 50 feet up- stream of Griffin Loop Road At confluence with Little Wood River, approximately 1,700 feet upstream of	*4,761
Highway 26/93 (Main Street)	*4,786
Maps are available for inspec- tion at the City of Carey, 20516 Main Street, Carey,	

Idaho.

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)
IOWA		Kuhlman Gully: At Sunrise Drive	++28		
Dickinson County (Unincorporated Areas) (FEMA		Willow Waterhole Bayou: Approximately 500 feet upstream of South Post Oak		Fort Bend County (and Incorporated Areas) Keegans Bayou:	
Docket No. 7290)		Road Just upstream of Chimney	++52	Along Monticeto Lane, ap-	
Lower Gar Outlet Channel: Approximately 2,700 feet up- stream of confluence with		Rock Road	++56	proximately 500 feet west of the intersection of Briarwood	++83
Little Sioux River Approximately 1.23 miles (6,480 feet) upstream of	*1,354	Approximately 550 feet up- stream of Ruthglenn Ave-	50	Just south of Belknap Road, approximately 500 feet	
County Road A34	*1,397	nue Approximately 400 feet up-	++56	west of the intersection of Maykirk	++84
Spirit Lake: Entire lake shoreline Okoboji Lake Chain:	*1,404	Stream of McKnight	++56	Approximately 1,000 feet up- stream of Synott Road ++NGVD—1987 Releveling	++86
Entire lake shoreline Maps are available for inspec-	*1,399	stream of Grape	++61	Maps are available for inspec-	
tion at the Dickinson County Zoning Office, 1810 Ithaca Avenue, Spirit Lake, Iowa.		Drive	++65	tion at the Harris County Flood Control District Build- ing, 9900 Northwest Freeway,	
NEVADA		downstream of West Bellefort	++61	Suite 103, Houston, Texas. Maps are available for inspec-	
Washoe County (and Incor-		Just downstream of Arbor Ridge Approximately 1,900 feet up-	++64	tion at the City of Piney Point Village City Office, 7721 San Felipe, Suite 100, Houston,	
porated Areas) (FEMA Docket No. 7298)		stream of McLain Boule- vard	++67	Texas. Maps are available for inspec-	
Mogul Creek: At intersection with Interstate		Keegans Bayou: Approximately 1,500 feet up-		tion at Putney, Moffitt & Easley, Inc., 1303 Sherwood	
80 Frontage Road Approximately 1,050 feet up- stream from Cliff View	*4,680	stream of South Braeswood Boulevard	++68	Forest, Houston, Texas. Maps are available for inspection at 7007 South Rice, Bel-	
Court	*4,737	Highway 59	++77	laire, Texas.	
Maps are available for inspec- tion at Washoe County Engi- neering, 1001 East 9th Street,		Approximately 1,000 feet upstream of Synott Road Tributary 20.86 to Brays Bayou:	++86	Maps are available for inspec- tion at the City of Houston Building (Basement), 1801	
Reno, Nevada. Maps are available for inspec-		Just downstream of Carvel Lane	++69	Main, Houston, Texas. Maps are available for inspec-	
tion at the Community Development Office, 450 Sinclair		Just upstream of Leader Street	++72	tion at the City of Humble City Hall, 114 West Higgins,	
Street, Reno, Nevada.		Just upstream of Harwin Drive	++74	Humble, Texas. Maps are available for inspec-	
TEXAS		Tributary 20.90 to Brays Bayou: Approximately 1,300 feet downstream of Sam Hous-		tion at the Office of the Chief Building Official, 3826 Am-	
Harris County (and Incorporated Areas) (FEMA		ton Tollway Approximately 2,300 feet up-	++69	herst, West University Place, Texas.	
Docket No. 7270) Bens Branch (G103–33–00):		stream of Kirkwood Road Tributary 21.95 to Brays Bayou:	++80	Maps are available for inspec- tion at the City of Stafford City Hall, 2610 South Main,	
Just upstream of confluence with Lake Houston	*50	Just downstream of Bellepark Drive	++72	Stafford, Texas.	
Just upstream of Tree Lake Court	*66	Approximately 800 feet down- stream of Synott Road	++82	Maps are available for inspec- tion at the City of Missouri City, City Hall, 1522 Texas	
Approximately 2,800 feet upstream of Woodland Hills Brays Bayou:	*74	Tributary 22.69 to Brays Bayou: Approximately 200 feet downstream of Richmond Ave-		Parkway, Missouri City, Texas.	
Just upstream of Forest Hill Boulevard	++18	nue	++74	Maps are available for inspec- tion at the City of Galena	
Just upstream of Martin Lu- ther King Boulevard	++32	stream of Richmond Ave-	++74	Park, City Hall, 2000 Clinton Drive, Galena Park, Texas.	
Approximately 300 feet down- stream of Kirby Drive	++48	Tributary 23.53 to Brays Bayou: Approximately 150 feet up-		Maps are available for inspec- tion at 800 First City Tower,	
At the intersection of Cason and Swanee	++49	stream of Bellepark Drive Just upstream of Dairy	++75	1001 Fannin Street, Houston, Texas.	
Just upstream of Southern Pacific Railroad	++51	Ashford Road Tributary 26.20 to Brays Bayou:	++76	Maps are available for inspec- tion at Fort Bend County,	
Just upstream of Interstate 610	++53	Approximately 2,000 feet up- stream of Piping Rock Road	++84	301 Jackson Street, Suite 719, Richmond, Texas.	
Approximately 1,000 feet upstream of Beechnut	++70	Tributary 29.16 to Brays Bayou:. Approximately 1,200 feet		Maps are available for inspec- tion at 2300 First City Tower,	
Just upstream of Dairy Ashford Road	++79	downstream of Old Winkleman Road	++84	1001 Fannin, Houstin, Texas. Maps are available for inspec-	
Approximately 1,100 feet up- stream of Addicks-Clodine		At the intersection of Marchena Road and Mesita		tion at the City of Meadows Place, City Hall, One Troyan	
Road Yates Gully: Approximately	++83	DriveApproximately 200 feet up-	++84	Drive, Meadows Place, Texas.	
1,300 feet upstream of South Wayside Drive	++19	stream of Addicks-Clodine Road	++85		

Depth in feet above

ground. *Elevation

in feet

(NGVD)

+26

+47

+58

+12

+13

+28

+29

+63

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location
Maps are available for inspection at the City of Sugarland Engineering Department, 10405 Corporate Drive, Sugarland, Texas. Maps are available for inspection at the City of Southside Place, City Hall, 6309 Edloe Street, Houston Texas.		Just upstream of Edgewood Drive
Harris County (and Incorporated Areas) (FEMA Docket No. 7298) White Oak Bayou (E-100-00-00): At confluence with Buffalo Bayou (W100-00-00) Just upstream of West 18th	*38	Approximately 850 feet down- stream of Forest Park Cemetery Road Turkey Creek: Approximately 2,000 feet upstream of Beamer Road Halls Road Ditch: Approximately 1,600 feet upstream of Dixie Farm Road
Street	*59	Fort Bend County (and In-
Just upstream of Lakeview Drive	*107	corporated Areas) (FEMA Docket No. 7242)
Approximately 300 feet up- stream of Huffmeister Road Little White Oak Bayou (E101–	*133	Clear Creek: Just downstream of Missouri Pacific Railroad
00–00): At confluence with White Oak Bayou (E100–00–00) Just upstream of West Ritten-	*43	Downstream of Rouen Road Maps are available for inspec- tion at the Harris County En-
house	*86	gineering Division, c/o Ms. Lupe Zamora, Permit Depart-
At confluence with White Oak Bayou (E100–00–00)	*68	ment, 9900 Northwest Free- way, Suite 103, Houston, Texas.
Just upstream of Campbell Road	*90	Maps are available for inspec- tion at the City of Houston, c/
Approximately 700 feet upstream of Talina Way	*101	o Mr. Mike Loomis, Flood- plain Group, P.O. Box 1562, Houston, Texas.
At confluence with White Oak Bayou (E100–00–00) Approximately 1,300 feet up-	*73	Maps are available for inspec- tion at the Fort Bend County Engineer's Office, 1124
stream of Sommermeyer Road	*104	Blume Road, Rosenberg, Texas.
Vogel Creek (E121-00-00): At confluence with White Oak Bayou (E100-00-00)	*77	Maps are available for inspec- tion at the City of Webster, c/ o Mr. Jim Williams, Director
Just upstream of West Gulf Bank Road	*85	of Community Development, P.O. Box 57130, Webster,
Just upstream of Silentwood Lane	*108	Texas.
Approximately 2,500 feet upstream of FairBanks-Fallbrook Road Ditch (E141-00-00): At confileence with White Oak	*115	(Catalog of Federal Domestic Assis 83.100, "Flood Insurance.") Dated: January 28, 2000. Michael J. Armstrong,
Bayou (E100–00–00) Approximately 9,200 feet up-	*103	Associate Director for Mitigation.
stream of Windfern Forest Maps are available for inspec- tion at Harris County Permits Division, 9900 North West	*108	[FR Doc. 00–2800 Filed 2–7–00; 8:BILLING CODE 6718–04–P
Freeway, Houston, Texas. Maps are available for inspection at the Planning and Development Office, 611 Walk-		FEDERAL EMERGENCY MANAGEMENT AGENCY
er, 6th Floor, Houston, Texas. Maps are available for inspec-		44 CFR Part 67
tion at the Public Works De- partment, 16501 Jersey		Final Flood Elevation Determi
Drive, Houston, Texas. Harris County (and Incorporated Areas) (FEMA		AGENCY: Federal Emergency Management Agency (FEMA). ACTION: Final rule.
Docket No. 7242)		SUMMARY: Base (1% annual cha
Clear Creek: Approximately 4,300 feet up-		flood elevations and modified

stream of Interstate 45/75 ..

communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATE: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT:

Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR Part 67.

FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR Part

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

stance No.

45 am]

inations

ance) flood elevations are made final for the