Applicants: Trailblazer Pipeline Company LLC.

Description: Compliance filing: TPC 2025–03–07 RP25–528 NAESB 4.0 Amendment to be effective 8/1/2025. Filed Date: 3/7/25.

Accession Number: 20250307-5173. Comment Date: 5 p.m. ET 3/19/25.

Any person desiring to protest in any the above proceedings must file in accordance with Rule 211 of the Commission's Regulations (18 CFR 385.211) on or before 5:00 p.m. Eastern time on the specified comment date.

The filings are accessible in the Commission's eLibrary system (https://elibrary.ferc.gov/idmws/search/fercgensearch.asp) by querying the docket number.

eFiling is encouraged. More detailed information relating to filing requirements, interventions, protests, service, and qualifying facilities filings can be found at: http://www.ferc.gov/docs-filing/efiling/filing-req.pdf. For other information, call (866) 208–3676 (toll free). For TTY, call (202) 502–8659.

The Commission's Office of Public Participation (OPP) supports meaningful public engagement and participation in Commission proceedings. OPP can help members of the public, including landowners, community organizations, Tribal members and others, access publicly available information and navigate Commission processes. For public inquiries and assistance with making filings such as interventions, comments, or requests for rehearing, the public is encouraged to contact OPP at (202) 502–6595 or OPP@ferc.gov.

Dated: March 10, 2025.

Carlos D. Clay,

Deputy Secretary.

[FR Doc. 2025–04169 Filed 3–14–25; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. IC25-4-000]

Commission Information Collection Activities (FERC-725G); Comment Request; Extension

AGENCY: Federal Energy Regulatory Commission.

ACTION: Notice of information collection and request for comments.

SUMMARY: In compliance with the requirements of the Paperwork Reduction Act of 1995, the Federal Energy Regulatory Commission (Commission or FERC) is soliciting

public comment on the currently approved information collections, FERC 725G, Mandatory Reliability Standards for the Bulk-Power System: Reliability Standard PRC standards; FERC-725G1, Mandatory Reliability Standards for the Bulk-Power System: Reliability Standard PRC–004–6 (Protection System Mis-operation Identification and Correction), FERC-725G4, Mandatory Reliability Standards: Reliability Standard PRC-010-2 (Under Voltage Load Shedding) and 725P1, PRC-005-6 (Protection System, Automatic Reclosing, and Sudden Pressure Relaying Maintenance). There are no changes made to the reporting requirements for this information collection. The comment period ended on March 3, 2025, with no comments

DATES: Comments on the collection of information are due April 16, 2025.

ADDRESSES: Send written comments on FERC-725G to OMB through www.reginfo.gov/public/do/PRAMain.

Attention: Federal Energy Regulatory Commission Desk Officer. Please identify the OMB Control Number (1902-0252) in the subject line of your comments. Comments should be sent within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain.

Please submit copies of your comments to the Commission. You may submit copies of your comments (identified by Docket No. IC25–4–000) by one of the following methods: Electronic filing through https://www.ferc.gov, is preferred.

- *Électronic Fîling:* Documents must be filed in acceptable native applications and print-to-PDF, but not in scanned or picture format.
- For those unable to file electronically, comments may be filed by USPS mail or by other delivery methods:
- Mail via U.S. Postal Service Only:
 Federal Energy Regulatory Commission,
 Secretary of the Commission, 888 First
 Street NE, Washington, DC 20426.
- All other delivery methods: Federal Energy Regulatory Commission,
 Secretary of the Commission, 12225
 Wilkins Avenue, Rockville, MD 20852.

Instructions: OMB submissions must be formatted and filed in accordance with submission guidelines at www.reginfo.gov/public/do/PRAMain. Using the search function under the "Currently Under Review" field, select Federal Energy Regulatory Commission; click "submit," and select "comment" to the right of the subject collection.

FERC submissions must be formatted and filed in accordance with submission

guidelines at: https://www.ferc.gov/ferconline/overview. For user assistance, contact FERC Online Support by email at ferconlinesupport@ferc.gov, or by phone at: (866) 208–3676 (toll-free).

Docket: Users interested in receiving automatic notification of activity in this docket or in viewing/downloading comments and issuances in this docket may do so at https://www.ferc.gov/ferc-online/overview.

FOR FURTHER INFORMATION CONTACT:

Kayla Williams may be reached by email at *DataClearance@FERC.gov*, telephone at (202) 502–6468.

SUPPLEMENTARY INFORMATION: In this information collection request, the Commission is merging the FERC–725G1 (OMB Control No. 1902–0284), FERC–725G4 (OMB Control No. 1902–0282) and FERC–725P1 (OMB Control No. 1902–0280) into the FERC–725G (OMB Control No. 1902–0252).

FERC-725G1

Title: Mandatory Reliability Standards for the Bulk-Power System: Reliability Standard PRC-004-6.

OMB Control No.: 1902-0284.

Type of Request: Three-year extension of the FERC–725G1 information collection requirements.

Abstract: The Commission collects information under FERC-725G1 in accordance with section 215 of the Federal Power Act (FPA) 1 and 18 CFR parts 39 and 40. Section 215 of the FPA gives the Commission and the North American Electric Reliability Corporation (as the Commissionapproved Electric Reliability Organization) to establish and enforce reliability standards for all users, owners, and operators of the bulk-power system.² Once approved, the Reliability Standards may be enforced by the Electric Reliability Organization subject to Commission oversight, or by the Commission independently.3

Reliability Standard PRČ–004–6 requires transmission owners, generator owners, and distribution providers to identify and correct causes of misoperations of certain protection systems for bulk-power system elements. It also requires retention of evidence of misoperations for a minimum of 12 calendar months.

¹ 16 U.S.C.824*o*.

² As defined at 16 U.S.C. 824*o*(a)(1) and 18 CFR 39.1, the term "bulk-power system" means facilities and control systems necessary for operating an interconnected electric energy transmission network (or any portion thereof), and electric energy from generating facilities needed to maintain transmission system reliability. The term does not include facilities used in the local distribution of electric energy.

^{3 16} U.S.C. 824o(e).

Types of Respondents: Transmission Owners, Generator Owners, and Distribution Providers.

Frequency of Response: On occasion.

Estimate of Annual Burden: The Commission estimates 930 responses annually, and per-response burdens of 16 hours and \$1,130.72.4 The total

estimated burdens per year are 930 responses, 14,880 hours, and \$1,051,570 (rounded). These burdens are itemized in the following table:

MANDATORY RELIABILITY STANDARDS FOR THE BULK-POWER SYSTEM: RELIABILITY STANDARD PRC-004-6 (FERC-725G1)—ANNUAL ESTIMATES OF RESPONDENTS' BURDENS

A. Number of respondents	B. C. Annual Total number of number of responses per respondent responses		D. Average burden & cost per response ⁵	E. Total annual burden hours & total annual cost	F. Cost per respondent (\$)
		(column A × column B)		(column C × column D)	(column E ÷ column A)
930	1	930	16 hrs.; \$1,130.72	14,880 hrs.; \$1,051,570 (rounded).	\$1,130.72

FERC-725G4

Title: Mandatory Reliability Standards: Reliability Standard PRC-010-2 (Under Voltage Load Shedding).

OMB Control No.: 1902-0282.

Type of Request: Three-year extension of the FERC-725G4 information collection requirements.6

Abstract: The Commission collects information under FERC-725G4 in accordance with section 215 of the FPA and 18 CFR parts 39 and 40. Reliability Standard PRC-010-2 requires respondents to submit date-stamped documentation of their compliance with the relevant UVLS Program.7

Types of Respondents: UVLS Entities.8

Frequency of Response: On occasion.

Estimate of Annual Burden: The Commission estimates 25 responses annually, and per-response burdens of 48 hours and \$4,176.9 The total estimated burdens per year are 25 responses, 1,200 hours, and \$104,400. These burdens are itemized in the following table:

MANDATORY RELIABILITY STANDARDS: RELIABILITY STANDARD PRC-010-2 (UNDER VOLTAGE LOAD SHEDDING) (FERC-725G4)—ANNUAL ESTIMATES OF RESPONDENTS' BURDENS

A. Number of respondents		B. Annual number of responses per respondent	C. Total number of responses (column A × column B)	D. Average burden & cost per response 10	E. Total annual burden hours & total annual cost (column C × column D)	F. Cost per respondent (\$) (column E + column A)	
			(column A × column b)		(column c × column b)	(Column L + Column A)	
-	31	1	31	48 hrs.; \$3,392.16	1,488 hrs.; \$105,156.96	\$3,392.16	

FERC-725P1

Title: Mandatory Reliability Standards: Reliability Standard PRC-005-6 (Protection System, Automatic Reclosing, and Sudden Pressure Relaying Maintenance).

OMB Control No.: 1902-0280.

 $^4\,\mathrm{Using}$ the November 20, 2024, NERC

compliance registration information for entities that

are Generator Owners, Transmission Owners, and

Distribution Providers (in the US), the number of

entity will have a mis-operation event during a

information collection, we are estimating that

approximately half of the 1,861 potential

year. Based on our previous experience with this

respondents annually will have a reportable mis-

potential respondents is 1,861. However, not every

Type of Request: Three-year extension of the FERC-725P1 information collection requirements.11

Abstract: The Commission collects information under FERC-725P1 in accordance with section 215 of the FPA and 18 CFR parts 39 and 40. Reliability Standard PRC-005-6 requires that transmission and generation protection

combine that information collection activity with FERC-725G1. Such action would be administrative only and would not indicate the discontinuation of the information collection requirements in FERC-

consumers from the grid to prevent demand from exceeding supply, which can cause widespread grid collapse. A "UVLS Program" provides for automatic load shedding, utilizing voltage inputs, in specific circumstances and locations.

⁸ "UVLS Entities," as defined at the NERC website at https://www.nerc.com/pa/Stand/ Reliability%20Standards/PRC-010-2.pdf, are distribution providers and transmission owners responsible for the ownership, operation, or control of UVLS equipment, as required by a UVLS Program.

⁹ Using the November 20, 2024, NERC compliance registration information for only unique US entities that are Transmission Owners (325) and Distribution Providers (298), the number of potential respondents is 623, considering overlap

systems affecting the reliability of the Bulk-Power System are maintained and

Types of Respondents: Distribution providers, generator owners and transmission owners Entities.

Frequency of Response: On occasion. Estimate of Annual Burden: The Commission estimates 1,861 responses

between functions. However, not every entity has

respondents have such a program. Therefore, we

an under-voltage load shedding program.

Approximately five percent of the potential

725G4. estimate 31 (rounded) responses per year for FERC-7 "Load shedding" means disconnecting 10 The estimated hourly cost (salary plus benefits) is a combination based on the Bureau of Labor

Statistics (BLS), as of 2024, for 75% of the average of an Electrical Engineer (17-2071) \$79.31/hr., 79.31 × .75 = 59.4825 (\$59.48-rounded) (\$59.48/ hour) and 25% of an Information and Record Clerk (43-4199) \$44.74/hr., \$44.74 × .25% = 11.185 (\$11.19 rounded) (\$11.19/hour), for a total (\$59.48 + \$11.19 = \$70.67/hour).¹¹ If OMB renews FERC-725P1, the Commission

subsequently may consider requesting that OMB combine that information collection activity with FERC-725G. Such action would be administrative only and would not indicate the discontinuation of the information collection requirements in FERC-

operation, i.e., 930 (rounded) responses per year for FERC-725G1. ⁵ The estimated hourly cost (salary plus benefits) is a combination based on the Bureau of Labor Statistics (BLS), as of 2024, for 75% of the average of an Electrical Engineer (17-2071) \$79.31/hr., 79.31 × .75 = 59.4825 (\$59.48-rounded) (\$59.48/ hour) and 25% of an Information and Record Clerk $(43-4199) \;\$44.74/\mathrm{hr.}, \;\$44.74 \times .25\% = 11.185$

^{(\$11.19} rounded) (\$11.19/hour), for a total (\$59.48 + \$11.19 = \$70.67/hour). ⁶ If OMB renews FERC-725G4, the Commission subsequently may consider requesting that OMB

annually, and per-response burdens of 2 hours and \$141.34.12 The total

estimated burdens per year are 1,861 responses, 3,722 hours, and

\$263,033.74. These burdens are itemized in the following table:

MANDATORY RELIABILITY STANDARDS: RELIABILITY STANDARD PRC-005-6 (PROTECTION SYSTEM, AUTOMATIC RE-CLOSING, AND SUDDEN PRESSURE RELAYING MAINTENANCE) (FERC-725P1)—ANNUAL ESTIMATES OF RESPOND-ENTS' BURDENS

A. Number of respondents	B. Annual number of responses per respondent	C. Total number of responses (column A × column B)	D. Average burden & cost per response ¹³	E. Total annual burden hours & total annual cost (column C × column D)	F. Cost per respondent (\$) (column E + column A)
325 (TO) 1,238 (GO) 298 (DP)	1 1 1	325 1,238 298		650 hrs.; \$45,935.50	\$141.34 141.34 141.34
Total		1,861		3,722 hr., 263,033.74	

725G1, 725G4 and 725P1 Merge back into 725G (1902–0252):

Abstract: On August 8, 2005, Congress enacted into law the Electricity Modernization Act of 2005, which is Title XII, Subtitle A, of the Energy Policy Act of 2005 (EPAct 2005).¹⁴ EPAct 2005 added a new section 215 to the FPA, which required a Commission-certified Electric Reliability

Organization (ERO) to develop mandatory and enforceable Reliability Standards, which are subject to Commission review and approval. Once approved, the Reliability Standards may be enforced by the ERO subject to Commission oversight, or the Commission can independently enforce Reliability Standards. ¹⁵

The information collected by the FERC–725G is required to implement the statutory provisions of section 215 of the Federal Power Act (FPA).² Section 215 of the FPA buttresses the Commission's efforts to strengthen the reliability of the interstate bulk power grid.

MANDATORY RELIABILITY STANDARDS: RELIABILITY STANDARD FOR FERC-725G (1902-0252)—ANNUAL ESTIMATES OF RESPONDENTS' BURDENS

FERC-725G	C. Total annual responses	D. Total average burden	E. Total annual burden hours & total annual cost	F. Cost per respondent
	(column A × column B)	cost per response 16	(column C × column D)	(\$) (column E ÷ column A)
				Column A)
FERC-725-G1 Total PRC-004-6	930	16 hrs.; \$1,130.72	14,880 hrs.; \$1.051.569.60.	\$1,130.72
FERC-725-G4 Total PRC-010-2	31	48 hrs.; 3,392.16	1,488 hrs.; 105,156.96	3,392.16
FERC-725-P1 Total PRC-005-6	1,861	2 hrs.; 141.34	3,722 hr., 263,033.74	141.34
Currently approved FERC-725G Totals	11,367		762,718	
FERC-725-G New Total	14,189		782,808	

The FERC-725G information collection currently contains the reporting and recordkeeping requirements for the following (12) Reliability Standards: PRC-002-4, PRC-004-6, PRC-005-6, PRC-006-5, PRC-010-2, PRC-012-2, PRC-019-2, PRC-023-6, PRC-024-3, PRC-025-2, PRC-026-2, and PRC-027-1.

• PRC-002-4 Disturbance Monitoring and Reporting Requirements

The purpose is to have adequate data available to facilitate analysis of Bulk Electric System (BES) Disturb.

• PRC-005-6 Automatic Underfrequency Load Shedding

To document and implement programs for the maintenance of all Protection Systems, Automatic Reclosing, and Sudden Pressure Relaying affecting the reliability of the Bulk Electric System (BES) so that they are kept in working order

• PRC-006-5 Automatic Underfrequency Load Shedding

To establish design and documentation requirements for automatic Underfrequency Load Shedding (UFLS) programs to arrest declining frequency, assist recovery of frequency following underfrequency

¹² Using the November 20, 2024, NERC compliance registration information for only unique US entities that are Distribution Providers (298), generator owners (1,238) and transmission owners (325). Therefore, we estimate 1,861 (rounded) responses per year for FERC–725P1.

¹³ The estimated hourly cost (salary plus benefits) is a combination based on the Bureau of Labor Statistics (BLS), as of 2024, for 75% of the average of an Electrical Engineer (17–2071) \$79.31/hr.,

 $^{79.31\}times.75=59.4825$ (\$59.48-rounded) (\$59.48/hour) and 25% of an Information and Record Clerk (43–4199) \$44.74/hr., \$44.74 $\times.25\%=11.185$ (\$11.19 rounded) (\$11.19/hour), for a total (\$59.48+\$11.19 = \$70.67/hour).

¹⁴ Energy Policy Act of 2005, Pub. L. 109–58, Title XII, Subtitle A, 119 Stat. 594, 941 (codified at 16 U.S.C. 824*a*).

¹⁵ 16 U.S.C. 824*o*(e)(3).

 $^{^{16}}$ The estimated hourly cost (salary plus benefits) is a combination based on the Bureau of Labor Statistics (BLS), as of 2024, for 75% of the average of an Electrical Engineer (17–2071) \$79.31/hr., 79.31 \times .75 = 59.4825 (\$59.48-rounded) (\$59.48/hour) and 25% of an Information and Record Clerk (43–4199) \$44.74/hr., \$44.74 \times .25% = 11.185 (\$11.19 rounded) (\$11.19/hour), for a total (\$59.48 + \$11.19 = \$70.67/hour).

events and provide last resort system preservation measures.

• PRC-012-2 Remedial Action Schemes

To ensure that Remedial Action Schemes (RAS) do not introduce unintentional or unacceptable reliability risks to the Bulk Electric System (BES).

• PRC-019-2 Coordination of Generating Unit or Plant Capabilities, Voltage Regulating Controls, and Protection

The purpose is to verify coordination of generating unit Facility or synchronous condenser voltage regulating controls, limit functions, equipment capabilities and Protection System settings.

• PRC-023-6 Transmission Relay Load-Ability

The purpose to verify coordination of generating unit Facility or synchronous condenser voltage regulating controls, limit functions, equipment capabilities and Protection System settings.

• PRC-024-3 Generator Frequency and Voltage Protective Relay Settings

The purpose to set protection such that generating resource(s) remain connected during defined frequency and voltage excursions in support of the Bulk Electric System (BES).

• PRC-025-2 Generator Relay Load-Ability

The purpose is to set load-responsive protective relays associated with generation Facilities at a level to prevent unnecessary tripping of generators during a system disturbance for conditions that do not pose a risk of damage to the associated equipment.

• PRC-026-2 Relay Performance During Stable Power Swings

The purpose is to ensure that loadresponsive protective relays are expected to not trip in response to stable power swings during non-Fault conditions.

• PRC-027-1 Coordination of Protection Systems for Performance During Faults

The purpose is to maintain the coordination of Protection Systems installed to detect and isolate Faults on Bulk Electric System (BES) Elements, such that those Protection Systems operate in the intended sequence during Faults.

Each of these Reliability Standards have three components that impose burden upon affected industry:

• Requirements (e.g., denoted in each Reliability Standard as R1, R2...)

- Measures (e.g., denoted in each Reliability Standard as M1, M2 . . .)
- Evidence Retention

These three components can be reviewed for the Reliability Standards in North American Electric Reliability Commission (NERC) petitions in FERC's eLibrary system (http://www.ferc.gov/docs-filing/elibrary.asp) or on NERC's own website (www.nerc.com).

Type of Respondents: Generator owners, Planning coordinators, Distribution providers, and UFLS-only Distribution Providers.

Estimate of Annual Burden: ¹⁷ Our estimates are based on the NERC Compliance Registry Summary of Entities as of November 20, 2024. According to the NERC compliance registry, and functions as of, which indicates there are registered as GO, DP and TO entities. The individual burden estimates are based on the time needed to gather data, run studies, and analyze study results to design or update the underfrequency load shedding programs. These are consistent with estimates for similar tasks in other Commission approved standards.

Comments: Comments are invited on: (1) whether the collection of information is necessary for the proper performance of the functions of the Commission, including whether the information will have practical utility; (2) the accuracy of the agency's estimate of the burden and cost of the collection of information, including the validity of the methodology and assumptions used; (3) ways to enhance the quality, utility and clarity of the information collection; and (4) ways to minimize the burden of the collection of information on those who are to respond, including the use of automated collection techniques or other forms of information technology.

Dated: March 4, 2025.

Debbie-Anne A. Reese,

Secretary.

[FR Doc. 2025–04134 Filed 3–14–25; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings #1

Take notice that the Commission received the following exempt wholesale generator filings:

Docket Numbers: EG25–213–000. Applicants: Roadrunner Solar LLC. Description: Roadrunner Solar LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status. Filed Date: 3/10/25.

Accession Number: 20250310–5103. Comment Date: 5 p.m. ET 3/31/25. Docket Numbers: EG25–214–000. Applicants: Roadrunner Battery Storage LLC.

Description: Roadrunner Battery Storage LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status.

Filed Date: 3/10/25.

Accession Number: 20250310–5106. Comment Date: 5 p.m. ET 3/31/25. Docket Numbers: EG25–215–000. Applicants: Roadrunner Solar SF LLC.

Description: Roadrunner Solar SF LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status.

Filed Date: 3/10/25.

Accession Number: 20250310–5108. Comment Date: 5 p.m. ET 3/31/25.

Docket Numbers: EG25–216–000. Applicants: Roadrunner BESS SF LLC.

Description: Roadrunner BESS SF LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status. Filed Date: 3/10/25.

Accession Number: 20250310-5109. Comment Date: 5 p.m. ET 3/31/25.

Docket Numbers: EG25–217–000. Applicants: Wizard Energy Storage LLC.

Description: Wizard Energy Storage LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status. Filed Date: 3/10/25.

Accession Number: 20250310-5167. Comment Date: 5 p.m. ET 3/31/25.

Docket Numbers: EG25–218–000. Applicants: Kingman Wind I, LLC.

Description: Kingman Wind I, LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status.

Filed Date: 3/10/25.

Accession Number: 20250310-5193. Comment Date: 5 p.m. ET 3/31/25.

Docket Numbers: EG25–219–000.
Applicants: Kingman Wind II, LLC.
Description: Kingman Wind II, LLC

submits Notice of Self-Certification of Exempt Wholesale Generator Status. Filed Date: 3/10/25.

Accession Number: 20250310–5202. Comment Date: 5 p.m. ET 3/31/25.

Docket Numbers: EG25–220–000. Applicants: Ninnescah Wind

Renewables, LLC.

Description: Ninnescah Wind Renewables, LLC submits Notice of Self-Certification of Exempt Wholesale Generator Status.

¹⁷ Burden is defined as the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. See 5 CFR part 1320 for additional information on the definition of information collection burden.