

Advisory Board is to advise the Secretary with respect to: (1) The Site Exposure Matrices (SEM) of the Department of Labor; (2) medical guidance for claims examiners for claims with the EEOICPA program, with respect to the weighing of the medical evidence of claimants; (3) evidentiary requirements for claims under Part B of EEOICPA related to lung disease; and (4) the work of industrial hygienists and staff physicians and consulting physicians of the Department of Labor and reports of such hygienists and physicians to ensure quality, objectivity, and consistency. The Advisory Board sunsets on December 19, 2019. This subcommittee is being assembled to gather data and begin working on advice under Area #3, Evidentiary Requirements for Part B lung conditions.

The Advisory Board operates in accordance with the Federal Advisory Committee Act (FACA) (5 U.S.C. App. 2) and its implementing regulations (41 CFR part 102-3).

**Agenda:** The tentative agenda for the Subcommittee on Evidentiary Requirements for Part B Lung Disease meeting includes:

- Defining the issues and scope of the subcommittee's topic area: Evidentiary requirements for lung disease claims under EEOICPA's Part B;
- Defining data and informational needs (and review) for the topic area;
- Drafting the initial work plan with a timetable.

OWCP transcribes Advisory Board subcommittee meetings. OWCP posts the transcripts on the Advisory Board Web page, <http://www.dol.gov/owcp/energy/regs/compliance/AdvisoryBoard.htm>, along with written comments and other materials submitted to the subcommittee or presented at subcommittee meetings.

#### **Public Participation, Submissions, and Access to the Public Record**

**Subcommittee meeting:** The subcommittee will meet via teleconference on Wednesday, June 29, 2016, from 10:00 a.m. until 2:00 p.m. Eastern Time. Advisory Board subcommittee meetings are open to the public. The teleconference number and other details for listening to the meeting will be posted on the Advisory Board's Web site no later than 72 hours prior to the meeting. This information will be posted at <http://www.dol.gov/owcp/energy/regs/compliance/AdvisoryBoard.htm>.

**Requests for special accommodations:** Please submit requests for special accommodations to participate in the subcommittee meeting by email,

telephone, or hard copy to Ms. Carrie Rhoads, OWCP, Room S-3524, U.S. Department of Labor, 200 Constitution Avenue NW., Washington, DC 20210; telephone (202) 343-5580; email [EnergyAdvisoryBoard@dol.gov](mailto:EnergyAdvisoryBoard@dol.gov).

**Submission of written comments for the record:** You may submit written comments, identified by the subcommittee name and the meeting date of June 29, 2016, by any of the following methods:

- **Electronically:** Send to: [EnergyAdvisoryBoard@dol.gov](mailto:EnergyAdvisoryBoard@dol.gov) (specify in the email subject line, "Subcommittee on Part B Lung Conditions").

- **Mail, express delivery, hand delivery, messenger, or courier service:** Submit one copy to the following address: U.S. Department of Labor, Office of Workers' Compensation Programs, Advisory Board on Toxic Substances and Worker Health, Room S-3522, 200 Constitution Ave. NW., Washington, DC 20210. Due to security-related procedures, receipt of submissions by regular mail may experience significant delays.

Comments must be received by June 22, 2016. OWCP will make available publically, without change, any written comments, including any personal information that you provide. Therefore, OWCP cautions interested parties against submitting personal information such as Social Security numbers and birthdates.

Electronic copies of this **Federal Register** notice are available at <http://www.regulations.gov>. This notice, as well as news releases and other relevant information, are also available on the Advisory Board's Web page at <http://www.dol.gov/owcp/energy/regs/compliance/AdvisoryBoard.htm>.

**FOR FURTHER INFORMATION CONTACT:** You may contact Antonio Rios, Designated Federal Officer, at [rios.antonio@dol.gov](mailto:rios.antonio@dol.gov), or Carrie Rhoads, Alternate Designated Federal Officer, at [rhoads.carrie@dol.gov](mailto:rhoads.carrie@dol.gov), U.S. Department of Labor, 200 Constitution Avenue NW., Suite S-3524, Washington, DC 20210, telephone (202) 343-5580. This is not a toll-free number.

Signed at Washington, DC, this 8th day of June 2016.

**Leonard J. Howie III,**

Director, Office of Workers' Compensation Programs.

[FR Doc. 2016-14159 Filed 6-14-16; 8:45 am]

**BILLING CODE 4510-24-P**

## **NATIONAL FOUNDATION ON THE ARTS AND THE HUMANITIES**

### **National Endowment for the Arts**

#### **Arts Advisory Panel Meetings**

**AGENCY:** National Endowment for the Arts, National Foundation on the Arts and Humanities.

**ACTION:** Notice of meetings.

**SUMMARY:** Pursuant to the Federal Advisory Committee Act, as amended, notice is hereby given that 11 meetings of the Arts Advisory Panel to the National Council on the Arts will be held by teleconference.

**DATES:** All meetings are Eastern time and ending times are approximate:

*Theater and Musical Theater* (review of applications): This meeting will be closed.

*Date and time:* July 7, 2016; 1:00 p.m. to 3:00 p.m.

*Theater and Musical Theater* (review of applications): This meeting will be closed.

*Date and time:* July 7, 2016; 4:00 p.m. to 6:00 p.m.

*Museums* (review of applications): This meeting will be closed.

*Date and time:* July 12, 2016; 11:30 a.m. to 1:30 p.m.

*Museums* (review of applications): This meeting will be closed.

*Date and time:* July 12, 2016; 2:30 p.m. to 4:30 p.m.

*Museums* (review of applications): This meeting will be closed.

*Date and time:* July 13, 2016; 2:30 p.m. to 4:30 p.m.

*Arts Education* (review of applications): This meeting will be closed.

*Date and time:* July 14, 2016; 1:30 p.m. to 3:30 p.m.

*Creativity Connects* (review of applications): This meeting will be closed.

*Date and time:* July 19, 2016; 11:00 a.m. to 1:00 p.m.

*Creativity Connects* (review of applications): This meeting will be closed.

*Date and time:* July 19, 2016; 3:00 p.m. to 5:00 p.m.

*Creativity Connects* (review of applications): This meeting will be closed.

*Date and time:* July 20, 2016; 11:00 a.m. to 1:00 p.m.

*Arts Education* (review of applications): This meeting will be closed.

*Date and time:* July 20, 2016; 1:30 p.m. to 3:30 p.m.

*Arts Education* (review of applications): This meeting will be closed.

*Date and time:* July 21, 2016; 1:30 p.m. to 3:30 p.m.

**ADDRESSES:** National Endowment for the Arts, Constitution Center, 400 7th St. SW., Washington, DC 20506.

**FOR FURTHER INFORMATION CONTACT:** Further information with reference to these meetings can be obtained from Ms. Kathy Plowitz-Worden, Office of Guidelines & Panel Operations, National Endowment for the Arts, Washington, DC 20506; [plowitzk@arts.gov](mailto:plowitzk@arts.gov), or call 202/682-5691.

**SUPPLEMENTARY INFORMATION:** The closed portions of meetings are for the purpose of Panel review, discussion, evaluation, and recommendations on financial assistance under the National Foundation on the Arts and the Humanities Act of 1965, as amended, including information given in confidence to the agency. In accordance with the determination of the Chairman of February 15, 2012, these sessions will be closed to the public pursuant to subsection (c)(6) of section 552b of title 5, United States Code.

Dated: June 10, 2016.

**Kathy Plowitz-Worden,**  
Panel Coordinator, National Endowment for the Arts.

[FR Doc. 2016-14137 Filed 6-14-16; 8:45 am]

**BILLING CODE 7537-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 72-58 and 50-263; NRC-2016-0115]

### Xcel Energy, Monticello Nuclear Generating Plant Independent Spent Fuel Storage Installation

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing an exemption in response to a request submitted by Xcel Energy on September 29, 2015, from meeting Technical Specification (TS) 1.2.5 of Attachment A of Certificate of Compliance (CoC) No. 1004, Amendment No. 10, which requires that all dry shielded canister (DSC) closure welds, except those subjected to full volumetric inspection, shall be dye penetrant tested in accordance with the requirements of American Society of Mechanical Engineers (ASME) Boiler and Pressure Vessel (B&PV) Code Section III, Division 1, Article NB-5000. This exemption applies to one loaded Standardized NUHOMS® 61BTH, DSC 16 (DSC 16), at the Monticello Nuclear Generating Plant (MNGP) Independent Spent Fuel Storage Installation (ISFSI).

**ADDRESSES:** Please refer to Docket ID NRC-2016-0115 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2016-0115. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). For the convenience of the reader, the ADAMS accession numbers are provided in a table in the "Availability of Documents" section of this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Christian Jacobs, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-6825; email: [Christian.Jacobs@nrc.gov](mailto:Christian.Jacobs@nrc.gov).

#### SUPPLEMENTARY INFORMATION:

##### I. Background

Northern States Power Company-Minnesota, doing business as Xcel Energy (Xcel Energy, or the applicant) is the holder of Facility Operating License No. DPR-22, which authorizes operation of the Monticello Nuclear Generating Plant (MNGP), Unit No. 1, in Wright County, Minnesota, pursuant to part 50 of title 10 of the *Code of Federal Regulations* (10 CFR), "Domestic Licensing of Production and Utilization Facilities." The license provides, among other things, that the facility is subject to all rules, regulations, and orders of the NRC now or hereafter in effect.

Consistent with 10 CFR part 72, subpart K, "General License for Storage of Spent Fuel at Power Reactor Sites,"

a general license is issued for the storage of spent fuel in an ISFSI at power reactor sites to persons authorized to possess or operate nuclear power reactors under 10 CFR part 50. The applicant is authorized to operate a nuclear power reactor under 10 CFR part 50, and holds a 10 CFR part 72 general license for storage of spent fuel at the Monticello Nuclear Generating Plant ISFSI. Under the terms of the general license, the applicant stores spent fuel at its ISFSI using the Transnuclear, Inc. (TN) Standardized NUHOMS® dry cask storage system Certificate of Compliance (CoC) No. 1004, Amendments No. 9 and No. 10. As part of the dry storage system, the DSC (of which the closure welds are an integral part) ensures that the dry storage system can meet the functions of criticality safety, confinement boundary, shielding, structural support, and heat transfer.

##### II. Request/Action

The applicant has requested an exemption from the requirements of 10 CFR 72.212(b)(3) and 10 CFR 72.212(b)(11) that require compliance with the terms, conditions, and specifications of CoC No. 1004, Amendment No. 10, for the Standardized NUHOMS® Horizontal Modular Storage System, to the extent necessary for the applicant to transfer DSC 16 into a Horizontal Storage Module (HSM). This would permit the continued storage of that DSC for the service life of the canister. Specifically, the exemption would relieve the applicant from meeting TS 1.2.5 of Attachment A of CoC No. 1004, which requires that all DSC closure welds, except those subjected to full volumetric inspection, shall be dye penetrant tested in accordance with the requirements of the ASME B&PV Code Section III, Division 1, Article NB-5000. Technical Specification 1.2.5 further requires that the liquid penetrant test acceptance standards shall be those described in Subsection NB-5350 of the ASME BP&V Code.

Xcel Energy loaded spent nuclear fuel into six 61BTH DSCs starting in September 2013. Subsequent to the loading, it was discovered that certain elements of the liquid penetrant test (PT) examinations, which were performed on the DSCs to verify the acceptability of the closure welds, do not comply with the requirements of TS 1.2.5. All six DSCs were affected. Five of the six DSCs (numbers 11-15) had already been loaded in the HSMs when the discrepancies were discovered. The DSC 16 remains on the reactor building refueling floor in a transfer cask (TC).