

[FR Doc. 2025–08982 Filed 5–19–25; 8:45 am]

BILLING CODE 9110–12–P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR–6530–N–01]

Notice of Annual Factors for Determining Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

AGENCY: Office of the Assistant Secretary for Public and Indian Housing (PIH), HUD.

ACTION: Notice.

SUMMARY: This notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream Voucher, Emergency Housing Voucher (EHV), and Moderate Rehabilitation (including the Single Room Occupancy program for homeless individuals) programs during calendar year (CY) 2025. PHAs use administrative fees to cover costs associated with administering these programs. Publishing the CY 2025 administrative fees allow PHAs to budget appropriately and is important for PHA record keeping purposes.

DATES: *Applicable* January 1, 2025.

FOR FURTHER INFORMATION CONTACT: Miguel A. Fontánez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, 451 Seventh Street SW, Room 4222, Washington, DC 20410–8000, telephone number 202–402–4212 (this is not a toll-free number). HUD welcomes and is prepared to receive calls from individuals who are deaf or hard of hearing, as well as individuals with speech or communication disabilities. To learn more about how to make an accessible telephone call, please visit <https://www.fcc.gov/consumers/guides/telecommunications-relay-service-trs>.

SUPPLEMENTARY INFORMATION:

A. Background

This notice provides HUD's methodology used to determine the CY 2025 administrative fee rates by area, which HUD uses to determine PHA administrative fees for the HCV, Mainstream Vouchers, EHV (column A rate only), and Moderate Rehabilitation programs, including the Single Room Occupancy (SRO) program for homeless

individuals. The HCV Program is the Federal government's major program for assisting very low-income families, persons who are elderly, or persons with disabilities to afford decent, safe, and sanitary housing in the private market. Mainstream Vouchers are tenant-based vouchers under section 8(o) of the U.S. Housing Act of 1937, serving households that include a non-elderly person with a disability. The EHV program was authorized by the American Rescue Plan Act (ARPA) PL 117–2, enacted on March 11, 2021.

Through EHV, HUD is providing housing choice vouchers to local PHAs to assist approximately 60,000 participants who are homeless, at-risk of homelessness, fleeing, or attempting to flee domestic violence, dating violence, sexual assault, stalking, or human trafficking, or were recently homeless or have a high risk of housing instability. Section 3202(b)(6) of the ARP provides that PHAs may not reissue turnover EHV's after September 30, 2023, with EHV's effectively sunset after this date when families leave the program. In addition to the sunset requirement, the ARP made EHV funds available for obligation by HUD until September 30, 2030, with these funds being cancelled as a matter of law effective September 30, 2035. However, due to historic increases in rental prices resulting in a higher per unit cost (PUC) for EHV's, HUD has informed PHAs through a recent letter that available EHV funds are likely sufficient to cover EHV families through calendar year (CY) 2026. The Moderate Rehabilitation Program provides project-based rental assistance for low-income families and the SRO program provides project-based rental assistance for individuals experiencing homelessness. Both programs have been repealed and no new projects are authorized for development. Assistance is limited to previously rehabilitated properties, with assistance being provided pursuant to a housing assistance payments (HAP) contract between an owner and a PHA.

B. CY 2025 Methodology

For CY 2025, administrative fees are determined based on vouchers leased as of the first day of each month and in accordance with the requirements of the Full-Year Continuing Appropriation and Extensions Act, 2025 (Pub. L. 119–4), which provides the same amount of administrative funding as the 2024 Appropriations Act (Pub. L. 118–42). This data is extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For the Moderate Rehabilitation programs, including the

SRO program, administrative fee eligibility is based on the units under a HAP contract. Administrative fee advances made prior to the 2025 fee rate availability are reconciled and adjusted per the information provided in the CY 2025 Administrative Fee Rate Description document available through the following link: https://www.hud.gov/program_offices/public_indian_housing/programs/hcv/guidance_and_notices.

The included table provides two fee rates for each PHA. The first rate, Column A, applies to the first 7,200 voucher unit months leased in CY 2025. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2025. However, in the case of EHV's, PHAs are allocated the full Column A administrative fee amount for each EHV that is under HAP contract as of the first day of each month in accordance with PIH Notice 2021–15, Emergency Housing Vouchers—Operating Requirements, issued on May 5, 2021. The funding for EHV's, including administrative fee funding, was appropriated through the ARPA, separate and apart from the regular HCV program appropriations provided through HUD's annual appropriations acts. Eligibility for EHV's is limited to the vulnerable populations described earlier, and EHV's may not be reissued after September 30, 2023. In addition to the post-September 30, 2023, prohibition, the ARPA made EHV funds available for obligation by HUD until September 30, 2030, with these funds being cancelled as a matter of law effective September 30, 2035. However, due to historic increases in rental prices resulting in a higher per unit cost (PUC) for EHV's, HUD has informed PHAs through a recent letter that available EHV funds are likely sufficient to cover EHV families through Calendar Year (CY) 2026.

Increases in administrative fee rates are based on the year-to-year change in average wages paid to workers in establishments owned by local governments, as reported by the Bureau of Labor Statistics Quarterly Census of Employment and Wages. HUD calculates the average change for the metropolitan and non-metropolitan portions of each State. For 2025, the national average increase in administrative fee rates is 3.8 percent for metropolitan areas and 3.9 percent for non-metropolitan areas. In some cases, the fee rates calculated for CY 2025 are lower than those established for CY 2024. In these cases, the affected PHAs are held harmless at the CY 2024 fee rates.

The fee rates for each PHA generally cover the fees for areas in which the PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC), or superseding system, data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA chooses, the PHA may request HUD establish a blended fee rate that proportionally considers all areas in which participants are located. Once a blended rate is established, it is used to determine the PHA's fee eligibility for all months in CY 2025. The forthcoming notice, Implementation of the Federal Fiscal Year (FFY) 2025 Funding Provisions for the Housing Choice Voucher Program (the Funding Notice), will describe how to apply for blended fee rates and will provide a deadline date for submitting such requests. Once the notice is published, PHAs will be able to access it through the following link: https://www.hud.gov/program_offices/public_indian_housing/publications/notices.

PHAs operating over large geographic areas, defined as multiple counties, may request a higher administrative fee rate if eligible. The Funding Notice will describe how to request higher fee rates and the deadline date for such requests. Higher administrative fee rates differ from blended administrative fee rates in how they are calculated. Requests for higher administrative rates must clearly demonstrate that the PHA's published rate cannot cover their projected expenses. For approved higher administrative fee rates, HUD calculates a breakeven rate to ensure the PHA receives sufficient funds to cover their expenses while also ensuring the administrative fee reserves do not grow.

This notice identifies the monthly per-voucher-unit fee rates to be used to determine PHA administrative fee eligibility. The current fee rates remain accessible through the following link: https://www.hud.gov/program_offices/public_indian_housing/programs/hcv/guidance_and_notices, under the Notices and Guidance for PHAs section.

Direct questions to the PHA's assigned representative at the Financial Management Center or the Financial Management Division at PIHFinancialManagementDivision@hud.gov.

C. Moving to Work (MTW) Agencies

In cases where an MTW Agency has an alternative formula for determining HCV Administrative Fees in Attachment A of their MTW Agreements, HUD calculates the HCV Administrative Fees

in accordance with that MTW Agreement provision.

Benjamin Hobbs,

Principal Deputy Assistant Secretary, Public and Indian Housing.

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
AK901	\$124.83	\$116.52	AR020	75.61	70.57
AL001	86.31	80.55	AR024	87.03	81.22
AL002	87.67	81.83	AR031	76.82	71.70
AL004	85.17	79.49	AR033	74.96	69.96
AL005	90.09	84.08	AR034	76.82	71.70
AL006	85.17	79.49	AR035	74.96	69.96
AL007	85.17	79.49	AR037	74.96	69.96
AL008	83.82	78.23	AR039	74.96	69.96
AL011	83.82	78.23	AR041	83.80	78.23
AL012	84.94	79.28	AR042	76.82	71.70
AL014	83.82	78.23	AR045	74.96	69.96
AL047	87.69	81.86	AR052	74.96	69.96
AL048	85.17	79.49	AR066	74.96	69.96
AL049	85.17	79.49	AR068	74.96	69.96
AL050	85.17	79.49	AR082	74.96	69.96
AL052	83.82	78.23	AR104	76.82	71.70
AL053	83.82	78.23	AR117	74.96	69.96
AL054	85.17	79.49	AR121	74.96	69.96
AL060	83.82	78.23	AR131	76.82	71.70
AL061	85.17	79.49	AR152	74.96	69.96
AL063	86.31	80.55	AR161	74.96	69.96
AL068	85.17	79.49	AR163	76.82	71.70
AL069	86.31	80.55	AR166	74.96	69.96
AL072	86.31	80.55	AR170	83.80	78.23
AL073	84.03	78.41	AR175	83.80	78.23
AL075	83.82	78.23	AR176	74.96	69.96
AL077	85.17	79.49	AR177	74.96	69.96
AL086	86.31	80.55	AR181	76.82	71.70
AL090	83.82	78.23	AR194	82.42	76.93
AL091	83.82	78.23	AR197	74.96	69.96
AL099	83.82	78.23	AR200	74.96	69.96
AL105	83.82	78.23	AR210	74.96	69.96
AL107	83.82	78.23	AR211	74.96	69.96
AL112	83.82	78.23	AR213	74.96	69.96
AL114	83.82	78.23	AR214	74.96	69.96
AL115	83.82	78.23	AR215	74.96	69.96
AL116	83.82	78.23	AR223	74.96	69.96
AL118	83.82	78.23	AR224	74.96	69.96
AL121	83.82	78.23	AR225	74.96	69.96
AL124	84.03	78.41	AR232	76.82	71.70
AL125	86.31	80.55	AR240	74.96	69.96
AL129	84.94	79.28	AR241	77.25	72.10
AL131	85.17	79.49	AR247	74.96	69.96
AL138	85.17	79.49	AR257	74.96	69.96
AL139	85.17	79.49	AR264	87.03	81.22
AL152	85.17	79.49	AR265	74.96	69.96
AL154	83.82	78.23	AR266	74.96	69.96
AL155	83.82	78.23	AZ001	96.62	90.17
AL160	83.82	78.23	AZ003	96.62	90.17
AL165	88.94	83.02	AZ004	95.52	89.14
AL169	87.67	81.83	AZ005	96.62	90.17
AL171	83.82	78.23	AZ006	105.64	98.61
AL172	85.17	79.49	AZ008	73.75	68.84
AL174	83.82	78.23	AZ009	96.62	90.17
AL177	83.82	78.23	AZ010	96.62	90.17
AL181	83.82	78.23	AZ013	107.34	100.19
AL192	83.82	78.23	AZ023	77.71	72.53
AL202	87.67	81.83	AZ025	95.52	89.14
AR002	83.80	78.23	AZ028	96.62	90.17
AR003	82.42	76.93	AZ031	96.62	90.17
AR004	83.80	78.23	AZ032	96.62	90.17
AR006	83.80	78.23	AZ033	95.52	89.14
AR010	74.96	69.96	AZ034	79.38	74.09
AR012	74.96	69.96	AZ035	107.34	100.19
AR015	80.35	74.99	AZ041	105.64	98.61
AR016	74.96	69.96	AZ043	129.37	120.75
AR017	76.82	71.70	AZ045	76.42	71.33
			AZ880	96.62	90.17
			AZ901	105.64	98.61
			CA001	162.50	151.68
			CA002	162.50	151.68
			CA003	162.50	151.68
			CA004	162.50	151.68
			CA005	123.41	115.18

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
CA006	113.23	105.67	CA126	162.50	151.68	CT038	113.04	105.49
CA007	123.41	115.18	CA128	123.41	115.18	CT039	113.04	105.49
CA008	123.84	115.58	CA131	141.07	131.66	CT040	113.04	105.49
CA011	162.50	151.68	CA132	145.29	135.59	CT041	113.04	105.49
CA014	162.50	151.68	CA136	162.50	151.68	CT042	124.60	116.30
CA019	129.63	121.00	CA143	117.82	109.97	CT047	102.10	95.29
CA021	158.68	148.07	CA144	110.25	102.90	CT048	113.04	105.49
CA022	129.63	121.00	CA149	123.41	115.18	CT049	113.04	105.49
CA023	106.39	99.31	CA151	123.41	115.18	CT051	113.04	105.49
CA024	118.41	110.53	CA155	145.29	135.59	CT052	119.93	111.94
CA026	119.24	111.28	CO001	96.89	90.44	CT053	113.04	105.49
CA027	129.63	121.00	CO002	89.79	83.80	CT058	102.10	95.29
CA028	113.23	105.67	CO005	104.89	97.90	CT061	102.10	95.29
CA030	105.59	98.56	CO006	89.79	83.80	CT063	124.60	116.30
CA031	162.50	151.68	CO016	109.95	102.61	CT067	124.60	116.30
CA032	162.50	151.68	CO019	96.89	90.44	CT068	113.04	105.49
CA033	140.00	130.65	CO024	89.79	83.80	CT901	113.04	105.49
CA035	162.50	151.68	CO028	90.39	84.36	DC001	145.84	136.13
CA039	117.82	109.97	CO031	89.79	83.80	DC880	145.84	136.13
CA041	141.07	131.66	CO034	104.19	97.25	DE001	111.57	104.13
CA043	108.82	101.55	CO035	89.84	83.86	DE002	101.19	94.45
CA044	123.41	115.18	CO036	96.89	90.44	DE003	111.57	104.13
CA048	93.38	87.15	CO040	138.66	129.43	DE005	111.57	104.13
CA052	162.50	151.68	CO041	104.19	97.25	DE901	101.19	94.45
CA053	102.19	95.38	CO043	104.89	97.90	FL001	94.49	88.20
CA055	141.07	131.66	CO045	89.79	83.80	FL002	99.76	93.09
CA056	162.50	151.68	CO048	96.89	90.44	FL003	99.76	93.09
CA058	162.50	151.68	CO049	96.89	90.44	FL004	104.19	97.23
CA059	162.50	151.68	CO050	96.89	90.44	FL005	135.37	126.35
CA060	162.50	151.68	CO051	113.35	105.79	FL007	100.00	93.34
CA061	110.25	102.90	CO052	96.89	90.44	FL008	109.48	102.18
CA062	162.50	151.68	CO057	96.89	90.44	FL009	105.71	98.65
CA063	145.29	135.59	CO058	96.89	90.44	FL010	126.75	118.30
CA064	140.67	131.29	CO061	109.95	102.61	FL011	83.03	77.49
CA065	141.07	131.66	CO070	109.95	102.61	FL013	134.77	125.81
CA066	141.07	131.66	CO071	90.39	84.36	FL015	88.78	82.86
CA067	162.50	151.68	CO072	96.89	90.44	FL017	135.37	126.35
CA068	162.50	151.68	CO079	104.89	97.90	FL018	81.11	75.70
CA069	113.23	105.67	CO087	138.66	129.43	FL019	96.18	89.79
CA070	100.90	94.18	CO090	89.84	83.86	FL020	96.18	89.79
CA071	162.50	151.68	CO095	132.59	123.75	FL021	105.71	98.65
CA072	162.50	151.68	CO101	89.79	83.80	FL022	100.00	93.34
CA073	141.07	131.66	CO103	104.19	97.25	FL023	109.48	102.18
CA074	162.50	151.68	CO888	89.79	83.80	FL024	100.00	93.34
CA075	162.50	151.68	CO911	96.89	90.44	FL025	96.18	89.79
CA076	158.68	148.07	CO921	96.89	90.44	FL026	83.03	77.49
CA077	145.29	135.59	CT001	119.93	111.94	FL028	126.75	118.30
CA079	162.50	151.68	CT002	128.56	119.99	FL030	100.00	93.34
CA082	162.50	151.68	CT003	113.04	105.49	FL031	78.39	73.16
CA084	118.83	110.90	CT004	124.60	116.30	FL032	81.75	76.29
CA085	158.49	147.93	CT005	113.04	105.49	FL033	104.19	97.23
CA086	113.58	106.00	CT006	102.10	95.29	FL034	99.76	93.09
CA088	158.49	147.93	CT007	128.56	119.99	FL035	81.11	75.70
CA092	162.50	151.68	CT008	113.04	105.49	FL037	94.49	88.20
CA093	162.50	151.68	CT009	113.04	105.49	FL041	106.27	99.19
CA094	162.50	151.68	CT010	102.10	95.29	FL045	106.27	99.19
CA096	113.23	105.67	CT011	124.60	116.30	FL046	81.11	75.70
CA102	162.50	151.68	CT013	113.04	105.49	FL047	104.88	97.89
CA103	162.50	151.68	CT015	119.93	111.94	FL049	88.78	82.86
CA104	162.50	151.68	CT017	119.93	111.94	FL053	81.75	76.29
CA105	162.50	151.68	CT018	110.97	103.57	FL057	78.39	73.16
CA106	113.23	105.67	CT019	128.56	119.99	FL060	102.13	95.32
CA108	145.29	135.59	CT020	128.56	119.99	FL062	99.76	93.09
CA110	162.50	151.68	CT023	113.04	105.49	FL063	89.64	83.66
CA111	162.50	151.68	CT024	102.10	95.29	FL066	135.37	126.35
CA114	162.50	151.68	CT026	113.04	105.49	FL068	135.37	126.35
CA116	145.29	135.59	CT027	119.93	111.94	FL069	81.11	75.70
CA117	162.50	151.68	CT028	113.04	105.49	FL070	89.64	83.66
CA118	162.50	151.68	CT029	124.60	116.30	FL071	83.03	77.49
CA119	162.50	151.68	CT030	119.93	111.94	FL072	100.00	93.34
CA120	162.50	151.68	CT031	96.70	90.26	FL073	88.78	82.86
CA121	162.50	151.68	CT032	113.04	105.49	FL075	99.76	93.09
CA123	162.50	151.68	CT033	113.04	105.49	FL079	126.75	118.30
CA125	141.07	131.66	CT036	113.04	105.49	FL080	105.71	98.65

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
FL081	126.75	118.30	IA108	80.41	75.05	IL107	118.97	111.02
FL083	105.71	98.65	IA113	92.41	86.25	IL116	118.97	111.02
FL092	81.75	76.29	IA114	80.41	75.05	IL117	83.55	77.99
FL093	104.19	97.23	IA117	86.72	80.94	IL120	75.93	70.87
FL102	81.11	75.70	IA119	80.41	75.05	IL122	85.43	79.73
FL104	99.76	93.09	IA120	95.08	88.75	IL123	75.93	70.87
FL105	109.48	102.18	IA122	80.41	75.05	IL124	93.94	87.68
FL106	104.19	97.23	IA124	80.41	75.05	IL126	76.08	71.01
FL110	81.11	75.70	IA125	80.41	75.05	IL130	118.97	111.02
FL113	100.00	93.34	IA126	89.85	83.86	IL131	89.85	83.86
FL116	126.75	118.30	IA127	80.41	75.05	IL136	118.97	111.02
FL119	105.71	98.65	IA128	80.41	75.05	IL137	119.99	111.98
FL123	98.90	92.31	IA129	80.41	75.05	IL901	118.97	111.02
FL128	104.88	97.89	IA130	80.41	75.05	IN002	67.12	62.65
FL132	105.88	98.85	IA131	95.08	88.75	IN003	74.86	69.88
FL136	126.75	118.30	IA132	92.41	86.25	IN004	69.73	65.08
FL137	99.76	93.09	ID005	88.25	82.37	IN005	69.73	65.08
FL139	83.03	77.49	ID013	109.67	102.36	IN006	82.76	77.24
FL141	109.14	101.86	ID016	109.67	102.36	IN007	72.81	67.97
FL144	134.77	125.81	ID021	109.67	102.36	IN009	67.12	62.65
FL145	135.37	126.35	ID901	91.36	85.25	IN010	91.39	85.30
FL147	81.11	75.70	IL002	118.97	111.02	IN011	91.39	85.30
FL201	104.19	97.23	IL003	93.94	87.68	IN012	76.19	71.11
FL202	78.39	73.16	IL004	85.61	79.89	IN015	73.68	68.77
FL881	135.37	126.35	IL006	83.84	78.26	IN016	72.35	67.53
FL888	99.76	93.09	IL009	89.85	83.86	IN017	82.76	77.24
GA001	90.09	84.08	IL010	89.85	83.86	IN018	67.12	62.65
GA002	90.09	84.08	IL011	76.08	71.01	IN019	72.18	67.36
GA004	90.09	84.08	IL012	81.01	75.60	IN020	73.68	68.77
GA006	109.84	102.50	IL014	90.83	84.78	IN021	69.73	65.08
GA007	90.09	84.08	IL015	82.93	77.39	IN022	74.18	69.25
GA009	90.09	84.08	IL016	75.93	70.87	IN023	76.19	71.11
GA010	109.84	102.50	IL018	89.85	83.86	IN025	76.19	71.11
GA011	109.84	102.50	IL020	89.85	83.86	IN026	72.34	67.51
GA023	90.09	84.08	IL022	85.43	79.73	IN029	91.39	85.30
GA062	83.12	77.58	IL024	118.97	111.02	IN031	67.12	62.65
GA078	109.84	102.50	IL025	118.97	111.02	IN032	68.33	63.77
GA095	109.84	102.50	IL026	118.97	111.02	IN035	69.73	65.08
GA116	109.84	102.50	IL028	75.93	70.87	IN037	72.35	67.53
GA188	109.84	102.50	IL030	82.93	77.39	IN041	67.12	62.65
GA228	109.84	102.50	IL032	90.83	84.78	IN047	67.12	62.65
GA232	109.84	102.50	IL035	90.83	84.78	IN048	67.77	63.26
GA237	109.84	102.50	IL037	75.93	70.87	IN050	67.12	62.65
GA264	109.84	102.50	IL038	75.93	70.87	IN055	68.33	63.77
GA269	109.84	102.50	IL039	81.16	75.76	IN056	70.26	65.58
GA285	90.09	84.08	IL040	75.93	70.87	IN058	75.53	70.51
GA901	109.84	102.50	IL043	75.93	70.87	IN060	67.12	62.65
GQ901	146.23	136.49	IL050	76.08	71.01	IN062	72.06	67.27
HI002	138.93	129.67	IL051	83.55	77.99	IN067	67.12	62.65
HI003	149.83	139.85	IL052	75.93	70.87	IN071	79.94	74.59
HI004	149.84	139.86	IL053	76.08	71.01	IN078	70.26	65.58
HI005	156.48	146.06	IL056	118.97	111.02	IN079	82.76	77.24
HI901	149.83	139.85	IL057	75.93	70.87	IN080	82.76	77.24
IA002	80.41	75.05	IL059	75.93	70.87	IN086	67.12	62.65
IA004	84.54	78.90	IL061	76.83	71.70	IN091	67.12	62.65
IA015	80.41	75.05	IL074	82.93	77.39	IN092	67.12	62.65
IA018	86.20	80.45	IL076	75.93	70.87	IN100	73.68	68.77
IA020	95.08	88.75	IL079	75.93	70.87	IN901	82.76	77.24
IA022	96.91	90.46	IL082	75.93	70.87	KS001	80.90	75.51
IA023	86.72	80.94	IL083	85.43	79.73	KS002	76.54	71.44
IA024	92.05	85.91	IL084	80.64	75.27	KS004	82.46	76.95
IA030	80.41	75.05	IL085	77.51	72.36	KS006	72.69	67.84
IA038	92.41	86.25	IL086	80.54	75.17	KS017	72.69	67.84
IA042	80.41	75.05	IL087	76.08	71.01	KS038	72.69	67.84
IA045	89.85	83.86	IL088	75.93	70.87	KS041	72.69	67.84
IA047	80.41	75.05	IL089	94.28	87.99	KS043	80.90	75.51
IA049	80.41	75.05	IL090	118.97	111.02	KS053	84.58	78.94
IA050	92.41	86.25	IL091	75.93	70.87	KS062	72.69	67.84
IA057	80.41	75.05	IL092	118.97	111.02	KS063	72.69	67.84
IA084	80.41	75.05	IL095	89.06	83.12	KS068	80.90	75.51
IA087	85.19	79.51	IL096	75.93	70.87	KS073	82.46	76.95
IA098	84.72	79.08	IL101	118.97	111.02	KS091	72.69	67.84
IA100	80.41	75.05	IL103	118.97	111.02	KS149	72.69	67.84
IA107	80.41	75.05	IL104	93.94	87.68	KS159	72.69	67.84

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
KS161	72.69	67.84	LA111	85.77	80.05	MA016	157.17	146.68
KS162	80.90	75.51	LA114	85.77	80.05	MA017	157.17	146.68
KS165	72.69	67.84	LA115	85.77	80.05	MA018	145.93	136.21
KS166	72.69	67.84	LA120	86.01	80.27	MA019	157.17	146.68
KS167	72.69	67.84	LA122	86.01	80.27	MA020	157.17	146.68
KS168	76.54	71.44	LA125	85.77	80.05	MA022	157.17	146.68
KS170	72.69	67.84	LA128	85.77	80.05	MA023	157.17	146.68
KY001	76.19	71.11	LA129	86.01	80.27	MA024	145.93	136.21
KY003	66.96	62.50	LA132	85.77	80.05	MA025	157.17	146.68
KY004	84.38	78.75	LA159	85.77	80.05	MA026	145.93	136.21
KY007	65.73	61.35	LA163	85.77	80.05	MA027	157.17	146.68
KY008	65.73	61.35	LA165	86.01	80.27	MA028	157.17	146.68
KY009	76.19	71.11	LA166	85.77	80.05	MA029	145.93	136.21
KY011	88.16	82.28	LA169	85.77	80.05	MA031	157.17	146.68
KY012	72.35	67.53	LA171	86.01	80.27	MA032	157.17	146.68
KY015	86.75	80.95	LA172	86.01	80.27	MA033	157.17	146.68
KY017	65.73	61.35	LA173	86.01	80.27	MA034	145.93	136.21
KY021	65.73	61.35	LA174	86.01	80.27	MA035	145.93	136.21
KY022	65.73	61.35	LA178	86.01	80.27	MA036	157.17	146.68
KY026	65.73	61.35	LA181	90.09	84.07	MA037	145.93	136.21
KY027	65.73	61.35	LA182	85.77	80.05	MA039	145.93	136.21
KY035	65.73	61.35	LA184	88.18	82.32	MA040	157.17	146.68
KY040	65.73	61.35	LA186	86.01	80.27	MA041	145.93	136.21
KY047	65.73	61.35	LA187	90.09	84.07	MA042	157.17	146.68
KY053	65.73	61.35	LA188	85.77	80.05	MA043	145.93	136.21
KY056	65.73	61.35	LA189	86.01	80.27	MA044	157.17	146.68
KY061	84.38	78.75	LA190	88.18	82.32	MA045	157.17	146.68
KY071	73.07	68.20	LA192	85.77	80.05	MA046	157.53	147.04
KY086	65.73	61.35	LA194	86.25	80.51	MA047	157.53	147.04
KY107	65.73	61.35	LA195	85.77	80.05	MA048	157.17	146.68
KY121	65.73	61.35	LA196	86.01	80.27	MA050	145.93	136.21
KY132	72.80	67.94	LA199	97.27	90.78	MA051	145.93	136.21
KY133	86.75	80.95	LA202	97.27	90.78	MA053	157.17	146.68
KY135	86.75	80.95	LA204	97.27	90.78	MA054	157.17	146.68
KY136	86.75	80.95	LA205	97.27	90.78	MA055	157.17	146.68
KY137	65.73	61.35	LA206	86.01	80.27	MA056	157.17	146.68
KY138	65.73	61.35	LA207	86.01	80.27	MA057	157.17	146.68
KY140	84.38	78.75	LA211	86.25	80.51	MA059	157.17	146.68
KY141	65.73	61.35	LA212	85.77	80.05	MA060	145.93	136.21
KY142	75.88	70.82	LA213	92.31	86.17	MA061	157.17	146.68
KY157	65.73	61.35	LA214	86.01	80.27	MA063	157.17	146.68
KY160	65.73	61.35	LA215	86.01	80.27	MA065	157.17	146.68
KY161	75.88	70.82	LA220	85.77	80.05	MA066	145.93	136.21
KY163	65.73	61.35	LA222	85.77	80.05	MA067	157.17	146.68
KY169	65.73	61.35	LA229	85.77	80.05	MA069	157.17	146.68
KY171	76.19	71.11	LA230	88.18	82.32	MA070	157.17	146.68
KY901	84.38	78.75	LA232	85.77	80.05	MA072	157.17	146.68
LA001	90.09	84.07	LA233	85.77	80.05	MA073	157.17	146.68
LA002	88.18	82.32	LA238	90.09	84.07	MA074	157.17	146.68
LA003	97.27	90.78	LA241	85.77	80.05	MA075	157.17	146.68
LA004	86.01	80.27	LA242	85.77	80.05	MA076	145.93	136.21
LA005	86.01	80.27	LA246	85.77	80.05	MA077	145.93	136.21
LA006	86.01	80.27	LA247	85.77	80.05	MA078	145.93	136.21
LA009	97.27	90.78	LA248	85.77	80.05	MA079	157.17	146.68
LA012	90.09	84.07	LA253	86.25	80.51	MA080	145.93	136.21
LA023	86.01	80.27	LA257	85.77	80.05	MA081	145.93	136.21
LA024	85.77	80.05	LA258	86.01	80.27	MA082	145.93	136.21
LA029	86.01	80.27	LA266	86.01	80.27	MA084	145.93	136.21
LA031	85.77	80.05	LA270	90.09	84.07	MA085	145.93	136.21
LA032	86.01	80.27	LA888	88.18	82.32	MA086	145.93	136.21
LA033	85.77	80.05	LA889	90.09	84.07	MA087	145.93	136.21
LA036	85.77	80.05	LA903	90.09	84.07	MA088	145.93	136.21
LA037	92.31	86.17	MA001	145.93	136.21	MA089	157.17	146.68
LA046	86.01	80.27	MA002	157.17	146.68	MA091	157.17	146.68
LA057	86.01	80.27	MA003	157.17	146.68	MA092	157.17	146.68
LA063	86.01	80.27	MA005	145.93	136.21	MA093	157.17	146.68
LA067	85.77	80.05	MA006	145.93	136.21	MA094	145.93	136.21
LA074	85.77	80.05	MA007	145.93	136.21	MA095	157.53	147.04
LA086	85.77	80.05	MA008	145.93	136.21	MA096	145.93	136.21
LA094	90.09	84.07	MA010	145.93	136.21	MA098	157.17	146.68
LA097	85.77	80.05	MA012	145.93	136.21	MA099	157.17	146.68
LA101	97.27	90.78	MA013	157.17	146.68	MA100	145.93	136.21
LA103	90.09	84.07	MA014	157.17	146.68	MA101	157.17	146.68
LA104	86.01	80.27	MA015	157.17	146.68	MA105	145.93	136.21

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
MA106	145.93	136.21	ME025	82.90	77.37	MN021	90.85	84.80
MA107	145.93	136.21	ME027	85.09	79.43	MN032	77.34	72.18
MA108	145.93	136.21	ME028	114.46	106.82	MN034	77.34	72.18
MA109	157.17	146.68	ME030	87.15	81.33	MN037	77.34	72.18
MA110	157.53	147.04	ME901	130.10	121.44	MN038	85.28	79.60
MA111	157.17	146.68	MI001	81.05	75.65	MN049	77.34	72.18
MA112	157.17	146.68	MI005	81.05	75.65	MN063	83.15	77.61
MA116	157.17	146.68	MI006	69.31	64.69	MN073	82.79	77.27
MA117	157.17	146.68	MI008	81.05	75.65	MN077	84.37	78.76
MA118	157.17	146.68	MI009	69.77	65.11	MN085	77.34	72.18
MA119	157.17	146.68	MI010	70.65	65.95	MN090	77.34	72.18
MA121	157.17	146.68	MI019	67.94	63.41	MN101	111.93	104.47
MA122	157.17	146.68	MI020	67.94	63.41	MN107	77.34	72.18
MA123	145.93	136.21	MI027	81.05	75.65	MN128	77.34	72.18
MA125	157.17	146.68	MI030	67.94	63.41	MN144	111.93	104.47
MA127	145.93	136.21	MI031	76.51	71.41	MN147	111.93	104.47
MA133	157.17	146.68	MI032	70.65	65.95	MN151	92.67	86.51
MA134	157.17	146.68	MI035	73.05	68.19	MN152	111.93	104.47
MA135	157.17	146.68	MI036	67.94	63.41	MN153	77.34	72.18
MA138	157.53	147.04	MI037	81.05	75.65	MN154	77.34	72.18
MA139	145.93	136.21	MI038	70.05	65.39	MN158	90.85	84.80
MA140	157.17	146.68	MI039	81.05	75.65	MN161	81.14	75.72
MA147	157.17	146.68	MI040	81.05	75.65	MN163	111.93	104.47
MA154	157.17	146.68	MI044	81.05	75.65	MN164	90.85	84.80
MA155	157.17	146.68	MI045	81.05	75.65	MN166	77.34	72.18
MA165	157.17	146.68	MI047	67.94	63.41	MN167	83.15	77.61
MA170	157.17	146.68	MI048	81.05	75.65	MN168	81.14	75.72
MA172	145.93	136.21	MI049	67.94	63.41	MN169	77.34	72.18
MA174	157.17	146.68	MI050	67.94	63.41	MN170	111.93	104.47
MA180	157.53	147.04	MI051	81.05	75.65	MN171	78.81	73.55
MA181	157.53	147.04	MI052	81.05	75.65	MN172	85.28	79.60
MA188	145.93	136.21	MI055	81.05	75.65	MN173	77.34	72.18
MA880	157.17	146.68	MI058	77.71	72.53	MN174	77.34	72.18
MA881	157.17	146.68	MI059	81.05	75.65	MN176	77.34	72.18
MA882	145.93	136.21	MI060	72.87	68.00	MN177	77.34	72.18
MA883	157.17	146.68	MI061	73.34	68.45	MN178	81.14	75.72
MA901	157.17	146.68	MI063	67.94	63.41	MN179	77.34	72.18
MD001	105.97	98.89	MI064	96.57	90.13	MN180	77.34	72.18
MD002	105.97	98.89	MI066	76.51	71.41	MN182	77.34	72.18
MD003	145.84	136.13	MI070	72.87	68.00	MN184	111.93	104.47
MD004	145.84	136.13	MI073	76.51	71.41	MN188	77.34	72.18
MD006	83.13	77.57	MI074	73.34	68.45	MN190	77.34	72.18
MD007	145.84	136.13	MI080	75.41	70.40	MN191	77.34	72.18
MD014	95.24	88.89	MI084	72.87	68.00	MN192	77.34	72.18
MD015	145.84	136.13	MI087	72.87	68.00	MN193	86.90	81.12
MD018	105.97	98.89	MI089	81.05	75.65	MN197	78.42	73.19
MD019	97.32	90.82	MI093	76.51	71.41	MN200	77.34	72.18
MD021	120.20	112.19	MI094	67.94	63.41	MN203	81.14	75.72
MD022	145.84	136.13	MI096	81.05	75.65	MN212	111.93	104.47
MD023	105.97	98.89	MI097	81.05	75.65	MN216	111.93	104.47
MD024	145.84	136.13	MI100	81.05	75.65	MN219	83.15	77.61
MD025	105.97	98.89	MI112	67.94	63.41	MN220	84.37	78.76
MD027	105.97	98.89	MI115	76.51	71.41	MN801	111.93	104.47
MD028	83.13	77.57	MI117	68.10	63.56	MN802	111.93	104.47
MD029	111.57	104.13	MI119	67.94	63.41	MO001	82.93	77.39
MD032	105.97	98.89	MI120	70.65	65.95	MO002	80.90	75.51
MD033	105.97	98.89	MI121	73.34	68.45	MO003	80.90	75.51
MD034	105.97	98.89	MI132	67.94	63.41	MO004	82.93	77.39
MD901	145.84	136.13	MI139	81.05	75.65	MO006	82.93	77.39
ME001	82.90	77.37	MI157	81.05	75.65	MO007	80.90	75.51
ME002	82.90	77.37	MI167	77.71	72.53	MO008	80.90	75.51
ME003	130.10	121.44	MI168	77.71	72.53	MO009	80.90	75.51
ME004	82.90	77.37	MI186	68.10	63.56	MO010	80.90	75.51
ME005	93.10	86.88	MI194	77.71	72.53	MO016	80.90	75.51
ME006	99.49	92.84	MI198	76.51	71.41	MO017	80.90	75.51
ME007	93.10	86.88	MI880	77.71	72.53	MO030	80.90	75.51
ME008	87.15	81.33	MI901	81.05	75.65	MO037	80.90	75.51
ME009	94.50	88.21	MN001	111.93	104.47	MO040	80.90	75.51
ME011	114.46	106.82	MN002	111.93	104.47	MO053	80.90	75.51
ME015	130.10	121.44	MN003	82.79	77.27	MO058	80.90	75.51
ME018	94.50	88.21	MN007	82.79	77.27	MO064	80.90	75.51
ME019	104.28	97.30	MN008	77.34	72.18	MO065	80.90	75.51
ME020	130.10	121.44	MN009	77.34	72.18	MO072	80.90	75.51
ME021	94.50	88.21	MN018	77.34	72.18	MO074	80.90	75.51

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
MO107	80.90	75.51	NC059	88.19	82.33	NE003	86.72	80.94
MO129	80.90	75.51	NC065	93.37	87.13	NE004	86.20	80.45
MO133	80.90	75.51	NC070	88.82	82.89	NE010	86.20	80.45
MO145	80.90	75.51	NC071	83.90	78.31	NE041	86.20	80.45
MO149	80.90	75.51	NC072	88.44	82.56	NE078	86.20	80.45
MO188	80.90	75.51	NC075	81.93	76.47	NE083	86.20	80.45
MO190	80.90	75.51	NC077	81.93	76.47	NE094	86.20	80.45
MO193	80.90	75.51	NC081	88.19	82.33	NE100	86.20	80.45
MO196	80.90	75.51	NC087	85.22	79.54	NE104	86.20	80.45
MO197	80.90	75.51	NC089	81.93	76.47	NE114	86.20	80.45
MO198	80.90	75.51	NC098	85.22	79.54	NE120	86.20	80.45
MO199	82.93	77.39	NC102	88.82	82.89	NE123	86.20	80.45
MO200	80.90	75.51	NC104	101.81	95.02	NE141	86.20	80.45
MO203	80.90	75.51	NC118	81.93	76.47	NE150	86.20	80.45
MO204	80.90	75.51	NC120	101.81	95.02	NE153	86.72	80.94
MO205	82.93	77.39	NC134	88.82	82.89	NE157	86.20	80.45
MO206	80.90	75.51	NC137	85.22	79.54	NE174	86.72	80.94
MO207	80.90	75.51	NC138	81.93	76.47	NE175	86.20	80.45
MO209	80.90	75.51	NC139	81.93	76.47	NE179	86.20	80.45
MO210	80.90	75.51	NC140	85.22	79.54	NE181	86.20	80.45
MO212	80.90	75.51	NC141	81.93	76.47	NE182	86.72	80.94
MO213	80.90	75.51	NC144	85.22	79.54	NH001	113.94	106.34
MO215	80.90	75.51	NC145	81.93	76.47	NH002	121.06	112.97
MO216	80.90	75.51	NC146	81.93	76.47	NH003	117.99	110.13
MO217	80.90	75.51	NC147	85.22	79.54	NH004	117.99	110.13
MO227	82.93	77.39	NC149	81.93	76.47	NH005	130.03	121.35
MS004	77.78	72.60	NC150	81.93	76.47	NH006	117.99	110.13
MS005	83.07	77.53	NC151	82.01	76.55	NH007	102.42	95.59
MS006	77.78	72.60	NC152	85.22	79.54	NH008	117.99	110.13
MS016	87.03	81.22	NC155	81.93	76.47	NH009	105.73	98.67
MS019	77.78	72.60	NC159	89.79	83.81	NH010	121.52	113.41
MS030	77.78	72.60	NC160	81.93	76.47	NH011	93.21	87.01
MS040	83.07	77.53	NC161	81.93	76.47	NH012	99.30	92.68
MS057	77.78	72.60	NC163	86.12	80.38	NH013	117.99	110.13
MS058	98.02	91.48	NC164	101.81	95.02	NH014	117.99	110.13
MS095	77.78	72.60	NC165	81.93	76.47	NH015	93.21	87.01
MS103	98.02	91.48	NC166	88.19	82.33	NH016	93.21	87.01
MS107	77.78	72.60	NC167	83.46	77.89	NH022	145.93	136.21
MS128	77.78	72.60	NC173	85.22	79.54	NH888	121.06	112.97
MS301	83.07	77.53	NC175	85.22	79.54	NH901	113.94	106.34
MT001	105.95	98.89	NC901	81.93	76.47	NJ002	129.23	120.59
MT002	93.80	87.56	ND001	90.85	84.80	NJ003	129.23	120.59
MT003	90.65	84.59	ND002	90.56	84.53	NJ004	110.30	102.95
MT004	105.40	98.37	ND003	90.56	84.53	NJ006	132.34	123.53
MT006	85.39	79.71	ND009	90.56	84.53	NJ007	129.56	120.92
MT015	92.51	86.33	ND010	90.85	84.80	NJ008	129.56	120.92
MT033	95.37	89.00	ND011	90.56	84.53	NJ009	110.30	102.95
MT036	92.51	86.33	ND012	90.85	84.80	NJ010	111.57	104.13
MT901	93.80	87.56	ND013	90.56	84.53	NJ011	132.34	123.53
NC001	85.22	79.54	ND014	90.85	84.80	NJ012	110.30	102.95
NC002	101.81	95.02	ND015	90.56	84.53	NJ013	132.34	123.53
NC003	93.37	87.13	ND016	90.56	84.53	NJ014	109.28	102.01
NC004	81.93	76.47	ND017	90.56	84.53	NJ015	110.30	102.95
NC006	88.19	82.33	ND019	90.56	84.53	NJ021	132.34	123.53
NC007	85.22	79.54	ND021	90.85	84.80	NJ022	132.34	123.53
NC008	93.37	87.13	ND022	90.56	84.53	NJ023	129.23	120.59
NC009	86.63	80.84	ND025	90.56	84.53	NJ025	129.23	120.59
NC011	88.19	82.33	ND026	90.56	84.53	NJ026	110.30	102.95
NC012	88.19	82.33	ND030	90.56	84.53	NJ030	110.30	102.95
NC013	101.81	95.02	ND031	90.56	84.53	NJ032	129.23	120.59
NC014	81.93	76.47	ND035	90.56	84.53	NJ033	132.34	123.53
NC015	85.22	79.54	ND036	90.56	84.53	NJ035	132.34	123.53
NC018	81.93	76.47	ND037	90.56	84.53	NJ036	110.30	102.95
NC019	85.22	79.54	ND038	90.56	84.53	NJ037	129.23	120.59
NC020	81.93	76.47	ND039	90.56	84.53	NJ039	129.23	120.59
NC021	101.81	95.02	ND044	90.56	84.53	NJ042	132.34	123.53
NC022	85.22	79.54	ND049	90.56	84.53	NJ043	132.34	123.53
NC025	81.93	76.47	ND052	90.56	84.53	NJ044	132.34	123.53
NC032	81.93	76.47	ND054	90.56	84.53	NJ046	129.56	120.92
NC035	82.69	77.18	ND055	90.56	84.53	NJ047	132.34	123.53
NC039	83.90	78.31	ND070	90.56	84.53	NJ048	129.56	120.92
NC050	84.86	79.20	ND901	90.85	84.80	NJ049	105.06	98.05
NC056	89.79	83.81	NE001	86.72	80.94	NJ050	129.23	120.59
NC057	93.37	87.13	NE002	86.72	80.94	NJ051	111.57	104.13

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
NJ052	129.23	120.59	NY018	80.18	74.84	NY405	90.91	84.86
NJ054	129.56	120.92	NY019	89.05	83.12	NY406	111.28	103.86
NJ055	132.34	123.53	NY020	105.70	98.66	NY408	105.70	98.66
NJ056	129.56	120.92	NY021	87.32	81.50	NY409	90.91	84.86
NJ058	111.57	104.13	NY022	105.70	98.66	NY413	91.89	85.77
NJ059	109.28	102.01	NY023	151.41	141.33	NY416	105.70	98.66
NJ060	129.56	120.92	NY025	105.70	98.66	NY417	89.05	83.12
NJ061	105.06	98.05	NY027	97.26	90.79	NY421	105.70	98.66
NJ063	105.06	98.05	NY028	105.70	98.66	NY422	105.70	98.66
NJ065	129.56	120.92	NY033	105.70	98.66	NY424	105.70	98.66
NJ066	129.23	120.59	NY034	89.05	83.12	NY427	105.70	98.66
NJ067	132.34	123.53	NY035	151.41	141.33	NY428	105.70	98.66
NJ068	129.23	120.59	NY038	151.34	141.26	NY430	105.70	98.66
NJ070	132.34	123.53	NY041	111.28	103.86	NY431	105.70	98.66
NJ071	132.34	123.53	NY042	151.34	141.26	NY433	71.74	66.96
NJ073	111.57	104.13	NY044	111.28	103.86	NY443	89.05	83.12
NJ074	111.57	104.13	NY045	119.04	111.10	NY447	105.70	98.66
NJ075	132.34	123.53	NY048	71.74	66.96	NY449	90.91	84.86
NJ077	110.30	102.95	NY049	135.28	126.26	NY501	105.70	98.66
NJ081	129.56	120.92	NY050	151.41	141.33	NY503	105.70	98.66
NJ083	110.30	102.95	NY051	135.28	126.26	NY504	97.26	90.79
NJ084	132.34	123.53	NY054	103.96	97.04	NY505	92.23	86.08
NJ086	129.23	120.59	NY057	151.34	141.26	NY512	105.70	98.66
NJ088	129.23	120.59	NY059	89.05	83.12	NY513	105.70	98.66
NJ089	132.34	123.53	NY060	91.89	85.77	NY516	105.70	98.66
NJ090	132.34	123.53	NY061	82.82	77.30	NY519	105.70	98.66
NJ092	129.23	120.59	NY062	135.28	126.26	NY521	97.26	90.79
NJ095	129.56	120.92	NY065	83.90	78.32	NY527	97.26	90.79
NJ097	132.34	123.53	NY066	84.55	78.93	NY529	119.04	111.10
NJ099	129.23	120.59	NY067	80.03	74.68	NY530	91.89	85.77
NJ102	129.23	120.59	NY068	78.41	73.17	NY532	105.70	98.66
NJ105	129.23	120.59	NY070	90.91	84.86	NY534	89.05	83.12
NJ106	132.34	123.53	NY071	93.75	87.50	NY535	105.70	98.66
NJ108	129.23	120.59	NY077	151.41	141.33	NY538	105.70	98.66
NJ109	129.23	120.59	NY079	100.08	93.40	NY541	78.41	73.17
NJ110	132.34	123.53	NY084	131.62	122.83	NY552	89.05	83.12
NJ112	132.34	123.53	NY085	151.41	141.33	NY557	105.70	98.66
NJ113	129.23	120.59	NY086	151.41	141.33	NY561	105.70	98.66
NJ114	132.34	123.53	NY087	77.11	71.96	NY562	105.70	98.66
NJ118	111.57	104.13	NY088	151.34	141.26	NY564	105.70	98.66
NJ204	111.57	104.13	NY089	111.28	103.86	NY630	105.70	98.66
NJ212	126.97	118.51	NY091	90.91	84.86	NY888	151.41	141.33
NJ214	129.56	120.92	NY094	151.34	141.26	NY889	75.64	70.59
NJ880	129.56	120.92	NY098	89.05	83.12	NY891	151.41	141.33
NJ881	110.30	102.95	NY102	97.26	90.79	NY895	151.41	141.33
NJ912	129.23	120.59	NY103	119.04	111.10	NY904	131.62	122.83
NM001	110.79	103.40	NY107	97.26	90.79	NY912	90.91	84.86
NM002	82.89	77.36	NY109	89.05	83.12	OH001	84.97	79.30
NM003	87.92	82.06	NY110	131.62	122.83	OH002	77.17	72.01
NM006	107.11	99.96	NY113	151.34	141.26	OH003	89.59	83.60
NM009	131.10	122.35	NY114	131.62	122.83	OH004	86.75	80.95
NM020	83.87	78.27	NY121	151.41	141.33	OH005	79.13	73.86
NM039	82.89	77.36	NY123	151.34	141.26	OH006	89.04	83.11
NM050	131.10	122.35	NY125	135.28	126.26	OH007	88.12	82.25
NM057	110.79	103.40	NY127	151.41	141.33	OH008	77.17	72.01
NM061	82.89	77.36	NY128	151.41	141.33	OH009	73.19	68.31
NM063	83.87	78.27	NY130	151.41	141.33	OH010	73.19	68.31
NM066	109.02	101.74	NY132	151.34	141.26	OH012	89.59	83.60
NM067	82.89	77.36	NY134	135.28	126.26	OH014	77.69	72.51
NM077	110.79	103.40	NY137	135.28	126.26	OH015	86.75	80.95
NM088	88.39	82.50	NY138	131.62	122.83	OH016	75.92	70.85
NV001	104.42	97.46	NY141	151.41	141.33	OH018	75.92	70.85
NV018	114.85	107.20	NY146	151.41	141.33	OH019	75.88	70.82
NV905	104.42	97.46	NY148	131.62	122.83	OH020	74.53	69.56
NY001	97.26	90.79	NY149	151.41	141.33	OH021	79.13	73.86
NY002	90.91	84.86	NY152	151.41	141.33	OH022	79.13	73.86
NY003	151.34	141.26	NY154	151.41	141.33	OH024	73.19	68.31
NY005	131.62	122.83	NY158	135.28	126.26	OH025	89.59	83.60
NY006	89.05	83.12	NY159	151.41	141.33	OH026	74.40	69.43
NY009	105.70	98.66	NY160	131.62	122.83	OH027	89.59	83.60
NY012	105.70	98.66	NY165	151.34	141.26	OH028	77.94	72.74
NY015	105.70	98.66	NY402	93.93	87.65	OH029	86.37	80.60
NY016	92.23	86.08	NY403	71.42	66.66	OH030	73.19	68.31
NY017	75.64	70.59	NY404	90.91	84.86	OH031	88.12	82.25

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
OH032	74.49	69.52	OR008	119.41	111.45	PA063	76.28	71.19
OH033	73.19	68.31	OR011	119.41	111.45	PA064	73.62	68.73
OH034	74.49	69.52	OR014	119.41	111.45	PA065	76.28	71.19
OH035	73.19	68.31	OR015	126.98	118.51	PA067	95.02	88.67
OH036	73.53	68.63	OR016	111.22	103.80	PA068	73.62	68.73
OH037	73.19	68.31	OR017	103.04	96.19	PA069	82.28	76.79
OH038	86.75	80.95	OR019	112.91	105.37	PA071	92.66	86.47
OH039	73.19	68.31	OR020	112.82	105.31	PA073	75.48	70.45
OH040	73.19	68.31	OR022	111.22	103.80	PA074	73.62	68.73
OH041	73.19	68.31	OR026	114.20	106.59	PA075	97.24	90.76
OH042	89.59	83.60	OR027	103.04	96.19	PA076	95.02	88.67
OH043	84.97	79.30	OR028	111.22	103.80	PA077	74.63	69.65
OH044	77.17	72.01	OR031	115.69	107.99	PA078	123.17	114.97
OH045	73.19	68.31	OR032	107.94	100.75	PA079	75.62	70.57
OH046	73.19	68.31	OR034	122.77	114.59	PA080	74.63	69.65
OH047	73.19	68.31	PA001	77.86	72.67	PA081	95.02	88.67
OH049	86.75	80.95	PA002	111.57	104.13	PA082	86.32	80.56
OH050	73.19	68.31	PA003	75.48	70.45	PA083	76.14	71.06
OH053	73.19	68.31	PA004	95.02	88.67	PA085	71.67	66.88
OH054	76.27	71.18	PA005	77.86	72.67	PA086	72.99	68.11
OH056	73.19	68.31	PA006	77.86	72.67	PA087	94.52	88.22
OH058	73.19	68.31	PA007	111.57	104.13	PA088	105.92	98.85
OH059	84.97	79.30	PA008	97.24	90.76	PA090	98.76	92.19
OH060	73.19	68.31	PA009	92.66	86.47	PA091	90.04	84.03
OH061	74.88	69.88	PA010	77.86	72.67	PA092	73.80	68.88
OH062	79.13	73.86	PA011	95.02	88.67	RI001	145.93	136.21
OH063	73.19	68.31	PA012	111.57	104.13	RI002	145.93	136.21
OH066	73.19	68.31	PA013	94.52	88.22	RI003	145.93	136.21
OH067	73.19	68.31	PA014	77.86	72.67	RI004	145.93	136.21
OH069	73.19	68.31	PA015	77.86	72.67	RI005	128.30	119.74
OH070	84.97	79.30	PA016	82.37	76.87	RI006	145.93	136.21
OH071	89.04	83.11	PA017	77.86	72.67	RI007	145.93	136.21
OH072	73.19	68.31	PA018	77.86	72.67	RI008	116.78	108.99
OH073	89.59	83.60	PA019	79.90	74.57	RI009	145.93	136.21
OH074	75.24	70.23	PA020	87.72	81.87	RI010	145.93	136.21
OH075	73.19	68.31	PA021	79.90	74.57	RI011	145.93	136.21
OH076	73.19	68.31	PA022	89.26	83.30	RI012	145.93	136.21
OH077	73.19	68.31	PA023	111.57	104.13	RI014	145.93	136.21
OH078	73.19	68.31	PA024	95.02	88.67	RI015	145.93	136.21
OH079	84.97	79.30	PA026	75.62	70.57	RI016	145.93	136.21
OH080	74.98	69.97	PA027	71.67	66.88	RI017	145.93	136.21
OH081	75.92	70.85	PA028	101.34	94.59	RI018	145.93	136.21
OH082	73.37	68.47	PA029	77.42	72.26	RI019	145.93	136.21
OH083	84.97	79.30	PA030	75.48	70.45	RI020	145.93	136.21
OH085	89.04	83.11	PA031	82.28	76.79	RI022	145.93	136.21
OH086	73.19	68.31	PA032	79.41	74.10	RI024	145.93	136.21
OH882	89.59	83.60	PA033	75.62	70.57	RI026	145.93	136.21
OK002	84.03	78.43	PA034	84.90	79.23	RI027	145.93	136.21
OK005	82.42	76.93	PA035	97.24	90.76	RI028	145.93	136.21
OK006	82.42	76.93	PA036	98.76	92.19	RI029	145.93	136.21
OK024	82.42	76.93	PA037	82.37	76.87	RI901	145.93	136.21
OK027	82.42	76.93	PA038	75.48	70.45	RQ005	93.81	87.55
OK032	82.42	76.93	PA039	91.46	85.36	RQ006	93.81	87.55
OK033	82.42	76.93	PA040	75.01	70.01	RQ007	87.28	81.46
OK044	82.42	76.93	PA041	75.45	70.42	RQ008	93.81	87.55
OK062	82.42	76.93	PA042	75.48	70.45	RQ009	87.28	81.46
OK067	82.42	76.93	PA043	75.48	70.45	RQ010	87.28	81.46
OK073	82.42	76.93	PA044	75.48	70.45	RQ011	93.81	87.55
OK095	84.73	79.08	PA045	76.28	71.19	RQ012	87.28	81.46
OK096	82.42	76.93	PA046	111.57	104.13	RQ013	93.81	87.55
OK099	82.42	76.93	PA047	75.48	70.45	RQ014	93.81	87.55
OK111	82.42	76.93	PA048	88.63	82.72	RQ015	93.81	87.55
OK118	82.42	76.93	PA050	73.62	68.73	RQ016	93.81	87.55
OK139	84.03	78.43	PA051	111.57	104.13	RQ017	87.28	81.46
OK142	82.42	76.93	PA052	97.24	90.76	RQ018	87.28	81.46
OK146	82.42	76.93	PA053	76.28	71.19	RQ019	93.81	87.55
OK148	84.73	79.08	PA054	74.63	69.65	RQ020	95.85	89.46
OK901	84.03	78.43	PA055	76.28	71.19	RQ021	93.81	87.55
OR001	111.22	103.80	PA056	72.99	68.11	RQ022	93.81	87.55
OR002	111.22	103.80	PA057	75.48	70.45	RQ023	93.81	87.55
OR003	112.82	105.31	PA058	75.62	70.57	RQ024	93.81	87.55
OR005	105.00	98.01	PA059	72.99	68.11	RQ025	93.81	87.55
OR006	127.82	119.30	PA060	76.28	71.19	RQ026	87.28	81.46
OR007	107.94	100.75	PA061	76.28	71.19	RQ027	93.81	87.55

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
RQ028	93.81	87.55	SC031	78.26	73.04	TX023	91.81	85.68
RQ029	87.28	81.46	SC032	82.77	77.25	TX025	81.47	76.04
RQ030	87.28	81.46	SC033	78.26	73.04	TX027	107.18	100.05
RQ031	95.85	89.46	SC034	82.77	77.25	TX028	80.55	75.17
RQ032	93.81	87.55	SC035	78.26	73.04	TX029	80.55	75.17
RQ033	87.28	81.46	SC036	93.37	87.13	TX030	80.35	74.99
RQ034	93.81	87.55	SC037	82.77	77.25	TX031	104.53	97.57
RQ035	87.28	81.46	SC046	93.37	87.13	TX032	94.81	88.51
RQ036	93.81	87.55	SC056	89.70	83.73	TX034	91.81	85.68
RQ037	87.28	81.46	SC057	89.70	83.73	TX035	77.35	72.18
RQ038	93.81	87.55	SC059	78.08	72.87	TX037	91.81	85.68
RQ039	95.85	89.46	SC911	90.68	84.63	TX039	77.15	72.01
RQ040	95.85	89.46	SD010	89.04	83.11	TX042	77.15	72.01
RQ041	87.28	81.46	SD011	84.47	78.83	TX044	77.15	72.01
RQ042	87.28	81.46	SD014	84.47	78.83	TX046	80.55	75.17
RQ043	87.28	81.46	SD016	89.04	83.11	TX048	77.15	72.01
RQ044	93.81	87.55	SD026	84.47	78.83	TX049	77.15	72.01
RQ045	93.81	87.55	SD034	84.47	78.83	TX051	80.55	75.17
RQ046	87.28	81.46	SD035	91.78	85.65	TX062	80.55	75.17
RQ047	93.81	87.55	SD036	84.47	78.83	TX064	80.55	75.17
RQ048	87.28	81.46	SD037	84.47	78.83	TX065	81.47	76.04
RQ049	93.81	87.55	SD039	89.04	83.11	TX072	77.15	72.01
RQ050	93.81	87.55	SD043	84.47	78.83	TX073	80.55	75.17
RQ052	87.28	81.46	SD045	89.04	83.11	TX075	77.15	72.01
RQ053	93.81	87.55	SD047	84.47	78.83	TX085	111.33	103.90
RQ054	93.81	87.55	SD048	84.47	78.83	TX087	104.53	97.57
RQ055	93.81	87.55	SD055	84.47	78.83	TX095	107.18	100.05
RQ056	93.81	87.55	SD056	84.47	78.83	TX096	77.15	72.01
RQ057	87.28	81.46	SD057	84.47	78.83	TX105	77.15	72.01
RQ058	87.28	81.46	SD058	84.47	78.83	TX111	82.22	76.74
RQ059	87.28	81.46	SD059	84.47	78.83	TX114	77.15	72.01
RQ060	87.28	81.46	TN001	87.03	81.22	TX128	107.18	100.05
RQ061	87.28	81.46	TN002	82.26	76.78	TX134	77.15	72.01
RQ062	87.28	81.46	TN003	82.26	76.78	TX137	80.35	74.99
RQ063	93.81	87.55	TN004	88.45	82.55	TX147	77.15	72.01
RQ064	93.81	87.55	TN005	96.44	90.01	TX152	77.15	72.01
RQ065	87.28	81.46	TN006	82.26	76.78	TX158	80.35	74.99
RQ066	87.28	81.46	TN007	82.26	76.78	TX163	93.69	87.43
RQ067	87.28	81.46	TN012	82.26	76.78	TX164	93.69	87.43
RQ068	87.28	81.46	TN013	77.96	72.76	TX173	81.47	76.04
RQ069	87.28	81.46	TN020	96.44	90.01	TX174	93.69	87.43
RQ070	93.81	87.55	TN024	77.96	72.76	TX175	77.15	72.01
RQ071	87.28	81.46	TN026	77.96	72.76	TX177	80.55	75.17
RQ072	93.81	87.55	TN035	96.44	90.01	TX178	77.15	72.01
RQ073	87.28	81.46	TN038	82.26	76.78	TX183	77.15	72.01
RQ074	87.28	81.46	TN042	77.96	72.76	TX189	77.15	72.01
RQ075	93.81	87.55	TN054	82.26	76.78	TX193	91.89	85.78
RQ077	93.81	87.55	TN062	77.96	72.76	TX197	80.35	74.99
RQ080	87.28	81.46	TN065	82.26	76.78	TX201	77.15	72.01
RQ081	93.81	87.55	TN066	82.26	76.78	TX202	80.55	75.17
RQ082	93.81	87.55	TN076	82.26	76.78	TX206	81.47	76.04
RQ083	93.81	87.55	TN079	96.44	90.01	TX208	80.35	74.99
SC001	89.70	83.73	TN088	82.26	76.78	TX210	80.35	74.99
SC002	90.68	84.63	TN113	82.26	76.78	TX217	77.15	72.01
SC003	82.77	77.25	TN117	88.45	82.55	TX224	80.55	75.17
SC004	82.77	77.25	TN903	96.44	90.01	TX236	80.35	74.99
SC005	82.77	77.25	TQ901	146.23	136.49	TX242	77.15	72.01
SC007	90.09	84.08	TX001	104.53	97.57	TX257	80.35	74.99
SC008	82.77	77.25	TX003	88.81	82.88	TX259	104.53	97.57
SC015	78.26	73.04	TX004	99.87	93.21	TX264	104.53	97.57
SC016	82.77	77.25	TX005	94.81	88.51	TX266	104.53	97.57
SC018	82.77	77.25	TX006	91.89	85.78	TX272	77.15	72.01
SC019	81.13	75.72	TX007	81.47	76.04	TX284	77.15	72.01
SC020	82.77	77.25	TX008	93.69	87.43	TX298	77.15	72.01
SC021	78.26	73.04	TX009	107.18	100.05	TX300	77.15	72.01
SC022	93.37	87.13	TX010	80.35	74.99	TX302	93.69	87.43
SC023	82.77	77.25	TX011	80.35	74.99	TX303	91.89	85.78
SC024	89.70	83.73	TX012	94.81	88.51	TX309	77.15	72.01
SC025	82.77	77.25	TX014	80.35	74.99	TX313	93.69	87.43
SC026	84.47	78.83	TX016	77.15	72.01	TX322	104.53	97.57
SC027	82.77	77.25	TX017	94.81	88.51	TX327	80.35	74.99
SC028	78.26	73.04	TX018	80.35	74.99	TX330	77.15	72.01
SC029	82.77	77.25	TX019	77.15	72.01	TX332	77.15	72.01
SC030	78.26	73.04	TX021	77.15	72.01	TX335	77.15	72.01

PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate	PHA No.	A Rate	B Rate
TX341	90.11	84.10	UT009	99.54	92.91	WA017	89.24	83.29
TX343	91.89	85.78	UT011	99.54	92.91	WA018	115.61	107.89
TX349	99.87	93.21	UT014	116.48	108.71	WA020	94.28	87.99
TX350	91.89	85.78	UT016	116.48	108.71	WA021	106.82	99.68
TX358	77.15	72.01	UT020	99.54	92.91	WA024	135.82	126.74
TX376	77.15	72.01	UT021	102.52	95.69	WA025	131.45	122.67
TX377	104.53	97.57	UT022	99.54	92.91	WA036	122.31	114.15
TX378	77.35	72.18	UT025	99.54	92.91	WA039	138.47	129.21
TX381	77.15	72.01	UT026	99.54	92.91	WA042	111.07	103.65
TX392	107.18	100.05	UT028	116.48	108.71	WA049	126.35	117.92
TX395	79.71	74.39	UT029	116.48	108.71	WA054	117.58	109.76
TX396	77.15	72.01	UT030	99.54	92.91	WA055	106.37	99.29
TX397	77.15	72.01	UT031	102.40	95.56	WA057	115.47	107.77
TX421	77.15	72.01	VA001	98.92	92.32	WA061	120.18	112.17
TX431	99.87	93.21	VA002	82.26	76.78	WA064	109.37	102.06
TX432	88.81	82.88	VA003	98.92	92.32	WA071	97.69	91.17
TX433	99.87	93.21	VA004	145.84	136.13	WI001	82.79	77.27
TX434	107.18	100.05	VA005	89.73	83.74	WI002	79.00	73.74
TX435	107.18	100.05	VA006	98.92	92.32	WI003	87.93	82.08
TX436	107.18	100.05	VA007	89.73	83.74	WI006	77.76	72.57
TX439	88.81	82.88	VA010	77.95	72.75	WI011	68.92	64.32
TX440	94.81	88.51	VA011	78.96	73.69	WI031	67.80	63.28
TX441	94.81	88.51	VA012	98.92	92.32	WI043	67.80	63.28
TX444	80.35	74.99	VA013	79.85	74.53	WI045	67.80	63.28
TX445	80.55	75.17	VA014	79.85	74.53	WI047	67.80	63.28
TX447	80.55	75.17	VA015	73.33	68.44	WI048	67.80	63.28
TX448	80.55	75.17	VA016	100.33	93.64	WI064	73.31	68.43
TX449	77.15	72.01	VA017	98.92	92.32	WI065	67.80	63.28
TX452	91.89	85.78	VA018	73.33	68.44	WI068	68.92	64.32
TX454	77.15	72.01	VA019	145.84	136.13	WI069	68.92	64.32
TX455	103.25	96.37	VA020	89.73	83.74	WI070	67.80	63.28
TX456	91.61	85.50	VA021	73.33	68.44	WI083	79.00	73.74
TX457	86.53	80.77	VA022	73.33	68.44	WI085	67.80	63.28
TX458	80.35	74.99	VA023	73.33	68.44	WI091	67.80	63.28
TX459	90.11	84.10	VA024	73.33	68.44	WI096	67.80	63.28
TX461	82.08	76.63	VA025	98.92	92.32	WI127	67.80	63.28
TX470	80.35	74.99	VA028	145.84	136.13	WI131	67.80	63.28
TX472	80.35	74.99	VA030	73.33	68.44	WI142	79.00	73.74
TX480	104.53	97.57	VA031	82.26	76.78	WI160	67.80	63.28
TX481	80.35	74.99	VA032	82.26	76.78	WI166	67.80	63.28
TX482	80.35	74.99	VA034	73.33	68.44	WI183	72.18	67.36
TX483	94.81	88.51	VA035	145.84	136.13	WI186	67.80	63.28
TX484	102.40	95.57	VA036	100.33	93.64	WI193	67.80	63.28
TX485	77.15	72.01	VA037	73.51	68.60	WI195	81.70	76.24
TX486	78.43	73.19	VA038	73.33	68.44	WI201	79.00	73.74
TX488	77.15	72.01	VA039	98.92	92.32	WI203	73.31	68.43
TX493	107.18	100.05	VA040	73.33	68.44	WI204	68.92	64.32
TX495	99.87	93.21	VA041	98.92	92.32	WI205	67.80	63.28
TX497	80.55	75.17	VA042	82.26	76.78	WI206	67.80	63.28
TX498	82.22	76.74	VA044	74.21	69.26	WI208	67.80	63.28
TX499	80.35	74.99	VA046	145.84	136.13	WI213	67.80	63.28
TX500	77.15	72.01	VA901	89.73	83.74	WI214	87.93	82.08
TX505	94.81	88.51	VQ901	121.79	113.68	WI218	79.00	73.74
TX509	81.47	76.04	VT001	121.34	113.25	WI219	73.31	68.43
TX511	77.15	72.01	VT002	103.19	96.31	WI221	67.80	63.28
TX512	77.15	72.01	VT003	106.74	99.62	WI222	67.80	63.28
TX514	80.35	74.99	VT004	105.68	98.63	WI231	67.80	63.28
TX516	77.15	72.01	VT005	98.94	92.34	WI233	67.80	63.28
TX519	77.15	72.01	VT006	121.34	113.25	WI237	69.07	64.47
TX522	107.18	100.05	VT008	98.94	92.34	WI241	67.80	63.28
TX523	82.22	76.74	VT009	100.00	93.33	WI244	74.44	69.47
TX526	107.38	100.22	VT901	121.34	113.25	WI245	67.80	63.28
TX534	103.25	96.37	WA001	138.47	129.21	WI246	67.80	63.28
TX535	77.15	72.01	WA002	138.47	129.21	WI248	67.80	63.28
TX537	80.35	74.99	WA003	122.31	114.15	WI256	67.80	63.28
TX542	80.35	74.99	WA004	115.61	107.89	WI901	79.00	73.74
TX559	107.18	100.05	WA005	117.58	109.76	WV001	92.04	85.90
TX560	94.81	88.51	WA006	138.47	129.21	WV003	74.53	69.56
TX901	94.81	88.51	WA007	94.28	87.99	WV004	75.88	70.82
UT002	99.54	92.91	WA008	111.22	103.80	WV005	72.83	67.98
UT003	99.54	92.91	WA011	138.47	129.21	WV006	76.71	71.59
UT004	99.54	92.91	WA012	106.82	99.68	WV009	77.52	72.36
UT006	102.40	95.56	WA013	107.27	100.11	WV010	79.89	74.56
UT007	99.54	92.91	WA014	89.14	83.20	WV015	72.83	67.98

PHA No.	A Rate	B Rate
WV016	77.69	72.51
WV017	69.49	64.86
WV018	69.49	64.86
WV027	70.94	66.22
WV034	69.49	64.86
WV035	72.22	67.41
WV037	75.88	70.82
WV039	72.83	67.98
WV042	72.83	67.98
WV045	69.49	64.86
WY002	99.45	92.83
WY003	82.95	77.42
WY004	119.82	111.85
WY013	82.95	77.42

[FR Doc. 2025–08959 Filed 5–19–25; 8:45 am]

BILLING CODE 4210–67–P

DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

[Docket No. FWS–R8–ES–2025–0024;
FF08ESMF00–256–FXES11140800000]

Chalan Solar and Storage Project, Kern County, California; Draft Environmental Action Statement and Draft Habitat Conservation Plan

AGENCY: Fish and Wildlife Service, Interior.

ACTION: Notice of availability; request for public comment.

SUMMARY: We, the U.S. Fish and Wildlife Service (Service), announce receipt of an application and draft habitat conservation plan from Chalan Solar Storage, LLC (applicant) for an incidental take permit (ITP) under the Endangered Species Act (ESA). The applicant requests the ITP to take the federally endangered San Joaquin kit fox (*Vulpes macrotis mutica*) and giant kangaroo rat (*Dipodomys ingens*) incidental to development activities in Kern County, California. We request public comment on the application, which includes the applicant's draft habitat conservation plan (HCP), and the Service's preliminary determination that the proposed permitting action may be eligible for a categorical exclusion pursuant to the Department of the Interior's (DOI) National Environmental Policy Act (NEPA) regulations and the DOI Departmental Manual. To make this preliminary determination, we prepared a draft environmental action statement and low-effect screening form, which are also available for public review. We invite comment from the public and local, State, Tribal, and Federal agencies.

DATES: We must receive your written comments on or before June 20, 2025.

ADDRESSES:

Obtaining Documents: The documents this notice announces, as well as any comments and other materials that we receive, will be available for public inspection at <https://www.regulations.gov> in Docket No. FWS–R8–ES–2025–0024.

Submitting Comments: To send written comments, please use one of the following methods. Please note whether your comments are in reference to the draft categorical exclusion, draft HCP, or both.

- **Internet:** Submit comments at <https://www.regulations.gov> under Docket No. FWS–R8–ES–2025–0024.

- **U.S. Mail:** Public Comments Processing, Attn: Docket No. FWS–R8–ES–2025–0024; U.S. Fish and Wildlife Service Headquarters, MS: PRB/3W; 5275 Leesburg Pike, Falls Church, VA 22041–3803.

For more information, see Public Comments under **SUPPLEMENTARY INFORMATION**.

FOR FURTHER INFORMATION CONTACT:

Margaret Sepulveda, Senior Fish and Wildlife Biologist, San Joaquin Valley Division, Sacramento Fish and Wildlife Office, by phone at 916–414–6512. Individuals in the United States who are deaf, deafblind, hard of hearing, or have a speech disability may dial 711 (TTY, TDD, or TeleBraille) to access telecommunications relay services. Individuals outside the United States should use the relay services offered within their country to make international calls to the point-of-contact in the United States.

SUPPLEMENTARY INFORMATION: We, the Service announce the availability of a low-effect screening form, prepared pursuant to the National Environmental Policy Act of 1969, as amended (NEPA; 42 U.S.C. 4321 *et seq.*). This notice also announces the receipt of an application from Chalan Solar Storage, LLC, for a 35-year ITP under the ESA, as amended (16 U.S.C. 1531 *et seq.*). Application for the permit requires the preparation of a HCP with measures to avoid, minimize, and mitigate the impacts of incidental take to the maximum extent practicable. The applicant prepared the draft Chalan Solar and Storage HCP pursuant to section 10(a)(1)(B) of the ESA. The purpose of the low-effect screening form is to assess the effects of issuing the permit and implementing the draft HCP on the natural and human environment. We request public comment on the application, which includes the applicant's HCP, and on the Service's preliminary determination that this proposed ITP qualifies as low effect and, thus, may qualify for a categorical exclusion.

Background Information

Section 9 of the ESA (16 U.S.C. 1538) prohibits the taking of fish and wildlife species listed as endangered under section 4 of the ESA. Section 4(d) of the ESA (16 U.S.C. 1533(d)) allows the Service to extend protections for endangered species to those listed as threatened. Regulations governing permits for endangered and threatened species are at 50 CFR 17.22 and 17.32, respectively. For more about the Federal HCP program, go to <https://www.fws.gov/service/habitat-conservation-plans>.

National Environmental Policy Act Compliance

The potential issuance of a permit triggers the need for compliance with NEPA. The draft low-effect screening form was prepared to assess whether issuing an ITP based on the draft HCP would result in more than minor or negligible effects on the human environment.

Proposed Action

The Service proposes to issue an ITP to the applicant for a period of 35 years for certain covered activities. The applicant has requested an ITP for two covered species, the San Joaquin kit fox (*Vulpes macrotis mutica*) and giant kangaroo rat (*Dipodomys ingens*), both of which are listed as endangered under the ESA.

Habitat Conservation Plan Area

The geographic scope of the draft HCP encompasses approximately 878 acres (ac), including a 618-ac development area in Kern County and 260 ac of conservation lands located north of the development in Kings County. The project would result in the construction, operation, and decommissioning of a solar electrical generation and storage facility located in northern Kern County, approximately 16 miles north of Lost Hills, California.

Covered Activities

The applicant is requesting incidental take authorization for covered activities including the construction, operation, maintenance, and eventual decommissioning of the solar energy electrical generation and storage facility (Proposed Project). The applicant is proposing to implement several project design features, including best management practices, as well as general and species-specific avoidance and minimization measures to minimize the impacts of the take from the covered activities.