Proposed Rules

Federal Register

Vol. 90, No. 27

Tuesday, February 11, 2025

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2025-0197; Project Identifier MCAI-2024-00440-T]

RIN 2120-AA64

Airworthiness Directives; Airbus SAS Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking

(NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for all Airbus SAS Model A321-111, -112, -131, -211, -212, -213, -231, -232,-251N, -252N, -253N, -271N, -272N, –251NX, –252NX, –253NX, –271NX, and –272NX airplanes. This proposed AD was prompted by the identification of an erroneous value of the main landing gear (MLG) tire width in the aircraft data files used for aircraft performance computation. This proposed AD would require revising the existing airplane flight manual (AFM) to incorporate a complementary performance data file (CPDF) update as specified in a European Union Aviation Safety Agency (EASA), which is proposed for incorporation by reference (IBR). The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this proposed AD by March 28, 2025. **ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to regulations.gov. Follow the instructions for submitting comments.
 - Fax: 202–493–2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

• Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket No. FAA–2025–0197; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

Material Incorporated by Reference:

- For EASA material identified in this proposed AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu; website easa.europa.eu. You may find this material on the EASA website at ad.easa.europa.eu. It is also available at regulations.gov under Docket No. FAA–2025–0197.
- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

FOR FURTHER INFORMATION CONTACT: Timothy Dowling, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 206–231–3667; email: *timothy.p.*

dowling@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the ADDRESSES section. Include "Docket No. FAA-2025-0197; Project Identifier MCAI-2024-00440-T" at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

Confidential Business Information

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Timothy Dowling, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 206–231–3667; email: timothy.p.dowling@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

Background

EASA, which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2024–0151, dated July 31, 2024 (EASA AD 2024– 0151) (also referred to as the MCAI), to correct an unsafe condition for all Airbus SAS Model A321-111, -112, -131, -211, -212, -213, -231, -232,-251N, -252N, -253N, -271N, -272N, -251NX, -252NX, -253NX, -271NX, and -272NX airplanes. The MCAI states an erroneous value of the MLG tire width has been identified in the aircraft data files used for aircraft performance computation. The MLG tire width is used for the calculation of performance on contaminated runways (water, slush, dry snow, and wet snow runway states), especially for drag modelling. An erroneous value of the MLG tire width, if not corrected, could result in the erroneous calculation of certain data, including, but not limited to, takeoff

distance and accelerate stop distance, possibly leading to runway excursions.

The FAA is proposing this AD to address the unsafe condition on these products.

You may examine the MCAI in the AD docket at *regulations.gov* under Docket No. FAA–2025–0197.

Material Incorporated by Reference Under 1 CFR Part 51

EASA AD 2024–0151 specifies procedures for revising the existing AFM to incorporate a CPDF update. This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

FAA's Determination

This product has been approved by the aviation authority of another country and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with this State of Design Authority, it has notified the FAA of the unsafe condition described in the MCAI referenced above. The FAA is issuing this NPRM after determining that the unsafe condition described previously is likely to exist or develop in other products of the same type design.

Proposed AD Requirements in This NPRM

This proposed AD would require accomplishing the actions specified in EASA AD 2024–0151 described

previously, except for any differences identified as exceptions in the regulatory text of this proposed AD.

Compliance With AFM Revisions

EASA AD 2024-0151 requires operators to "inform all flight crews" of revisions to the AFM, and thereafter to "operate the aeroplane accordingly." However, this proposed AD does not specifically require those actions as those actions are already required by FAA regulations. FAA regulations require operators furnish to pilots any changes to the AFM (for example, 14 CFR 121.137), and to ensure the pilots are familiar with the AFM (for example, 14 CFR 91.505). As with any other flightcrew training requirement, training on the updated AFM content is tracked by the operators and recorded in each pilot's training record, which is available for the FAA to review. FAA regulations also require pilots to follow the procedures in the existing AFM including all updates. 14 CFR 91.9 requires that any person operating a civil aircraft must comply with the operating limitations specified in the AFM. Therefore, including a requirement in this proposed AD to operate the airplane according to the revised AFM would be redundant and unnecessary.

Explanation of Required Compliance Information

In the FAA's ongoing efforts to improve the efficiency of the AD

process, the FAA developed a process to use some civil aviation authority (CAA) ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has been coordinating this process with manufacturers and CAAs. As a result, the FAA proposes to incorporate EASA AD 2024-0151 by reference in the FAA final rule. This proposed AD would, therefore, require compliance with EASA AD 2024-0151 in its entirety through that incorporation, except for any differences identified as exceptions in the regulatory text of this proposed AD. Using common terms that are the same as the heading of a particular section in EASA AD 2024-0151 does not mean that operators need comply only with that section. For example, where the AD requirement refers to "all required actions and compliance times,' compliance with this AD requirement is not limited to the section titled "Required Action(s) and Compliance Time(s)" in EASA AD 2024-0151. Material required by EASA AD 2024-0151 for compliance will be available at regulations.gov under Docket No. FAA-2025-0197 after the FAA final rule is published.

Costs of Compliance

The FAA estimates that this AD, if adopted as proposed, would affect 742 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

ESTIMATED COSTS FOR REQUIRED ACTIONS

Labor cost	Parts cost	Cost per product	Cost on U.S. operators
1 work-hour × \$85 per hour = \$85	\$0	\$85	\$63,070

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of

that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

(1) Is not a "significant regulatory action" under Executive Order 12866,

- (2) Would not affect intrastate aviation in Alaska, and
- (3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive:

Airbus SAS: Docket No. FAA–2025–0197; Project Identifier MCAI–2024–00440–T.

(a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by March 28, 2025.

(b) Affected ADs

None.

(c) Applicability

This AD applies to all Airbus SAS Model A321–111, -112, -131, -211, -212, -213, -231, -232, -251N, -252N, -253N, -271N, -272N, -251NX, -252NX, -253NX, -271NX, and -272NX airplanes, certificated in any category.

(d) Subject

Air Transport Association (ATA) of America Code 32, Landing gear.

(e) Unsafe Condition

This AD was prompted by the identification of an erroneous value of the main landing gear (MLG) tire width in the aircraft data files used for aircraft performance computation. The FAA is issuing this AD to correct an erroneous value of the MLG tire width used to calculate aircraft performance on a contaminated runway. This unsafe condition, if not corrected, could result in the erroneous calculation of certain data, including, but not limited to, takeoff distance and accelerate stop distance, possibly leading to runway excursions.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, European Union Aviation Safety Agency AD 2024–0151, dated July 31, 2024 (EASA AD 2024–0151).

(h) Exceptions to EASA AD 2024-0151

- (1) Where EASA AD 2024–0151 refers to its effective date, this AD requires using the effective date of this AD.
- (2) Where paragraph (1) of EASA AD 2024–0151 specifies to "inform all flight crews, and, thereafter, operate the aeroplane accordingly," this AD does not require those actions as those actions are already required by existing FAA operating regulations (see 14 CFR 91.9, 14 CFR 91.505, and 14 CFR 121.137).

(3) This AD does not adopt the "Remarks" section of EASA AD 2024–0151.

(i) Additional AD Provisions

The following provisions also apply to this AD:

- (1) Alternative Methods of Compliance (AMOCs): The Manager, AIR-520, Continued Operational Safety Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of the Continued Operational Safety Branch, send it to the attention of the person identified in paragraph (j) of this AD and email to: AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.
- (2) Contacting the Manufacturer: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, AIR–520, Continued Operational Safety Branch, FAA; or EASA; or Airbus SAS's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.
- (3) Required for Compliance (RC): Except as required by paragraph (i)(2) of this AD, if any material contains procedures or tests that are identified as RC, those procedures and tests must be done to comply with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified $\bar{a}s$ RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(j) Additional Information

For more information about this AD, contact Timothy Dowling, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 206–231–3667; email: timothy.p.dowling@faa.gov.

(k) Material Incorporated by Reference

- (1) The Director of the Federal Register approved the incorporation by reference of the material listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.
- (2) You must use this material as applicable to do the actions required by this AD, unless this AD specifies otherwise.
- (i) European Union Aviation Safety Agency (EASA) AD 2024–0151, dated July 31, 2024. (ii) [Reserved]
- (3) For EASA material identified in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu; website easa.europa.eu. You may find this material on the EASA website at ad.easa.europa.eu.

- (4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.
- (5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit www.archives.gov/federal-register/cfr/ibr-locations or email fr.inspection@nara.gov.

Issued on February 4, 2025.

Peter A. White,

Deputy Director, Integrated Certificate Management Division, Aircraft Certification Service.

[FR Doc. 2025–02401 Filed 2–10–25; 8:45 am] **BILLING CODE 4910–13–P**

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2024-0230; Project Identifier AD-2023-01064-A,Q,T]

RIN 2120-AA64

Airworthiness Directives; Various Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Supplemental notice of proposed rulemaking (SNPRM).

SUMMARY: The FAA is revising a notice of proposed rulemaking (NPRM) that applied to all airplanes with certain Pacific Scientific Company rotary buckle assemblies (buckles) installed. This action revises the NPRM by expanding the applicability and updating the referenced material. As an option to the actions proposed by this SNPRM, this SNPRM would allow removing the male side from the lap of the restraint system assembly and installing a placard stating that use of the seat is prohibited; use of that crewmember seat or passenger seat would then be prohibited until the actions proposed by this SNPRM are accomplished and the male side from the lap of the restraint system assembly is reinstalled. The NPRM was prompted by a report of a manufacturing defect in the screws used inside the buckle; this SNPRM is prompted by the discovery that additional screws are affected by the unsafe condition. The FAA is proposing this airworthiness directive (AD) to address the unsafe condition on these products. Since these actions would impose an additional burden over that in the NPRM, the FAA is requesting comments on this SNPRM.