

Information collection requirement	17 CFR part or section where identified and described	Current OMB Control No.
Form N-27F-1	274.127f-1	3235-0546
Form N-17D-1	274.200	3235-0229
Form N-23C-1	274.201	3235-0230
Form N-8F	274.218	3235-0157
Form N-17F-1	274.219	3235-0359
Form N-17F-2	274.220	3235-0360
Form N-23c-3	274.221	3235-0422
Form ET	274.401	3235-0329
Form ID	274.402	3235-0328
Form SE	274.403	3235-0327
Rule 0-2	275.0-2	3235-0240
Rule 203-3	275.203-3	3235-0538
Rule 204-2	275.204-2	3235-0278
Rule 204-3	275.204-3	3235-0047
Rule 206(3)-2	275.206(3)-2	3235-0243
Rule 206(4)-2	275.206(4)-2	3235-0241
Rule 206(4)-3	275.206(4)-3	3235-0242
Rule 206(4)-4	275.206(4)-4	3235-0345
Form ADV	279.1	3235-0049
Schedule I to Form ADV	279.1	3235-0490
Form ADV-W	279.2	3235-0313
Form ADV-H	379.3	3235-0538
Form 4-R	279.4	3235-0240
Form 5-R	279.5	3235-0240
Form 6-R	279.6	3235-0240
Form 7-R	279.7	3235-0240
Form ADV-E	279.8	3235-0361

Dated: March 20, 2002.

By the Commission.

Jonathan G. Katz,

Secretary.

[FR Doc. 02-7287 Filed 3-26-02; 8:45 am]

BILLING CODE 8010-01-P

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD01-02-035]

Drawbridge Operation Regulations: Taunton River, MA

AGENCY: Coast Guard, DOT.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the drawbridge operation regulations for the Brightman Street Bridge, mile 1.8, across the Taunton River between Somerset and Fall River, Massachusetts. This deviation from the regulations, effective from 9 p.m. on April 5, 2002 through 4 p.m. on April 19, 2002, allows the bridge to remain in the closed position for vessel traffic to facilitate scheduled maintenance at the bridge.

DATES: This deviation is effective from April 5, 2002 through April 19, 2002.

FOR FURTHER INFORMATION CONTACT: John W. McDonald, Project Officer, First Coast Guard District, at (617) 223-8364.

SUPPLEMENTARY INFORMATION: The bridge owner, Massachusetts Highway Department, requested a temporary deviation from the drawbridge operating regulations to facilitate necessary structural repairs at the bridge, replacement of the main floor beam, at the bridge.

This deviation to the operating regulations, effective from 9 p.m. on April 5, 2002 through 4 p.m. on April 19, 2002, allows the Brightman Street Bridge to remain in the closed position for vessel traffic. There have been few requests to open this bridge during the requested time period scheduled for these structural repairs in past years. The Coast Guard and the bridge owner coordinated this closure with the facilities upstream from the bridge and no objections to this scheduled closure were received.

This deviation from the operating regulations is authorized under 33 CFR 117.35, and will be performed with all due speed in order to return the bridge to normal operation as soon as possible.

Dated: March 19, 2002.

G.N. Naccara,

Rear Admiral, U.S. Coast Guard, Commander, First Coast Guard District.

[FR Doc. 02-7357 Filed 3-26-02; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD01-02-030]

Drawbridge Operation Regulations: Hackensack River, NJ

AGENCY: Coast Guard, DOT.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the drawbridge operation regulations that govern the NJTRO HX Railroad Bridge, mile 7.7, across the Hackensack River at Secaucus, New Jersey. This deviation from the regulations, effective from April 6, 2002 through April 28, 2002, allows the bridge to remain in the closed position on four weekends to facilitate scheduled maintenance repairs at the bridge.

DATES: This deviation is effective from April 6, 2002 through April 28, 2002.

FOR FURTHER INFORMATION CONTACT: Joe Arca, Project Officer, First Coast Guard District, at (212) 668-7165.

SUPPLEMENTARY INFORMATION: The existing drawbridge operating regulations are listed at 33 CFR 117.723.

The owner of the bridge, the New Jersey Transit, requested a temporary deviation from the drawbridge operating regulations that govern their NJTRO HX