

Applicators; Final Rule. **Federal Register**. 82 FR 952, January 4, 2017 (FRL-9956-70).

2. EPA. Pesticides; Certification of Pesticide Applicators; Further Extension to Expiration Date of Certification Plans; Final Rule. **Federal Register**. 87 FR 50953, August 19, 2022 (FRL-9134.1-04-OCSP).

Authority: 7 U.S.C. 136–136y.

Dated: March 24, 2023.

Mary Elissa Reaves,

*Director, Pesticide Re-Evaluation Division,
Office of Pesticide Programs.*

[FR Doc. 2023-06571 Filed 3-29-23; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[FRL-10560-01-R6]

Underground Injection Control Program; Hazardous Waste Injection Restrictions; Petition for Exemption Reissuance—Class I Hazardous Waste Injection; INVISTA Orange Plant, Texas

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice of a final decision on a no migration petition reissuance.

SUMMARY: Notice is hereby given that a reissuance of an exemption to the land disposal restrictions, under the 1984 Hazardous and Solid Waste Amendments to the Resource Conservation and Recovery Act, has been granted to INVISTA Channelview Plant for two Class I hazardous waste injection wells at the Invista Orange Plant located in Orange, Texas.

DATES: This action was effective as of October 14, 2020.

ADDRESSES: Copies of the petition reissuance and all pertinent information relating thereto are on file at the following location: Environmental Protection Agency, Region 6, Water Division, Safe Drinking Water Branch (6WD-D), 1201 Elm Street, Suite 500, Dallas, Texas 75270-2102.

FOR FURTHER INFORMATION CONTACT: Ken Johnson, Supervisor, Ground Water/UIC Section, EPA—Region 6, telephone (214) 665-8473.

SUPPLEMENTARY INFORMATION: As required by 40 CFR part 148, the company has adequately demonstrated to the satisfaction of the Environmental Protection Agency (EPA) by the petition reissuance application and supporting documentation that, to a reasonable degree of certainty, there will be no migration of hazardous constituents from the injection zone for as long as the waste remains hazardous. This final

decision allows the underground injection by the INVISTA Orange Plant, of the specific restricted hazardous wastes identified in this exemption reissuance, into Class I hazardous waste injection Wells WDW-191 and WDW-282 until December 31, 2050, unless EPA moves to terminate this exemption under provisions of 40 CFR 148.24. Additional conditions included in this final decision may be reviewed by contacting the Region 6 Ground Water/UIC Section. As required by 40 CFR 148.22(b) and 124.10, a public notice was issued August 19, 2020. The public comment period closed on October 5, 2020. No comments were received. This decision constitutes final Agency action and there is no Administrative appeal.

Dated: March 23, 2023.

Charles W. Maguire,

Director, Water Division, Region 6.

[FR Doc. 2023-06544 Filed 3-29-23; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OAR-2022-0062; FRL-10747-01-OMS]

Agency Information Collection Activities; Submission to the Office of Management and Budget for Review and Approval; Comment Request; NSPS for Phosphate Rock Plants (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), NSPS for Phosphate Rock Plants (EPA ICR Number 1078.13, OMB Control Number 2060-0111) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through March 31, 2023. Public comments were previously requested via the **Federal Register** on July 22, 2022, during a 60-day comment period. This notice allows for an additional 30 days for public comments.

DATES: Comments may be submitted on or before May 1, 2023.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA-HQ-OAR-2022-0062, to EPA online using www.regulations.gov (our preferred method), by email to a-and-r-Docket@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T,

1200 Pennsylvania Ave. NW, Washington, DC 20460. EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

Submit written comments and recommendations to OMB for the proposed information collection within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain. Find this specific information collection by selecting "Currently under Review—Open for Public Comments" or by using the search function.

FOR FURTHER INFORMATION CONTACT:

Muntasir Ali, Sector Policies and Program Division (D243-05), Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711; telephone number: (919) 541-0833; email address: ali.muntasir@epa.gov.

SUPPLEMENTARY INFORMATION: This is a proposed extension of the ICR, which is currently approved through July 22, 2022 during a 60-day comment period (87 FR 43843). This notice allows for an additional 30 days for public comments. Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit <http://www.epa.gov/dockets>.

Abstract: The New Source Performance Standards (NSPS) for the regulations published at 40 CFR part 60, subpart NN apply to the following existing facilities and new facilities at phosphate rock plants with capacities greater than 4 tons per hour: dryers, calciners, grinders, and ground rock handling and storage facilities, except those facilities producing or preparing phosphate rock solely for consumption in elemental phosphorus production. New facilities include those that commenced construction, modification or reconstruction after the date of proposal. This information is being collected to assure compliance with 40 CFR part 60, subpart NN.

In general, all NSPS standards require initial notifications, performance tests,