

State and county	Location	Dates and name of newspaper where notice was published	Chief executive officer of community	Effective date of modification	Community No.
Virginia: Arlington	Unincorporated Areas.	November 10, 2000, November 17, 2000, <i>The Journal Newspaper</i> .	Mr. William Donahue, Arlington County Manager, 2100 Clarendon Boulevard, Room 302, Arlington, Virginia 22201.	May 3, 1982	515520
Independent City.	City of Falls Church.	November 10, 2000, November 17, 2000, <i>The Journal Newspaper</i> .	The Honorable Daniel Gardner, Mayor of the City of Falls Church, 300 Park Avenue, Falls Church, Virginia 22046.	Feb. 3, 1982	510054
Henrico	Unincorporated Areas.	December 1, 2000, December 8, 2000, <i>The Richmond Times</i> .	Mr. Frank Thornton, Chairman of the Henrico County, Board of Supervisors, P.O. Box 27032, Richmond Virginia 23273.	Feb. 20, 2001	510077 B

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: January 30, 2001.

Margaret E. Lawless,

Acting Executive Associate Director for Mitigation.

[FR Doc. 01-3919 Filed 2-15-01; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards

Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act. This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Associate Director, Mitigation

Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. *No regulatory flexibility analysis has been prepared.*

Regulatory Classification. This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism. This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform. This rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
ILLINOIS		Maps available for inspection at the Holbrook Town Hall, 50 North Franklin Street, Holbrook, Massachusetts.		Maps available for inspection at the Plymouth Town Hall, 6 Post Office Square, Plymouth, New Hampshire.	
Phoenix (Village), Cook County (FEMA Docket No. D-7502)		MINNESOTA		NEW JERSEY	
Little Calumet River: At intersection of 9th Avenue and 153rd Street	*597	Houston County (Unincorporated Areas) (FEMA Docket No. D-7500)		Alexandria (Township), Hunterdon County (FEMA Docket No. D-7500)	
Approximately 200 feet south-east of intersection of 153rd Street and 7th Avenue	*597	Root River: Approximately 2.8 miles downstream of State Route 76		Delaware River: At downstream corporate limits	
Maps available for inspection at the Phoenix Village Hall, 15240 Vincenes Road, Phoenix, Illinois.		Approximately 2.2 miles upstream of State Route 76 ...		At a point approximately 1,000 feet downstream of the upstream corporate limits	
Robbins (Village), Cook County (FEMA Docket No. D-7502)		Maps available for inspection at the Houston County Courthouse, Zoning Office, 304 South Marshall, Caledonia, Minnesota.		Harihokake Creek: At confluence with Delaware River	
Midlothian Creek: Approximately 1,350 feet downstream of 137th Street	*596	NEW HAMPSHIRE		At a point approximately 0.64 mile upstream of confluence with Delaware River	
Approximately 0.61 mile upstream of Kedzie Avenue ...	*604	Holderness (Town), Grafton County (FEMA Docket No. 7307)		Maps available for inspection at the Alexandria Township Hall, 21 Hog Hollow Road, Pittstown, New Jersey.	
Maps available for inspection at the Robbins Village Hall, 3327 West 137th Street, Robbins, Illinois.		Pemigewasset River: At downstream corporate limits		East Hanover (Township), Morris County (FEMA Docket No. 7303)	
Winnebago County (Unincorporated Areas) (FEMA Docket No. 7307)		At upstream corporate limits ..		Passaic River: Approximately 1,125 feet downstream of Eagle Rock Avenue	
Manning Creek: At confluence with Kishwaukee River	*729	Maps available for inspection at the Holderness Town Office, Route 3, Holderness, New Hampshire.		Approximately 275 feet upstream of Mount Pleasant Avenue	
Approximately 0.52 mile upstream of Lyford Road	*857	New Boston (Town), Hillsborough County (FEMA Docket No. 7303)		Maps available for inspection at the East Hanover Township Hall, Engineering Department, 411 Ridgedale Avenue, East Hanover, New Jersey.	
Unnamed Tributary to South Kent Creek: Just downstream of U.S. Route 20	*765	South Branch Piscataquog River: Approximately 10 feet upstream of Merrimack Farmers Exchange Dam		Ewing (Township), Mercer County (FEMA Docket No. D-7500)	
Approximately 1,600 feet upstream of Frontage Road ...	*782	Approximately 0.51 mile upstream of Butterfield Mill Road		Delaware River: At downstream corporate limits	
Kishwaukee River: Just upstream of Interstate 90	*729	Maps available for inspection at the New Boston Town Hall, 7 Meetinghouse Hill Road, New Boston, New Hampshire.		Approximately 1,300 feet downstream of confluence of Jacobs Creek	
Approximately 1,400 feet upstream of Interstate 90	*729	Plymouth (Town), Grafton County (FEMA Docket No. 7307)		Maps available for inspection at the Clerk's Office, 2 Jake Garzio Drive, Ewing, New Jersey.	
Maps available for inspection at the Winnebago County Highway Department, 424 North Springfield Road, Rockford, Illinois.		Pemigewasset River: Approximately 1.2 miles downstream of the confluence with Glove Hollow Brook		Florham Park (Borough), Morris County (FEMA Docket No. 7303)	
MASSACHUSETTS		Approximately 1.3 miles upstream of Interstate 93		Passaic River: At Columbia Turnpike	
Holbrook (Town), Norfolk County (FEMA Docket No. 7299)		Plymouth (Town), Grafton County (FEMA Docket No. 7307)		Approximately 0.39 mile downstream of Passaic Avenue	
Cochato River: Randolph/Holbrook corporate limits	*119	Pemigewasset River: Approximately 1.2 miles downstream of the confluence with Glove Hollow Brook		Fish's Brook: At the confluence with Passaic River	
Approximately 50 feet downstream of North Shore Road	*127	Approximately 1.3 miles upstream of Interstate 93		Approximately 50 feet upstream of Brooklake Road	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Maps available for inspection at the Borough of Florham Park Engineering Office, 111 Ridgedale Avenue, Florham Park, New Jersey.		At upstream corporate limits ..	*65	Approximately 0.54 mile upstream of Bridge Street	*87
Hanover (Township), Morris County (FEMA Docket No. 7307)		Maps available for inspection at the Hopewell Township Hall, 201 Washington Crossing, Pennington Road, Titusville, New Jersey.		<i>Wickecheoke Creek:</i>	
<i>Whippany River:</i>		Livingston (Township), Essex County (FEMA Docket No. 7303)		At the confluence with Delaware and Raritan Canal	*87
At Troy Road	*178	<i>Passaic River:</i>		Approximately 860 feet upstream of State Route 29 ...	*87
At confluence of Black Brook	*182	Approximately 2.1 miles downstream of State Route 10	*175	Maps available for inspection at the Stockton Borough Hall, 2 Main Street, Stockton, New Jersey.	
At confluence with Whippany River	*182	Approximately 1.7 miles upstream of the confluence of Passaic River Tributary	*176	NEW YORK	
Approximately 0.85 mile upstream of the confluence of Pinch Brook	*182	<i>Passaic River Tributary:</i>		Holland Patent (Village), Oneida County (FEMA Docket No. D-7500)	
Maps available for inspection at the Township of Hanover Engineering Department, 1000 Route 10, Whippany, New Jersey.		At the confluence with Passaic River Tributary	*176	<i>Diversion Channel:</i>	
Harmony (Township), Warren County (FEMA Docket No. D-7500)		Approximately 0.25 mile downstream of South Orange Avenue	*176	Approximately 100 feet upstream of the confluence with Willow Creek	*653
<i>Delaware River:</i>		Maps available for inspection at the Livingston Town Hall, Engineering Department, 357 South Livingston Avenue, Livingston, New Jersey.		Approximately 590 feet upstream of Steuben Street ...	*671
At downstream corporate limits	*201			<i>Ninemile Creek:</i>	
A point approximately 260 feet upstream of the upstream corporate limits	*232	Stafford (Township), Ocean County (FEMA Docket No. 7279)		Approximately 830 feet downstream of the confluence of Thompson's Creek	*573
<i>Buckhorn Creek:</i>		<i>Manahawkin Mill Creek:</i>		Approximately 420 feet upstream of the confluence of Thompson's Creek	*580
At confluence with Delaware River	*225	Approximately 1.2 miles downstream of State Route 72	*9	<i>Thompson's Creek:</i>	
A point approximately 1,800 feet upstream of confluence with Delaware River	*225	Approximately 1,000 feet downstream of State Route 72	*19	Approximately 350 feet upstream of the confluence with Ninemile Creek	*585
Maps available for inspection at the Harmony Township Hall, 3003 Belvidere Road, Phillipsburg, New Jersey.		<i>Manahawkin Lake:</i>		Approximately 980 feet upstream of East Main Street	*669
Holland (Township), Hunterdon County (FEMA Docket No. D-7500)		Entire shoreline within community	*28	Maps available for inspection at the Holland Patent Village Hall, 9531 Center Street, Holland Patent, New York.	
<i>Delaware River:</i>		<i>Holiday Lake:</i>		Oswego (Town), Oswego County (FEMA Docket No. D-7500)	
A point approximately 1,800 feet upstream of downstream corporate limit	*141	Entire shoreline within community	*57	<i>Lake Ontario:</i>	
Approximately 1.2 miles downstream of upstream corporate limit	*155	<i>Barneget Bay:</i>		Entire shoreline within community	*250
<i>Tributary No. 1 to Delaware River:</i>		At corporate limits	*9	Maps available for inspection at the Oswego Town Hall, 2320 County Route 7, Oswego, New York.	
At confluence with Delaware River	*147	Approximately 1,200 feet northwest of confluence of Crooked Creek and Corrigan's Straight Ditch	*10	Putnam Valley (Town), Putnam County (FEMA Docket No. D-7504)	
Approximately 1,500 feet upstream of confluence with Delaware River	*147	<i>Manahawkin Bay:</i>		<i>Peekskill Hollow Creek:</i>	
Maps available for inspection at the Holland Township Municipal Building, 61 Church Road, Milford, New Jersey.		At Turtle Cove, Big Cove, and North Pond	*12	At approximately 0.5 mile downstream of the most upstream crossing of Peekskill Hollow Road	*248
Hopewell (Township), Mercer County (FEMA Docket No. D-7504)		At the intersection of East Bay Avenue and Hilliard Boulevard	*8	At approximately 2.2 miles upstream of Taconic State Parkway	*457
<i>Delaware River:</i>		Maps available for inspection at the Township Hall, 260 East Bay Avenue, Manahawkin, New Jersey.		<i>Barger Brook:</i>	
Approximately 2,560 feet downstream of Washington Crossing Pennington Road	*50	Stockton (Borough), Hunterdon County (FEMA Docket No. D-7500)		At approximately 1.04 mile downstream of Finnerty Road	*492
		<i>Brookville Creek:</i>		At approximately 0.54 mile upstream of Finnerty Road	*649
		At the confluence with Delaware and Raritan Canal	*82	<i>Oscawana Brook:</i>	
		Approximately 305 feet upstream of State Route 29 ...	*82	At confluence with Peekskill Hollow Creek	*113
		<i>Delaware River:</i>			
		At downstream corporate limits	*82		

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
At approximately 1,400 feet upstream of Oscawana Lake Road	*511	Maps available for inspection at the Warren County Planning and Zoning Office, 720 West Ridgeway Street, Warrenton, North Carolina.		From a point approximately 60 feet downstream of Water Street	*336
<i>Oscawana Brook (West Branch):</i>				At a point approximately 400 feet downstream of U.S. Route 422	*357
At approximately 720 feet downstream of Oscawana Lake Road	*449	OHIO		Maps available for inspection at the Heidelberg Municipal Building, 11 Tulpehocken Forge, Robesonia, Pennsylvania.	
At approximately 840 feet upstream of Oscawana Lake Road	*511	Fort Recovery (Mercer County) (FEMA Docket No. D-7502)		Marion (Township), Berks County (FEMA Docket No. D-7500)	
<i>Shallow Flooding Area:</i>		<i>Buck Creek:</i>		<i>Tulpehocken Creek:</i>	
West side of Canopus Creek approximately 1,400 feet southwest of Sunken Mine and Clear Lake Roads intersection	#3	Approximately 925 feet downstream of West Butler Street	*918	Approximately 60 feet downstream of Water Street	*336
<i>Canopus Creek:</i>		At upstream most crossing of Sharpsburg Road	*948	A point approximately 125 feet downstream of Main Street	*374
At approximately 60 feet upstream of dam	*320	Maps available for inspection at the Fort Recovery Village Offices, 201 South Main Street, Fort Recovery, Ohio.		Maps available for inspection at the Marion Township Building, 20 South Water Street, Stouchsburg, Pennsylvania.	
At approximately 1.66 mile (8,750 feet) upstream of Bell Hollow Road	*508	Mercer County (Unincorporated Areas) (FEMA Docket No. D-7502)		Muhlenberg (Township), Berks County (FEMA Docket No. D-7500)	
Maps available for inspection at the Putnam Valley Town Hall, 265 Oscawana Lake Road, Putnam Valley, New York.		<i>Buck Creek:</i>		<i>Bernhart Creek:</i>	
Schuyler (Town), Herkimer County (FEMA Docket No. D-7504)		Approximately 300 feet downstream of Sharpsburg Road	*937	At the intersection of Raymond Street and Park Avenue	*290
<i>Mohawk River:</i>		Approximately 375 feet upstream of Sharpsburg Road	*952	Approximately 260 feet west of the intersection of Jefferson Street and Park Avenue	*290
At the downstream corporate limits	*395	Maps available for inspection at the Mercer County Engineer's Office, 321 Riley Street, Celina, Ohio.		Maps available for inspection at the Muhlenberg Township Hall, 555 Raymond Street, Reading, Pennsylvania.	
Approximately 1.34 miles upstream of Newport Road	*407	PENNSYLVANIA		Perkasie (Borough), Bucks County (FEMA Docket No. 7307)	
Maps available for inspection at the Schuyler Town Clerk's Office, 2090 State Route 5, Utica, New York.		Buffalo (Township), Butler County (FEMA Docket No. D-7500)		<i>East Branch Perkiomen Creek:</i>	
Scriba (Town), Oswego County (FEMA Docket No. D-7500)		<i>Buffalo Creek:</i>		Approximately 3,550 feet upstream of North Main Street	*307
<i>Lake Ontario:</i>		Approximately 300 feet downstream of CONRAIL	*768	Approximately 620 feet upstream of East Callowhill Road	*317
Entire shoreline within community	*250	Approximately 720 feet upstream of CONRAIL	*768	Maps available for inspection at the Perkasie Borough Office, 311 South 9th Street, Perkasie, Pennsylvania.	
<i>Wine Creek:</i>		Maps available for inspection at the Buffalo Township Hall, 109 Bear Creek Road, Sarver, Pennsylvania.		Sellersville (Borough), Bucks County (FEMA Docket No. 7307)	
At downstream corporate limits	*329	East Rockhill (Township), Bucks County (FEMA Docket No. D-7500)		<i>East Branch Perkiomen Creek:</i>	
Approximately 600 feet upstream of downstream corporate limits	*334	<i>East Branch Perkiomen Creek:</i>		Approximately 150 feet downstream of CONRAIL bridge	*303
Maps available for inspection at the Scriba Town Clerk's Office, 42 Creamery Road, Oswego, New York.		A point approximately 50 feet upstream of East Callowhill Road	*315	Approximately 3,550 feet upstream of North Main Street	*307
NORTH CAROLINA		Approximately 620 feet upstream of East Callowhill Road	*317		
Warren County (Unincorporated Areas) (FEMA Docket No. D-7504)		Maps available for inspection at the East Rockhill Township Office, 1622 Ridge Road, Perkasie, Pennsylvania.			
<i>Lake Gaston:</i>		Heidelberg (Township), Berks County (FEMA Docket No. D-7500)			
Along the entire shoreline of Lake Gaston downstream of State Route 1344	*204	<i>Tulpehocken Creek:</i>			

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Maps available for inspection at the Sellersville Borough Hall, 140 East Church Street, Sellersville, Pennsylvania.		Approximately 1,375 feet upstream of County Home Road	*390	Approximately 0.5 mile upstream of State Route 625	*300
West Rockhill (Township), Bucks County (FEMA Docket No. 7307)		Maps available for inspection at the Henry County Courthouse Annex Building, 213 West Washington Street, Paris, Tennessee.		<i>Cabin Branch No. 1:</i>	
<i>East Branch Perkiomen Creek:</i>		Paris (City), Henry County (FEMA Docket No. D-7500)		At confluence with Broad Run	*266
At the upstream side of County Line Road	*276	<i>Smallwood Branch:</i>		Approximately 1,260 feet upstream of confluence with Broad Run	*266
Approximately 550 feet downstream of CONRAIL bridge	*301	At the confluence with Bailey Fork Creek	*389	<i>Cabin Branch No. 2:</i>	
Maps available for inspection at the West Rockhill Township Hall, 1028 Ridge Road, Sellersville, Pennsylvania.		Approximately 1,250 feet upstream of U.S. Highway 79	*398	At confluence with Broad Run	*221
Womelsdorf (Borough), Berks County (FEMA Docket No. D-7500)		<i>Bailey Fork Creek:</i>		Approximately 1,550 feet upstream of Blossom Drive	*258
<i>Tulpehocken Creek:</i>		Approximately 45 feet upstream of County Home Road	*389	<i>Horsepen Run:</i>	
Approximately 400 feet downstream of U.S. Route 422 ..	*357	Approximately 1,375 feet upstream of County Home Road	*390	At the confluence with Broad Run	*234
At a point approximately 1,550 feet upstream of U.S. Route 422	*360	Maps available for inspection at the Paris City Hall, 100 North Caldwell Avenue, Paris, Tennessee.		Approximately 1,575 feet upstream of Dulles Toll Road	*280
Maps available for inspection at the Womelsdorf Borough Hall, 101 West High Street, Womelsdorf, Pennsylvania.				<i>Indian Creek:</i>	
RHODE ISLAND		VERMONT		From confluence with Horsepen Run	*260
Coventry (Town), Kent County (FEMA Docket No. 7307)		Montgomery (Town), Franklin County (FEMA Docket No. D-7504)		Approximately 2.2 miles upstream of the confluence with Horsepen Run	*282
<i>Tributary A1:</i>		<i>Trout River:</i>		<i>Lenah Run:</i>	
Approximately 400 feet upstream of the confluence with South Branch Pawtuxet River	*239	Approximately 0.57 mile downstream of the downstream corporate limits	*431	At confluence with North Fork Broad Run	*280
Approximately 55 feet upstream of Flat River Road ..	*246	Approximately 1,280 feet downstream of Comstock Bridge Road	*464	Approximately 75 feet upstream of U.S. Route 50	*323
<i>Tributary A2:</i>		Maps available for inspection at the Montgomery Town Clerk's Office, 98 Main Street, Montgomery Center, Vermont.		<i>North Fork Broad Run:</i>	
A point approximately 37 feet upstream of Bike Path	*241			At confluence with South Fork Broad Run	*268
A point approximately 85 feet upstream of Bike Path	*241	VIRGINIA		Approximately 0.58 mile upstream of confluence of Tributary to North Fork Broad Run	*306
Maps available for inspection at the Coventry Town Hall, 1670 Flat River Road, Coventry, Rhode Island.		Hillsboro (Town), Loudoun County (FEMA Docket No. D-7502)		<i>Russell Branch:</i>	
TENNESSEE		<i>North Fork Catoctin Creek:</i>		At the confluence with Beaverdam Run	*219
Henry County (Unincorporated Areas) (FEMA Docket No. D-7500)		At the upstream side of State Route 718	*504	Approximately 1.2 miles upstream of the confluence with Beaverdam Run	*225
<i>Tennessee River (Kentucky Lake):</i>		Approximately 300 feet upstream of State Route 719	*533	<i>South Fork Broad Run:</i>	
Entire shoreline within Henry County	*370	Maps available for inspection at the Hillsboro Town Hall, 36991 Charlestown Pike, Hillsboro, Virginia.		Approximately 1,175 feet upstream from the confluence with Broad Run	*268
<i>Smallwood Branch:</i>		Loudoun County (Unincorporated Areas) (FEMA Docket No. D-7502)		Approximately 0.88 mile upstream of State Route 616	*335
At the confluence with Bailey Fork Creek	*389	<i>Broad Run:</i>		<i>Stallion Branch:</i>	
Approximately 0.38 mile upstream of India Road	*405	At the confluence with the Potomac River	*210	At the confluence with Horsepen Run	*260
<i>Bailey Fork Creek:</i>		Approximately 800 feet downstream of the confluence of South Fork Broad Run	*268	Approximately 2.3 miles upstream of the confluence with Horsepen Run	*270
Approximately 45 feet upstream of County Home Road	*389	<i>Beaverdam Run:</i>		<i>Tributary B to Beaverdam Run:</i>	
		At the confluence with Broad Run	*219	At the confluence with Tributary D to Beaverdam Run ..	*251
				Approximately 0.71 mile upstream of Claiborne Parkway	*316
				<i>Tributary D to Beaverdam Run:</i>	
				At the confluence with Beaverdam Run	*251
				Approximately 1,900 feet upstream of State Route 642 (Hay Road)	*262
				<i>Tributary No. 1 to Broad Run:</i>	
				At confluence with Broad Run	*244
				Approximately 400 feet upstream of the confluence with Broad Run	*244
				<i>Tributary No. 2 to Broad Run:</i>	
				At the confluence with Broad Run	*251
				Approximately 0.57 mile upstream of the confluence with Broad Run	*265
				<i>Tributary No. 3 to Broad Run:</i>	
				At the confluence with Broad Run	*264

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Approximately 0.57 mile upstream of the confluence with Broad Run	*266
<i>Tributary No. 1 to Beaverdam Run:</i>	
At the confluence with Beaverdam Run	*228
Approximately 0.47 mile upstream of the confluence of Beaverdam Run	*234
<i>Tributary to Horsepen Run:</i>	
At confluence with Horsepen Run	*273
Approximately 0.71 mile upstream of the confluence with Horsepen Run	*321
<i>Tributary to North Fork Broad Run:</i>	
At confluence with North Fork Broad Run	*297
Approximately 1,770 feet upstream of confluence with North Fork Broad Run	*304
<i>Tributary to Stallion Branch:</i>	
At the confluence with Stallion Branch	*260
Approximately 0.44 mile upstream of the confluence with Stallion Branch	*260
Maps available for inspection at the Loudoun County Building, Building & Development Department, 1 Harrison Street, S.E., Leesburg, Virginia.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: January 30, 2001.

Margaret E. Lawless,

Acting Executive Associate Director for Mitigation.

[FR Doc. 01-3922 Filed 2-15-01; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Parts 1, 2 and 25

[ET Docket No. 98-206; FCC 00-418]

Fixed Satellite Service and Terrestrial System in the Ku-Band

AGENCY: Federal Communications Commission.

ACTION: Final rule.

SUMMARY: This document permits non-geostationary satellite orbit ("NGSO") fixed-satellite service ("FSS") providers to operate in certain segments of the Ku-band, and adopts rules and policies to govern such operations. NGSO FSS can provide a variety of new services to the public, such as high speed Internet access, plus other types of high speed data, video and telephony services. NGSO FSS can bring advanced services

to rural areas. This document also concludes that a new terrestrial fixed Multichannel Video Distribution and Data Service can share the 12.2-12.7 GHz band with satellite operations without causing harmful interference.

DATES: Effective March 19, 2001.

FOR FURTHER INFORMATION CONTACT: Tom Derenge, Office of Engineering and Technology, (202) 418-2451 and Jennifer Gilsean, International Bureau, (202) 418-0757.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's Order, ET Docket 98-206, FCC 00-418, adopted November 29, 2000, and released December 8, 2000. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Reference Information Center, Room CY-A257, 445 12th Street, S.W., Washington, DC, and also may be purchased from the Commission's duplication contractor, International Transcription Service, (202) 857-3800, 1231 20th Street, N.W. Washington, DC 20036.

Summary of the Report and Order

1. The First Report and Order ("First R&O"), permits non-geostationary satellite orbit ("NGSO") fixed-satellite service ("FSS") providers to operate in certain segments of the Ku-band, and adopt rules and policies to govern such operations. It also adopts technical criteria so that NGSO FSS operations can share spectrum with incumbent services without causing unacceptable interference to them and without unduly constraining future growth of incumbent services or NGSO FSS system flexibility. Finally, the Commission concludes that a new terrestrial fixed Multichannel Video Distribution and Data Service ("MVDDS") can operate in the 12.2-12.7 GHz band on a non-harmful interference basis with incumbent Broadcast Satellite Services ("BSS"), and on a co-primary basis with the NGSO FSS. By these actions, we provide for the introduction of new advanced services to the public, consistent with our obligations under Section 706 of the 1996 Telecommunications Act, and promote increased competition among satellite and terrestrial services.

NGSO FSS Gateway Bands

2. We find that we can permit deployment of NGSO FSS gateway earth stations and also protect the continued use and growth by terrestrial operations in the proposed bands. To accomplish this, we are limiting gateway use of the 12.75-13.25 GHz band to the 12.75-

13.15 GHz and 13.2125-13.25 GHz band segments. Further, we are permitting gateway use of the 13.75-13.8 GHz band. Finally, we will permit service link, as well as gateway, use of the 14.4-14.5 GHz band. We recognize, however, that deployment of service links in the 10.7-11.7 GHz, 12.75-13.15 GHz, 13.2125-13.25 GHz, and 13.75-14.0 GHz bands could hinder future terrestrial service deployment in those bands. Therefore, to avoid the ubiquitous deployment of earth stations, we find it appropriate to allow only gateway earth station operations for NGSO FSS in those four bands. Further, because gateway earth stations will be located at sites readily identified to other users of the bands, this action increases the potential for co-frequency operation. We define NGSO FSS gateway earth stations as those earth stations that do not originate or terminate traffic, but interconnect multiple non-collocated user earth stations operating in frequency bands other than designated gateway bands, through a satellite with other primary networks, such as the public switched telephone network and Internet networks. That is, gateway earth stations will be required to operate in a manner that supports the switching and routing functions of the NGSO FSS system as a whole, as do feeder links for mobile-satellite systems or hub operations for very small aperture terminal ("VSAT") networks.

3. Thus, we are adopting a functional definition for earth station use of this band, which should provide for various NGSO FSS system designs, regardless of what terminology is used by an applicant to describe the facility. Moreover, each NGSO gateway antenna will be required to meet an antenna performance standard of 29-25 log theta (θ) dBi in all directions, where theta (θ) is the earth station antenna off-axis angle relative to the main lobe of the antenna. We find that adopting this antenna performance standard will ensure that NGSO gateway antennas focus their signals in the desired direction without the need for minimum antenna size requirements, which could hinder innovation and flexibility. Additionally, to facilitate coordination with terrestrial facilities, we adopt our proposal requiring a single gateway complex to be located within an area of one second latitude by one second longitude. This requirement, which also applies to GSO FSS earth station sitings, facilitates earth station and terrestrial coordination in shared bands by specifying very limited areas for gateway antennas. Gateway antennas