DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Institute of Environmental Health Sciences; Notice of Closed Meeting

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. Appendix 2), notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: Environmental Health Sciences Review Committee; EHS Training Grants Review Meeting.

Date: November 12–13, 2008.

Time: 8:30 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Sheraton Chapel Hill, One Europa Drive, Chapel Hill, NC 27517.

Contact Person: Linda K Bass, PhD, Scientific Review Administrator, Nat'l. Institute of Environmental Health Sciences, P.O. Box 12233, MD EC-24, Research Triangle Park, NC 27709, (919) 541-1307. (Catalogue of Federal Domestic Assistance Program Nos. 93.115, Biometry and Risk Estimation—Health Risks from Environmental Exposures; 93.142, NIEHS Hazardous Waste Worker Health and Safety Training; 93.143, NIEHS Superfund Hazardous Substances-Basic Research and Education; 93.894, Resources and Manpower Development in the Environmental Health Sciences; 93.113, Biological Response to Environmental Health Hazards; 93.114, Applied Toxicological Research and Testing, National Institutes of Health, HHS)

Dated: October 1, 2008.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E8–23783 Filed 10–8–08; 8:45 am]

BILLING CODE 4140-01-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

Current List of Laboratories Which Meet Minimum Standards To Engage in Urine Drug Testing for Federal Agencies

AGENCY: Substance Abuse and Mental Health Services Administration, HHS. **ACTION:** Notice.

SUMMARY: The Department of Health and Human Services (HHS) notifies Federal agencies of the laboratories currently certified to meet the standards of Subpart C of the Mandatory Guidelines for Federal Workplace Drug Testing Programs (Mandatory Guidelines). The Mandatory Guidelines were first published in the Federal Register on April 11, 1988 (53 FR 11970), and subsequently revised in the Federal Register on June 9, 1994 (59 FR 29908), on September 30, 1997 (62 FR 51118), and on April 13, 2004 (69 FR 19644).

A notice listing all currently certified laboratories is published in the **Federal Register** during the first week of each month. If any laboratory's certification is suspended or revoked, the laboratory will be omitted from subsequent lists until such time as it is restored to full certification under the Mandatory Guidelines.

If any laboratory has withdrawn from the HHS National Laboratory Certification Program (NLCP) during the past month, it will be listed at the end, and will be omitted from the monthly listing thereafter.

This notice is also available on the Internet at http://

www.workplace.samhsa.gov and http://www.drugfreeworkplace.gov.

FOR FURTHER INFORMATION CONTACT: Mrs. Giselle Hersh, Division of Workplace Programs, SAMHSA/CSAP, Room 2–1042, One Choke Cherry Road, Rockville, Maryland 20857; 240–276–2600 (voice), 240–276–2610 (fax).

SUPPLEMENTARY INFORMATION: The Mandatory Guidelines were developed in accordance with Executive Order 12564 and section 503 of Public Law 100–71. Subpart C of the Mandatory Guidelines, "Certification of Laboratories Engaged in Urine Drug Testing for Federal Agencies," sets strict standards that laboratories must meet in order to conduct drug and specimen validity tests on urine specimens for Federal agencies. To become certified, an applicant laboratory must undergo three rounds of performance testing plus an on-site inspection. To maintain that

certification, a laboratory must participate in a quarterly performance testing program plus undergo periodic, on-site inspections.

Laboratories which claim to be in the applicant stage of certification are not to be considered as meeting the minimum requirements described in the HHS Mandatory Guidelines. A laboratory must have its letter of certification from HHS/SAMHSA (formerly: HHS/NIDA) which attests that it has met minimum standards.

In accordance with Subpart C of the Mandatory Guidelines dated April 13, 2004 (69 FR 19644), the following laboratories meet the minimum standards to conduct drug and specimen validity tests on urine specimens:

ACL Laboratories, 8901 W. Lincoln Ave., West Allis, WI 53227, 414–328– 7840/800–877–7016. (Formerly: Bayshore Clinical Laboratory)

ACM Medical Laboratory, Inc., 160 Elmgrove Park, Rochester, NY 14624, 585–429–2264.

Advanced Toxicology Network, 3560 Air Center Cove, Suite 101, Memphis, TN 38118, 901–794–5770/888–290– 1150.

Aegis Sciences Corporation, 345 Hill Ave., Nashville, TN 37210, 615–255– 2400. (Formerly: Aegis Analytical Laboratories, Inc.)

Baptist Medical Center—Toxicology Laboratory, 9601 I–630, Exit 7, Little Rock, AR 72205–7299, 501–202–2783. (Formerly: Forensic Toxicology Laboratory Baptist Medical Center)

Clinical Reference Lab, 8433 Quivira Road, Lenexa, KS 66215–2802, 800– 445–6917.

Diagnostic Services, Inc., dba DSI, 12700 Westlinks Drive, Fort Myers, FL 33913. 239–561–8200/800–735– 5416.

Doctors Laboratory, Inc., 2906 Julia Drive, Valdosta, GA 31602, 229–671– 2281.

DrugScan, Inc., P.O. Box 2969, 1119 Mearns Road, Warminster, PA 18974, 215–674–9310.

DynaLIFE Dx*, 10150–102 St., Suite 200, Edmonton, Alberta, Canada T5J 5E2, 780–451–3702/800–661–9876. (Formerly: Dynacare Kasper Medical Laboratories)

ElSohly Laboratories, Inc., 5 Industrial Park Drive, Oxford, MS 38655, 662– 236–2609.

Gamma-Dynacare Medical Laboratories*, a Division of the Gamma-Dynacare Laboratory Partnership, 245 Pall Mall Street, London, ONT, Canada N6A 1P4, 519– 679–1630.

Kroll Laboratory Specialists, Inc., 1111 Newton St., Gretna, LA 70053, 504–