

number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral statements pertaining to agenda items should contact Joel Bradburne at the address or telephone number listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

**Minutes:** Minutes will be available by writing or calling Joel Bradburne at the address and phone number listed above. Minutes will also be available at the following Web site: <http://www.ports-sab.energy.gov/>.

Issued at Washington, DC, on April 13, 2011.

**LaTanya R. Butler,**

*Acting Deputy Committee Management Officer.*

[FR Doc. 2011-9472 Filed 4-18-11; 8:45 am]

**BILLING CODE 6450-01-P**

## DEPARTMENT OF ENERGY

### Office of Energy Efficiency and Renewable Energy

[Case No. CW-018]

#### Energy Conservation Program for Consumer Products: Decision and Order Granting a Waiver to LG From the Department of Energy Residential Clothes Washer Test Procedure

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Decision and order.

**SUMMARY:** The U.S. Department of Energy (DOE) gives notice of the decision and order (Case No. CW-018) that grants to LG Electronics U.S.A., Inc. (LG) a waiver from the DOE clothes washer test procedure for determining the energy consumption of clothes washers for the basic models set forth in its petition for waiver. Under today's decision and order, LG shall be required to test and rate these clothes washers with larger clothes containers using an alternate test procedure that takes the larger capacities into account when measuring energy consumption.

**DATES:** This Decision and Order is effective April 19, 2011.

**FOR FURTHER INFORMATION CONTACT:** Dr. Michael G. Raymond, U.S. Department

of Energy, Building Technologies Program, Mailstop EE-2J, 1000 Independence Avenue, SW., Washington, DC 20585-0121. *Telephone:* (202) 586-9611, *E-mail:* <mailto:Michael.Raymond@ee.doe.gov>.

Elizabeth Kohl, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC-71, 1000 Independence Avenue, SW., Washington, DC 20585-0103. *Telephone:* (202) 586-7796, *E-mail:* <mailto:mailto:Elizabeth.Kohl@hq.doe.gov>.

**SUPPLEMENTARY INFORMATION:** In accordance with Title 10 of the Code of Federal Regulations (10 CFR 430.27(l)), DOE gives notice of the issuance of its decision and order as set forth below. The decision and order grants LG a waiver from the applicable clothes washer test procedure in 10 CFR part 430, subpart B, appendix J1 for certain basic models of clothes washers with capacities greater than 3.8 cubic feet, provided that LG tests and rates such products using the alternate test procedure described in this notice. Today's decision prohibits LG from making representations concerning the energy efficiency of these products unless the product has been tested consistent with the provisions and restrictions in the alternate test procedure set forth in the decision and order below, and the representations fairly disclose the test results. Distributors, retailers, and private labelers are held to the same standard when making representations regarding the energy efficiency of these products. 42 U.S.C. 6293(c).

Issued in Washington, DC, on April 12, 2011.

**Kathleen B. Hogan,**

*Deputy Assistant Secretary, Energy Efficiency and Renewable Energy.*

#### Decision and Order

*In the Matter of:* LG Electronics U.S.A., Inc. (Case No. CW-018)

#### I. Background and Authority

Title III, Part B of the Energy Policy and Conservation Act of 1975 (EPCA), Public Law 94-163 (42 U.S.C. 6291-6309, as codified) established the Energy Conservation Program for Consumer Products Other Than Automobiles, a program covering most major household appliances, which includes the residential clothes washers that are the focus of this notice.<sup>1</sup> Part B includes definitions, test procedures, labeling provisions, energy conservation standards, and the authority to require

<sup>1</sup> For editorial reasons, upon codification in the U.S. Code, Part B was re-designated Part A.

information and reports from manufacturers. Further, Part B authorizes the Secretary of Energy to prescribe test procedures that are reasonably designed to produce results which measure energy efficiency, energy use, or estimated operating costs, and that are not unduly burdensome to conduct. (42 U.S.C. 6293(b)(3)) The test procedure for automatic and semi-automatic clothes washers is set forth in 10 CFR part 430, subpart B, appendix J1.

DOE's regulations for covered products contain provisions allowing a person to seek a waiver for a particular basic model from the test procedure requirements for covered consumer products when (1) the petitioner's basic model for which the petition for waiver was submitted contains one or more design characteristics that prevent testing according to the prescribed test procedure, or (2) when prescribed test procedures may evaluate the basic model in a manner so unrepresentative of its true energy consumption characteristics as to provide materially inaccurate comparative data. 10 CFR 430.27(a)(1). Petitioners must include in their petition any alternate test procedures known to the petitioner to evaluate the basic model in a manner representative of its energy consumption characteristics. 10 CFR 430.27(b)(1)(iii).

The Assistant Secretary for Energy Efficiency and Renewable Energy (the Assistant Secretary) may grant a waiver subject to conditions, including adherence to alternate test procedures. 10 CFR 430.27(l). Waivers remain in effect pursuant to the provisions of 10 CFR 430.27(m).

Any interested person who has submitted a petition for waiver may also file an application for interim waiver of the applicable test procedure requirements. 10 CFR 430.27(a)(2). The Assistant Secretary will grant an interim waiver request if it is determined that the applicant will experience economic hardship if the interim waiver is denied, if it appears likely that the petition for waiver will be granted, and/or the Assistant Secretary determines that it would be desirable for public policy reasons to grant immediate relief pending a determination on the petition for waiver. 10 CFR 430.27(g).

On December 23, 2010, DOE issued enforcement guidance for large-capacity clothes washers. This guidance can be found on DOE's Web site at [http://www.gc.energy.gov/documents/LargeCapacityRCW\\_guidance\\_122210.pdf](http://www.gc.energy.gov/documents/LargeCapacityRCW_guidance_122210.pdf).

## II. LG's Petition for Waiver: Assertions and Determinations

On January 19, 2011, LG submitted the instant petition for waiver and application for interim waiver (petition) from the test procedure applicable to automatic and semi-automatic clothes washers set forth in 10 CFR part 430, subpart B, appendix J1. This petition expands the model list set forth in LG's initial petition CW-016, for which DOE granted a waiver on March 1, 2011. 76 FR 11233. LG requested a waiver to test its residential clothes washers with basket volumes greater than 3.8 cubic feet on the basis of the test procedures contained in 10 CFR part 430, Subpart B, Appendix J1, with a revised Table 5.1 which extends the range of container volumes beyond 3.8 cubic feet. LG's instant petition and DOE's grant of interim waiver were also published in the **Federal Register** on March 1, 2011. 76 FR 11440. DOE received no comments on the LG petition.

LG's petition seeks a waiver from the DOE test procedure because the mass of the test load used in the procedure, which is based on the basket volume of the test unit, is currently not defined for basket sizes greater than 3.8 cubic feet. LG manufactures basic models with capacities greater than 3.8 cubic feet, and it is for these basic models that LG seeks a waiver from DOE's test procedure. In addition, if the current maximum test load mass is used to test these products, the tested energy use would be less than the actual energy usage, and could evaluate the basic model in a manner so unrepresentative of its true energy consumption characteristics as to provide materially inaccurate comparative data.

Table 5.1 of Appendix J1 defines the test load sizes used in the test procedure as linear functions of the basket volume. LG requests that DOE grant a waiver for testing and rating based on a revised Table 5.1, the same table as set forth in the waiver granted to LG on March 1, 2011. 76 FR 11233. The table is identical to the Table 5.1 found in DOE's clothes washer test procedure Notice of Proposed Rulemaking (NPR). 75 FR 57556 (September 21, 2010).

As DOE has stated in the past, it is in the public interest to have similar products tested and rated for energy consumption on a comparable basis. Previously, DOE granted a test procedure waiver to Whirlpool for three of Whirlpool's clothes washer models with container capacities greater than 3.8 cubic feet. 75 FR 69653 (November 15, 2010). This notice contained an alternate test procedure, which extended the linear relationship between maximum test load size and clothes washer container volume in Table 5.1 to include a maximum test load size of 15.4 pounds (lbs) for clothes washer container volumes of 3.8 to 3.9 cubic feet. On December 10, 2010, DOE granted a similar waiver to General Electric Company (GE), which used the same alternate test procedure. 75 FR 76968. DOE has also granted waivers to Electrolux (76 FR 11440 (March 2, 2011)) and Samsung (76 FR 13169 (March 10, 2011)). All decisions and orders for this type of product use the Table 5.1 values presented in DOE's NPR.

## III. Consultations With Other Agencies

DOE consulted with the Federal Trade Commission (FTC) staff concerning the

LG petition for waiver. The FTC staff did not have any objections to granting a waiver to LG.

## IV. Conclusion

After careful consideration of all the material that was submitted by LG, the waivers granted to Whirlpool, GE, Samsung and Electrolux, as well as previously to LG, the clothes washer test procedure rulemaking, and consultation with the FTC staff, it is ordered that:

(1) The petition for waiver submitted by the LG Electronics U.S.A., Inc. (Case No. CW-018) is hereby granted as set forth in the paragraphs below.

(2) LG shall not be required to test or rate the following LG models on the basis of the current test procedure contained in 10 CFR part 430, subpart B, appendix J1. Instead, it shall be required to test and rate such products according to the alternate test procedure as set forth in paragraph (3) below.

| Model        | Brand    |
|--------------|----------|
| WM3360H* * * | LG.      |
| WM3550H* * * | LG.      |
| WM3150H**    | LG.      |
| WM3975H* * * | LG.      |
| WM3985H* * * | LG.      |
| WT4901C*     | LG.      |
| 2947#00#     | Kenmore. |

(3) LG shall be required to test the products listed in paragraph (2) above according to the test procedures for clothes washers prescribed by DOE at 10 CFR part 430, appendix J1, except that, for the LG products listed in paragraph (2) only, the expanded Table 5.1 below shall be substituted for Table 5.1 of appendix J1.

TABLE 5.1—TEST LOAD SIZES

| Container volume |           | Minimum load |      | Maximum load |      | Average load |      |
|------------------|-----------|--------------|------|--------------|------|--------------|------|
| cu. ft.          | liter     | lb           | kg   | lb           | kg   | lb           | kg   |
| ≥ <              | ≥ <       |              |      |              |      |              |      |
| 0–0.8            | 0–22.7    | 3.00         | 1.36 | 3.00         | 1.36 | 3.00         | 1.36 |
| 0.80–0.90        | 22.7–25.5 | 3.00         | 1.36 | 3.50         | 1.59 | 3.25         | 1.47 |
| 0.90–1.00        | 25.5–28.3 | 3.00         | 1.36 | 3.90         | 1.77 | 3.45         | 1.56 |
| 1.00–1.10        | 28.3–31.1 | 3.00         | 1.36 | 4.30         | 1.95 | 3.65         | 1.66 |
| 1.10–1.20        | 31.1–34.0 | 3.00         | 1.36 | 4.70         | 2.13 | 3.85         | 1.75 |
| 1.20–1.30        | 34.0–36.8 | 3.00         | 1.36 | 5.10         | 2.31 | 4.05         | 1.84 |
| 1.30–1.40        | 36.8–39.6 | 3.00         | 1.36 | 5.50         | 2.49 | 4.25         | 1.93 |
| 1.40–1.50        | 39.6–42.5 | 3.00         | 1.36 | 5.90         | 2.68 | 4.45         | 2.02 |
| 1.50–1.60        | 42.5–45.3 | 3.00         | 1.36 | 6.40         | 2.90 | 4.70         | 2.13 |
| 1.60–1.70        | 45.3–48.1 | 3.00         | 1.36 | 6.80         | 3.08 | 4.90         | 2.22 |
| 1.70–1.80        | 48.1–51.0 | 3.00         | 1.36 | 7.20         | 3.27 | 5.10         | 2.31 |
| 1.80–1.90        | 51.0–53.8 | 3.00         | 1.36 | 7.60         | 3.45 | 5.30         | 2.40 |
| 1.90–2.00        | 53.8–56.6 | 3.00         | 1.36 | 8.00         | 3.63 | 5.50         | 2.49 |
| 2.00–2.10        | 56.6–59.5 | 3.00         | 1.36 | 8.40         | 3.81 | 5.70         | 2.59 |
| 2.10–2.20        | 59.5–62.3 | 3.00         | 1.36 | 8.80         | 3.99 | 5.90         | 2.68 |
| 2.20–2.30        | 62.3–65.1 | 3.00         | 1.36 | 9.20         | 4.17 | 6.10         | 2.77 |
| 2.30–2.40        | 65.1–68.0 | 3.00         | 1.36 | 9.60         | 4.35 | 6.30         | 2.86 |
| 2.40–2.50        | 68.0–70.8 | 3.00         | 1.36 | 10.00        | 4.54 | 6.50         | 2.95 |

TABLE 5.1—TEST LOAD SIZES—Continued

| Container volume |             | Minimum load |      | Maximum load |       | Average load |      |
|------------------|-------------|--------------|------|--------------|-------|--------------|------|
| cu. ft.          | liter       | lb           | kg   | lb           | kg    | lb           | kg   |
| ≥ <              | ≥ <         |              |      |              |       |              |      |
| 2.50–2.60 .....  | 70.8–73.6   | 3.00         | 1.36 | 10.50        | 4.76  | 6.75         | 3.06 |
| 2.60–2.70 .....  | 73.6–76.5   | 3.00         | 1.36 | 10.90        | 4.94  | 6.95         | 3.15 |
| 2.70–2.80 .....  | 76.5–79.3   | 3.00         | 1.36 | 11.30        | 5.13  | 7.15         | 3.24 |
| 2.80–2.90 .....  | 79.3–82.1   | 3.00         | 1.36 | 11.70        | 5.31  | 7.35         | 3.33 |
| 2.90–3.00 .....  | 82.1–85.0   | 3.00         | 1.36 | 12.10        | 5.49  | 7.55         | 3.42 |
| 3.00–3.10 .....  | 85.0–87.8   | 3.00         | 1.36 | 12.50        | 5.67  | 7.75         | 3.52 |
| 3.10–3.20 .....  | 87.8–90.6   | 3.00         | 1.36 | 12.90        | 5.85  | 7.95         | 3.61 |
| 3.20–3.30 .....  | 90.6–93.4   | 3.00         | 1.36 | 13.30        | 6.03  | 8.15         | 3.70 |
| 3.30–3.40 .....  | 93.4–96.3   | 3.00         | 1.36 | 13.70        | 6.21  | 8.35         | 3.79 |
| 3.40–3.50 .....  | 96.3–99.1   | 3.00         | 1.36 | 14.10        | 6.40  | 8.55         | 3.88 |
| 3.50–3.60 .....  | 99.1–101.9  | 3.00         | 1.36 | 14.60        | 6.62  | 8.80         | 3.99 |
| 3.60–3.70 .....  | 101.9–104.8 | 3.00         | 1.36 | 15.00        | 6.80  | 9.00         | 4.08 |
| 3.70–3.80 .....  | 104.8–107.6 | 3.00         | 1.36 | 15.40        | 6.99  | 9.20         | 4.17 |
| 3.80–3.90 .....  | 107.6–110.4 | 3.00         | 1.36 | 15.80        | 7.16  | 9.40         | 4.26 |
| 3.90–4.00 .....  | 110.4–113.3 | 3.00         | 1.36 | 16.20        | 7.34  | 9.60         | 4.35 |
| 4.00–4.10 .....  | 113.3–116.1 | 3.00         | 1.36 | 16.60        | 7.53  | 9.80         | 4.45 |
| 4.10–4.20 .....  | 116.1–118.9 | 3.00         | 1.36 | 17.00        | 7.72  | 10.00        | 4.54 |
| 4.20–4.30 .....  | 118.9–121.8 | 3.00         | 1.36 | 17.40        | 7.90  | 10.20        | 4.63 |
| 4.30–4.40 .....  | 121.8–124.6 | 3.00         | 1.36 | 17.80        | 8.09  | 10.40        | 4.72 |
| 4.40–4.50 .....  | 124.6–127.4 | 3.00         | 1.36 | 18.20        | 8.27  | 10.60        | 4.82 |
| 4.50–4.60 .....  | 127.4–130.3 | 3.00         | 1.36 | 18.70        | 8.46  | 10.80        | 4.91 |
| 4.60–4.70 .....  | 130.3–133.1 | 3.00         | 1.36 | 19.10        | 8.65  | 11.00        | 5.00 |
| 4.70–4.80 .....  | 133.1–135.9 | 3.00         | 1.36 | 19.50        | 8.83  | 11.20        | 5.10 |
| 4.80–4.90 .....  | 135.9–138.8 | 3.00         | 1.36 | 19.90        | 9.02  | 11.40        | 5.19 |
| 4.90–5.00 .....  | 138.8–141.6 | 3.00         | 1.36 | 20.30        | 9.20  | 11.60        | 5.28 |
| 5.00–5.10 .....  | 141.6–144.4 | 3.00         | 1.36 | 20.70        | 9.39  | 11.90        | 5.38 |
| 5.10–5.20 .....  | 144.4–147.2 | 3.00         | 1.36 | 21.10        | 9.58  | 12.10        | 5.47 |
| 5.20–5.30 .....  | 147.2–150.1 | 3.00         | 1.36 | 21.50        | 9.76  | 12.30        | 5.56 |
| 5.30–5.40 .....  | 150.1–152.9 | 3.00         | 1.36 | 21.90        | 9.95  | 12.50        | 5.65 |
| 5.40–5.50 .....  | 152.9–155.7 | 3.00         | 1.36 | 22.30        | 10.13 | 12.70        | 5.75 |
| 5.50–5.60 .....  | 155.7–158.6 | 3.00         | 1.36 | 22.80        | 10.32 | 12.90        | 5.84 |
| 5.60–5.70 .....  | 158.6–161.4 | 3.00         | 1.36 | 23.20        | 10.51 | 13.10        | 5.93 |
| 5.70–5.80 .....  | 161.4–164.2 | 3.00         | 1.36 | 23.60        | 10.69 | 13.30        | 6.03 |
| 5.80–5.90 .....  | 164.2–167.1 | 3.00         | 1.36 | 24.00        | 10.88 | 13.50        | 6.12 |
| 5.90–6.00 .....  | 167.1–169.9 | 3.00         | 1.36 | 24.40        | 11.06 | 13.70        | 6.21 |

NOTES: (1) All test load weights are bone dry weights.

(2) Allowable tolerance on the test load weights are  $\pm 0.10$  lbs (0.05 kg).

(4) Representations. LG may make representations about the energy use of its clothes washer products for compliance, marketing, or other purposes only to the extent that such products have been tested in accordance with the provisions outlined above and such representations fairly disclose the results of such testing.

(5) This waiver shall remain in effect consistent with the provisions of 10 CFR 430.27(m).

(6) This waiver is issued on the condition that the statements, representations, and documentary materials provided by the petitioner are valid. DOE may revoke or modify this waiver at any time if it determines the factual basis underlying the petition for waiver is incorrect, or the results from the alternate test procedure are unrepresentative of the basic models' true energy consumption characteristics.

(7) This waiver applies only to those basic models set out in LG's petition for waiver. Grant of this waiver does not

release a petitioner from the certification requirements set forth at 10 CFR 430.62.

Issued in Washington, DC, on April 12, 2011.

**Kathleen B. Hogan,**  
*Deputy Assistant Secretary, Energy Efficiency and Renewable Energy.*

[FR Doc. 2011–9474 Filed 4–18–11; 8:45 am]

BILLING CODE 6450–01–P

## DEPARTMENT OF ENERGY

### Office of Energy Efficiency and Renewable Energy

[Case No. CW–019]

#### Energy Conservation Program for Consumer Products: Notice of Petition for Waiver of Samsung Electronics America, Inc. From the Department of Energy Residential Clothes Washer Test Procedure, and Grant of Interim Waiver

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Notice of petition for waiver and application for interim waiver, notice of grant of interim waiver, and request for comments.

**SUMMARY:** This notice announces receipt of and publishes the Samsung Electronics America, Inc. (Samsung) petition for waiver and application for