

UL 863 Time-Indicating and
-Recording Appliances

UL 864 Control Units for Fire-
Protective Signaling Systems

UL 877 Circuit Breakers and Circuit-
Breaker Enclosure for Use in
Hazardous (Classified) Locations

UL 886 Electrical Outlet Boxes and
Fittings for Use in Hazardous
(Classified) Locations

UL 894 Switches for Use in Hazardous
(Classified) Locations

UL 913 Intrinsically Safe Apparatus
and Associated Apparatus for Use In
Class I, II, and III, Division I,
Hazardous (Classified) Locations

UL 1002 Electrically Operated Valve
for Use in Hazardous (Classified)
Locations

UL 1058 Halogen Agent Extinguishing
System Units

UL 1093 Halogenated Agent Fire
Extinguishers

FMRC 1110 Indicator Posts

UL 1203 Explosion-Proof and Dust-
Ignition-Proof Electrical Equipment
for Use in Hazardous (Classified)
Locations

UL 1206 Electrical Commercial
Clothes-Washing Equipment

UL 1207 Sewage Pumps for Use in
Hazardous (Classified) Locations

FMRC 1221 Backflow Preventers

UL 1236 Battery Chargers for Charging
Engine-Starter Batteries

UL 1240 Electric Commercial Clothes-
Drying Equipment

UL 1254 Pre-Engineered Dry Chemical
Extinguishing System Units

UL 1262 Laboratory Equipment

FMRC 1321 Controllers for Electric
Motor Driven Fire Pumps

FMRC 1333 Diesel Engine Fire Pump
Drivers

FMRC 1635 Plastic Pipe and Fittings
for Automatic Sprinkler Systems

UL 1950 Information Technology
Equipment Including Electrical
Business Equipment

FMRC 2000 Automatic Sprinklers for
Fire Protection

FMRC 2008 Early Suppression-Fast
Response (ESFR) Automatic
Sprinklers

FMRC 3260 Flame Radiation Detectors
for Automatic Fire Alarm Signaling

FMRC 3600 Electrical Equipment for
Use in Hazardous (Classified)
Locations, General Requirements

FMRC 3610 Intrinsically Safe
Apparatus and Associated Apparatus
for Use in Class I, I and III, Division
1 Hazardous (Classified) Locations

FMRC 3611 Electrical Equipment for
Use in Class I, Division 2; Class II,
Division 2; and Class III, Division 1
and 2 Hazardous Locations

FMRC 3615 Explosion proof Electrical
Equipment, General Requirements

FMRC 3620 Purged and Pressurized
Electrical Equipment for Hazardous
(Classified) Locations

FMRC 3810 Electrical and Electronic
Test, Measuring, and Process Control
Equipment

FMRC 3990 Less or nonflammable
Liquid-Insulated Transformers

FMRC 6051 Safety Containers and
Filing, Supply and Disposal
Containers

FMRC 6310 Combustible Gas Detectors

FMRC 7812 Industrial Trucks—LP-Gas

FMRC 7816 Industrial Trucks—LP-Gas
Dual Fuel

FMRC 7820 Industrial Trucks—
Electric

Note: Testing and certification of gas
operated equipment is limited to equipment
for use with "liquefied petroleum gas"
("LPG" or "LP-Gas")

The designations and titles of the
above test standards were current at the
time of the preparation of the notice of
the preliminary finding.

Many of the test standards listed
above are approved as American
National Standards by the American
National Standards Institute (ANSI).
However, for convenience in compiling
the list, we show the designation of the
standards developing organization (e.g.,
UL 1950) for the standard, as opposed
to the ANSI designation (e.g., ANSI/UL
1950). Under our procedures, an NRTL
recognized for an ANSI-approved test
standard may use either the latest
proprietary version of the test standard
or the latest ANSI version of that
standard, regardless of whether it is
currently recognized for the proprietary
or ANSI version. Contact ANSI or the
ANSI web site (<http://www.ansi.org>) and
click "NSSN" to find out whether or not
a test standard is currently ANSI-
approved.

Conditions

FMRC must also abide by the
following conditions of the recognition,
in addition to those already required by
29 CFR 1910.7:

OSHA has reason to doubt the
efficacy of any test standard it is using
under this program, it must promptly
inform the test standard developing
organization of this fact and provide
that organization with appropriate
relevant information upon which its
concerns are based;

If FMRC has reason to doubt the
efficacy of any test standard it is using
under this program, it must promptly
inform the test standard developing
organization of this fact and provide
that organization with appropriate
relevant information upon which its
concerns are based;

FMRC must not engage in or permit
others to engage in any

misrepresentation of the scope or
conditions of its recognition. As part of
this condition, FMRC agrees that it will
allow no representation that it is either
a recognized or an accredited Nationally
Recognized Testing Laboratory (NRTL)
without clearly indicating the specific
equipment or material to which this
recognition is tied, or that its
recognition is limited to certain
products;

FMRC must inform OSHA as soon as
possible, in writing, of any change of
ownership, facilities, or key personnel,
and of any major changes in its
operations as an NRTL, including
details;

FMRC will meet all the terms of its
recognition and will always comply
with all OSHA policies pertaining to
this recognition; and

FMRC will continue to meet the
requirements for recognition in all areas
where it has been recognized.

Signed at Washington, D.C. this 27 day of
August, 2001.

John L. Henshaw,

Assistant Secretary.

[FR Doc. 01-22827 Filed 9-11-01; 8:45 am]

BILLING CODE 4510-26-P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket Nos. NRTL1-88, NRTL1-89,
NRTL2-90, NRTL3-90, NRTL2-92, NRTL3-
92, NRTL1-93, NRTL2-93, NRTL3-93,
NRTL4-93, NRTL1-97, NRTL1-98]

Modify Scope of Recognition of NRTLs

AGENCY: Occupational Safety and Health
Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: This notice modifies the
scope of recognition of certain
Nationally Recognized Testing
Laboratories (NRTLs).

EFFECTIVE DATE: September 12, 2001.

FOR FURTHER INFORMATION CONTACT:
Bernard Pasquet, Office of Technical
Programs and Coordination Activities,
NRTL Program, Occupational Safety and
Health Administration, U.S. Department
of Labor, 200 Constitution Avenue,
NW., Room N3653, Washington, DC
20210, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION: The
Occupational Safety and Health
Administration (OSHA) hereby gives
notice of changes to the scope of
recognition of the Nationally
Recognized Testing Laboratories
(NRTLs) listed below. Specifically, some
of the test standards for which OSHA

previously recognized each NRTL are no longer "appropriate test standards" primarily because they have been withdrawn or superseded. As a result, we will remove them from the listing of test standards in our informational web page for each NRTL, which detail OSHA's official scope of recognition for the NRTL. These web pages can be accessed at <http://www.osha-slc.gov/dts/otpcanrtl/index.html>. In this notice, we list the test standards to be removed for each NRTL below under the heading "Withdrawn or Superseded Standards." We provide the following information for those who may be unfamiliar with OSHA requirements concerning NRTLs.

OSHA recognition of an NRTL signifies that the organization has met the legal requirements in Section 1910.7 of Title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

In testing and certifying (i.e., approving) such products, NRTLs must demonstrate that the products conform to "appropriate test standards." This term is defined under 29 CFR 1910.7(c) and essentially means consensus-based product safety test standards developed and maintained current by U.S.-based standards developing organizations (SDOs). Such test standards are not OSHA standards, which are general requirements that employers must meet, but, individually, specify the safety technical requirements that a particular type of product must meet.

OSHA recognizes each NRTL for a particular scope of recognition, which includes a list of those product safety test standards that the NRTL may use in approving products. As a normal part of its operations, an SDO occasionally withdraws existing test standards or adopts superseding test standards. In such cases, OSHA can no longer consider the withdrawn or superseded standards as "appropriate," and as a result, the Agency can no longer recognize NRTLs for the standard.

To replace the test standards we are removing, under our policy, the NRTL may request or OSHA can provide recognition for comparable test standards, i.e., other appropriate test standards covering comparable product testing. We list these test standards below for each NRTL under the headings "Comparable Replacement

Standards." In some cases (noted by a double asterisk in the particular heading), OSHA may already recognize the NRTL for the comparable test standard. In such cases, we do not list the replacement test standards below. In other cases, there is no replacement standard or the NRTL did not request one prior to publication of this notice. However, if we receive such a request after publication of this notice and determine the test standard is "comparable," as described above, OSHA will add it to the NRTL's scope of recognition and therefore to OSHA's informational web page for the NRTL.

Applied Research Laboratories, Inc. (ARL)

[Docket No. NRTL1-97]

Withdrawn or Superseded Standards

ASTM E152 Standard Methods of Fire Tests of Door Assemblies
ANSI Z83.12 Gas Food Service Equipment—Baking and Roasting Ovens

Comparable Replacement Standards (if applicable)

ASTM E2074 Standard Method for Fire Tests of Door Assemblies
ANSI Z83.11 Gas Food Service Equipment—Ranges and Unit Broilers
UL 10A Tin-Clad Fire Doors
UL 10B Fire Tests of Door Assemblies
UL 1598 Luminaries (see Note on UL 1598 below; currently, ARL is recognized for UL 1570, UL 1571, and UL 1572)

Canadian Standards Association (CSA)

[Docket No. NRTL2-92]

Withdrawn or Superseded Standards

ANSI Z21.5 Gas Clothes Dryers
ANSI Z21.10 Gas Water Heaters
ANSI Z21.11 Gas-Fired Room Heaters
ANSI Z21.44 Gas-Fired Gravity and Fan Type Direct Vent Wall Furnaces
ANSI Z21.64 Direct Vent Central Furnaces
ANSI Z83.9 Gas-Fired Duct Furnaces
ANSI Z83.12 Gas Food Service Equipment—Baking and Roasting Ovens
ANSI Z83.13 Gas Food Service Equipment—Deep Fat Fryers
ANSI Z83.14 Gas Food Service Equipment—Counter Appliances
ANSI Z83.15 Gas Food Service Equipment—Kettles, Steam Cookers, and Steam Generators
ANSI Z83.16 Gas-Fired Unvented Commercial and Industrial Heaters
ANSI/UL 114 Electric Office Appliances and Business Equipment

ANSI/UL 133 Wires and Cables With Varnished Cloth Insulation
ANSI/UL 303 Refrigeration and Air-Conditioning Condensing and Compressor Units
ANSI/UL 465 Central Cooling Air Conditioners
ANSI/UL 478 Information-Processing and Business Equipment
ANSI/UL 519 Impedance-Protected Motors
ANSI/UL 543 Electrical Conduit
ANSI/UL 547 Thermal Protectors for Electric Motors
ANSI/UL 559 Heat Pumps
ANSI/UL 560 Electric Home-Laundry Equipment
ANSI/UL 611 Central-Station Burglar-Alarm Systems
ANSI/UL 869 Electrical Service Equipment
ANSI/UL 883 Fan-Coil Units and Room-Fan Heater Units
ANSI/UL 1025 Electric Air Heaters
UL 1092 Process Control Equipment
ANSI/UL 1096 Electric Central Air-Heating Equipment
ANSI/UL 1438 Household Electric Drip-Type Coffee Makers
ANSI/UL 1555 Electric Coin-Operated Clothes-Washing Equipment
ANSI/UL 1556 Electric Coin-Operated Clothes-Drying Equipment
ANSI/UL 1624 Light Industrial and Fixed Electric Tools
ANSI/UL 1663 Electric Hot Tubs, Spas, and Associated Equipment

*Comparable Replacement Standards (if applicable)***

ANSI Z21.10.2 Water Heaters—Sidearm Type Water Heaters
ANSI Z21.11.1 Gas-Fired Room Heaters—Volume I—Vented Room Heaters
ANSI Z21.11.2 Gas-Fired Room Heaters—Volume II—Unvented Room Heaters
UL 1598 Luminaries (see Note on UL 1598 below; currently, CSA is recognized for UL 1570, UL 1571, and UL 1572)

Entela, Inc. (ENT)

[Docket No. NRTL2-93]

Withdrawn or Superseded Standards

ANSI/UL 559 Heat Pumps
ANSI/UL 560 Electric Home-Laundry Equipment
ANSI/UL 869 Electrical Service Equipment
ANSI/UL 883 Fan-Coil Units and Room-Fan Heater Units
UL 962 Household and Commercial Furnishing
ANSI/UL 1096 Electric Central Air-Heating Equipment
ANSI/UL 1438 Household Electric Drip-Type Coffee Makers

ANSI/UL 1555 Electric Coin Operated Clothes Washing Equipment
ANSI/UL 1556 Electric Coin Operated Clothes Drying Equipment

Comparable Replacement Standards (if applicable)

UL 1082 Household Electric Coffee Makers and Brewing-Type Appliances
UL 1598 Luminaries (see Note on UL 1598 below; currently, Entela is recognized for UL 1570, UL 1571, and UL 1572)
UL 1995 Heating and Cooling Equipment
UL 2157 Electric Clothes Washing Machines and Extractors
UL 2158 Electric Clothes Dryers

Factory Mutual Research Corporation (FMRC)

[Docket No. NRTL3-93]

Withdrawn or Superseded Standards

ANSI/ISA S12.13.1 Performance Requirements for Combustible Gas Detectors
ANSI S12.15 Hydrogen Sulfide Detection Instruments
ANSI S82.03 Electrical and Electronic Process Measuring and Control
ANSI/UL 1555 Electric Coin-Operated Clothes-Washing Equipment
ANSI/UL 1556 Electric Coin-Operated Clothes-Drying Equipment

Comparable Replacement Standards (if applicable)

UL 2157 Electric Clothes Washing Machines and Extractors
UL 2158 Electric Clothes Dryers

Intertek Testing Services NA, Inc. (ITSNA)

[Docket No. NRTL1-89]

Withdrawn or Superseded Standards

ANSI S12.13 Performance Requirements for Combustible Gas Detectors
ANSI Z21.64 Direct Vent Central Furnaces
ANSI Z83.9 Gas-Fired Duct Furnaces
ANSI Z83.12 Gas Food Service Equipment—Baking and Roasting Ovens
ANSI Z83.13 Gas Food Service Equipment—Deep Fat Fryers
ANSI Z83.14 Gas Food Service Equipment—Counter Appliances
ANSI Z83.15 Gas Food Service Equipment—Kettles, Steam Cookers, and Steam Generators
ANSI Z83.16 Gas-Fired Unvented Commercial and Industrial Heaters
ANSI/UL 114 Electric Office Appliances and Business Equipment

ANSI/UL 303 Refrigeration and Air Conditioning Condensing and Compressor Units
ANSI/UL 465 Central Cooling Air Conditioners
ANSI/UL 478 Information-Processing and Business Equipment
ANSI/UL 519 Impedance-Protected Motors
ANSI/UL 543 Impregnated-Fiber Electrical Conduit
ANSI/UL 547 Thermal Protectors for Electric Motors
ANSI/UL 559 Heat Pumps
ANSI/UL 560 Electric Home-Laundry Equipment
ANSI/UL 869 Electric Service Equipment
ANSI/UL 883 Fan-Coil Units and Room Fan-Heater Units
ANSI/UL 1025 Electric Air Heaters
ANSI/UL 1096 Electric Central Air-Heating Equipment
ANSI/UL 1438 Household Electric Drip-Type Coffee Makers
ANSI/UL 1555 Electric Coin-Operated Clothes-Washing Equipment
ANSI/UL 1556 Electric Coin-Operated Clothes-Drying Equipment
ANSI/UL 1624 Light Industrial and Fixed Electric Tools

*Comparable Replacement Standards (if applicable)***

ASTM E2010 Standard Test Method for Positive Pressure Fire Tests of Window Assemblies (OSHA previously recognized ITSNA for ASTM E163, which was superseded by ASTM E2010)
ASTM E2074 Standard Method for Fire Tests of Door Assemblies (OSHA previously recognized ITSNA for ASTM E152, which was superseded by ASTM E2074)
UL 869A Standard for Service Equipment
UL 2111 Overheating Protection for Motors
UL 1598 Luminaries (see Note on UL 1598 below; currently, ITSNA is recognized for UL 1570, UL 1571, and UL 1572)

MET Laboratories, Inc. (MET)

[Docket No. NRTL1-88]

Withdrawn or Superseded Standards

ANSI/UL 114 Electric Office Appliances and Business Equipment
ANSI/UL 465 Central Cooling Air Conditioners
ANSI/UL 478 Information-Processing and Business Equipment
ANSI/UL 559 Heat Pumps
ANSI/UL 869 Electrical Service Equipment
ANSI/UL 883 Fan-Coil Units and Room Fan-Heater Units

ANSI/UL 1025 Electric Air Heaters
Comparable Replacement Standards (if applicable)

UL 869A Standard for Service Equipment
UL 1248 Engine-Generator Assemblies for Use in Recreational Vehicles
UL 1598 Luminaries (see Note on UL 1598 below; currently, MET is recognized for UL 1570 and UL 1571)

National Technical Systems, Inc. (NTS)

[Docket No. NRTL1-98]

Withdrawn or Superseded Standards

ANSI/UL 465 Central Cooling Air Conditioners

Comparable Replacement Standards (if applicable)

UL 1995 Heating and Cooling Equipment

Southwest Research Institute (SWRI)

[Docket No. NRTL3-90]

Withdrawn or Superseded Standards

ASTM E152 Standard Methods of Fire Tests of Door Assemblies

Comparable Replacement Standards (if applicable)

ASTM E2074 Standard Method for Fire Tests of Door Assemblies

SGS U.S. Testing Company, Inc. (SGSUS)

[Docket No. NRTL2-90]

Withdrawn or Superseded Standards

None.

Comparable Replacement Standards (if applicable)

UL 1598 Luminaries (see Note on UL 1598 below; currently, SGSUS is recognized for UL 1571)

TUV Rheinland of North America, Inc. (TUV)

[Docket No. NRTL3-92]

Withdrawn or Superseded Standards

None.

Comparable Replacement Standards (if applicable)

UL 1598 Luminaries (see Note on UL 1598 below; currently, TUV is recognized for UL 1570 and UL 1571)

Underwriters Laboratories Inc. (UL)

[Docket No. NRTL4-93]

Withdrawn or Superseded Standards

ANSI/IEEE C57.13.2 Instrument Transformers—Conformance Test Procedures

ANSI Z21.44 Gas-Fired Gravity and Fan Type Direct Vent Wall Furnaces
 ANSI Z21.64 Direct Vent Central Furnaces
 ANSI Z83.9 Gas-Fired Duct Furnaces
 ANSI Z83.12 Gas Food Service Equipment—Baking and Roasting Ovens
 ANSI Z83.13 Gas Food Service Equipment—Deep Fat Fryers
 ANSI Z83.14 Gas Food Service Equipment—Counter Appliances
 ANSI Z83.15 Gas Food Service Equipment—Kettles, Steam Cookers, and Steam Generators
 ANSI Z83.16 Gas-Fired Unvented Commercial and Industrial Heaters
 ANSI/UL 303 Refrigeration and Air-Conditioning Condensing and Compressor Units
 UL 408 Stationary Medium Pressure Acetylene Generators
 UL 409 Stationary Low-Pressure Acetylene Generators
 ANSI/UL 465 Central Cooling Air Conditioners
 ANSI/UL 519 Impedance-Protected Motors
 ANSI/UL 543 Impregnated-Fiber Electrical Conduit
 ANSI/UL 547 Thermal Protectors for Electric Motors
 ANSI/UL 559 Heat Pumps
 ANSI/UL 560 Electric Home-Laundry Equipment
 ANSI/UL 611 Central-Station Burglar-Alarm Systems
 ANSI/UL 869 Electrical Service Equipment
 ANSI/UL 883 Fan-Coil Units and Room-Fan Heater Units
 UL 962 Household and Commercial Furnishings
 ANSI/UL 1025 Electric Air Heaters
 ANSI/UL 1096 Electric Central Air-Heating Equipment
 ANSI/UL 1438 Household Electric Drip-Type Coffee Makers
 ANSI/UL 1555 Electric Coin-Operated Clothes-Washing Equipment
 ANSI/UL 1556 Electric Coin-Operated Clothes-Drying Equipment
 ANSI/UL 1624 Light Industrial and Fixed Electric Tools

*Comparable Replacement Standards (if applicable) ***

UL 1598 Luminaries (see Note on UL 1598 below; currently, UL is recognized for UL 1570 and UL 1571)

Wyle Laboratories, Inc. (WL)

[Docket No. NRTL1-93]

Withdrawn or Superseded Standards

None.

Comparable Replacement Standards (if applicable)

UL 1598 Luminaries (see Note on UL 1598 below; currently, WL is recognized for UL 1570 and UL 1571)

** Note: The NRTL has already received recognition for some of the replacement standards.

Note on UL 1598: UL 1598 Luminaries is the superseding test standard for three current UL standards: UL 1570, UL 1571, and UL 1572. Although these three standards have not been withdrawn at the date of this notice, UL 1598 is now in effect. OSHA has received a request for recognition of this new standard. In anticipation of the withdrawal, we are granting this request now for any NRTL recognized for one of the three superseded standards.

In accordance with OSHA policy pertaining to recognition of replacement standards, the Agency only publishes one **Federal Register** notices to note the changes to the NRTL's scope of recognition. Changes to each NRTL's recognition are limited to those described in this notice. All other terms and conditions of each NRTL's recognition remain the same.

Signed at Washington, D.C. this 27 day of August, 2001.

John L. Henshaw,

Assistant Secretary.

[FR Doc. 01-22828 Filed 9-11-01; 8:45 am]

BILLING CODE 4510-26-P

MERIT SYSTEMS PROTECTION BOARD

Sunshine Act Notice

Notice: Pursuant to the Government in the Sunshine Act (5 U.S.C. 552(b)), notice is hereby given that the Merit Systems Protection Board held a closed meeting on Friday, September 7, 2001, at 2 p.m., in the Board's conference room at 1615 M Street, NW., 6th Floor, Washington, DC 20419. In calling the meeting, the Board determined that Board business required its consideration of the agenda items on less than seven days' notice to that public; that no earlier notice of the meeting was practicable; that the public interest did not require consideration of the matters in a meeting open to public observation; and that the matters could be considered by authority of subsections (c)(10) and (c)(2) of the "Government in the Sunshine Act" (5 U.S.C. 552b(c)(10) and 5 U.S.C. b(c)(2)).

Matters Considered:

(1) MSPB FY2002-2003 Performance Plan;

(2) Status of *Azdell v. Office of Personnel Management*, Docket No. DC-0731-97-0367-C-1;

(3) Discussion of target group of cases (cases expected to be over 300 days old by September 30th), if any;

(4) Appreciation of efforts in accomplishing 2001 goals;

(5) Expedited Petition for Review Pilot.

Contact Person for Additional Information: Shannon McCarthy or Matthew Shannon, Office of the Clerk of the Board, (202) 653-7200.

Dated: September 7, 2001.

Robert E. Taylor,

Clerk of the Board.

[FR Doc. 01-23045 Filed 9-10-01; 2:52 pm]

BILLING CODE 7400-01-M

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (01-109)]

NASA Advisory Council (NAC), Earth Systems Science and Applications Advisory Committee (ESSAAC); Meeting

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of meeting.

SUMMARY: In accordance with the Federal Advisory Committee Act, Public Law 92-463, as amended, the National Aeronautics and Space Administration announces a meeting of the NASA Advisory Council, Earth Systems Science and Applications Advisory Committee.

DATES: Tuesday, October 16, 2001, 8:30 a.m. to 5:30 p.m.; and Wednesday, October 17, 2001, 8:30 a.m. to 5:30 p.m.

ADDRESSES: NASA Headquarters, 300 E Street SW, Room 9H40, Washington, DC, 20546.

FOR FURTHER INFORMATION CONTACT: Dr. Robert Schiffer, Code YS, National Aeronautics and Space Administration, Washington, DC 20546, 202/358-1876.

SUPPLEMENTARY INFORMATION: The meeting will be open to the public up to the seating capacity of the room. The agenda for the meeting is as follows:

—Introduction/Comments

—State-of-the-Enterprise

—Sub-Committee Reports

Data & Information Sub-Committee report

Technology Sub-Committee report

—Budget Perspectives

Earth Science Enterprise (ESE) Budget Status

OMB Perspective

—Earth System Science Pathfinder (ESSP) Program Status Report