Northern fur seal). A list of revised SARs in 2024 for the Pacific region is

presented in table 3. Information on the remaining Pacific region stocks can be

found in the final 2023 SARs (Carretta *et al.* 2024).

TABLE 3—LIST OF MARINE MAMMAL SARS IN THE PACIFIC REGION REVISED IN 2024

Strategic stocks	Non-strategic stocks		
Monk seal, Hawai'i * Killer whale, Eastern North Pacific Southern Resident * Guadalupe fur seal *	 Northern elephant seal, California breeding stock.* Northern fur seal, California stock.* 		

^{*} Includes updated abundance estimates.

References

Carretta et al. 2024. U.S. Pacific marine mammal stock assessments: 2023. U.S. Department of Commerce, NOAA Technical Memorandum NMFS— SWFSC-704.2024

Hayes, S.A., E. Josephson, K. Maze-Foley,
P.E. Rosel, and J. McCordic, eds. 2024.
U.S. Atlantic and Gulf of Mexico marine mammal stock assessments 2023. NOAA Tech. Memo. NMFS-NE-321, 375 p.

National Marine Fisheries Service (NMFS).
2023a. Guidelines for preparing stock
assessment reports pursuant to the
Marine Mammal Protection Act.
Protected Resources Policy 02–038–01.
Available online: https://www.fisheries.
noaa.gov/s3/2023-05/02-204-01-FinalGAMMS-IV-Revisions-clean-1-kdr.pdf.
Accessed September 2024.

Young, N.C., Brower, A.A., Muto, M.M., Freed, J.C., Angliss, R.P., Friday, N.A., Birkemeier, B.D., Boveng, P.L., Brost, B.M., Cameron, M.F., Crance, J.L., Dahle, S.P., Fadely, B.S., Ferguson, M.C., Goetz, K.T., London, J.M., Oleson, E.M., Ream, R.R., Richmond, E.L., Shelden, K.E. W., Sweeney, K.L., Towell, R.G., Wade, P.R., Waite, J.M., and Zerbini, A.N. 2024. Alaska marine mammal stock assessments, 2023. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-XXX, 327 p.

Dated: March 17, 2025.

Evan Howell,

Director, Office of Science and Technology, National Marine Fisheries Service.

[FR Doc. 2025–04861 Filed 3–20–25; 8:45 am]

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[RTID 0648-XE767]

Taking and Importing Marine
Mammals; Taking Marine Mammals
Incidental to Geophysical Surveys
Related to Oil and Gas Activities in the
Gulf of America (Formerly Gulf of
Mexico)

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. **ACTION:** Notice; issuance of letter of authorization.

SUMMARY: In accordance with the Marine Mammal Protection Act (MMPA), as amended, its implementing regulations, and NMFS' MMPA regulations for taking marine mammals incidental to geophysical surveys related to oil and gas activities in the Gulf of America, originally published as "Taking Marine Mammals Incidental to Geophysical Surveys Related to Oil and Gas Activities in the Gulf of Mexico," notification is hereby given that a Letter of Authorization (LOA) has been issued to TGS for the take of marine mammals incidental to geophysical survey activity in the Gulf of America (GOA).

DATES: The LOA is effective from March 17, 2025, through December 31, 2025. ADDRESSES: The LOA, LOA request, and supporting documentation are available online at: https://www.fisheries. noaa.gov/action/incidental-take-authorization-oil-and-gas-industry-geophysical-survey-activity-gulf-mexico. In case of problems accessing these documents, please call the contact listed below (see FOR FURTHER INFORMATION CONTACT).

FOR FURTHER INFORMATION CONTACT:

Rachel Wachtendonk, Office of Protected Resources, NMFS, (301) 427– 8401.

SUPPLEMENTARY INFORMATION:

Background

Sections 101(a)(5)(A) and (D) of the MMPA (16 U.S.C. 1361 et seq.) direct the Secretary of Commerce to allow, upon request, the incidental, but not intentional, taking of small numbers of marine mammals by U.S. citizens who engage in a specified activity (other than commercial fishing) within a specified geographical region if certain findings are made and either regulations are issued or, if the taking is limited to harassment, a notice of a proposed authorization is provided to the public for review.

An authorization for incidental takings shall be granted if NMFS finds that the taking will have a negligible impact on the species or stock(s), will

not have an unmitigable adverse impact on the availability of the species or stock(s) for subsistence uses (where relevant), and if the permissible methods of taking and requirements pertaining to the mitigation, monitoring and reporting of such takings are set forth. NMFS has defined "negligible impact" in 50 CFR 216.103 as an impact resulting from the specified activity that cannot be reasonably expected to, and is not reasonably likely to, adversely affect the species or stock through effects on annual rates of recruitment or survival.

Except with respect to certain activities not pertinent here, the MMPA defines "harassment" as: any act of pursuit, torment, or annoyance which (i) has the potential to injure a marine mammal or marine mammal stock in the wild (Level A harassment); or (ii) has the potential to disturb a marine mammal or marine mammal stock in the wild by causing disruption of behavioral patterns, including, but not limited to, migration, breathing, nursing, breeding, feeding, or sheltering (Level B harassment).

On January 19, 2021, we issued a final rule with regulations to govern the unintentional taking of marine mammals incidental to geophysical survey activities conducted by oil and gas industry operators, and those persons authorized to conduct activities on their behalf (collectively "industry operators"), in U.S. waters of the GOA 1 over the course of 5 years (86 FR 5322, January 19, 2021). The rule was based on our findings that the total taking from the specified activities over the 5vear period will have a negligible impact on the affected species or stock(s) of marine mammals and will not have an unmitigable adverse impact on the availability of those species or stocks for subsistence uses, and became effective on April 19, 2021.

¹Pursuant to Executive Order 14172, "Restoring Names That Honor American Greatness," and Department of the Interior Secretarial Order 3423, "The Gulf of America," the body of water formerly known as the Gulf of Mexico is now called the Gulf of America. Accordingly, this **Federal Register** notice hereafter refers to the Gulf of America.

The regulations at 50 CFR 217.180 et seq. allow for the issuance of LOAs to industry operators for the incidental take of marine mammals during geophysical survey activities and prescribe the permissible methods of taking and other means of effecting the least practicable adverse impact on marine mammal species or stocks and their habitat (often referred to as mitigation), as well as requirements pertaining to the monitoring and reporting of such taking. Under 50 CFR 217.186(e), issuance of an LOA shall be based on a determination that the level of taking will be consistent with the findings made for the total taking allowable under these regulations and a determination that the amount of take authorized under the LOA is of no more than small numbers.

NMFS subsequently discovered that the 2021 rule was based on erroneous take estimates. We conducted another rulemaking using correct take estimates and other newly available and pertinent information relevant to the analyses supporting some of the findings in the 2021 final rule and the taking allowable under the regulations. We issued a final rule in April 2024, effective May 24, 2024 through April 19, 2026 (89 FR 31488, April 24, 2024).

The 2024 final rule made no changes to the specified activities or the specified geographical region in which those activities would be conducted, nor to the original 5-year period of effectiveness. In consideration of the new information, the 2024 rule presented new analyses supporting affirmance of the negligible impact determinations for all species, and affirmed that the existing regulations, which contain mitigation, monitoring, and reporting requirements, are consistent with the "least practicable adverse impact" standard of the MMPA.

Summary of Request and Analysis

TGS plans to conduct a three-dimensional (3D) ocean bottom node (OBN) survey over 240 lease blocks in the Garden Banks, Keathley Canyon, and Sigsbee Escarpment areas, with water depths ranging from approximately 2,000 to 2,800 meters (m). See section F of the LOA application for a map of the area. TGS anticipates using two source vessels with a low-frequency dual barbell source known as Gemini. Please see TGS's application for additional detail.

The Gemini source was not included in the acoustic exposure modeling developed in support of the rule. However, the Gemini was described and evaluated in support of a previous LOA and we rely on that analysis here (88 FR

72739, October 23, 2023). For additional detail regarding the source, see section C of the LOA application. Based on this information we have determined there will be no effects of a magnitude or intensity different from those evaluated in support of the rules. NMFS expects that use of modeling results supporting the final rule are conservative as a proxy for use in evaluating potential impacts of use of the Gemini.

Consistent with the preamble to the final rule, the survey effort proposed by TGS in its LOA request was used to develop LOA-specific take estimates based on the acoustic exposure modeling results described in the preamble (89 FR 31488, April 24, 2024). In order to generate the appropriate take number for authorization, the following information was considered: (1) survey type; (2) location (by modeling zone ²); (3) number of days; (4) source; and (5) month.³ In this case, the 4,130 cubic inch (in³) airgun array was selected, as its use for purposes of generating take numbers for authorization represents the least impactful airgun array (but remains conservative for use in estimating takes that are expected to result from use of the Gemini source, as discussed above. The acoustic exposure modeling performed in support of the rule provides 24-hour exposure estimates for each species, specific to each modeled source and survey type in each zone and month.

No 3D OBN surveys were included in the modeled survey types, and use of existing proxies (i.e., two-dimensional (2D), 3D narrow-azimuth (NAZ), 3D wide-azimuth (WAZ), Coil) is generally conservative for use in evaluation of 3D OBN survey effort, largely due to the greater area covered by the modeled proxies. Summary descriptions of these modeled survey geometries are available in the preamble to the proposed rule (83 FR 29212, 29220, June 22, 2018). Coil was selected as the best available proxy survey type in this case because the spatial coverage of the planned survey is most similar to the coil survey pattern. The planned OBN survey will involve two source vessels sailing along closely spaced survey lines, with daily survey area coverage of approximately 200 kilometers squared (km²) per day, similar to that assumed for the coil survey proxy. Among the different

parameters of the modeled survey patterns (e.g., area covered, line spacing, number of sources, shot interval, total simulated pulses), NMFS considers area covered per day to be most influential on daily modeled exposures exceeding Level B harassment criteria. Although TGS is not proposing to perform a survey using the coil geometry, the coil proxy is most representative of the effort planned by TGS in terms of predicted Level B harassment exposures.

The survey will take place over approximately 109 days with 64 days of sound source operation, including 38 days planned in Zone 5, 15 days planned in Zone 6, and 11 days planned in Zone 7. The monthly distribution of survey days is not known in advance, though we assume that the planned 64 days of source operation would occur contiguously. Take estimates for each species are based on the time period that produces the greatest value.

For Rice's whale, take estimates based on the modeling yielded results that are not realistically likely to occur when considered in light of other relevant information concerning Rice's whale habitat preferences considered during the rulemaking process. NMFS' 2024 final rule provided detailed discussion regarding Rice's whale habitat (see, e.g., 89 FR 31508, 31519, April 24, 2024). In summary, recent survey data, sightings, and acoustic data support Rice's whale occurrence in waters throughout the GOA between approximately 100 m and 400 m depth along the continental shelf break, and associated habitat-based density modeling has identified similar habitat (i.e., approximately 100 to 400 m water depths along the continental shelf break) as being Rice's whale habitat (Garrison et al., 2023; Soldevilla et al., 2022, 2024).

Although Rice's whales may occur outside of the general depth range expected to provide suitable habitat, we expect that any such occurrence would be rare. TGS's planned activities will occur in water depths of approximately 2,000 to 2,800 m in the central GOA. Thus, NMFS does not expect there to be the reasonable potential for take of Rice's whale in association with this survey and, accordingly, does not authorize take of Rice's whale in the LOA.

Based on the results of our analysis, NMFS has determined that the level of taking expected for this survey and authorized through the LOA is consistent with the findings made for the total taking allowable under the regulations. See table 1 in this notice and table 6 of the rule (89 FR 31488, April 24, 2024).

 $^{^2}$ For purposes of acoustic exposure modeling, the GOA was divided into seven zones. Zone 1 is not included in the geographic scope of the rule.

³ Acoustic propagation modeling was performed for two seasons: Winter (December–March) and Summer (April–November). Marine mammal density data is generally available on a monthly basis, and therefore further refines take estimates temporally.

Small Numbers Determination

Under the rule, NMFS may not authorize incidental take of marine mammals in an LOA if it will exceed "small numbers." In short, when an acceptable estimate of the individual marine mammals taken is available, if the estimated number of individual animals taken is up to, but not greater than, one-third of the best available abundance estimate, NMFS will determine that the numbers of marine mammals taken of a species or stock are small (see 89 FR 31535, May 24, 2024). For more information please see NMFS' discussion of small numbers in the 2021 final rule (86 FR 5438, January 19, 2021).

The take numbers for authorization are determined as described above in the Summary of Request and Analysis section. Subsequently, the total incidents of harassment for each species are multiplied by scalar ratios to produce a derived product that better reflects the number of individuals likely to be taken within a survey (as compared to the total number of instances of take), accounting for the likelihood that some individual marine mammals may be taken on more than 1 day (see 86 FR 5404, January 19, 2021). The output of this scaling, where appropriate, is incorporated into adjusted total take estimates that are the basis for NMFS' small numbers determinations, as depicted in table 1.

This product is used by NMFS in making the necessary small numbers determinations through comparison with the best available abundance estimates (see discussion at 86 FR 5391, January 19, 2021). For this comparison, NMFS' approach is to use the maximum theoretical population, determined through review of current stock assessment reports (SAR; https:// www.fisheries.noaa.gov/national/ marine-mammal-protection/marinemammal-stock-assessments) and modelpredicted abundance information (https://seamap.env.duke.edu/models/ Duke/GOM/). Information supporting the small numbers determinations is provided in table 1.

TABLE 1—TAKE ANALYSIS

Species	Authorized take	Scaled take ¹	Abundance ²	Percent abundance
Rice's whale	0	n/a	51	n/a
Sperm whale	518	218.9	3,007	7.3
Kogia spp	³ 194	58.7	980	7.1
Beaked whales	1,297	131.0	803	16.3
Rough-toothed dolphin	1,341	385.0	4,853	7.9
Bottlenose dolphin	1,573	451.4	165,125	0.3
Clymene dolphin	1,339	384.2	4,619	8.3
Atlantic spotted dolphin	1,070	307.2	21,506	1.4
Pantropical spotted dolphin	12,286	3,526.0	67,225	5.2
Spinner dolphin	207	59.5	5,548	1.1
Striped dolphin	2,376	681.8	5,634	12.1
Fraser's dolphin	517	148.3	1,665	8.9
Risso's dolphin	404	119.1	1,974	6.0
Blackfish ⁴	3,216	948.7	6,113	15.5
Short-finned pilot whale	900	265.4	2,741	9.7

¹ Scalar ratios were applied to "Authorized Take" values as described at 86 FR 5322, 5404 (January 19, 2021) to derive scaled take numbers shown here.

⁴ The "blackfish" guild includes melon-headed whales, false killer whales, pygmy killer whales, and killer whales.

Based on the analysis contained herein of TGS's proposed survey activity described in its LOA application and the anticipated take of marine mammals, NMFS finds that small numbers of marine mammals will be taken relative to the affected species or stock sizes (*i.e.*, less than one-third of the best available abundance estimate) and therefore the taking is of no more than small numbers.

Authorization

NMFS has determined that the level of taking for this LOA request is consistent with the findings made for the total taking allowable under the incidental take regulations and that the amount of take authorized under the LOA is of no more than small numbers. Accordingly, we have issued an LOA to TGS authorizing the take of marine

mammals incidental to its geophysical survey activity, as described above.

Dated: March 17, 2025.

Catherine Marzin,

Deputy Director, Office of Protected Resources, National Marine Fisheries Service. [FR Doc. 2025–04850 Filed 3–20–25: 8:45 am]

BILLING CODE 3510-22-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[RTID 0648-XE777]

Magnuson-Stevens Act Provisions; General Provisions for Domestic Fisheries; Application for Exempted Fishing Permits

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of receipt of application; request for comments.

SUMMARY: The Assistant Regional Administrator for Sustainable Fisheries, Greater Atlantic Region, NMFS, has made a preliminary determination that

²Best abundance estimate. For most taxa, the best abundance estimate for purposes of comparison with take estimates is considered here to be the model-predicted abundance (Garrison *et al.*, 2023). For Rice's whale, Atlantic spotted dolphin, and Risso's dolphin, the larger estimated SAR abundance estimate is used.

³ Includes 11 takes by Level A harassment and 183 takes by Level B harassment. Scalar ratio is applied to takes by Level B harassment only; small numbers determination made on basis of scaled Level B harassment take plus authorized Level A harassment take.