

or more of the futures commission merchant.

\* \* \* \* \*

## PART 30—FOREIGN FUTURES AND FOREIGN OPTIONS TRANSACTIONS

■ 3. The authority citation for part 30 continues to read as follows:

**Authority:** 7 U.S.C. 1a, 2, 4, 6, 6c, and 12a, unless otherwise noted.

### § 30.8 [Removed and reserved]

■ 4. Section 30.8 is removed and reserved.

Dated: September 12, 2008.

By the Commission.

**David Stawick,**

*Secretary of the Commission.*

[FR Doc. E8–21857 Filed 9–17–08; 8:45 am]

**BILLING CODE 6351–01–P**

## DEPARTMENT OF HOMELAND SECURITY

### Coast Guard

#### 33 CFR Part 117

[Docket No. USCG–2008–0760]

#### Drawbridge Operation Regulation; Atlantic Intracoastal Waterway, Jay Jay, FL

**AGENCY:** Coast Guard, DHS.

**ACTION:** Notice of temporary deviation from regulations.

**SUMMARY:** The Commander, Seventh Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the NASA Railroad bridge across the Atlantic Intracoastal Waterway, mile 876.6, at Jay Jay, FL. The deviation is necessary to perform rehabilitation work on the bridge. This deviation allows the bridge to not open to vessel traffic from 7 a.m. until 11 a.m. and from 1 p.m. until 5 p.m., Monday through Friday except Federal holidays until October 19, 2008. All other times the bridge will continue to operate in accordance with 33 CFR 117.261(j).

**DATES:** This deviation is effective from September 18, 2008 until October 19, 2008.

**ADDRESSES:** Documents indicated in this preamble as being available in the docket are part of docket USCG–2008–0760 and are available online at <http://www.regulations.gov>. They are also available for inspection or copying at two locations: the Docket Management Facility (M–30), U.S. Department of Transportation, West Building Ground Floor, Room W12–140,

1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays, and the Commander (dpb), Seventh Coast Guard District, 909 SE 1st Avenue, Room 432, Miami, Florida 33131–3028 between 8 a.m. and 4:30 p.m., Monday through Friday, except Federal holidays.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this rule, call Mr. Barry Dragon, Bridge Branch, Seventh Coast Guard District, at 305–415–6743. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202–366–9826.

**SUPPLEMENTARY INFORMATION:** This deviation was requested by NASA, the bridge owner, in order to complete rehabilitation of the NASA Bridge, mile 876.6, of the Atlantic Intracoastal Waterway, Jay Jay, FL. The bridge has a vertical clearance of 7 feet in the closed position and a horizontal clearance of 90 feet. The work will require four hours of continuous closure followed by two hours for vessel passage followed by four hours of continuous closure, Monday through Friday except Federal holidays. All other times the bridge will operate in accordance with 33 CFR 117.261(j). This deviation period begins September 18, 2008 and ends on October 19, 2008. The bridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: August 1, 2008.

**Gregory E. Shapley,**

*Chief, Bridge Branch, Commander, Seventh Coast Guard District.*

[FR Doc. E8–21891 Filed 9–17–08; 8:45 am]

**BILLING CODE 4910–15–P**

## DEPARTMENT OF DEFENSE

### Department of the Army, Corps of Engineers

#### 33 CFR Part 334

#### Restricted Area at Blount Island Command and Marine Corps Support Facility—Blount Island, Jacksonville, FL

**AGENCY:** United States Army Corps of Engineers, Department of Defense.

**ACTION:** Final rule.

**SUMMARY:** The U.S. Army Corps of Engineers (Corps) is amending the existing regulations for a restricted area at Blount Island Command, located on

Marine Corps Support Facility—Blount Island, Jacksonville, Florida. Blount Island Command is responsible for managing the United States Marine Corps Prepositioning Programs. Due to the importance of this mission, the current restricted area in this section must be extended due to Department of Defense (DoD) directives that require the implementation of specified force protection measures by all DoD components. This amendment to the existing regulation is necessary to protect U.S. government personnel, equipment, and facilities from potential terrorist attack by providing stand-off corridors encompassing the waters immediately contiguous to Marine Corps Support Facility—Blount Island.

**DATES:** *Effective Date:* October 20, 2008.

**ADDRESSES:** U.S. Army Corps of Engineers, Attn: CECW–CO (David B. Olson), 441 G Street, NW., Washington, DC 20314–1000.

**FOR FURTHER INFORMATION CONTACT:** Mr. David Olson, Headquarters, Operations and Regulatory Community of Practice, Washington, DC at 202–761–4922 or Mr. Jon M. Griffin, U.S. Army Corps of Engineers, Jacksonville District, Regulatory Division, at 904–232–1680.

**SUPPLEMENTARY INFORMATION:** Pursuant to its authorities in Section 7 of the Rivers and Harbors Act of 1917 (40 Stat 266; 33 U.S.C. 1) and Chapter XIX of the Army Appropriations Act of 1919 (40 Stat 892; 33 U.S.C. 3) the Corps is amending the regulations in 33 CFR part 334 by modifying § 334.515. The modification to the existing restricted area is described below.

The proposed rule was published in the June 10, 2008, issue of the **Federal Register** (73 FR 32665), and its regulations.gov docket number is COE–2007–0037. No comments were received in response to the proposed rule.

The amendment to this regulation will allow the Commanding Officer, Blount Island Command and Marine Corps Support Facility—Blount Island to restrict passage of persons, watercraft, and vessels in waters contiguous to this Command, thereby ensuring that DoD force protection requirements are met and antiterrorism measures are properly implemented as required by DoD directives.

#### Procedural Requirements

a. *Review Under Executive Order 12866.* This rule is issued with respect to a military function of the Defense Department and the provisions of Executive Order 12866 do not apply.

b. *Review Under the Regulatory Flexibility Act.* The rule has been reviewed under the Regulatory