

HQ-OAR-2004-0439. Such deliveries are only accepted during the Docket(s) normal hours of operation, and special arrangements should be made for deliveries of boxed information.

Instructions. Direct your comments to Docket ID No. EPA-HQ-OAR-2004-0439. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through www.regulations.gov or e-mail. The www.regulations.gov Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through www.regulations.gov your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional instructions on submitting comments, go to the **SUPPLEMENTARY INFORMATION** section of this document.

Docket: All documents in the docket are listed in the www.regulations.gov index. Although listed in the index, some information is not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in www.regulations.gov or in hard copy at the U.S. Environmental Protection Agency, Air Docket, EPA/DC, EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is

(202) 566-1744, and the telephone number for the Air Docket is (202) 566-1742.

FOR FURTHER INFORMATION CONTACT: For technical information, contact Tim Smith, Air Quality Policy Division, U.S. EPA, Office of Air Quality Planning and Standards (C504-03), Research Triangle Park, North Carolina 27711, telephone number (919) 541-4718, facsimile number (919) 541-0824, e-mail address: smith.tim@epa.gov.

SUPPLEMENTARY INFORMATION:

I. General Information

A. What Should I Consider as I Prepare My Comments for EPA?

1. **Submitting CBI.** Do not submit this information to EPA through www.regulations.gov or e-mail. Clearly mark the part or all of the information that you claim to be CBI. For CBI information in a disk or CD ROM that you mail to EPA, mark the outside of the disk or CD ROM as CBI and then identify electronically within the disk or CD ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2. Send or deliver information identified as CBI only to the following address: Roberto Morales, OAQPS Document Control Officer (C404-02), U.S. EPA, Research Triangle Park, NC 27711, Attention Docket ID No. EPA-HQ-OAR-2004-0439.

2. **Tips for Preparing Your Comments.** When submitting comments, remember to:

- Identify the rulemaking by docket number and other identifying information (subject heading, **Federal Register** date and page number).
- Follow directions—The agency may ask you to respond to specific questions or organize comments by referencing a Code of Federal Regulations (CFR) part or section number.
- Explain why you agree or disagree; suggest alternatives and substitute language for your requested changes.
- Describe any assumptions and provide any technical information and/or data that you used.
- If you estimate potential costs or burdens, explain how you arrived at your estimate in sufficient detail to allow for it to be reproduced.
- Provide specific examples to illustrate your concerns, and suggest alternatives.

- Explain your views as clearly as possible, avoiding the use of profanity or personal threats.
- Make sure to submit your comments by the comment period deadline identified.

Dated: July 5, 2007.

Stephen D. Page,

Director, Office of Air Quality Planning and Standards.

[FR Doc. E7-13622 Filed 7-12-07; 8:45 am]

BILLING CODE 6560-50-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-B-7725]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFEs modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., Engineering Management Section, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3151.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the

Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601–612, a regulatory flexibility analysis is not required.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the

applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
Franklin County, Ohio, and Incorporated Areas				
Whims Ditch	950 feet upstream of Little Avenue	None	+704	City of Columbus Franklin County (Unincorporated Areas).
	At Frank Road	None	+704	

* National Geodetic Vertical Datum.

Depth in feet above ground.

+ North American Vertical Datum.

ADDRESSES

City of Bexley

Maps are available for inspection at 2242 East Main Street, Bexley, OH 43215.

Send comments to Ms. Dorothy Pritchard, Service Director, City of Bexley, 2242 East Main Street, Bexley, OH 43209.

City of Columbus

Maps are available for inspection at 757 Carolyn Avenue, Columbus, OH 43224.

Send comments to Mr. Paul Freedman, Development/Regulation Administration, City of Columbus, 757 Carolyn Avenue, Columbus, OH 43224.

City of Dublin

Maps are available for inspection at 5800 Shier-Rings Road, Dublin, OH 43016.

Send comments to Mr. Jay Herskowitz, Assistant City Engineer, City of Dublin, 5800 Shier-Rings Road, Dublin, OH 43016.

City of Gahanna

Maps are available for inspection at 200 Hamilton Road, Gahanna, OH 43230.

Send comments to Ms. Bonnie Gard, Planning/Zoning Administrator, City of Gahanna, 200 Hamilton Road, Gahanna, OH 43230.

City of Grandview Heights

Maps are available for inspection at 1016 Grandview Avenue, Grandview Heights, OH 43212.

Send comments to Mr. John Kuss, Building/Zoning Official, City of Grandview Heights, 1016 Grandview Avenue, Grandview Heights, OH 43212.

City of Grove City

Maps are available for inspection at 4035 Broadway, Grove City, OH 43123.

Send comments to Mr. Michael Boso, Chief Building Official, City of Grove City, 4035 Broadway, Grove City, OH 43123.

City of Hilliard

Maps are available for inspection at 3800 Municipal Way, Hilliard, OH 43026.

Send comments to Mr. Ron Fletch, Chief Building Inspector, City of Hilliard, 3800 Municipal Way, Hilliard, OH 43026.

City of Reynoldsburg

Maps are available for inspection at 7232 East Main Street, Reynoldsburg, OH 43068.

Send comments to Mr. Chet Hopper, Building Official, City of Reynoldsburg, 7232 East Main Street, Reynoldsburg, OH 43068.

City of Upper Arlington

Maps are available for inspection at 3600 Tremont Road, Upper Arlington, OH 43220.

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	

Send comments to Mr. Matt Davis, Floodplain Administrator, City of Upper Arlington, 3600 Tremont Road, Upper Arlington, OH 43220.

City of Westerville

Maps are available for inspection at 64 East Walnut Street, Westerville, OH 43081.

Send comments to Mr. Richard Kight, Planning Administrator, Planning & Development, City of Westerville, 64 East Walnut Street, Westerville, OH 43081.

City of Whitehall

Maps are available for inspection at 360 S. Yearling Road, Whitehall, OH 43213.

Send comments to Mr. Ray Ogden, Public Service Director, City of Whitehall, 360 S. Yearling Road, Whitehall, OH 43213.

City of Worthington

Maps are available for inspection at 374 Highland Avenue, Worthington, OH 43085.

Send comments to Mr. William Watterson, City Engineer, City of Worthington, 374 Highland Avenue, Worthington, OH 43085.

Franklin County (Unincorporated Areas)

Maps are available for inspection at 280 East Broad Street, Room 202, Columbus, OH 43215.

Send comments to Mr. Matt Brown, Franklin County Floodplain Coordinator, 280 East Broad Street, Room 202, Columbus, OH 43215.

Village of Brice

Maps are available for inspection at 5990 Columbus Street, Brice, OH 43109.

Send comments to The Honorable David Welling, Mayor, Village of Brice, PO Box 65, Brice, OH 43109.

Village of Canal Winchester

Maps are available for inspection at 36 South High Street, Canal Winchester, OH 43110.

Send comments to Mr. Alan Neimayer, Planning/Zoning Administrator, Village of Canal Winchester, 36 High Street, Canal Winchester, OH 43110.

Village of Groveport

Maps are available for inspection at 655 Blacklick Street, Groveport, OH 43125.

Send comments to Mr. Stephen Moore, Building Official, Village of Groveport, 655 Blacklick Street, Groveport, OH 43125.

Village of Harrisburg

Maps are available for inspection at 1100 High Street, Harrisburg, OH 43126.

Send comments to The Honorable Alvin Cox, Mayor, Village of Harrisburg, 1100 High Street, PO Box 17, Harrisburg, OH 43126.

Village of Lithopolis

Maps are available for inspection at 33 N Market Street, Lithopolis, OH 43136.

Send comments to The Honorable Eric Sandine, Mayor, Village of Lithopolis, 33 N Market Street, PO Box 278, Lithopolis, OH 43136.

Village of Lockbourne

Maps are available for inspection at 99 Williams Street, Lockbourne, OH 43137.

Send comments to Mr. George Hammond, Administrator, Village of Lockbourne, 99 Williams Street, Lockbourne, OH 43137.

Village of Marble Cliff

Maps are available for inspection at 1600 Fernwood Avenue, Marble Cliff, OH 43212.

Send comments to Mr. Donald Mares, City Engineer, Village of Marble Cliff, 1600 Fernwood Avenue, Marble Cliff, OH 43212.

Village of New Albany

Maps are available for inspection at 99 W. Main Street, New Albany, OH 43054.

Send comments to Ms. Jennifer Crysler, Development Director, Village of New Albany, 99 W. Main Street, New Albany, OH 43054.

Village of Obetz

Maps are available for inspection at 4175 Alum Creek Drive, Obetz, OH 43207–5140.

Send comments to Mr. Douglas Browell, Administrator, Village of Obetz, 4175 Alum Creek Drive, Obetz, OH 43207–5140.

Village of Riverlea

Maps are available for inspection at 229 W. Southington Avenue, Worthington, OH 43085.

Send comments to The Honorable Mary Jo Cusack, Mayor, Village of Riverlea, 229 W. Southington Avenue, Worthington, OH 43085.

Village of Urbancrest

Maps are available for inspection at 3492 First Avenue, Urbancrest, OH 43123.

Send comments to The Honorable Marlin West, Mayor, Village of Urbancrest, 3492 First Avenue, Urbancrest, OH 43123.

Village of Valleyview

Maps are available for inspection at 432 N. Richardson Avenue, Valleyview, OH 43204.

Send comments to The Honorable Thomas Watkins, Mayor, Village of Valleyview, 432 N. Richardson Avenue, Valleyview, OH 43204.

Clackamas County, Oregon, and Incorporated Areas

Lake Oswego	Lake Oswego	*101	+107	City of Lake Oswego.
Oswego Canal	At the confluence with Oswego	*101	+107	Clackamas County (Unincorporated Areas).
	Approximately 1500 feet upstream of Childs Road	*117	+125	City of Lake Oswego.
Richardson Creek Anderson RD Tributary.	At the confluence with Richardson Creek	None	+302	City of Damascus.
	50 feet upstream of SE Sunnyside Road	None	+533	
Richardson Creek Royer Road Tributary.	At the confluence with Richardson Creek	None	+402	City of Damascus.

Flooding source(s)	Location of referenced elevation	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
	Approximately 2200 feet upstream of confluence with Richardson Creek.	None	+448	
Richardson Creek-Keller Road Tributary.	At the Confluence with Richardson Creek	None	+164	Clackamas County (Unincorporated Areas).
	Approximately 200 feet upstream of SE Keller Road ..	None	+378	City of Damascus.
Richardson Creek	At the confluence with Clackamas River	None	+116	Clackamas County (Unincorporated Areas).
	Just upstream of State Highway 212	None	+590	City of Damascus.
Rock Creek	At the confluence with Clackamas River	None	+94	Clackamas County (Unincorporated Areas).
	Approximately 100 feet upstream of SE Bohna Park Road.	None	+453	City of Damascus, City of Happy Valley.
172nd Avenue Tributary	At the Confluence with Rock Creek	None	+231	Clackamas County (Unincorporated Areas).
	Approximately 150 feet upstream of SE Big Timber Lane.	None	+328	City of Happy Valley.
Hemrick Road Tributary	At the confluence with Rock Creek	None	+315	Clackamas County (Unincorporated Areas).
	Approximately 200 feet upstream of SE Tillstrom Road.	None	+407	City of Damascus, City of Happy Valley.
Highway 224 Tributary ...	At confluence with Rock Creek	None	+94	City of Happy Valley, City of Damascus.
	Approximately 150 feet upstream of Goosehollow Drive.	None	+213	
N Golf Course Tributary	At the confluence with Rock Creek	None	+302	Clackamas County (Unincorporated Areas).
	Approximately 50 feet upstream of SE 162nd Avenue	None	+381	City of Happy Valley.
S Golf Course Tributary	At confluence with Rock Creek	None	+293	City of Happy Valley.
	Approximately 50 feet upstream of SE 162nd Avenue	None	+383	
Tualatin River	At the confluence with Willamette River	*72	+75	Clackamas County (Unincorporated Areas).
	Just downstream of R. H. Baldock Freeway	*122	+127	City of Lake Oswego, City of Rivergrove, City of West Linn.
Overflow to Rivergrove ..	Approximately 1,000 feet downstream of Childs Road	*114	+121	Clackamas County (Unincorporated Areas).
	At the intersection of Marlin Avenue and Southeast Dogwood Drive.	*121	+125	City of Rivergrove.

* National Geodetic Vertical Datum.

Depth in feet above ground.

+ North American Vertical Datum.

ADDRESSES

City of Damascus

Maps are available for inspection at Damascus City Hall, 19920 Highway 212, Damascus, OR 97089.

Send comments to The Honorable Dee Wescott, Mayor, City of Damascus, 19920 Southeast Highway 212, Damascus, OR 97089.

City of Happy Valley

Maps are available for inspection at Michael Walter Planning Services Manager, 12915 SE King Road, Happy Valley, OR 97086.

Send comments to The Honorable Rob Wheeler, Mayor, City of Happy Valley, 12915 SE King Road, Happy Valley, OR 97086.

City of Lake Oswego

Maps are available for inspection at Rob D. Amsberry Surface Water Management, 380 A Avenue, Lake Oswego, OR 97034.

Send comments to The Honorable Judie Hammerstad, Mayor, City of Lake Oswego, 380 A Avenue, Lake Oswego, OR 97034.

City of Rivergrove

Maps are available for inspection at Larry Barrett City Manager, 5311 Childs Road, Lake Oswego, OR 97035.

Send comments to The Honorable Hafez Daraee, Mayor, City of Rivergrove, 5311 Childs Road, Lake Oswego, OR 97035.

City of West Linn

Maps are available for inspection at City Hall, 22500 Salamo Road, West Linn, OR 97068.

Send comments to The Honorable Norm King, Mayor, City of West Linn, 22500 Salamo Road, West Linn, OR 97068.

Clackamas County (Unincorporated Areas)

Maps are available for inspection at Steve F. Hanschka Floodplain Administrator Sunnybrook Service Center, 9101 SE Sunnybrook Boulevard, Clackamas, OR 97015.

Send comments to The Honorable Martha Sharader, Chairwoman, County of Clackamas, 2051 Kean Road, Oregon City, OR 97045.

Potter County, Texas, and Incorporated Areas

Dry Creek	Approximately 500 feet upstream from the intersection with Cliffside Road.	None	+3400	Potter County (Unincorporated Areas).
-----------------	--	------	-------	---------------------------------------

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
Overflow	Approximately 500 feet upstream from the intersection with W 335 North LP.	None	+3468	City of Amarillo.
	Approximately 500 feet downstream from confluence with Dry Creek.	None	+3416	
	Approximately 120 feet north of W 335 North Loop intersection.	None	+3468	
Playa Lake 21	Approximately 570 feet east of Willow Street and SE 15th Avenue.	*3612	+3614	City of Amarillo.
Playa Lake 22	Approximately 3500 feet north of SE 3rd Avenue and S Whitaker Road intersection.	*3587	+3589	City of Amarillo.
Playa Lake 23	Approximately 1500 feet northwest of S. Adams Street and SW 1st Avenue Intersection.	*3617	+3619	City of Amarillo.
Playa Lake 34	Approximately 4600 feet southwest of Highway 287 and S. Parsley Road intersection.	None	+3553	City of Amarillo.
Playa Lake 6	Approximately 1000 feet south of Pecos Street and IH 40 intersection.	*3627	+3624	City of Amarillo.
Playa Lake 60	Approximately 2000 feet east of Spur 228	None	+3558	Potter County (Unincorporated Areas).
Playa Lake 61	Approximately 1100 feet northeast from intersection of Parsley Road and railroad.	None	+3596	City of Amarillo.
Tributary B	Confluence with Dry Creek	None	+3468	City of Amarillo.
	Approximately 100 feet from the intersection with N Western Street.	None	+3530	
Tributary C	Confluence with Dry Creek	None	+3468	City of Amarillo.
	Approximately 100 feet upstream from Fairway Drive	None	+3506	
Tributary D	Confluence with Tributary B	None	+3505	City of Amarillo.
	Approximately 500 feet upstream from West Amarillo Boulevard.	None	+3582	
Tributary	Approximately 50 feet downstream from confluence with Tributary D.	None	+3532	City of Amarillo.
	Approximately 1000 feet upstream from NW 10th Avenue.	None	+3579	
West Amarillo Creek	Approximately 1000 feet west of the intersection of Helium Road and W. 9th Avenue.	None	+3616	Potter County (Unincorporated Areas).
	Approximately 100 feet upstream from the intersection with Indian Hill Road.	None	+3708	

* National Geodetic Vertical Datum.

Depth in feet above ground.

+ North American Vertical Datum.

ADDRESSES

City of Amarillo

Maps are available for inspection at 509 E. 7th Ave., Amarillo, TX 79105.

Send comments to The Honorable Debrah McCartt, Mayor, City of Amarillo, P.O. Box 1971, Amarillo, TX 79105.

Potter County (Unincorporated Areas)

Maps are available for inspection at 2419 E. Willow Creek, Amarillo, TX 79108.

Send comments to The Honorable Arthur Ward, Judge, Potter County, 500 S. Fillmore, Amarillo, TX 79101.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: July 3, 2007.

David I. Maurstad,

*Federal Insurance Administrator of the
National Flood Insurance Program,
Department of Homeland Security, Federal
Emergency Management Agency.*

[FR Doc. E7-13609 Filed 7-12-07; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-B-7724]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFEs modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a