been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless

accomplished previously.

To find and fix corroded, cracked, or broken barrel nuts that attach the vertical fin to body section 48, which could result in reduced structural integrity of the vertical fin attachment joint, loss of the vertical fin, and consequent loss of controllability of the airplane; accomplish the following:

Restatement of Requirements of AD 2001–19–04

Internal/External Detailed Inspections

(a) Do internal and external detailed inspections of the barrel nuts at the 16 locations that attach the vertical fin to body section 48 to find discrepancies (i.e., cracked or damaged sealant, signs of corrosion damage, cracked or broken barrel nuts). Do the inspections at the times specified in paragraphs (a)(1) and (a)(2) of this AD, as applicable; per Part 1 of the Accomplishment Instructions of Boeing Service Bulletin 767–53–0085, dated May 14, 1998; or Boeing Alert Service Bulletin 767–53A0085, Revision 1, dated July 1, 1999; or Revision 2, dated May 2, 2002.

Note 2: For the purposes of this AD, a detailed inspection is defined as: "An intensive visual examination of a specific structural area, system, installation, or assembly to detect damage, failure, or irregularity. Available lighting is normally supplemented with a direct source of good lighting at intensity deemed appropriate by the inspector. Inspection aids such as mirror, magnifying lenses, etc., may be used. Surface cleaning and elaborate access procedures may be required."

- (1) For airplanes on which the inspections specified in paragraph (a) of this AD have been done within the last 3 years per Boeing 767 Maintenance Planning Document (MPD) D622T001, Items 5380–311–021 and 5380–312–021: Do the inspections at the later of the times specified in paragraphs (a)(1)(i) and (a)(1)(ii) of this AD.
- (i) Within 3 years or 6,000 flight cycles after doing the most recent inspection per the MPD, whichever comes first.
- (ii) Within 45 days after October 9, 2001 (the effective date AD 2001–19–04, amendment 39–12444).
- (2) For airplanes on which the inspections specified in paragraph (a) of this AD have NOT been done within the last 3 years per Boeing 767 MPD D622T001, Items 5380–311–021 and 5380–312–021: Do the inspections within 45 days after October 9, 2001.

Follow-On Actions

- (b) If no discrepancy is found during any inspection specified in paragraph (a) of this AD: Before further flight, do a torque check of each of the 16 bolts in the barrel nuts that attach the vertical fin to body section 48 to determine if any bolt turns, per Part 2 of the Accomplishment Instructions of Boeing Service Bulletin 767–53–0085, dated May 14, 1998; or Boeing Alert Service Bulletin 767–53A0085, Revision 1, dated July 1, 1999; or Revision 2, dated May 2, 2002.
- (1) If no bolt turns: Repeat the inspections required by paragraph (a) of this AD (and

- applicable follow-on actions) every 3 years or 6,000 flight cycles, whichever comes first; until paragraphs (d) and (e) of this AD are done.
- (2) If any bolt turns: Before further flight, do the actions specified in paragraphs (b)(2)(i) and (b)(2)(ii) of this AD, as applicable. Then repeat the inspections required by paragraph (a) of this AD (and applicable follow-on actions) every 3 years or 6,000 flight cycles, whichever comes first; until paragraphs (d) and (e) of this AD are done.
- (i) For all airplanes: Replace the barrel nut at that bolt with a new, Inconel barrel nut per Part 3 of the Accomplishment Instructions of the service bulletin. No further action is required for that barrel nut only.
- (ii) For Group 1 airplanes: If an H–11 steel alloy bolt is installed with the affected barrel nut, replace the bolt with a new, Inconel bolt per Figure 5 of the Accomplishment Instructions of the service bulletin. No further action is required for that bolt only.
- (c) If any discrepancy of any barrel nut is found during any inspection specified in paragraph (a) or (d) of this AD: Before further flight, do the actions specified in paragraphs (c)(1) and (c)(2) of this AD, as applicable.
- (1) For all airplanes: Replace the affected barrel nut with a new, Inconel barrel nut per Part 3 of the Accomplishment Instructions of Boeing Service Bulletin 767–53–0085, dated May 14, 1998; or Boeing Alert Service Bulletin 767–53A0085, Revision 1, dated July 1, 1999; or Revision 2, dated May 2, 2002. No further action is required for that barrel nut only.
- (2) For Group 1 airplanes: If an H–11 steel alloy bolt is installed with the affected barrel nut, replace the bolt with a new, Inconel bolt per Figure 5 of the Accomplishment Instructions of the service bulletin. No further action is required for that bolt only.

New Requirements of this AD

Detailed Inspection/Torque Check

(d) Within 18 months after doing the initial inspections required by paragraph (a) of this AD, or within 90 days after the effective date of this AD, whichever is later: Do internal and external detailed inspections and a torque check (between 3,700 and 4,100 inchpounds of torque) of the barrel nuts at the 16 locations that attach the vertical fin to body section 48 to find discrepancies (i.e., cracked or damaged sealant, signs of corrosion damage, cracked or broken barrel nuts) per Boeing Service Bulletin 767-53A0085, Revision 2, dated May 2, 2002. Repeat the inspections and check after that every 18 months until paragraph (e) of this AD is done. As of the effective date of this AD, only Revision 2 of the service bulletin may be used.

Note 3: Accomplishment of the inspections and replacements before the effective date of this AD per Boeing Service Bulletin 767–53–0085, dated May 14, 1998; or Boeing Alert Service Bulletin 767–53A0085, Revision 1, dated July 1, 1999; is considered acceptable for compliance with the applicable actions specified in paragraphs (a), (b), and (c) of this AD.

Terminating Action

(e) Within 36 months after the effective date of this AD: Replace all 16 H–11 steel alloy barrel nuts and bolts that attach the vertical fin to body section 48, with Inconel barrel nuts and bolts, per Boeing Service Bulletin 767–53A0085, Revision 2, dated May 2, 2002. Such replacement ends the repetitive inspections required by this AD.

Spares

(f) As of the effective date of this AD: No person shall install, on any airplane, an Inconel vertical fin attach bolt, unless an Inconel barrel nut is installed at the same location; nor shall any person install an H–11 steel alloy attachment nut or bolt on the vertical fin on any airplane.

Alternative Methods of Compliance

(g)(1) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Seattle Aircraft Certification Office (ACO), FAA. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Seattle ACO.

(2) Alternative methods of compliance, approved previously in accordance with AD 2001–19–04, amendment 39–12444, are approved as alternative methods of compliance with paragraph (a)(1) of this AD.

Note 4: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Seattle ACO.

Special Flight Permits

(h) Special flight permits may be issued in accordance with §§ 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

Issued in Renton, Washington, on August 9, 2002.

Vi Lipski,

Manager Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 02–20709 Filed 8–15–02; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Airspace Docket No. 02-AGL-09]

Proposed Modification of Class E Airspace; Indianapolis, IN

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This Document proposes to modify Class E airspace at Indianapolis, IN. Area Navigation (RNAV) Standard Instrument Approach Procedures

(SIAPS) to several Runways (RWYS) have been developed for Indianapolis International airport. Controlled airspace extending upward from 700 feet above the surface of the earth is needed to contain aircraft executing these approaches. This action would increase the area of the existing controlled airspace at Indianapolis International Airport.

DATES: Comments must be received on or before October 4, 2002.

ADDRESSES: Send comments on the proposal in triplicate to: Federal Aviation Administration, Office of the Regional Counsel, AGL-7, Rules Docket No. 02-AGL-09, 2300 East Devon Avenue, Des Plaines, Illinois 60018.

The official docket may be examined in the Office of the Regional Counsel, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois. An informal docket may also be examined during normal business hours at the Air Traffic Division, Airspace Branch, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois.

FOR FURTHER INFORMATION CONTACT: Denis C. Burke, Air Traffic Division, airspace Branch, AGL–520, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois 60018, telephone (847) 294–7568.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views, or arguments as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. Communications should identify the airspace docket number and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this document must submit with those comments a selfaddressed, stamped postcard on which the following statement is made: "Comments to Airspace Docket No. 02-AGL-09." The postcard will be date/ time stamped and returned to the commenter. All communications received on or before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this document may be changed in

light of comments received. All comments submitted will be available for examination in the Rules Docket, FAA, Great Lakes Region, Office of the Regional Counsel, 2300 East Devon Avenue, Des Plaines, Illinois, both before and after the closing date for comments. A report summarizing each substantive public contact with FAA personnel concerned with this rulemaking will be filed in the docket. Availability of NPRM's

Any person may obtain a copy of this Notice of Proposed Rulemaking (NPRM) by submitting a request to the Federal Aviation Administration, Office of Public Affairs, Attention: Public Inquiry Center, APA–230, 800 Independence Avenue, SW., Washington, DC 20591, or by calling (202) 267–3484. Communications must identify the docket number of this NPRM. Persons interested in being placed on a mailing list for future NPRM's should also request a copy of Advisory Circular No. 11–2A, which describes the application procedure.

The Proposal

The FAA is considering an amendment to 14 CFR part 71 to modify Class E airspace at Indianapolis, IN, increasing the radius of controlled airspace around the Indianapolis International Airport. Controlled airspace extending upward from 700 feet above the surface of the earth is needed to contain aircraft executing instrument approach procedures. The area would be depicted on appropriate aeronautical charts. Class E airspace areas extending upward from 700 feet or more above the surface are published in paragraph 6005 of FAA Order 7400.9J dated August 31, 2001, and effective September 16, 2001, which is incorporated by reference in 14 CFR 71.1. The Class E airspace designations listed in this document would be published subsequently in the Order.

The FAA has determined that this proposed regulation only involves an establishment body of technical regulations for which frequent and routing amendments are necessary to keep them operationally current. Therefore this, proposed regulation—(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this proposed rule will not have a significant economic impact

on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subject in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND CLASS E AIRSPACE AREAS; AIRWAYS; ROUTES; AND REPORTING POINTS

1. The authority citation for part 71 continues to read as follows:

Authority 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389.

§71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of the Federal Aviation Administration Order 7400.9J, Airspace Designations and Reporting Points, dated August 31, 2001, and effective September 16, 2001, is amended as follows:

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

AGL IN E5 Indianapolis, IN [Revised]

Indianapolis, Indianapolis International Airport, IN

(Lat. 39°43′02″ N., long. 86°17′40″ W.) Indianapolis, Greenwood Municipal, IN (Lat. 39°37′42″ N., long. 86°05′16″ W.) Indianapolis, Eagle Creek Airpark, IN (Lat. 39°49′51″ N., long. 86°17′40″ W.) Indianapolis, Helicopter VOR/DME 287° Approach Point in Space

(Lat. 39°42′12″ N., long. 86°06′28″ W.) Brickyard VORTAC

(Lat. 39°48′53" N., long. 86°22′03" W.)

That airspace extending upward from 700 feet above the surface within a 7.9-mile radius of the Indianapolis International Airport, within a 7-mile radius of the Greenwood Municipal Airport, within a 6.3-mile radius of Eagle Creek Airpark, and within 2.6 miles each side of the Brickyard VORTAC 257° radial, extending from the 6.3-mile radius of the Eagle Creek Airpark and the 7.4-mile radius of the Indianapolis International Airport to 7-miles west of the VORTAC, and within a 6-mile radius of the Point in space serving the helicopter VOR/DME 287° approach.

* * * * *

supporting the views and suggestions

presented are particularly helpful in

Issued in Des Plaines, Illinois on July 22, 2002.

Nancy B. Shelton,

Manager, Air Traffic Division, Great Lakes Region.

[FR Doc. 02–20897 Filed 8–15–02; 8:45 am] BILLING CODE 4910–13–M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Airspace Docket No. 02-AGL-10]

Proposed Establishment of Class E Airspace; Milbank, SD

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This Document proposes to establish Class E airspace at Milbank, SD. An area Navigation (RNAV) Standard Instrument Approach Procedure (SIAP) to Runway (RWY) 31 has been developed for Milbank Municipal Airport. Controlled airspace extending upward from 700 feet above the surface of the earth is needed to contain aircraft executing this approach. This action would establish an area of controlled airspace at Milbank Municipal Airport.

DATES: Comments must be received on or before October 4, 2002.

ADDRESSES: Send comments on the proposal in triplicate to: Federal Aviation Administration, Office of the Regional Counsel, AGL-7, Rules Docket No. 02-AGL-10, 2300 East Devon Avenue, Des Plaines, Illinois 60018.

The official docket may be examined in the Office of the Regional Counsel, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois. An informal docket may also be examined during normal business hours at the Air Traffic Division, Airspace Branch, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois.

FOR FURTHER INFORMATION CONTACT:

Denis C. Burke, Air Traffic Division, Airspace Branch, AGL–520, Federal Aviation Administration, 2300 East Devon Avenue, Des Plaines, Illinois 60018, telephone (847) 294–7568.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views, or arguments as they may desire.

Comments that provide the factual basis

developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. Communications should identify the airspace docket number and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this document must submit with those comments a selfaddressed, stamped postcard on which the following statement is made: "Comments to Airspace Docket No. 02-AGL-10." The postcard will be date/ time stamped and returned to the commenter. All communications received on or before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this document may be changed in

light of the comments received. All

comments submitted will be available

FAA, Great Lakes Region, Office of the

comments. A report summarizing each

substantive public contact with FAA

rulemaking will be filed in the docket.

personnel concerned with this

for examination in the Rules Docket.

Regional Counsel, 2300 East Devon

Avenue, Des Plaines, Illinois, both

before and after the closing date for

Availability of NPRMs

Any person may obtain a copy of this Notice of Proposed Rulemaking (NPRM) by submitting a request to the Federal Aviation Administration, Office of Public Affairs, Attention: Public Inquiry Center, APA–230, 800 Independence Avenue, SW., Washington, DC 20591, or by calling (202) 267–3484.

Communications must identify the docket number of this NPRM. Persons interested in being placed on a mailing list for future NPRM's should also request a copy of Advisory Circular No. 11–2A, which describes the application procedure.

The Proposal

The FAA is considering an amendment to 14 CFR part 71 to establish Class E airspace at Milbank, SD, by adding an area of controlled airspace around the Milbank Municipal Airport. Controlled airspace extending upward from 700 feet above the surface of the earth is needed to contain aircraft executing instrument approach procedures. The area would be depicted on appropriate aeronautical charts. Class E airspace areas extending upward from 700 feet or more above the surface

are published in paragraph 6005 of FAA Order 7400.9J dated August 31, 2002, and effective September 16, 2001, which is incorporated by reference in 14 CFR 71.1. The Class E airspace designations listed in this document would be published subsequently in the Order.

The FAA has determined that this proposed regulation only involves an establishment body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. Therefore this, proposed regulation—(1) Is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this proposed rule will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND CLASS E AIRSPACE AREAS; AIRWAYS; ROUTES; AND REPORTING POINTS

1. The authority citation for part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389.

§71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of the Federal Aviation Administration Order 7400.9J, Airspace Designations and Reporting Points, dated August 31, 2001, and effective September 26, 2001, is amended as follows:

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

AGL SD E5 Milbank, SD [New]

*

Milbank, Milbank Municipal Airport, SD (Lat. 45° 13′ 50″ N., long. 96° 33′ 57″ W.)