

§ 771(4)(B) of the Act (19 U.S.C. 1677(4)(B)).

(6) A list of all known and currently operating U.S. importers of the *Subject Merchandise* and producers of the *Subject Merchandise* in each *Subject Country* that currently export or have exported *Subject Merchandise* to the United States or other countries after 2019.

(7) A list of 3–5 leading purchasers in the U.S. market for the *Domestic Like Product* and the *Subject Merchandise* (including street address, World Wide Web address, and the name, telephone number, fax number, and Email address of a responsible official at each firm).

(8) A list of known sources of information on national or regional prices for the *Domestic Like Product* or the *Subject Merchandise* in the U.S. or other markets.

(9) If you are a U.S. producer of the *Domestic Like Product*, provide the following information on your firm's operations on that product during calendar year 2024, except as noted (report quantity data in short tons and value data in U.S. dollars, f.o.b. plant). If you are a union/worker group or trade/business association, provide the information, on an aggregate basis, for the firms in which your workers are employed/which are members of your association.

(a) Production (quantity) and, if known, an estimate of the percentage of total U.S. production of the *Domestic Like Product* accounted for by your firm's(s') production;

(b) Capacity (quantity) of your firm to produce the *Domestic Like Product* (that is, the level of production that your establishment(s) could reasonably have expected to attain during the year, assuming normal operating conditions (using equipment and machinery in place and ready to operate), normal operating levels (hours per week/weeks per year), time for downtime, maintenance, repair, and cleanup, and a typical or representative product mix);

(c) the quantity and value of U.S. commercial shipments of the *Domestic Like Product* produced in your U.S. plant(s);

(d) the quantity and value of U.S. internal consumption/company transfers of the *Domestic Like Product* produced in your U.S. plant(s); and

(e) the value of (i) net sales, (ii) cost of goods sold (COGS), (iii) gross profit, (iv) selling, general and administrative (SG&A) expenses, and (v) operating income of the *Domestic Like Product* produced in your U.S. plant(s) (include both U.S. and export commercial sales, internal consumption, and company transfers) for your most recently

completed fiscal year (identify the date on which your fiscal year ends).

(10) If you are a U.S. importer or a trade/business association of U.S. importers of the *Subject Merchandise* from any *Subject Country*, provide the following information on your firm's(s') operations on that product during calendar year 2024 (report quantity data in short tons and value data in U.S. dollars). If you are a trade/business association, provide the information, on an aggregate basis, for the firms which are members of your association.

(a) The quantity and value (landed, duty-paid but not including antidumping or countervailing duties) of U.S. imports and, if known, an estimate of the percentage of total U.S. imports of *Subject Merchandise* from each *Subject Country* accounted for by your firm's(s') imports;

(b) the quantity and value (f.o.b. U.S. port, including antidumping and/or countervailing duties) of U.S. commercial shipments of *Subject Merchandise* imported from each *Subject Country*; and

(c) the quantity and value (f.o.b. U.S. port, including antidumping and/or countervailing duties) of U.S. internal consumption/company transfers of *Subject Merchandise* imported from each *Subject Country*.

(11) If you are a producer, an exporter, or a trade/business association of producers or exporters of the *Subject Merchandise* in any *Subject Country*, provide the following information on your firm's(s') operations on that product during calendar year 2024 (report quantity data in short tons and value data in U.S. dollars, landed and duty-paid at the U.S. port but not including antidumping or countervailing duties). If you are a trade/business association, provide the information, on an aggregate basis, for the firms which are members of your association.

(a) Production (quantity) and, if known, an estimate of the percentage of total production of *Subject Merchandise* in each *Subject Country* accounted for by your firm's(s') production;

(b) Capacity (quantity) of your firm(s) to produce the *Subject Merchandise* in each *Subject Country* (that is, the level of production that your establishment(s) could reasonably have expected to attain during the year, assuming normal operating conditions (using equipment and machinery in place and ready to operate), normal operating levels (hours per week/weeks per year), time for downtime, maintenance, repair, and cleanup, and a typical or representative product mix); and

(c) the quantity and value of your firm's(s') exports to the United States of *Subject Merchandise* and, if known, an estimate of the percentage of total exports to the United States of *Subject Merchandise* from each *Subject Country* accounted for by your firm's(s') exports.

(12) Identify significant changes, if any, in the supply and demand conditions or business cycle for the *Domestic Like Product* that have occurred in the United States or in the market for the *Subject Merchandise* in each *Subject Country* after 2019, and significant changes, if any, that are likely to occur within a reasonably foreseeable time. Supply conditions to consider include technology; production methods; development efforts; ability to increase production (including the shift of production facilities used for other products and the use, cost, or availability of major inputs into production); and factors related to the ability to shift supply among different national markets (including barriers to importation in foreign markets or changes in market demand abroad). Demand conditions to consider include end uses and applications; the existence and availability of substitute products; and the level of competition among the *Domestic Like Product* produced in the United States, *Subject Merchandise* produced in each *Subject Country*, and such merchandise from other countries.

(13) (OPTIONAL) A statement of whether you agree with the above definitions of the *Domestic Like Product* and *Domestic Industry*; if you disagree with either or both of these definitions, please explain why and provide alternative definitions.

Authority: This proceeding is being conducted under authority of title VII of the Tariff Act of 1930; this notice is published pursuant to § 207.61 of the Commission's rules.

By order of the Commission.

Issued: June 24, 2025.

Lisa Barton,

Secretary to the Commission.

[FR Doc. 2025–11836 Filed 6–30–25; 8:45 am]

BILLING CODE 7020–02–P

DEPARTMENT OF JUSTICE

Drug Enforcement Administration

[Docket No. DEA–372]

Exempt Chemical Preparations Under the Controlled Substances Act

AGENCY: Drug Enforcement Administration, Department of Justice.

ACTION: Order with opportunity for comment.

SUMMARY: The applications for exempt chemical preparations received by the Drug Enforcement Administration between March 1, 2023, and March 31, 2025, as listed below, were accepted for filing and have been approved or denied as indicated.

DATES: Comments must be submitted electronically or postmarked on or before September 2, 2025.

ADDRESSES: Interested persons may file written comments on this order in accordance with 21 CFR 1308.23(e). The electronic Federal Docket Management System will not accept comments after 11:59 p.m. Eastern Time on the last day of the comment period. To ensure proper handling of comments, please reference “Docket No. DEA–372” on all correspondence, including any attachments.

- *Electronic comments:* The Drug Enforcement Administration (DEA) encourages that all comments be submitted through the Federal eRulemaking Portal, which provides the ability to type short comments directly into the comment field on the web page or to attach a file for lengthier comments. Please go to <http://www.regulations.gov> and follow the online instructions at that site for submitting comments. Upon completion of your submission, you will receive a Comment Tracking Number for your comment. Please be aware that submitted comments are not instantaneously available for public view on *Regulations.gov*. If you have received a comment tracking number, your comment has been successfully submitted and there is no need to resubmit the same comment.

- *Paper comments:* Paper comments that duplicate the electronic submission are not necessary and are discouraged. Should you wish to mail a comment *in lieu of* an electronic comment, it should be sent via regular or express mail to: Drug Enforcement Administration, Attention: DEA Federal Register Representative/DRW, 8701 Morrisette Drive, Springfield, Virginia 22152.

- *Paperwork Reduction Act Comments:* All comments concerning collections of information under the Paperwork Reduction Act must be submitted to the Office of Information and Regulatory Affairs, OMB, Attention: Desk Officer for DOJ, Washington, DC 20503. Please state that your comment refers to Docket No. DEA–1189.

FOR FURTHER INFORMATION CONTACT: Terrence L. Boos, Ph.D., Diversion Control Division, Drug Enforcement

Administration; Mailing Address: 8701 Morrisette Drive, Springfield, Virginia 22152; Telephone: (571) 362–8201.

SUPPLEMENTARY INFORMATION:

Posting of Public Comments

Please note that all comments received in response to this docket are considered part of the public record. DEA will make comments available for public inspection online at <http://www.regulations.gov>. Such information includes personal or business identifiers (such as name, address, state or Federal identifiers, etc.) voluntarily submitted by the commenter. Generally, all information voluntarily submitted by the commenter, unless clearly marked as Confidential Information in the method described below, will be publicly posted. Comments may be submitted anonymously. The Freedom of Information Act applies to all comments received.

Commenters submitting comments which include personal identifying information (PII), confidential, or proprietary business information that the commenter does not want made publicly available should submit two copies of the comment. One copy must be marked “CONTAINS CONFIDENTIAL INFORMATION” and should clearly identify all PII or business information the commenter does not want to be made publicly available, including any supplemental materials. DEA will review this copy, including the claimed PII and confidential business information, in its consideration of comments. The second copy should be marked “TO BE PUBLICLY POSTED” and must have all claimed confidential PII and business information already redacted. DEA will post only the redacted comment on <http://www.regulations.gov> for public inspection.

For easy reference, an electronic copy of this document and supplemental information to this proposed scheduling action are available at <http://www.regulations.gov>.

Legal Authority

Section 201 of the Controlled Substances Act (CSA) (21 U.S.C. 811) authorizes the Attorney General, by regulation, to exempt from certain provisions of the CSA certain compounds, mixtures, or preparations containing a controlled substance, if he finds that such compounds, mixtures, or preparations meet the requirements detailed in 21 U.S.C. 811(g)(3)(B).¹ DEA

regulations at 21 CFR 1308.23 and 1308.24 further detail the criteria by which the DEA Assistant Administrator may exempt a chemical preparation or mixture from certain provisions of the CSA. The Assistant Administrator may, pursuant to 21 CFR 1308.23(f), modify or revoke the criteria by which exemptions are granted and modify the scope of exemptions at any time.

Exempt Chemical Preparation Applications Submitted Between March 1, 2023, and March 31, 2025

DEA received applications between March 1, 2023, and March 31, 2025, requesting exempt chemical preparation status detailed in 21 CFR 1308.23. This publication addresses preparations through September 30, 2023, that were not included in previous **Federal Register** notices, and it does not affect preparations that have been previously published. Pursuant to the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23, the Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart I below is intended for laboratory, industrial, educational, or special research purposes and not for general administration to a human being or animal and either: (1) contains no narcotic controlled substance and is packaged in such a form or concentration that the packaged quantity does not present any significant potential for abuse; or (2) contains either a narcotic or non-narcotic controlled substance and one or more adulterating or denaturing agents in such a manner, combination, quantity, proportion, or concentration that the preparation or mixture does not present any potential for abuse and, if the preparation or mixture contains a narcotic controlled substance, is formulated in such a manner that it incorporates methods of denaturing or other means so that the preparation or mixture is not liable to be abused or have ill effects, if abused, and so that the narcotic substance cannot in practice be removed.

Accordingly, pursuant to 21 U.S.C. 811(g)(3)(B), 21 CFR 1308.23, and 21 CFR 1308.24, the Assistant Administrator has determined that each of the chemical preparations or mixtures generally described in Chart I below and specifically described in the application materials received by DEA is exempt, to the extent described in 21 CFR 1308.24, from application of sections 302, 303, 305, 306, 307, 308, 309, 1002, 1003, and

¹ This authority has been delegated from the Attorney General to the DEA Administrator by 28 CFR 0.100, and subsequently redelegated to the

Deputy Assistant Administrator pursuant to 28 CFR 0.104 and Section 7 of the appendix to subpart R of part 0.

1004 (21 U.S.C. 822–823, 825–829, and 952–954) of the CSA, and 21 CFR 1301.74, as of the date that was provided in the approval letters to the individual requesters.

Scope of Approval

The exemptions are applicable only to the precise preparation or mixture described in the application submitted to DEA in the form(s) listed in this order and only for those above mentioned sections of the CSA and the CFR. In accordance with 21 CFR 1308.24(h), any change in the quantitative or qualitative composition of the preparation or mixture, or change in the trade name or other designation of the preparation or mixture after the date of application

requires a new application. The requirements set forth in 21 CFR 1308.24(b)–(e) apply to the exempted materials. In accordance with 21 CFR 1308.24(g), DEA may prescribe requirements other than those set forth in 21 CFR 1308.24(b)–(e) on a case-by-case basis for materials exempted in bulk quantities. Accordingly, in order to limit opportunities for diversion from the larger bulk quantities, DEA has determined that each of the exempted bulk products listed in this order may only be used in-house by the manufacturer, and may not be distributed for any purpose, or transported to other facilities.

Additional exempt chemical preparation requests received between

March 1, 2023, and March 31, 2025, and not otherwise referenced in this order, may remain under consideration until DEA receives additional information required, pursuant to 21 CFR 1308.23(d), as detailed in separate correspondence to individual requesters. DEA's order on such requests will be communicated to the public in a future **Federal Register** publication.

DEA also notes that these exemptions are limited to exemption from only those sections of the CSA and the CFR that are specifically identified in 21 CFR 1308.24(a). All other requirements of the CSA and the CFR apply, including registration as an importer as required by 21 U.S.C. 957.

CHART I

Supplier name	Product name	Form	Application date
(AAB–MLE) American Association of Bioanalysts-Medical Laboratory Evaluation.	(AAB–MLE) Chemistry	Amber vial: 5 mL	8/7/2024
(API) American Proficiency Institute	(API) Chemistry	Amber vial: 5 mL	8/7/2024
(API) American Proficiency Institute	(API) Remedial Chemistry	Amber vial: 5 mL	8/7/2024
(WSLH) Wisconsin Laboratory of Hygiene.	(WSLH) Chemistry/Endocrinology/TDM	Amber vial: 5 mL	8/7/2024
(WSLH) Wisconsin Laboratory of Hygiene.	(WSLH) Chemistry-Waived	Amber vial: 5 mL	8/7/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems	Kit: 5 vials, 5 mL each	8/22/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems Level A	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems Level B	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems Level C	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems Level D	Glass vial: 5 mL	8/22/2024
Aalto Scientific, Ltd. Eatonton	Linearity FD Immunoassay for Abbott Systems Level E	Glass vial: 5 mL	8/22/2024
Absolute Standards, Inc	(+/-)-Amphetamine PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-Amphetamine-D5 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-MDA PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-MDA-D5 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-MDMA-D5 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-Methamphetamine PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(+/-)-Methamphetamine-D5 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	(6aR,9S)-Δ10-THC, 10 µg/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	6-Acetylmorphine PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	6-Acetylmorphine-D3 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Alprazolam PT, 1–100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Alprazolam-D5 PT, 1–100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Amobarbital PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Benzoylcegonine PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Benzoylcegonine-D3 PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Buprenorphine PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Buprenorphine, 10 µg/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Buprenorphine, 100 µg/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Buprenorphine, 1000 µg/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Butabarbital PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Butalbital PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	CA CRM Standard Mix 1—Acids/Acetates, 10 µg/g, in Hemp oil:Acetone:Acetonitrile [5:4:1].	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	CA CRM Standard Mix 1—Acids/Acetates, 10 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	CA CRM Standard Mix 1—Acids/Acetates, 18 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	CA CRM Standard Mix 2—Neutrals, 10 µg/g, in Hemp oil:Acetone:Acetonitrile [5:4:1].	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	CA CRM Standard Mix 2—Neutrals, 10 µg/mL, in Methanol	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	CA CRM Standard Mix 2—Neutrals, 18 µg/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Calibrator Mix, Varied µg/L, in Methanol	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	Cannabis PT in Hemp Oil, Varied µg/g, in Hemp Oil:Acetone:Acetonitrile [5:4:1].	Glass ampoule: 1 g	6/21/2024
Absolute Standards, Inc	Carfentanil PT, 1–100 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Carfentanil, 100 µg/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Chlordiazepoxide PT, 1–1000 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	cis-Δ9-THC, 10 µg/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	cis-Δ9-THC, 100 µg/mL, in Acetonitrile	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	Clonazepam PT, 1–100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Clonazepam-D4 PT, 1–100 µg/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Cocacethylene PT, 1–1000 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Cocaine PT, 1–100 µg/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Absolute Standards, Inc	Cocaine-D3 PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Codeine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Codeine-6-β-D-glucuronide PT, 1–1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Codeine-D3 PT, 1–1000 ug/mL, in Ethanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	d,l-MDMA PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	d,l-Methadone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	d,l-Methadone-D3 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Diazepam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Diazepam-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Dihydrocodeine, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Dihydrocodeine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Diphenoxylate hydrochloride, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	d-Propoxyphene PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Estazolam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Ethylmorphine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Etonitazene PT, 1–100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Etonitazene, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	exo-THC PT, Varied ug/mL, in Methanol	Glass ampoule: 1 mL	12/8/2023
Absolute Standards, Inc	exo-THC, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	12/8/2023
Absolute Standards, Inc	Fentanyl PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Fentanyl, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Fentanyl, Cocaine, & Xylazine PT, Varied ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Fentanyl-D5 PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Flunitrazepam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Flunitrazepam-D7 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Gamma Hydroxybutyrate (GHB) PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Heroin PT, 1–1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hexobarbital PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hydrocodone (+)-bitartrate salt PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hydrocodone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hydrocodone-D3 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hydromorphone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Hydromorphone-D3 PT, 1–1000 ug/mL, in Methanol Glass ampoule	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Isotonitazene PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Isotonitazene, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Ketamine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Lorazepam PT, 1–100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Meperidine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Methaqualone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Methaqualone-D7 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Methohexital PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Methylphenidate PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Metonitazene PT, 1–100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Metonitazene, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Midazolam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Morphine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Morphine, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Morphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Morphine-6-β-D-glucuronide PT, 1–1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Morphine-6-β-D-glucuronide, 100 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Morphine-6-β-D-glucuronide, 1000 ug/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Morphine-D3 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Morphine-D3, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Morphine-D3, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norbuprenorphine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Norbuprenorphine, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norbuprenorphine, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norbuprenorphine, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norbuprenorphine-D3 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Norcocaine, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Nordiazepam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Norfentanyl PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Norfentanyl, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norfentanyl, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norfentanyl, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norhydrocodone, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norhydrocodone, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Norhydrocodone, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Noroxycodone, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Noroxycodone, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Noroxycodone, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Oxazepam PT, 1–1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Oxazepam-D5 PT, 1–1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Oxycodone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Oxycodone-D6 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Oxymorphone PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Oxymorphone-D3 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Pentobarbital PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Absolute Standards, Inc	Pentobarbital-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Phencyclidine (PCP) PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Phencyclidine-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Phenobarbital PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Phentermine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Prazepam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Protonitazene PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Protonitazene, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	R(–)-Amphetamine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	R(–)-Methamphetamine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	S(+)-Amphetamine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	S(+)-Methamphetamine PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	SC Labs Drug Mix, Varied ug/L, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Secobarbital PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Secobarbital-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Tapentadol, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol-D3, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol-D3, 100 ug/mL, in Methanol	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol-D5, 10 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tapentadol-D5, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Temazepam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Temazepam-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Total THC Calibration in Hemp Oil-Acids, 100 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass vial: 1 g	11/21/2024
Absolute Standards, Inc	Total THC Calibration in Hemp Oil-Neutrals, 100 ug/g, in Hemp oil:Acetone:Methanol [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Tramadol PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Triazolam PT, 1–100 ug/mL, in Methanol	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Zolpidem PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Zolpidem, 10 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Δ8-iso-THC, 10 ug/g, in Hemp oil:Acetone:Acetonitrile [5:4:1]	Glass ampoule: 1 mL	11/21/2024
Absolute Standards, Inc	Δ8-iso-THC, 100 ug/mL, in Acetonitrile	Glass vial: 1 g	11/21/2024
ARK Diagnostics, Inc	ARK HS Benzodiazepine II 100 Cutoff Calibrator (Kit Reference Number 5073–0002–02)	Kit: 2 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc	ARK HS Benzodiazepine II 200 Cutoff Calibrator (Kit Reference Number 5073–0002–03)	Kit: 2 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc	ARK HS Benzodiazepine II Calibrator (Kit Reference Number 5073–0002–00)	Kit: 5 Dropper vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc	ARK HS Benzodiazepine II Control (150/250) (Kit Reference Number 5073–0003–01)	Kit: 4 Droppers vials, 10 mL each	12/18/2023
ARK Diagnostics, Inc	ARK HS Benzodiazepine II Control (75/125) (Kit Reference Number 5073–0003–00)	Kit: 4 Dropper vials, 10 mL each	12/18/2023
Ark Diagnostics, Inc	ARK™ Zopiclone Calibrator (Kit Reference Number 5043–0002–00)	5 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc	ARK™ Zopiclone Calibrator (Kit Reference Number 5043–0002–00R)	5 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc	ARK™ Zopiclone Calibrator A–E	Kit: 5 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc	ARK™ Zopiclone Calibrator C (Cutoff)	Kit: 2 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc	ARK™ Zopiclone Calibrator C (Cutoff) (Kit Reference Number 5043–0002–02)	2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc	ARK™ Zopiclone Calibrator C (Cutoff) (Kit Reference Number 5043–0002–02R)	2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc	ARK™ Zopiclone Control	Kit: 4 Dropper Vials, 10 ml each	2/10/2025
ARK Diagnostics, Inc	ARK™ Zopiclone Control (Kit Reference Number 5043–0003–00)	4 Dropper Vials, 10 ml each Kit: 2 Dropper Vials, 10 ml each	7/8/2024
ARK Diagnostics, Inc	ARK™ Zopiclone Control (Kit Reference Number 5043–0003–00R)	4 Dropper Vials, 10 ml each	7/8/2024
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica	Kit: 10 vials, 2 mL each	10/9/2023
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica Set 2 Level A	Vial: 2 mL	10/9/2023
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica Set 2 Level B	Vial: 2 mL	10/9/2023
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica Set 2 Level C	Vial: 2 mL	10/9/2023
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica Set 2 Level D	Vial: 2 mL	10/9/2023
Audit MicroControls	Linearity FLQ Fertility Siemens Atellica Set 2 Level E	Vial: 2 mL	10/9/2023
Audit MicroControls, Inc	Control FD Immunoassay	Kit: 6 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc	Control FD Immunoassay Level 1	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc	Control FD Immunoassay Level 2	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc	Control FD Immunoassay Level 3	2 glass vials, 3 mL each	2/25/2025
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica	Kit: 10 vials; 3 mL each	10/11/2024
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica, Set 2 Level A	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica, Set 2 Level B	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica, Set 2 Level C	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica, Set 2 Level D	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc	Linearity FD Fertility Siemens Atellica, Set 2 Level E	Glass vial: 3 mL	10/11/2024
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU	Kit: 5 vials, 4 mL each	12/18/2023
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU Level A	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU Level B	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU Level C	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU Level D	Vial: 4 mL	12/18/2023
Audit MicroControls, Inc	Linearity FLQ TDM for Beckman AU Level E	Vial: 4 mL	12/18/2023
Biochemical Diagnostics, Inc	Detectabuse Custom Liquid Control Urine, MC288	Glass vial/Plastic bottle: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	11/29/2023

CHART I—Continued

Supplier name	Product name	Form	Application date
Biochemical Diagnostics, Inc	Salivabuse Custom Liquid Control Oral Fluid OF30	Glass vial/Plastic bottle: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	11/29/2023
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(±)-Methadone-d9 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	1 mg/ml Chlordiazepoxide-D5 in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	100 µg/ml Chlordiazepoxide-D5 in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	1-Testosterone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	1-Testosterone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	2-methyl AP-237 (hydrochloride) (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	2-methyl AP-237-d7 (hydrochloride) (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	3,4-Methylenedioxy-α-Cyclohexylaminopropiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3,4-Methylenedioxy-α-propylaminobutiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	4-fluoro MDMB-BUTINACA (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	4-fluoro MDMB-BUTINACA-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	ADB-4en-PINACA (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-4en-PINACA-d4 (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-4en-PINACA-d4 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-BUTINACA-d9 (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	ADB-FUBINACA (exempt preparation) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	ADB-FUBINACA (exempt preparation) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Allopregnanolone (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Allopregnanolone (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Anhydroecgonine methyl ester (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Anhydroecgonine methyl ester (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Boldenone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Boldenone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Butonitazene (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Butonitazene (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Chloral hydrate (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Chloral hydrate (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Chlordiazepoxide (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Clobazam (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Clobazam (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Clonazepam (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazepam (CRM) 100 µg in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazepam-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonazepam-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonitazene (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Clonitazene (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	D-Amphetamine (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Delorazepam (CRM) 100 µg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Delorazepam-13C-d4 (CRM) 100 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Delorazepam-d4 (CRM) 100 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Diclazepam (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-13C2-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-13C2-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-d4 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Diclazepam-d4 (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Drostanolone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Drostanolone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Etizolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-13C2-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-13C2-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etizolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 (citrate) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene-d5 (citrate) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etodesnitazene-d5 (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etodesnitazene-d5 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Etonitazene (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Etonitazene-d5 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Eutylone-d5 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Eutylone-d5 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	exo-Tetrahydrocannabinol (exo-THCP) (exempt preparation) 1 mg/mL in Methanol	Glass Vial: 1.0 mL	7/22/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Cayman Chemical Company	exo-Tetrahydrocannabiphinol (exo-THCP) (exempt preparation) 100 µg/mL in Methanol.	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabivarin (exempt preparation) 1 mg/mL in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	exo-Tetrahydrocannabivarin (exempt preparation) 100 µg in Methanol	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Flualprazolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flualprazolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-13C2-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-13C2-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-d4 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flubromazolam-d4 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Flunitrazepam (CRM) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 500 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Flunitrazepam (CRM) 500 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	lbogaine (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	lbogaine (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Isopregnanolone (exempt preparation) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Isopregnanolone (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Ketamine-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Lorazepam (CRM) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Lorazepam (CRM) 500 µg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Lormetazepam (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	LSB (exempt preparation) 25 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	MDMB-4en-PINACA (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	MDMB-4en-PINACA-d4 (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Mesterolone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Mesterolone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Methiopropamine (hydrochloride) (exempt preparation) 1 mg/mL in Methanol.	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methylnortestosterone (exempt preparation) 1.0 mg/mL in acetonitrile	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Methylnortestosterone (exempt preparation) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Metodesnitazene (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene-d3 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metodesnitazene-d3 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene-d3 (citrate) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene-d3 (citrate) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Metonitazene-d3 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	MMB-CHMICA (exempt preparation) 1.0 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	MMB-CHMICA (exempt preparation) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	N,N-Dimethylpentylone (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	N,N-Dimethylpentylone-d6 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	N,N-Dimethylpentylone-d6 (hydrochloride) (CRM) 100 µg/mL in Methanol.	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	N-Isopropyl butylone (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	N-Isopropyl butylone (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	N-Isopropyl butylone-d7 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	N-Isopropyl butylone-d7 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Norhydrocodone-d3 (hydrochloride) (CRM) 1 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Norhydrocodone-d3 100 µg/mL in methanol (hydrochloride) (CRM)	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Noroxymorphone (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20).	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20).	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 1.0 mg/mL in methanol:DMSO (80:20).	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Noroxymorphone-d3 (hydrochloride) (CRM) 100 µg/mL in methanol:DMSO (80:20).	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	N-Pyrrolidino etonitazene-d5 (CRM) 1.0 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	N-Pyrrolidino etonitazene-d5 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	ortho-methoxy Butyryl fentanyl (hydrochloride) (exempt preparation) 100 µg/ml in Methanol.	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	ortho-Methylfentanyl-d5 (exempt preparation) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	ortho-Methylfentanyl-d5 (hydrochloride) (exempt preparation) 100 µg/mL in methanol.	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Oxymetholone (exempt preparation) 1 mg/mL in acetonitrile	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Oxymetholone (exempt preparation) 1 mg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Para-methylfentanyl (hydrochloride) (exempt preparation) 100 µg/mL in methanol.	Glass Ampule: 1 mL	5/20/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Cayman Chemical Company	Pentylone-d3 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Pentylone-d3 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Perampanel (CRM) 100 µg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Perampanel (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Phytocannabinoid Mixture California Potency (CRM) 1 mg/ml ea in Acetonitrile.	Glass ampule: 0.5 mL	11/21/2023
Cayman Chemical Company	Phytocannabinoid Mixture California Potency (CRM) 500 µg/ml ea in Acetonitrile.	Glass ampule: 1.0 mL	11/21/2023
Cayman Chemical Company	Protonitazene (citrate) (CRM) 1.0 mg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Protonitazene (citrate) (CRM) 100 µg/mL in methanol	Glass vial: 1 mL	7/25/2024
Cayman Chemical Company	Protonitazene (CRM) 1 mg/mL in Acetonitrile	Glass ampule: 1 mL	2/11/2025
Cayman Chemical Company	Protonitazene-d7 (hydrochloride) (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Protonitazene-d7 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Triazolam-13C2-d4 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Triazolam-d4 (CRM) 100 µg/mL in methanol	Glass Ampule: 1 mL	5/20/2024
Cayman Chemical Company	Zolpidem-d7 (CRM) 1 mg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	Zolpidem-d7 (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	α-PHP-d8 (hydrochloride) (CRM) 100 µg/mL in Methanol	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	α-PHP-d8 (hydrochloride) 1 mg/mL in Methanol (CRM)	Glass ampule: 1 mL	1/23/2024
Cayman Chemical Company	α-Pyrrolidinoisohexanophenone 1.0 mg/mL in methanol	Glass Ampule: 1 mL	3/12/2025
Cayman Chemical Company	Δ10-THC Mixture (CRM) 1 mg/mL in ACN	Glass ampule: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ10-THC Mixture (CRM) 500 µg/mL ea in ACN	Glass ampule: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THC Propionate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THC Propionate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCB Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCB Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCBA-A (CRM) 1 mg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCBA-A (CRM) 100 µg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCH Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCH Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCP Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCP Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ8-THCPA-A (CRM) 1 mg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ8-THCPA-A (CRM) 100 µg/mL in acetonitrile	Glass ampule: 1.0 mL	11/18/2023
Cayman Chemical Company	Δ9-THC Propionate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THC Propionate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCB Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCB Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCH Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCH Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCP Acetate (exempt preparation) 1 mg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cayman Chemical Company	Δ9-THCP Acetate (exempt preparation) 100 µg/mL in Acetonitrile	Glass Vial: 1.0 mL	7/22/2024
Cerilliant Corporation	9(S)-delta6a,10a-THC 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Butonitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Clonazepam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Clonazepam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Delta9-Tetrahydrocannabinol 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Delta9-Tetrahydrocannabinolic acid B (THCA-B) (1.0 mg/mL)	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Diclazepam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Diclazepam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Etizolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Etizolam-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flualprazolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flualprazolam-D4 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flubromazolam 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flubromazolam-13C2,15N 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	7/26/2023
Cerilliant Corporation	Flunitazene HCl 1.0 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Flunitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Levomethorphan 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Metonitazene-13C6 HCl 0.1 mg/mL (as free base) in 1 mL solvent	Amber ampule: 1 mL	2/20/2024
Cerilliant Corporation	N-piperidiny l etonitazene HCl 1.0 mg/mL (as free base) in 1 mL solvent	Amber ampule: 1 mL	1/15/2025
Cerilliant Corporation	N-Piperidiny l etonitazene-13C6 HCl 0.1 mg/mL as free base in 1 mL Solvent.	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Oripavine 1.0 mg/mL in 1 mL solvent	Amber ampule: 1 mL	1/15/2025
Cerilliant Corporation	Oripavine-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Protonitazene HCl 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Protonitazene-13C6 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Cerilliant Corporation	Thebaine-D3 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	3/14/2025
Chemtos, LLC	2,4-DMMC HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	2-MEC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MEC-d3 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MEC-d3 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC-d3 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	2-MMC-d3 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3,4-Dimethyl-alpha-PVP HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025

CHART I—Continued

Supplier name	Product name	Form	Application date
Chemtos, LLC	3,4-Dimethyl-alpha-PVP-d8 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3,4-DMEB HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	3Et-Methcathinone HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	3-MePPP HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	4Et-PVP HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	4-Me-alpha-PiHP HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	4-Me-iHEX HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	4-Me-PBP HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	alpha-PiHP HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	alpha-PiHP-d8 HCl (0.1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	alpha-PiHP-d8 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	ANPP—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Bufotenine—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Bufotenine-d6—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Desomorphine—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Desomorphine-d3—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	DMPVP HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Hexylone HCl 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	MDPT(tBuONE) HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Methedrone HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Nabilone 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	Nabilone-d6 1 mL in 0.1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	Nabilone-d6 1 mL in 1mg/ml in methanol	Amber ampule: 1 mL	8/12/2024
Chemtos, LLC	NEIH HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	NIPP HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	NIPP-d5 HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	NIPP-d5 HCl (1 mg/mL in methanol)	Amber ampule: 1 mL	1/9/2025
Chemtos, LLC	NPP HCl—Certified Analytical Reference Standard solution	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	N-Propylcathinone HCl—Certified Analytical Reference Standard solution.	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Serdexmethylphenidate—Certified Analytical Reference Standard solution.	Amber ampule: 1 mL	3/22/2024
Chemtos, LLC	Serdexmethylphenidate-d6—Certified Analytical Reference Standard solution.	Amber ampule: 1 mL	3/22/2024
Chromsystems	Internal Standard Set Mass Tox® Drugs of Abuse Testing in urine (96046—RUO).	4 vials, 1 mL each Glass vial: 5 mL	8/2/2024
Chromsystems	System Check Solution MassTox® Drugs of Abuse Testing in urine (96012—RUO).	Glass vial: 1 mL	8/2/2024
Chromsystems	Tuning Mix 1 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96015—RUO).	Glass vial: 1 mL	8/2/2024
Chromsystems	Tuning Mix 2 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96016—RUO).	Glass vial: 1 mL	8/2/2024
Chromsystems	Tuning Mix 3 MassTox® Drugs of Abuse Testing Analytes and Internal Standards (96017—RUO).	Glass vial: 1 mL	8/2/2024
Cliniq Corporation	MCC Level 1, Part: 86005	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86005	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86011	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86011	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86017	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86017	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86023	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86023	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86029	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86029	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86035	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86035	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86041	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86041	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 1, Part: 86047	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86006	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86006	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86012	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86012	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86018	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86018	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86024	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86024	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86030	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86030	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86036	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86036	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86042	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86042	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 2, Part: 86048	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86007	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86007	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86013	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86013	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86019	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86019	Vial/Bottle: 50 ml	1/12/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Cliniq Corporation	MCC Level 3, Part: 86025	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86025	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86031	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86031	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86037	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86037	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86043	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86043	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 3, Part: 86049	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86008	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86008	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86014	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86014	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86020	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86020	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86026	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86026	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86032	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86032	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86038	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86038	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86044	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 4, Part: 86050	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86009	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86009	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86015	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86015	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86021	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86021	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86027	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86027	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86033	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86033	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86039	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86039	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86045	Vial/Bottle: 1,000 ml	1/12/2024
Cliniq Corporation	MCC Level 5, Part: 86051	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86010	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86010	Vial/Bottle: 5 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86016	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86016	Vial/Bottle: 10 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86022	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86022	Vial/Bottle: 50 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86028	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86028	Vial/Bottle: 100 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86034	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86034	Vial/Bottle: 250 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86040	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86040	Vial/Bottle: 500 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86046	Vial/Bottle: 1,000 ml	1/12/2024
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 1	Bottle/vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 2	Bottle/vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 3	Bottle/vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 4	Bottle/vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 5	Bottle/vial: 5 mL to 2000 mL	1/21/2025
cliniqa Corporation	Multi Constituent Calibrator (MCC) Level 6	Bottle/vial: 5 mL to 2000 mL	1/21/2025
Cliniq Corporation	TDM + MTX Control Level 1, Part: 83737-M	Vial: 5 ml	1/8/2024
Cliniq Corporation	TDM + MTX Control Level 2, Part: 83738-M	Vial: 5 ml	1/8/2024
Cliniq Corporation	TDM + MTX Control Level 3, Part: 83739-M	Vial: 5 ml	1/8/2024
College of American Pathologists (CAP).	2025 NOB-01	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 NOB-02	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 NOB-03	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 NOB-04	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 NOB-05	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 NOB-06	HDPE bottles: 15 mL	8/13/2024
College of American Pathologists (CAP).	2025 SCDD-01	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP).	2025 SCDD-02	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP).	2025 SCDD-03	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP).	2025 SCDD-04	HDPE bottles: 10 mL	8/13/2024
College of American Pathologists (CAP).	2025 SCDD-05	HDPE bottles: 10 mL	8/13/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
College of American Pathologists (CAP)	2025 SCDD-06	HDPE bottles: 10 mL	8/13/2024
Fisher Diagnostics	ARCH PCT Ref CAL A JY6P22A-REF	LDPE Bottle: 4.42 mL	11/14/2024
Irvine Scientific	HH-4 Cell Culture Medium	Plastic bottle, 1 L, Drum, 200 L	2/24/2025
LGC	(LGC) Chemistry	Amber vial: 5 mL	8/7/2024
LGC—Dr. Ehrenstorfer	Cannabinoids Mixture 14832 100 µg/mL in Acetonitrile w/0.5% ammonia +0.2% Formic acid.	Amber ampule: 1 mL	4/12/2024
LGC—Dr. Ehrenstorfer	Custom Hormone Mixture 14910 100 µg/mL in methanol	Pack: 5 amber ampules x 1 mL	5/31/2024
LGC—Dr. Ehrenstorfer	Custom Pharmaceutical Mixture, 17331 100 µg/mL in Methanol	Box: 5 amber ampules, 1 mL each	2/18/2025
LGC Clinical Diagnostics, Inc	TDM1 ab Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ab Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ab Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ab Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ab Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ab WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db WrkBik level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt Bulk Level 1	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt Bulk Level 2	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt Bulk Level 3	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt Bulk Level 4	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt Bulk Level 5	Glass volumetric flask, 3200 mL	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt WrkBik Level 1	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301ab Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301au Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301bc Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301db Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301ri only Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301ri Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
LGC Clinical Diagnostics, Inc	VALIDATE® TDM Calibration Verification 301vt Test Set	Set: 5 LDPE Boston Round dropper bottles, 3.1 mL each.	9/5/2024
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Cutoff Calibrator, Ref #0293.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Low Calibrator, Ref #0292.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Calibrator, 6-Acetylmorphine, Negative Calibrator, Ref #0299.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, High Calibrator, Ref #0295.	Dropper bottle: 5 mL	11/3/2023

CHART I—Continued

Supplier name	Product name	Form	Application date
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Intermediate Calibrator, Ref #0294.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Level 1 Control, Ref #0297.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	6-Acetylmorphine DAU Control, 6-Acetylmorphine, Level 2 Control, Ref #0298.	Dropper bottle: 5 mL	11/3/2023
Lin-Zhi International	Fentanyl Control Set	Kit: 4 dropper bottles, 15 mL each	1/15/2025
Lipomed Inc	Etizolam (1 mg/mL)	Glass ampule: 1 mL	8/9/2023
Lipomed Inc	Flualprazolam (1 mg/mL)	Glass ampule: 1 mL	8/9/2023
Microgenics Corporation	Accuracy Solution Kit Catalog number: 10013070	Kit: 16 vial, 5 mL each; 1 vial, 60 mL; 2 vials, 10mL each.	2/25/2025
Microgenics Corporation	Alinity c Benzodiazepines Semiquant Calibrator Set, Catalog Number: 10027282/09P5202.	Kit: 4 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC I Controls, Catalog Number: 10024824/08 P6310	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC I Controls, Catalog Number: 10027284/08P6318	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC II Controls, Catalog Number: 10024825/08P6311	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC III Controls, Catalog Number: 10024826/08P6312	Kit: 2 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Calibrator Kit 2, Catalog Number: 10026533/08P6302.	Kit: 1 vial, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Low Calibrator Kit 1, Catalog Number: 10026529/08P6301.	Kit: 1 vial, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c DOA MC Semiquant Calibrator Kit, Catalog Number: 10026528/08P6303.	Kit: 4 vials, 2.9 mL	8/14/2024
Microgenics Corporation	Alinity c Tox Controls Kit, Catalog Number: 10024287/08P6810	Kit: 6 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Alinity c Tox Qual Calibrator Kit, Catalog Number: 10024823/09P6501	Kit: 6 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Alinity c Tox Semiquant Calibrator Kit, Catalog Number: 10026534/09P6502.	Kit: 6 vials, 2.9 mL each	8/14/2024
Microgenics Corporation	Architect DOA MC II Control Set, Catalog Number: 03L42–11	Kit: 4 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Architect DOA MC III Control Set, Catalog Number: 04P51–10	Kit: 2 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 1, Catalog Number: 6L36–01	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 2, Catalog Number: 6L36–02	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Calibrator 3, Catalog Number: 6L36–03	Kit: 1 vial. 5 mL	8/14/2024
Microgenics Corporation	Architect Tox Control, Catalog Number: 6L36–10	Kit: 6 vials, 5.0 mL each	8/14/2024
Microgenics Corporation	Buffer Pheno Reactantmt, Catalog number: 0232086	Plastic carboy: 50 L, 100 L	1/24/2025
Microgenics Corporation	Buffer Pheno Reaction, Catalog number: 10016999	Plastic carboy: 50 L, 100 L, 150 L	1/24/2025
Microgenics Corporation	Cal Mfg Amph/XTC F, Catalog number: 1255	Plastic bottle: 2 mL	2/21/2025
Microgenics Corporation	CEDIA Buprenorphine I Spike Solution, Catalog number: 1007967	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL, 250 mL, 500 mL	1/24/2025
Microgenics Corporation	CEDIA Multi-Drug Optional Controls, Catalog number: 100069	Kit: 4 Plastic Droppers, 5 mL each	12/17/2024
Microgenics Corporation	CEDIA Specialty Control Set, Catalog number: 1815440	Kit: 6 Plastic Droppers, 5 mL each	12/17/2024
Microgenics Corporation	DRI Fentanyl II Control	Kit: 4 Dropper vials, 10 mL each	3/4/2025
Microgenics Corporation	DRI Fentanyl II Cutoff Calibrator	Kit: 2 Dropper vials, 10 mL each	3/4/2025
Microgenics Corporation	DRI Oxazepam Spiking Solution, 1 mg/mL, Catalog number: 10007712	Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	DRI Oxycodone Spiking Solution, 100,000 ng/mL, Catalog number: 10008310.	Plastic or Glass bottle: 100mL	1/24/2025
Microgenics Corporation	MAS Benzoyllecgonine Soln, 1 mg/mL Catalog number: 432	Plastic or Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	MAS d-Methamphetamine Soln, 1 mg/mL Catalog number: 925	Plastic or Glass bottle: 4 mL	1/24/2025
Microgenics Corporation	MAS Nitrazepam Soln, 1 mg/mL Catalog number: 10013058	Plastic or Glass bottle: 25 mL	1/24/2025
Microgenics Corporation	MAS Omni CORE Level 1	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS Omni CORE Level 2	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS Omni CORE Level 3	Vial: 5 mL	3/21/2025
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 1, Catalog number: PTD1–1001.	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 2, Catalog number: PTD2–2002.	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control, Catalog number: PTD–S1.	Kit: 3 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS PCP Soln, 0.1 mg/mL Catalog number: 923	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL.	1/24/2025
Microgenics Corporation	MAST™ Omni-IMMUNE™ Max, Sample Pack, catalog number: OIMM–SP–R.	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-IMMUNE™ PRO Max, Sample Pack, catalog number: OPROM–SP–R.	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-CORE™ Max, Level 1, catalog number: OCRM–101	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-CORE™ Max, Level 2, Catalog number: OCRM–202	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-CORE™ Max, Level 3, catalog number: OCRM–303	Kit: 12 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-CORE™ Max, Sample Pack, catalog number: OCRM–SP	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	MAST™ Omni-CORE™ Max, Sample Pack, catalog number: OCRM–SP–R.	Kit: 3 PET bottles, 4 mL each	3/17/2025
Microgenics Corporation	Phenobarbital Cal 2, 5.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 3, 10.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 4, 20.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 5, 40.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Cal 6, 80.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Ctrl L1, 15.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital Ctrl L3, 50.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	TDM Core Serum Quantitation—Level 21, Catalog number: 10001615–L21.	Glass bottle: 250 mL, 500 mL	2/21/2025
Microgenics Corporation	Alinity c DOA MC I Controls	Kit: 4 Amber glass bottles, 5 mL each.	11/14/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Microgenics Corporation	Alinity c DOA MC II Controls	Kit: 4 Amber glass bottles, 5 mL each.	11/14/2024
Microgenics Corporation	Alinity c DOA MC III Controls	Kit: 2 Amber glass bottles, 5 mL each.	11/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Calibrator 2 Kit	1 Amber glass bottle, 2.9 mL	11/14/2024
Microgenics Corporation	Alinity c DOA MC Qual Low Calibrator 1 Kit	1 Amber glass bottle, 2.9 mL	11/14/2024
Microgenics Corporation	Alinity c DOA MC Semiquant Calibrator Kit	Kit: 4 Amber glass bottles, 2.9 mL each.	11/14/2024
Microgenics Corporation	Alinity c Phenobarbital Reagent Kit	Kit: 2 polypropylene bottles, 23.7 mL each, Kit: 2 polypropylene bottles, 9.3 mL each.	11/14/2024
Microgenics Corporation	Alinity c TDM Multiconstituent Calibrator	Kit: 6 Amber glass, 3 mL each	10/3/2024
Microgenics Corporation	Alinity c TDM Multiconstituent Calibrator Kit	Kit: 6 Amber glass bottles, 3.0 mL each.	11/14/2024
Microgenics Corporation	Alinity c Tox Qual Calibrators	Kit: 6 amber glass bottles, 2.9 mL each.	11/14/2024
Microgenics Corporation	Alinity c Tox Controls	Kit: 6 amber glass bottles, 5 mL each.	11/14/2024
Microgenics Corporation	Alinity c Tox Semiquant Calibrators	Kit: 6 amber glass bottles, 2.9 mL each.	11/14/2024
Microgenics Corporation	Alinity c Benzodiazepines Semiquant Calibrator Kit	Kit: 4 Amber glass bottles, 2.9 mL each.	11/14/2024
Microgenics Corporation	Amphetamines/Ecstasy Mfg Cal Open	LDPE bottle, 2 mL	1/31/2025
Microgenics Corporation	Buprenorphine B Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine C Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine D Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine E Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine F Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine G Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine H Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Buprenorphine Open Mfg Cal 1105 7400	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Cal Mfg Amph 20,000, Catalog number: 10007712	Plastic bottle: 2 mL	2/21/2025
Microgenics Corporation	Cal Opiate 1000ng BCI, Catalog number: 1603	Glass bottle: 1.6–8 L; Plastic Bottle: 10 L.	3/8/2025
Microgenics Corporation	Cal Opiate 300ng BCI, Catalog number: 1601	Glass bottle: 1.6–16 L; Plastic Bottle: 2–25 L.	3/8/2025
Microgenics Corporation	CEDIA Buprenorphine 20 ng/mL Calibrator, Catalog Number: 100243	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 5 ng/mL Calibrator, Catalog Number: 100242	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 50 ng/mL Calibrator, Catalog Number: 100244	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine 75 ng/mL Calibrator, Catalog Number: 100245	Kit: 1 Plastic Dropper, 5.0 mL	10/24/2024
Microgenics Corporation	CEDIA Buprenorphine Controls, Catalog Number: 100246	Kit: 4 Plastic droppers, 5 mL each	10/18/2024
Microgenics Corporation	CEDIA Methadone Spike Solution, Catalog number: 1000302	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL.	1/24/2025
Microgenics Corporation	CEDIA Multi-Drug Calibrator, Primary Clinical Cutoffs, Catalog Number: 1730401.	Kit: 1 Plastic Dropper, 5.0 mL	10/18/2024
Microgenics Corporation	CEDIA Multi-Drug Optional Cutoff Calibrator, Catalog Number: 100033	Kit: 1 Plastic Dropper, 5.0 mL	10/18/2024
Microgenics Corporation	Ctrl MD Clin Low AlqtdCtrl MD Clinical Hi Alqt, Catalog number: 10007727.	Glass bottle: 1.6–8 L; Plastic Bottle: 1–10 L.	3/8/2025
Microgenics Corporation	Ctrl MD Clinical Hi Alqt, Catalog number: 10007728	Glass bottle: 1.6–8 L; Plastic Bottle: 1–5 L.	3/8/2025
Microgenics Corporation	Ctrl MD High BCI, Catalog number: 1554	Glass bottle: 1.6–4 L	3/8/2025
Microgenics Corporation	Ctrl MD High Bulk BCI, Catalog number: 1596	Glass bottle: 1.6	3/8/2025
Microgenics Corporation	Ctrl MD Low BCI, Catalog number: 1552	Glass bottle: 1.6–4 L	3/8/2025
Microgenics Corporation	Ctrl MD Low Bulk BCI, Catalog number: 1590	Glass bottle: 1.6–4 L	3/8/2025
Microgenics Corporation	Ctrl Opiate 225ng BCI, Catalog number: 1605	Glass bottle: 1.6–36 L; Plastic Bottle: 4–25 L.	3/8/2025
Microgenics Corporation	Ctrl Opiate 375ng BCI, Catalog number: 1607	Glass bottle: 4–16 L; Plastic Bottle: 2–25 L.	3/8/2025
Microgenics Corporation	Daiichi Phenobarbital 16mg/mL Stock Solution	Bottle: 25 mL	3/17/2025
Microgenics Corporation	DAU Clinical High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L.	1/31/2025
Microgenics Corporation	DAU Clinical Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L, 25 L.	1/31/2025
Microgenics Corporation	DAU Primary High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, Plastic or Glass bottles, 5L, 10 L.	1/31/2025
Microgenics Corporation	DAU Primary Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 5L, 10 L, 20 L.	1/31/2025
Microgenics Corporation	DAU Select High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 10 L, 20 L, 25 L, 50 L, 100L.	1/31/2025
Microgenics Corporation	DAU Select Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 10 L, 20 L, 25 L, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	DAU Specialty High Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L.	1/31/2025

CHART I—Continued

Supplier name	Product name	Form	Application date
Microgenics Corporation	DAU Specialty Low Control Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L.	1/31/2025
Microgenics Corporation	DOA MC II Control Set	Kit: 4 amber glass bottles, 5.0 mL each.	11/14/2024
Microgenics Corporation	DOA MC III Control Set	Kit: 2 amber glass bottles, 5.0 mL each.	11/14/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Catalog Number: CHA-SP.	Kit: 3 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 1, Catalog Number: 10014150.	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 1, Catalog Number: CHA-1.	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 2, Catalog Number: 10014151.	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 2, Catalog Number: CHA-2.	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 3, Catalog Number: 10014152.	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Assayed Chemistry Control, Level 3, Catalog Number: CHA-3.	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Catalog Number: CHU-SP.	Kit: 3 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 1, Catalog Number: CHU-1.	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 2, Catalog Number: CHU-2.	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS ChemTRAK H Liquid Unassayed Chemistry Control, Level 3, Catalog Number: CHU-3.	Kit: 10 Glass vials, 15 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level 1, Catalog number: LIG-101	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level 2, Catalog number: LIG-202	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level 3, Catalog number: LIG-303	Kit: 6 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control Level Sample Pack, Catalog number: LIG-S1	Kit: 3 Glass vials, 5 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control, Level 1, Catalog number: 10013876	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control, Level 2, Catalog number: 10013877	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS Liquimmune Control, Level 3, Catalog number: 10013878	Kit: 6 Glass vials, 2 mL each	10/24/2024
Microgenics Corporation	MAS OMNI CORE II Catalog number: OCRL-SP	MAS OMNI CORE II Catalog number: OCRL-SP.	12/17/2024
Microgenics Corporation	MAS OMNI CORE II, Level 1, Catalog number: OCRL-101	MAS OMNI CORE II, Level 1, Catalog number: OCRL-101.	12/17/2024
Microgenics Corporation	MAS OMNI CORE II, Level 2, Catalog number: OCRL-202	MAS OMNI CORE II, Level 2, Catalog number: OCRL-202.	12/17/2024
Microgenics Corporation	MAS OMNI CORE II, Level 3, Catalog number: OCRL-303	MAS OMNI CORE II, Level 3, Catalog number: OCRL-303.	12/17/2024
Microgenics Corporation	MAS PAR TDM Liquid Assayed Therapeutic Drug Control Level 3, Catalog number: PTD3-3003.	Kit: 6 Glass vials, 5 mL each	12/17/2024
Microgenics Corporation	MAS TM Omni-CORE TM II, Sample Pack	Kit: 3 bottles, 5 mL each	1/10/2025
Microgenics Corporation	MGC MD Calibrator 1, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, Plastic or Glass bottles, 25 L.	1/31/2025
Microgenics Corporation	MGC MD Calibrator 2, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L.	1/31/2025
Microgenics Corporation	MGC MD Calibrator 3, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L	1/31/2025
Microgenics Corporation	MGC MD Calibrator 4, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L	1/31/2025
Microgenics Corporation	Multi-Drug High Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	Multi-Drug Intermediate Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	Multi-Drug Secondary C/O Cal	Kit: 50 bottles, 5 mL each	12/31/2024
Microgenics Corporation	Opiate Cal 150 ng/mL, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25L, 50 L.	1/31/2025
Microgenics Corporation	Opiate Cal 500 ng/mL, Bulk	Kit: Glass bottles, 1 L, 2 L, 5 L, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25L, 50 L.	1/31/2025
Microgenics Corporation	PHENO ANTI REAG BULK PKGD	Kit: HDPE bottles, 30 mL, 125 mL, 1L, 2L, 4L, 10L and 20L.	12/31/2024
Microgenics Corporation	Phenobarbital B Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital Ctrl L2, 30.0 µg/mL Catalog number: 10016300	Plastic bottle: 1 mL	2/21/2025
Microgenics Corporation	Phenobarbital D Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital E Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital F Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital G Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	Phenobarbital Open Mfg Cal	LDPE bottle, 2 mL	2/7/2025
Microgenics Corporation	QMS Phenobarbital Stock Solution (1000 µg/mL), Catalog number: 10016300-Stock Solution.	Glass bottle: 200 mL	3/8/2025
Microgenics Corporation	Soln Methaqualone, Catalog number: 439	Glass bottle: 20–50 mL, 50–95 mL	3/8/2025
Microgenics Corporation	Tox Calibrators 1	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Calibrators 2	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Calibrators 3	1 amber glass bottle, 5.0 mL	11/14/2024
Microgenics Corporation	Tox Controls	Kit: 6 amber glass bottles, 5.0 mL each.	11/14/2024
Microgenics Corporation	Phenobarbital C Mfg Cal	LDPE bottle, 2 mL	2/7/2025

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	000718A, 012905A, 055171A, 063438A, 068130A, 085316A, 121128A, 175711A, 192483A, 210253A, 217515A, 222244A, 248079A, 278646A, 325238A, 328497A, 354182A, 354246A, 355160A, 356320A, 363364A, 363757A, 380303A, 381668A, 387562A, 401037A, 408557A, 410499A, 415328A, 448496A, 449123A, 519251A, 519642A, 522376A, 547655A, 562034A, 570158A, 606065A, 622888A, 630470A, 639683A, 652305A, 653765A, 680431A, 680815A, 693633A, 694536A, 717152A, 721196A, 732369A, 741584A, 747266A, 747398A, 749408A, 755675A, 757987A, 771103A, 776617A, 783976A, 805349A, 811783A, 821798A, 828044A, 836281A, 836839A, 843676A, 844673A, 851522A, 851963A, 875122A, 884003A, 896624A, 907674A, 923237A, 928649A, 933498A, 954526A, 963965A, 965286A, 975329A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	022041A, 574144A, 776093A, 236866A, 667335A, 122300A, 133243A, 582814A, 173210A, 494903A, 403344A, 967534A, 817917A, 583104A, 518975A, 705565A, 636277A, 687871A, 354608A, 529775A, 609079A, 408846A, 180641A, 367613A, 178246A, 826532A, 070432A, 918305A, 059949A, 905904A, 562665A, 698231A, 360083A, 596067A, 119181A, 485205A, 165152A, 499182A, 288618A, 962800A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	029785A, 015754A, 316565A, 357398A, 548451A, 886582A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	061784A, 194339A, 189661A, 551819A, 381364A, 492408A, 557693A, 914673A, 506399A, 889764A, 736655A, 790061A, 338396A, 055599A, 989048A, 466735A, 222621A, 490757A, 387326A, 896586A, 904430A, 555683A, 366996A, 650610A, 864763A, 396490A, 803238A, 198380A, 235827A, 626634A, 526057A, 910204A, 355372A, 968095A, 596033A, 436973A, 607863A, 979842A, 178683A, 362016A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	064170B, 797653B, 412962B, 548217B, 244234B, 071176B, 184915B, 505167B, 168296B, 961418B, 143333B, 494612B, 061487B, 708316B, 969145B, 357095B, 325561B, 471657B, 142966B, 980261B, 689416B, 848926B, 736831B, 704297B, 574840B, 102054B, 120492B, 101697B, 487204B, 143294B, 211801B, 553318B, 598788B, 461245B, 899312B, 597506B, 636248B, 459922B, 434217B, 369407B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	071896A, 738698A, 162758A, 628867A, 485966A, 381895A, 486488A, 621115A, 100418A, 560467A, 537730A, 675123A, 302000A, 319176A, 122942A, 760650A, 422079A, 174856A, 516231A, 418328A, 180664A, 212094A, 691136A, 634187A, 798650A, 607468A, 933752A, 309685A, 973745A, 631714A, 484426A, 491991A, 039010A, 742449A, 505428A, 193660A, 397174A, 916101A, 277264A, 901788A, 095788A, 254808A, 470171A, 348584A, 676643A, 456184A, 626407A, 972550A, 644831A, 462616A, 210020A, 684161A, 603702A, 070193A, 184527A, 668781A, 744400A, 666110A, 869799A, 361660A, 727426A, 343086A, 967674A, 677496A, 052349A, 882438A, 531211A, 842107A, 397149A, 546613A, 950308A, 412178A, 148031A, 281006A, 233765A, 086849A, 964212A, 285036A, 706582A, 921651A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	088244A, 390852A, 767885A, 068525A, 255935A, 846250A, 735591A, 067657A, 906645A, 344553A, 263553A, 049657A, 060644A, 266076A, 674966A, 604279A, 800523A, 880495A, 256229A, 151789A, 521263A, 054872A, 807716A, 195465A, 629169A, 871819A, 372792A, 563962A, 327922A, 906703A, 794153A, 909053A, 677432A, 076545A, 271267A, 832254A, 339266A, 673154A, 760846A, 010754A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	094116B, 293300B, 711918B, 206702B, 058773B, 086865B, 859092B, 083172B, 320107B, 511768B, 078198B, 224757B, 638817B, 102171B, 968285B, 061343B, 282275B, 108203B, 488884B, 565575B, 515142B, 872876B, 541620B, 392714B, 647098B, 545687B, 947015B, 763686B, 240956B, 720157B, 371719B, 729849B, 517531B, 866969B, 926288B, 829944B, 029886B, 476293B, 388676B, 377654B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	119744B, 714619B, 617906B, 078526B, 545726B, 250445B, 023941B, 669653B, 450929B, 509333B, 765443B, 712504B, 746026B, 447405B, 282374B, 811202B, 027897B, 769393B, 850309B, 299596B, 155578B, 976835B, 568749B, 539185B, 591920B, 046272B, 974647B, 739331B, 779324B, 199132B, 874402B, 501559B, 707448B, 365793B, 014371B, 153174B, 194481B, 738028B, 702873B, 430691B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–137–1	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program.	12666–137–2	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program.	12666–137–3	HDPE vial: 3 mL	8/30/2024
National Laboratory Certification Program.	12666–137–4	HDPE vial: 3 mL	8/30/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	12666–138–50116	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50117	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50118	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50119	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50120	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50121	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50122	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50123	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50124	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50125	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50126	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	12666–138–50127	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	143577B, 799259B, 093385B, 121120B, 438445B, 471889B, 991482B, 560436B, 836494B, 539974B, 924798B, 514778B, 641654B, 147648B, 152331B, 356699B, 570667B, 965507B, 901785B, 135162B, 059452B, 256002B, 760044B, 734275B, 176441B, 684137B, 992293B, 874538B, 264824B, 926899B, 213753B, 760096B, 067995B, 508265B, 024058B, 036096B, 853550B, 353999B, 344790B, 319449B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	195240A, 583132A, 798201A, 354003A, 343313A, 456082A, 295619A, 262262A, 551488A, 638235A, 261743A, 659970A, 452715A, 644740A, 262302A, 546894A, 266208A, 992334A, 011117A, 291553A, 382182A, 652636A, 810757A, 493373A, 837686A, 270696A, 005147A, 694928A, 685113A, 857447A, 877303A, 098929A, 724951A, 811385A, 929113A, 056468A, 415085A, 280862A, 311761A, 875578A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	199520A, 094981A, 322415A, 856139A, 431145A, 659912A, 942470A, 926998A, 452327A, 623295A, 382796A, 295745A, 929287A, 756595A, 124067A, 709458A, 468807A, 865610A, 636066A, 508274A, 441193A, 647996A, 007783A, 732696A, 766812A, 101606A, 188098A, 250596A, 723373A, 331958A, 655064A, 146544A, 065838A, 921011A, 103522A, 860803A, 933625A, 420134A, 343593A, 062577A, 292077A, 235404A, 541106A, 551787A, 570886A, 425638A, 075016A, 576222A, 759335A, 675646A, 541882A, 118515A, 019289A, 174413A, 374752A, 503427A, 536203A, 775106A, 598921A, 906865A, 473428A, 230039A, 796412A, 789095A, 884553A, 538050A, 557987A, 225378A, 399430A, 673730A, 433914A, 616604A, 047330A, 594539A, 086065A, 051332A, 723643A, 099292A, 867669A, 862270A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	205692A, 947645A, 561795A, 868710A, 895563A, 311983A, 684123A, 577895A, 677176A, 085339A, 451281A, 600437A, 095991A, 120950A, 212630A, 182631A, 133511A, 494828A, 116226A, 438460A, 879618A, 549558A, 963202A, 066725A, 127635A, 966618A, 461241A, 141443A, 061160A, 443286A, 852760A, 653120A, 636117A, 281034A, 249657A, 465677A, 324641A, 835960A, 039915A, 582170A, 032940A, 506950A, 629038A, 578845A, 668140A, 120799A, 656572A, 203936A, 759329A, 252866A, 214259A, 930199A, 693853A, 975852A, 814744A, 595529A, 435299A, 472832A, 060720A, 992323A, 492399A, 847678A, 658737A, 537709A, 547528A, 434153A, 764180A, 512856A, 736913A, 161889A, 846940A, 131176A, 453625A, 391821A, 037501A, 908110A, 213626A, 649773A, 775467A, 943366A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	208697A, 958664A, 665411A, 525201A, 944352A, 317706A, 076997A, 789313A, 039045A, 518163A, 874328A, 707605A, 981698A, 337020A, 789572A, 651667A, 165169A, 169817A, 150597A, 846114A, 978071A, 009046A, 193892A, 329614A, 397050A, 733497A, 061486A, 560885A, 911337A, 063750A, 516680A, 795600A, 193172A, 366754A, 093631A, 221085A, 565141A, 302113A, 857199A, 335331A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	213539B, 849833B, 736932B, 269990B, 559402B, 151254B, 573727B, 706633B, 918997B, 928989B, 639569B, 415429B, 924360B, 655446B, 606345B, 042867B, 076302B, 658286B, 324872B, 756652B, 358497B, 697763B, 486870B, 685073B, 968034B, 794563B, 316013B, 640387B, 994323B, 946440B, 819193B, 637565B, 085291B, 310301B, 251180B, 820740B, 581333B, 824906B, 519913B, 063500B.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	216598B, 511557B, 129873B, 984529B, 791433B, 910329B, 215984B, 919950B, 545898B, 464547B, 425834B, 741229B, 046563B, 867100B, 086018B, 357686B, 514656B, 275065B, 526444B, 654570B, 013035B, 508619B, 408970B, 415631B, 849142B, 248594B, 985171B, 908129B, 059598B, 448175B, 924282B, 643199B, 362562B, 807526B, 247387B, 285719B, 053769B, 153415B, 052574B, 052922B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	220918A, 801943A, 058750A, 057923A, 173734A, 848934A, 027801A, 251961A, 952140A, 244386A, 865185A, 548476A, 757993A, 388102A, 642628A, 380665A, 964586A, 978731A, 068770A, 438998A, 748624A, 238146A, 373755A, 701857A, 383049A, 648224A, 139929A, 516257A, 147923A, 077702A, 600061A, 736555A, 142864A, 394947A, 824932A, 934376A, 692499A, 377413A, 634076A, 283111A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	234633B, 063632B, 042542B, 415938B, 423019B, 481728B, 164443B, 043122B, 182585B, 942405B, 599964B, 833373B, 654815B, 989848B, 234123B, 434914B, 591198B, 139151B, 655393B, 160632B, 601388B, 598847B, 361333B, 997285B, 368094B, 221654B, 178107B, 270868B, 910224B, 295255B, 719350B, 101064B, 835606B, 264147B, 304977B, 135684B, 565253B, 640734B, 732726B, 732057B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	234841A, 686901A, 497014A, 584045A, 135220A, 031423A, 135199A, 287937A, 510562A, 618064A, 824570A, 523425A, 492133A, 678635A, 886050A, 056382A, 849263A, 439797A, 801458A, 634414A, 451369A, 021709A, 852517A, 050423A, 193273A, 434154A, 205976A, 292909A, 111547A, 588991A, 495191A, 728492A, 894995A, 672391A, 239398A, 536999A, 718102A, 303526A, 504703A, 356615A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	235226A, 031501A, 908819A, 667349A, 240456A, 553253A, 262737A, 476080A, 697307A, 782987A, 360488A, 459877A, 244962A, 459785A, 244595A, 180257A, 696614A, 584291A, 853534A, 134309A, 002583A, 727444A, 424460A, 234159A, 685630A, 830219A, 617429A, 800499A, 205237A, 996549A, 004901A, 719589A, 997721A, 980196A, 476463A, 078158A, 244578A, 108081A, 757403A, 170063A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	238827A, 713504A, 334914A, 738751A, 304789A, 690442A, 534737A, 739550A, 359253A, 049100A, 807777A, 493363A, 078776A, 220749A, 757113A, 831970A, 255711A, 156692A, 959464A, 652661A, 652377A, 978738A, 814437A, 408037A, 842941A, 363931A, 270858A, 843299A, 225213A, 151466A, 833355A, 526739A, 382514A, 801679A, 874345A, 123168A, 847772A, 712155A, 387484A, 771334A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	248102B, 225880B, 991115B, 564129B, 801575B, 351367B, 167845B, 274621B, 935230B, 492227B, 821096B, 256953B, 164998B, 936724B, 266692B, 505693B, 213378B, 598379B, 706366B, 395035B, 485667B, 500569B, 434517B, 293429B, 218660B, 991321B, 166433B, 447133B, 159166B, 253134B, 695451B, 205553B, 438265B, 997389B, 407101B, 390643B, 429460B, 102719B, 258239B, 081403B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	251317A, 085429A, 631672A, 567133A, 160346A, 571038A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	267445B, 083600B, 270242B, 080350B, 189119B, 460788B, 321596B, 389795B, 142499B, 263158B, 869786B, 481704B, 417703B, 996614B, 901544B, 823781B, 913995B, 272803B, 329979B, 730982B, 269804B, 561411B, 181191B, 999602B, 030439B, 606741B, 952469B, 894968B, 409934B, 422201B, 252076B, 151145B, 195376B, 005113B, 302961B, 648446B, 346220B, 993603B, 284039B, 659901B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	269236B, 635539B, 645427B, 598623B, 565834B, 412129B, 064548B, 422262B, 966190B, 948255B, 892986B, 201068B, 595557B, 163589B, 382191B, 879855B, 992157B, 159473B, 351375B, 345887B, 019611B, 447783B, 122839B, 515141B, 994305B, 097267B, 651778B, 239079B, 463034B, 050232B, 623767B, 198710B, 758350B, 729010B, 898522B, 562481B, 885074B, 477698B, 800906B, 486195B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	270273A, 920402A, 898537A, 525995A, 074757A, 533870A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	280225B, 903186B, 515891B, 703161B, 536950B, 987785B, 599297B, 121517B, 155176B, 251861B, 411589B, 284451B, 435991B, 291044B, 956274B, 118987B, 215969B, 906209B, 488138B, 395963B, 954769B, 942414B, 154061B, 088409B, 236936B, 361460B, 110573B, 674298B, 538435B, 944128B, 197648B, 486630B, 121170B, 581820B, 969606B, 815833B, 043957B, 567342B, 837642B, 148438B.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	305205A, 924568A, 574861A, 091545A, 222641A, 507037A, 378915A, 799350A, 078648A, 607260A, 871950A, 298947A, 151508A, 375433A, 248263A, 325842A, 654744A, 368993A, 881677A, 528635A, 772325A, 552937A, 017415A, 672532A, 299078A, 707245A, 261816A, 510831A, 052007A, 680106A, 845519A, 704455A, 899343A, 174600A, 008652A, 392481A, 474155A, 718700A, 014954A, 574000A, 931359A, 141795A, 665919A, 812384A, 374834A, 403003A, 124868A, 396697A, 575804A, 726119A, 705250A, 194106A, 455846A, 166203A, 079705A, 305892A, 807980A, 818027A, 409846A, 642986A, 845322A, 197358A, 277002A, 987619A, 492911A, 521358A, 461204A, 424404A, 431784A, 692158A, 912640A, 677616A, 140328A, 741009A, 624048A, 635483A, 248738A, 044302A, 292856A, 693807A, 644946A, 170313A, 116077A, 445331A, 410936A, 452272A, 520942A, 839348A, 587861A, 364866A, 941560A, 505146A, 814148A, 556418A, 653915A, 391647A, 497705A, 131588A, 914101A, 545108A, 174717A, 452072A, 826421A, 052530A, 354363A, 851170A, 569432A, 675213A, 109726A, 967708A, 777433A, 216538A, 006246A, 101764A, 184261A, 078429A, 366075A, 378232A, 242676A, 333276A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	328318B, 658418B, 741696B, 483925B, 717800B, 599516B, 682981B, 429666B, 673499B, 741103B, 405827B, 156681B, 460238B, 144499B, 776102B, 137370B, 411010B, 003508B, 422392B, 772293B, 386378B, 695642B, 766665B, 613922B, 977632B, 457684B, 709248B, 917255B, 904298B, 805678B, 416272B, 923565B, 799115B, 108259B, 310564B, 390011B, 004897B, 825167B, 605563B, 296176B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	330134B, 820997B, 972709B, 093910B, 168744B, 126626B, 919252B, 615375B, 112889B, 792519B, 856940B, 878648B, 417834B, 725101B, 031429B, 050628B, 221525B, 845524B, 094572B, 666403B, 818434B, 332692B, 672222B, 794075B, 358298B, 431858B, 523348B, 144518B, 231695B, 735019B, 947530B, 532648B, 458327B, 652951B, 322233B, 048270B, 550195B, 486311B, 358118B, 344962B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	338071B, 064825B, 805660B, 283460B, 114780B, 793452B, 706960B, 890744B, 793780B, 738817B, 891721B, 317564B, 433943B, 706984B, 623035B, 438792B, 232976B, 613841B, 047895B, 317928B, 355230B, 285377B, 548584B, 893246B, 113285B, 765228B, 792518B, 747696B, 682245B, 319987B, 496399B, 565573B, 897469B, 929907B, 879616B, 395623B, 092927B, 044458B, 181085B, 885669B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	339271A, 017612A, 072852A, 427340A, 237442A, 826714A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	344382A, 899856A, 610378A, 363819A, 536531A, 989518A, 573298A, 705158A, 520485A, 579396A, 225383A, 771170A, 380225A, 567161A, 609254A, 321306A, 404053A, 597933A, 428386A, 933764A, 940596A, 612222A, 694392A, 300298A, 271961A, 916008A, 830416A, 849047A, 021941A, 770126A, 726795A, 734216A, 069719A, 521375A, 043524A, 583734A, 989067A, 061255A, 858801A, 415302A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	354167B, 139880B, 207844B, 451329B, 239294B, 890966B, 039273B, 423270B, 095815B, 810080B, 836308B, 009969B, 862462B, 814488B, 106875B, 290350B, 411496B, 843550B, 079168B, 749199B, 058112B, 569820B, 922487B, 606779B, 512065B, 277793B, 682131B, 804816B, 010978B, 517970B, 402366B, 904445B, 680250B, 421326B, 799045B, 796423B, 038045B, 744598B, 789740B, 697653B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	364237A, 871321A, 155458A, 189540A, 916154A, 020376A, 993918A, 844746A, 926890A, 770022A, 200113A, 040014A, 089368A, 968372A, 329202A, 050769A, 917538A, 295716A, 851668A, 778593A, 555590A, 782957A, 779770A, 821202A, 814435A, 329225A, 836964A, 410732A, 103053A, 388991A, 083442A, 181350A, 002351A, 303657A, 641302A, 206431A, 168599A, 101381A, 472444A, 929958A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	382083A, 948773A, 174246A, 776054A, 374081A, 599225A, 731417A, 171365A, 577048A, 547689A, 498920A, 006523A, 159494A, 606309A, 137721A, 943041A, 914381A, 856018A, 702053A, 795801A, 166847A, 388556A, 285142A, 629136A, 309282A, 632165A, 127284A, 160923A, 152888A, 443335A, 926664A, 531138A, 219567A, 991768A, 570469A, 852567A, 525996A, 456480A, 108337A, 960380A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	384063A, 976238A, 065225A, 033858A, 473112A, 219016A, 735286A, 331560A, 237453A, 193219A, 766123A, 815704A, 131597A, 403310A, 733319A, 004090A, 527923A, 774704A, 315910A, 289536A, 131899A, 527435A, 060560A, 556475A, 734940A, 152244A, 044790A, 363907A, 275190A, 752752A, 457237A, 206422A, 069371A, 036353A, 524930A, 010022A, 880633A, 302292A, 780678A, 724207A.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	385024A, 606281A, 617225A, 685513A, 366326A, 662075A, 067365A, 363029A, 286531A, 005660A, 406841A, 640466A, 352344A, 872410A, 432043A, 210970A, 708388A, 822163A, 991662A, 542942A, 584902A, 008437A, 720057A, 000348A, 369267A, 300435A, 458210A, 222047A, 612432A, 939739A, 672761A, 979645A, 328975A, 846179A, 206349A, 955517A, 040481A, 628774A, 268944A, 373463A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	389504B, 038684B, 403905B, 449522B, 418600B, 658956B, 749112B, 077442B, 443505B, 435959B, 870866B, 534579B, 171892B, 409215B, 879375B, 132613B, 419578B, 027363B, 651179B, 389971B, 681629B, 321616B, 992641B, 361204B, 858597B, 038408B, 688320B, 777651B, 148862B, 904981B, 053631B, 233527B, 192479B, 520014B, 194085B, 486558B, 549414B, 478068B, 404311B, 513466B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	395466A, 273290A, 856456A, 297857A, 640702A, 420026A, 973661A, 615561A, 560322A, 600718A, 267904A, 735140A, 091660A, 210641A, 159028A, 536278A, 850022A, 194060A, 067268A, 244651A, 958214A, 820854A, 744431A, 793155A, 886676A, 033108A, 965182A, 799207A, 711401A, 075680A, 610688A, 541866A, 747074A, 252805A, 035131A, 770217A, 869817A, 585298A, 972655A, 649192A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	396686A, 937563A, 562704A, 290552A, 280994A, 280286A, 276604A, 082758A, 144999A, 020516A, 279188A, 691263A, 832556A, 552096A, 961012A, 957415A, 789968A, 695966A, 129925A, 922385A, 320230A, 498902A, 827692A, 952114A, 933762A, 245039A, 080778A, 991785A, 443845A, 671541A, 799781A, 540787A, 797074A, 015920A, 351471A, 852391A, 842353A, 013274A, 777556A, 441133A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	405664A, 067437A, 418938A, 852121A, 563445A, 781129A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	409383A, 137119A, 369769A, 552199A, 377041A, 090118A, 545765A, 082758A, 291679A, 544938A, 339392A, 832733A, 175369A, 342327A, 671066A, 987026A, 267761A, 628130A, 339855A, 391502A, 902020A, 072481A, 339265A, 193979A, 538995A, 349770A, 446543A, 555868A, 924272A, 096791A, 206861A, 760519A, 019384A, 468732A, 063049A, 851716A, 248011A, 556284A, 795677A, 224152A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	410082A, 055080A, 051735A, 492193A, 033125A, 735417A, 182197A, 811543A, 387382A, 806305A, 771328A, 411813A, 005198A, 313322A, 607871A, 570613A, 569554A, 996975A, 194891A, 952288A, 484655A, 694372A, 871528A, 843098A, 532148A, 445605A, 926855A, 746240A, 586515A, 824569A, 412960A, 098009A, 713503A, 533029A, 444866A, 028764A, 770443A, 239106A, 169593A, 026052A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	415752A, 648968A, 168572A, 758495A, 812285A, 276780A, 349725A, 214936A, 925237A, 404054A, 669061A, 823300A, 431947A, 290548A, 136299A, 780514A, 740748A, 353440A, 551563A, 672474A, 541532A, 662655A, 838311A, 321958A, 768519A, 330339A, 561711A, 192270A, 758266A, 637111A, 407222A, 130090A, 469728A, 055908A, 092031A, 641185A, 382345A, 017475A, 227121A, 423638A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	421599A, 718906A, 805113A, 970351A, 947287A, 797855A, 760376A, 508768A, 072847A, 542771A, 269239A, 309836A, 521692A, 700912A, 867476A, 121163A, 550904A, 877894A, 512214A, 648986A, 566575A, 945969A, 809178A, 465352A, 578983A, 429305A, 075420A, 934144A, 743027A, 127186A, 894657A, 027427A, 408971A, 264669A, 439592A, 134808A, 596992A, 924033A, 742016A, 398226A, 416854A, 359146A, 426284A, 906877A, 577758A, 489967A, 791391A, 942962A, 944837A, 207742A, 567127A, 900851A, 326456A, 776087A, 543415A, 021952A, 075598A, 586760A, 167094A, 087383A, 602718A, 235254A, 690452A, 732872A, 318451A, 645834A, 477632A, 479481A, 927358A, 252565A, 444806A, 848110A, 397866A, 585429A, 922038A, 971378A, 982884A, 519992A, 494966A, 931262A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	433237A, 443175A, 138062A, 200301A, 358944A, 142559A, 397578A, 253912A, 246761A, 318617A, 180175A, 000519A, 055378A, 899834A, 645198A, 359930A, 172363A, 806018A, 827025A, 374474A, 892580A, 598073A, 196699A, 000806A, 720081A, 057715A, 231785A, 073149A, 830336A, 745368A, 645353A, 767710A, 845341A, 500728A, 260425A, 979247A, 241846A, 289766A, 761019A, 529824A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	445689A, 059226A, 720400A, 156603A, 392846A, 867132A, 767469A, 277340A, 479810A, 379555A, 773287A, 330400A, 527790A, 857861A, 966960A, 317125A, 859992A, 726599A, 406081A, 522045A, 677873A, 809605A, 476493A, 331305A, 621271A, 759189A, 414311A, 900920A, 989788A, 210404A, 528174A, 879809A, 324506A, 904980A, 551185A, 085143A, 543418A, 247277A, 532448A, 621985A.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	453164A, 625024A, 750548A, 722931A, 759883A, 786365A, 724878A, 162605A, 393428A, 341180A, 842084A, 524094A, 321298A, 893449A, 622920A, 999487A, 877122A, 846862A, 582923A, 607833A, 420011A, 324266A, 234165A, 363482A, 057365A, 060485A, 062471A, 538556A, 954046A, 763566A, 074558A, 474845A, 165851A, 604880A, 202782A, 180142A, 935828A, 486891A, 673971A, 858392A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	457290A, 585133A, 621255A, 963013A, 522378A, 801211A, 626932A, 808133A, 106640A, 813489A, 916421A, 953739A, 041734A, 549715A, 236713A, 428672A, 691182A, 363319A, 689184A, 950763A, 490461A, 191244A, 221267A, 805428A, 720265A, 616941A, 305242A, 402272A, 696783A, 582560A, 162319A, 104781A, 416225A, 355989A, 009091A, 845116A, 755383A, 028025A, 909347A, 500865A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	459223A, 103080A, 988769A, 783475A, 528828A, 544224A, 900556A, 471477A, 277751A, 083259A, 574350A, 815550A, 267293A, 835306A, 101375A, 604918A, 390113A, 900872A, 775907A, 519167A, 525951A, 539726A, 843758A, 173733A, 576569A, 699878A, 165852A, 448926A, 531381A, 750173A, 302833A, 844290A, 878986A, 247973A, 732125A, 609241A, 343479A, 228751A, 632608A, 567028A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	465370A, 190044A, 676072A, 335926A, 771391A, 178103A, 569709A, 196142A, 915781A, 871922A, 655563A, 006333A, 105904A, 565820A, 747246A, 043535A, 888489A, 569907A, 504211A, 777489A, 237612A, 465013A, 756475A, 182322A, 332255A, 473681A, 454528A, 245209A, 271257A, 554078A, 787801A, 735918A, 261097A, 413922A, 579318A, 357350A, 069155A, 766655A, 558174A, 558018A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	465821B, 303354B, 926227B, 866606B, 949407B, 918032B, 236577B, 347183B, 901037B, 530254B, 087840B, 319781B, 145109B, 110905B, 081642B, 910018B, 720403B, 759992B, 576347B, 420063B, 415362B, 919092B, 365273B, 615675B, 908858B, 381318B, 218080B, 859879B, 840017B, 142331B, 397666B, 026523B, 131357B, 096982B, 990436B, 937660B, 885097B, 356935B, 649588B, 055631B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	490805B, 040895B, 735510B, 966157B, 408532B, 177631B, 765818B, 634285B, 596135B, 270304B, 975809B, 545079B, 664832B, 455754B, 994109B, 478592B, 292327B, 127720B, 054527B, 463950B, 727844B, 568843B, 567483B, 771869B, 504841B, 384676B, 567566B, 578866B, 857073B, 492772B, 859722B, 944543B, 209488B, 683911B, 848327B, 034485B, 153926B, 046872B, 615712B, 738030B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	496885A, 467575A, 208577A, 114727A, 684697A, 292847A, 911893A, 046896A, 683861A, 568333A, 867863A, 371044A, 496345A, 210848A, 323358A, 153856A, 671328A, 203743A, 105905A, 747934A, 397312A, 841675A, 353211A, 597469A, 997060A, 025955A, 574141A, 875416A, 524182A, 255027A, 440852A, 575555A, 044159A, 577027A, 477220A, 442452A, 361751A, 001067A, 212923A, 340312A, 793122A, 257484A, 089407A, 797381A, 055325A, 649946A, 739048A, 368191A, 921125A, 128338A, 417194A, 442164A, 092424A, 002362A, 952157A, 129750A, 656900A, 204748A, 215117A, 647760A, 275061A, 177307A, 271090A, 268068A, 213765A, 265318A, 363540A, 915824A, 839471A, 663935A, 196876A, 000096A, 889022A, 238958A, 929991A, 473051A, 676899A, 103540A, 108199A, 632206A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	497439A, 516906A, 490240A, 196978A, 095838A, 947798A, 980911A, 489751A, 017095A, 470486A, 025281A, 514506A, 231063A, 912132A, 152093A, 594069A, 547300A, 415707A, 269944A, 303175A, 953226A, 525601A, 920349A, 203781A, 427155A, 804957A, 872149A, 518322A, 761128A, 176828A, 272806A, 877542A, 494060A, 418604A, 311756A, 415948A, 080398A, 788865A, 464873A, 454030A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	516260B, 734096B, 718735B, 955813B, 541796B, 272103B, 634517B, 898179B, 517235B, 154309B, 772462B, 049803B, 467731B, 010009B, 809809B, 033437B, 950356B, 387136B, 646263B, 798961B, 272989B, 044963B, 156784B, 776672B, 628922B, 251129B, 073204B, 752102B, 434713B, 585583B, 622419B, 687017B, 463557B, 237783B, 702543B, 559441B, 266690B, 231125B, 532160B, 940774B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	522897A, 961598A, 182080A, 952431A, 788220A, 611599A, 424155A, 605745A, 250728A, 184777A, 569227A, 929830A, 917292A, 863394A, 766135A, 307740A, 736801A, 421620A, 068907A, 918600A, 883631A, 801946A, 517743A, 930706A, 344533A, 923348A, 413974A, 585433A, 965939A, 650417A, 472617A, 075207A, 267124A, 383401A, 214216A, 497242A, 846449A, 534068A, 659020A, 802859A.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	523925A, 467152A, 069674A, 343150A, 083404A, 914828A, 797309A, 205943A, 541453A, 303036A, 695585A, 967368A, 376600A, 841285A, 094737A, 113806A, 919087A, 507535A, 492826A, 632144A, 291300A, 905692A, 214599A, 091097A, 834755A, 116161A, 363422A, 330163A, 047562A, 859024A, 045949A, 955634A, 194833A, 847751A, 110501A, 051328A, 343223A, 953926A, 036549A, 727064A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	537084A, 170561A, 622141A, 725545A, 603023A, 251970A, 775159A, 071056A, 819475A, 626210A, 393137A, 953491A, 368050A, 985675A, 073904A, 946734A, 904085A, 704025A, 819561A, 840009A, 638237A, 775499A, 515364A, 504751A, 805251A, 105445A, 790574A, 496222A, 664114A, 919263A, 464192A, 389926A, 754882A, 383464A, 382863A, 995784A, 435966A, 139303A, 592564A, 414435A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	563063A, 043319A, 523760A, 187184A, 907164A, 656370A, 624273A, 357032A, 071854A, 166195A, 104361A, 087452A, 242488A, 739548A, 929511A, 505407A, 924819A, 090574A, 672713A, 154407A, 664422A, 514252A, 015881A, 197947A, 934315A, 579156A, 419132A, 933738A, 952162A, 797221A, 302093A, 411934A, 920288A, 190412A, 895805A, 520302A, 309826A, 009602A, 255467A, 517094A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	563532A, 705550A, 610240A, 861710A, 836164A, 561580A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	563846A, 602975A, 874362A, 798040A, 925071A, 615346A, 544372A, 435116A, 742733A, 175864A, 665713A, 869490A, 825735A, 679083A, 886070A, 862060A, 962423A, 626414A, 977493A, 910027A, 336213A, 090720A, 362106A, 245813A, 888988A, 953008A, 937363A, 728382A, 774520A, 753309A, 980968A, 748703A, 474826A, 863568A, 788165A, 025921A, 474100A, 356664A, 912178A, 626573A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	579454A, 290031A, 835514A, 492957A, 772621A, 787390A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	582298B, 781988B, 153566B, 853318B, 506120B, 527710B, 329414B, 496296B, 335104B, 012775B, 736358B, 597101B, 918135B, 073054B, 104048B, 267021B, 980207B, 228292B, 926426B, 100208B, 608757B, 327445B, 381564B, 389253B, 043905B, 775986B, 414042B, 604407B, 418082B, 471849B, 370957B, 204332B, 103377B, 229347B, 792140B, 572362B, 098139B, 350358B, 179431B, 023912B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	589100B, 856381B, 810293B, 725251B, 464908B, 464928B, 073186B, 008493B, 115895B, 279910B, 007433B, 507434B, 733259B, 799345B, 472500B, 290914B, 212083B, 593112B, 150101B, 828096B, 220366B, 724674B, 726382B, 117565B, 614319B, 550047B, 507725B, 971857B, 668220B, 858424B, 370318B, 192464B, 400271B, 055457B, 747119B, 818560B, 610242B, 633967B, 095571B, 388220B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	609902A, 546534A, 889953A, 810424A, 781323A, 149638A, 983466A, 025814A, 311924A, 155935A, 705258A, 429274A, 047130A, 536853A, 857741A, 338288A, 753952A, 505078A, 045168A, 810225A, 232977A, 659437A, 408353A, 201999A, 950563A, 259899A, 385723A, 376260A, 869580A, 377619A, 033385A, 776776A, 935691A, 378058A, 579569A, 186212A, 961008A, 220933A, 767887A, 111721A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	611862B, 382729B, 399562B, 212228B, 845729B, 811612B, 710275B, 115257B, 085650B, 054776B, 195410B, 725018B, 818494B, 709075B, 735297B, 080303B, 687405B, 855660B, 421334B, 840784B, 787495B, 579225B, 952700B, 451180B, 485824B, 226145B, 799020B, 390372B, 000587B, 574668B, 017184B, 843794B, 679202B, 613408B, 239659B, 890707B, 728272B, 489418B, 525592B, 066349B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	632952A, 048631A, 422336A, 115270A, 078787A, 440137A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	638508B, 454250B, 846395B, 992883B, 776828B, 439894B, 028356B, 830554B, 428473B, 254217B, 749079B, 250607B, 907591B, 112925B, 911019B, 467147B, 458258B, 466617B, 330022B, 591107B, 417321B, 573826B, 531087B, 625198B, 541976B, 292984B, 974554B, 775432B, 408585B, 969286B, 141510B, 647523B, 829921B, 898650B, 787906B, 246056B, 879460B, 415453B, 953930B, 375142B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	648454B, 727008B, 951124B, 133287B, 558627B, 406406B, 339659B, 780360B, 310280B, 213575B, 021272B, 366564B, 361151B, 465756B, 896803B, 608505B, 017120B, 999497B, 604125B, 745406B, 249450B, 542417B, 879896B, 782232B, 897791B, 677082B, 274900B, 808551B, 125879B, 945822B, 375479B, 033167B, 358898B, 289869B, 933725B, 551836B, 982591B, 654020B, 894882B, 467723B.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	653229A, 669672A, 864663A, 592926A, 833276A, 979812A, 680496A, 458571A, 456875A, 719828A, 579306A, 676149A, 878564A, 813188A, 329353A, 934653A, 104833A, 676090A, 074352A, 007431A, 639482A, 013896A, 106965A, 471703A, 999057A, 827276A, 293572A, 323327A, 013878A, 956847A, 134887A, 733723A, 007798A, 605732A, 429964A, 109462A, 227541A, 959374A, 061737A, 511938A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	666586A, 180120A, 884805A, 122475A, 556659A, 326966A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	673073A, 208756A, 758401A, 482749A, 857169A, 096721A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	681057A, 338579A, 942716A, 882314A, 888456A, 693124A, 648839A, 618305A, 588590A, 587551A, 026677A, 265340A, 777370A, 476633A, 146657A, 315994A, 741585A, 107867A, 521815A, 650879A, 191502A, 737163A, 584247A, 326399A, 920620A, 083015A, 260235A, 425876A, 224461A, 391818A, 622174A, 131829A, 519954A, 954067A, 563190A, 394804A, 453034A, 208313A, 468748A, 960312A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	690418A, 012867A, 370298A, 649445A, 956073A, 221355A, 158685A, 031057A, 966613A, 190677A, 464198A, 558355A, 340350A, 167284A, 021561A, 088956A, 576129A, 948243A, 068106A, 882125A, 052761A, 338949A, 664793A, 929028A, 678775A, 598808A, 370837A, 610746A, 097456A, 372354A, 106371A, 278934A, 338257A, 289330A, 524353A, 847750A, 437913A, 560057A, 180882A, 709537A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	707841A, 186776A, 358509A, 614227A, 892846A, 924361A, 273103A, 801357A, 456701A, 065962A, 346229A, 867447A, 050342A, 474661A, 065346A, 427716A, 334331A, 285760A, 111876A, 241391A, 019606A, 528376A, 022340A, 386743A, 602374A, 226852A, 417929A, 274904A, 933304A, 760206A, 600592A, 290178A, 566965A, 049971A, 475058A, 188093A, 040181A, 137745A, 369345A, 614453A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	715040B, 437724B, 781092B, 106740B, 579956B, 005922B, 020086B, 287145B, 411358B, 946769B, 162062B, 834037B, 119231B, 156248B, 262813B, 407916B, 193631B, 909761B, 521442B, 144510B, 369337B, 763841B, 890413B, 611046B, 813885B, 649347B, 192093B, 705956B, 614146B, 177463B, 923604B, 224174B, 981147B, 924733B, 600995B, 699675B, 410271B, 500980B, 702830B, 044634B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	724326B, 897161B, 104349B, 008467B, 371462B, 516192B, 493370B, 119118B, 799391B, 736479B, 198511B, 625233B, 254965B, 985936B, 574323B, 080367B, 010948B, 891992B, 283825B, 521256B, 224103B, 974107B, 649524B, 300588B, 308316B, 350650B, 291247B, 065604B, 937885B, 238570B, 430231B, 477858B, 524507B, 303687B, 959929B, 403666B, 061829B, 036204B, 456743B, 371793B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	724485A, 285750A, 324198A, 153222A, 632180A, 345491A, 983550A, 846333A, 578161A, 392424A, 972444A, 085729A, 034283A, 966600A, 557627A, 412927A, 258397A, 142207A, 821820A, 216717A, 719385A, 188572A, 358808A, 793168A, 669986A, 491230A, 409322A, 688522A, 987330A, 153425A, 365779A, 647472A, 158714A, 787663A, 210019A, 569523A, 960747A, 165725A, 751680A, 866396A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	724608B, 347506B, 460245B, 127909B, 266266B, 203807B, 168785B, 967561B, 145315B, 703251B, 062924B, 467289B, 336282B, 792180B, 834097B, 345872B, 077011B, 774566B, 770245B, 068560B, 626078B, 904820B, 000537B, 480607B, 467542B, 915330B, 060384B, 774972B, 574457B, 033555B, 811099B, 785252B, 364450B, 209218B, 416119B, 477570B, 815169B, 713686B, 776577B, 030416B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	728754B, 842901B, 247415B, 551358B, 329223B, 952032B, 216284B, 662661B, 053661B, 456267B, 744412B, 424415B, 655419B, 206563B, 459480B, 764143B, 753961B, 414268B, 780698B, 780816B, 631254B, 830134B, 878185B, 141784B, 839352B, 016994B, 794185B, 585546B, 191870B, 682161B, 849126B, 948506B, 535656B, 106231B, 497288B, 534593B, 988172B, 583517B, 447445B, 982698B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	729977A, 238365A, 430260A, 653038A, 568611A, 801265A, 900563A, 286428A, 568046A, 342334A, 119158A, 914860A, 269535A, 836787A, 302513A, 170239A, 362967A, 654109A, 082356A, 158412A, 421510A, 038819A, 983158A, 202975A, 191047A, 429031A, 136146A, 128936A, 863717A, 455126A, 157124A, 002353A, 249797A, 244327A, 074639A, 882940A, 650130A, 625969A, 515823A, 080107A.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	730787A, 603801A, 181703A, 445621A, 747005A, 880488A, 969033A, 164271A, 182020A, 028636A, 568864A, 672233A, 382002A, 516739A, 185628A, 866790A, 104586A, 895010A, 649481A, 391546A, 646135A, 967788A, 491256A, 977472A, 937077A, 614175A, 502054A, 049396A, 031074A, 791115A, 401930A, 371486A, 861705A, 306872A, 595387A, 289267A, 995915A, 328631A, 873620A, 528099A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	748802A, 596687A, 210979A, 449064A, 956215A, 348646A, 530151A, 857021A, 303411A, 606279A, 087684A, 643572A, 641487A, 423195A, 735838A, 466398A, 440007A, 320850A, 241796A, 933809A, 171455A, 705349A, 160431A, 388238A, 028744A, 457601A, 612704A, 971507A, 145246A, 971839A, 436907A, 918791A, 858255A, 390298A, 686543A, 043895A, 083890A, 022239A, 425209A, 109957A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	759126A, 943009A, 681268A, 912517A, 393408A, 430730A, 677309A, 572260A, 180417A, 756532A, 377971A, 358786A, 493930A, 085993A, 874527A, 519660A, 791379A, 980061A, 015516A, 492232A, 330844A, 115238A, 445437A, 445881A, 631072A, 820780A, 605523A, 912930A, 070925A, 306547A, 976475A, 910754A, 149515A, 331064A, 576808A, 461748A, 969489A, 909466A, 324191A, 186426A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	764507B, 683818B, 843042B, 618067B, 017009B, 091724B, 438655B, 410834B, 325590B, 366387B, 346450B, 937452B, 138036B, 708945B, 407281B, 635339B, 404281B, 016718B, 165834B, 356098B, 530649B, 297610B, 581654B, 354943B, 961800B, 619362B, 365377B, 811914B, 137948B, 638762B, 614415B, 078705B, 460445B, 181397B, 458518B, 649605B, 949160B, 732615B, 969593B, 982110B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	771784A, 476359A, 027514A, 759715A, 529027A, 134216A, 199026A, 302197A, 990414A, 139652A, 286862A, 392898A, 870434A, 040690A, 601308A, 691793A, 121076A, 182366A, 452330A, 846731A, 103724A, 286618A, 496020A, 777680A, 417664A, 262578A, 623102A, 868679A, 062906A, 389853A, 404467A, 539739A, 508104A, 224658A, 557605A, 950145A, 631586A, 022576A, 354431A, 831509A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	776633A, 725686A, 362503A, 577932A, 006247A, 632205A, 252580A, 871598A, 816430A, 570760A, 763996A, 201800A, 463900A, 324925A, 915067A, 558362A, 557537A, 289066A, 472881A, 665102A, 628132A, 793753A, 751842A, 761674A, 049567A, 078190A, 770327A, 923408A, 332055A, 738504A, 408670A, 604689A, 563122A, 559473A, 574828A, 378813A, 552076A, 595726A, 661665A, 867826A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	779378A, 333561A, 483368A, 042534A, 511829A, 632632A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	790908B, 700865B, 618561B, 436848B, 110684B, 633021B, 029216B, 843326B, 640381B, 103438B, 494648B, 543405B, 904172B, 265731B, 123233B, 974694B, 266159B, 882688B, 984560B, 861213B, 913802B, 187576B, 657150B, 592511B, 345058B, 435192B, 214465B, 116070B, 677455B, 097377B, 426781B, 927973B, 727805B, 663512B, 374622B, 013139B, 570400B, 225862B, 139993B, 963626B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	809226A, 340888A, 201852A, 288667A, 565709A, 485723A, 973706A, 965332A, 170023A, 581808A, 214318A, 433185A, 743075A, 355284A, 171810A, 046388A, 761330A, 439139A, 627093A, 196883A, 135335A, 368282A, 888972A, 225743A, 142075A, 056978A, 946952A, 930417A, 037930A, 720504A, 464720A, 660845A, 530420A, 890235A, 812843A, 969363A, 452681A, 225642A, 140258A, 966887A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	819548A, 295405A, 227739A, 138330A, 658174A, 053659A, 110641A, 233046A, 706944A, 689427A, 302096A, 309615A, 009301A, 817298A, 058203A, 369295A, 667899A, 168718A, 549241A, 664865A, 195932A, 295297A, 622349A, 886422A, 143858A, 890947A, 137612A, 880785A, 168245A, 417592A, 621238A, 641016A, 459075A, 646228A, 993569A, 638999A, 945479A, 768138A, 532614A, 374764A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	825396B, 950805B, 234520B, 116370B, 742435B, 651616B, 096414B, 336848B, 032764B, 239824B, 719012B, 775479B, 958768B, 494880B, 983008B, 287637B, 495479B, 294991B, 901948B, 811150B, 582678B, 531907B, 635823B, 823178B, 984295B, 539145B, 094635B, 360548B, 657361B, 625863B, 728054B, 240122B, 176809B, 248933B, 446787B, 219648B, 239881B, 565689B, 411013B, 366412B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	838506B, 344945B, 317164B, 803379B, 169380B, 413721B, 367527B, 180500B, 288413B, 435680B, 224303B, 698723B, 941672B, 011692B, 124529B, 111179B, 551324B, 871504B, 055764B, 510067B, 480589B, 991815B, 584380B, 389513B, 866060B, 967287B, 402233B, 526768B, 323408B, 649349B, 847982B, 616399B, 402017B, 179518B, 655409B, 232940B, 993653B, 053488B, 315145B, 934774B.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	853786A, 790243A, 844540A, 365687A, 023932A, 470458A	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	864665B, 344188B, 959552B, 793816B, 291716B, 179631B, 968321B, 837132B, 563472B, 178946B, 382897B, 303358B, 235534B, 064820B, 980408B, 106327B, 996721B, 783736B, 831338B, 610217B, 098855B, 955853B, 642866B, 272321B, 629595B, 442364B, 065908B, 434770B, 499701B, 074448B, 062654B, 435075B, 627867B, 964869B, 433984B, 424309B, 176957B, 893861B, 994885B, 285603B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	892000B, 474316B, 093458B, 833358B, 534981B, 628972B, 160567B, 655293B, 337026B, 640167B, 858663B, 077968B, 982532B, 039974B, 172962B, 891211B, 306047B, 336388B, 989433B, 782124B, 354237B, 474281B, 806280B, 672819B, 618772B, 177675B, 206625B, 456475B, 450668B, 252670B, 637202B, 157703B, 016929B, 200977B, 277304B, 521950B, 207670B, 708698B, 245804B, 683412B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	897739A, 988105A, 153170A, 847183A, 012288A, 312392A, 021668A, 690253A, 966448A, 641910A, 948878A, 920431A, 667246A, 957677A, 228056A, 503825A, 645090A, 347576A, 728094A, 516019A, 923058A, 280543A, 136759A, 986326A, 315565A, 976998A, 154175A, 120073A, 825204A, 856375A, 990540A, 903401A, 657656A, 315143A, 154923A, 206369A, 525684A, 290880A, 051376A, 291574A, 206854A, 841765A, 529407A, 690326A, 925901A, 311305A, 483453A, 229199A, 814921A, 202707A, 946493A, 946505A, 569111A, 108753A, 308842A, 953126A, 016995A, 497067A, 865670A, 050721A, 777333A, 837977A, 757151A, 477108A, 004599A, 035692A, 235128A, 686359A, 265873A, 246112A, 383809A, 134694A, 303691A, 114862A, 912954A, 103706A, 881644A, 299067A, 364848A, 171261A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	954995A, 613795A, 305673A, 311712A, 307615A, 151835A, 478413A, 206548A, 123189A, 629068A, 196200A, 219662A, 385481A, 974648A, 368692A, 057088A, 071104A, 660765A, 267415A, 565786A, 772470A, 557837A, 791861A, 484733A, 005145A, 492890A, 936976A, 507080A, 114526A, 584336A, 886724A, 357274A, 946296A, 428174A, 491945A, 712122A, 337575A, 602568A, 928620A, 411873A.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	959376B, 019792B, 130817B, 807985B, 947662B, 543041B, 635892B, 396301B, 830123B, 161325B, 790594B, 564852B, 571203B, 054639B, 537835B, 229529B, 485655B, 019273B, 612161B, 212555B, 224189B, 642806B, 990109B, 031171B, 092907B, 366482B, 967797B, 970169B, 144983B, 775923B, 913552B, 087929B, 003901B, 007732B, 424712B, 428047B, 383494B, 232560B, 936223B, 343046B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	962303B, 120901B, 026758B, 816954B, 405601B, 307693B, 363538B, 572968B, 299465B, 183743B, 624001B, 628632B, 796959B, 013356B, 886752B, 045780B, 451201B, 449956B, 565625B, 102225B, 496603B, 804517B, 909185B, 731881B, 298747B, 268746B, 726272B, 932484B, 688766B, 997256B, 413582B, 693410B, 718763B, 428596B, 996651B, 866018B, 263402B, 465327B, 955185B, 798596B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	980368B, 601316B, 039655B, 574923B, 644569B, 585311B, 127607B, 643457B, 134297B, 055307B, 086913B, 361914B, 879207B, 963554B, 063636B, 799163B, 223430B, 986230B, 078778B, 866735B, 515031B, 642478B, 918053B, 066583B, 547746B, 699235B, 565419B, 695026B, 323649B, 626280B, 053206B, 237589B, 544391B, 276483B, 623827B, 074928B, 554583B, 419866B, 573419B, 378969B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	985613B, 522340B, 533478B, 827795B, 861897B, 100319B, 860745B, 119375B, 138626B, 836623B, 514657B, 540502B, 590127B, 686883B, 630816B, 150704B, 757526B, 362501B, 252703B, 199543B, 298473B, 988656B, 428450B, 457098B, 169167B, 510576B, 174867B, 371183B, 720530B, 089813B, 899425B, 442652B, 082163B, 831685B, 684925B, 276395B, 097840B, 783205B, 451147B, 171755B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	986744B, 809210B, 614360B, 906979B, 083546B, 595197B, 653316B, 528017B, 939186B, 511054B, 063194B, 822236B, 758353B, 738602B, 928446B, 687633B, 973248B, 916354B, 511044B, 321470B, 238090B, 369102B, 587045B, 117713B, 304575B, 315476B, 778984B, 622369B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	986744B, 809210B, 614360B, 906979B, 083546B, 595197B, 653316B, 528017B, 939186B, 511054B, 063194B, 822236B, 758353B, 738602B, 928446B, 687633B, 973248B, 916354B, 511044B, 321470B, 238090B, 369102B, 587045B, 117713B, 304575B, 315476B, 778984B, 622369B, 624055B, 541197B, 886106B, 262964B, 965548B, 770693B, 738910B, 332499B, 903820B, 224031B, 531075B, 561753B.	HDPE Bottle: 35 mL	9/26/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
National Laboratory Certification Program.	996624B, 649500B, 175969B, 093180B, 346927B, 572584B, 698551B, 523667B, 759860B, 532918B, 910303B, 715889B, 870513B, 021328B, 271917B, 025204B, 741464B, 765634B, 136554B, 544667B, 390793B, 514914B, 185338B, 590023B, 428459B, 534460B, 216431B, 641435B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	996624B, 649500B, 175969B, 093180B, 346927B, 572584B, 698551B, 523667B, 759860B, 532918B, 910303B, 715889B, 870513B, 021328B, 271917B, 025204B, 741464B, 765634B, 136554B, 544667B, 390793B, 514914B, 185338B, 590023B, 428459B, 534460B, 216431B, 641435B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	996624B, 649500B, 175969B, 093180B, 346927B, 572584B, 698551B, 523667B, 759860B, 532918B, 910303B, 715889B, 870513B, 021328B, 271917B, 025204B, 741464B, 765634B, 136554B, 544667B, 390793B, 514914B, 185338B, 590023B, 428459B, 534460B, 216431B, 641435B, 324434B, 829171B, 087368B, 013113B, 138141B, 774911B, 788568B, 851541B, 629983B, 147013B, 863055B, 793202B.	HDPE Bottle: 35 mL	9/26/2024
National Laboratory Certification Program.	000718A, 012905A, 055171A, 063438A, 068130A, 085316A, 121128A, 175711A, 192483A, 210253A, 217515A, 222244A, 248079A, 278646A, 325238A, 328497A, 354182A, 354246A, 355160A, 356320A, 363364A, 363757A, 380303A, 381668A, 387562A, 401037A, 408557A, 410499A, 415328A, 448496A, 449123A, 519251A, 519642A, 522376A, 547655A, 562034A, 570158A, 606065A, 622888A, 630470A, 639683A, 652305A, 653765A, 680431A, 680815A, 693633A, 694536A, 717152A, 721196A, 732369A, 741584A, 747266A, 747398A, 749408A, 755675A, 757987A, 771103A, 776617A, 783976A, 805349A, 811783A, 821798A, 828044A, 836281A, 836839A, 843676A, 844673A, 851522A, 851963A, 875122A, 884003A, 896624A, 907674A, 923237A, 928649A, 933498A, 954526A, 963965A, 965286A, 975329A.	HDPE Bottle: 35 mL	9/26/2024
o2si smart solutions North Charleston.	Sports Supplement Adulterant Solution	Amber Glass, 1mL	10/29/2024
o2si smart solutions North Charleston.	Weight Loss Adulterant Solution	Amber Glass, 1mL	10/29/2024
Research Triangle Institute	070656A, 305445A, 640404A, 461711A, 097722A, 591336A, 171617A, 500137A, 393854A, 837252A, 231882A, 735325A, 220209A, 110171A, 652579A, 627869A, 261468A, 421502A, 332751A, 384813A, 196435A.	HDPE bottle: 35 mL	11/9/2023
Research Triangle Institute	999013A, 312215A, 734432A, 262784A, 582502A, 123434A, 033560A, 223771A, 049840A, 721033A, 794610A, 252497A, 222402A, 241916A.	HDPE bottle: 35 mL	11/9/2023
Research Triangle Institute	U6653, U6645, U6202, U6631, U6279, U6870, U6744, U6095, U6950, U6245, U6007, U6416, U6040, U6881, U6269, U6036, U6748, U6819, U6525, U6982, U6766, U6087, U6160, U6013, U6139, U6849, U6810, U6308, U6390, U6156.	HDPE bottles: 25 mL	5/6/2024
Research Triangle Institute	U7551, U7354, U7887, U7560, U7561, U7495, U7332, U7622, U7635, U7938, U7527, U7932, U7574, U7147, U7983, U7218, U7866, U7797, U7434, U7235, U7215, U7425, U7629, U7223, U7595, U7856, U7105, U7840, U7925, U7086.	HDPE bottles: 25 mL	5/6/2024
Restek Corporation	(6aR, 9R)- Δ 10-THC Standard (1000 μ g/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	9(S)- Δ 6a, 10a-THC Standard (1000 μ g/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	9R-HHC Standard (1000 μ g/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	9S-HHC Standard (1000 μ g/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Cannabinoids 11 (250) Standard	Glass ampoule: 1.3 mL	1/30/2025
Restek Corporation	Custom Cannabinoids Acids 6 Standard	Custom Cannabinoids Acids 6 Standard.	4/3/2024
Restek Corporation	Custom EDC Standard #1 100 μ g/mL	Glass ampule: 1.3 mL	4/19/2024
Restek Corporation	Custom EDC Standard #2 50 μ g/mL	Glass ampule: 1.3 mL	4/19/2024
Restek Corporation	Custom Hormones #1 Standard	Glass ampoule: 1.3 mL	6/18/2024
Restek Corporation	Custom Phenoxycetic acid Herbs 1 Standard	Glass ampoule: 1.3 mL	9/27/2024
Restek Corporation	Custom Tramadol HCl Standard 1000 μ g/mL	Glass ampule: 1.3 mL	6/3/2024
Restek Corporation	Exo-THC Standard (1000 μ g/mL in Methanol)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	OF24-01	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-02	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-03	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-04	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-05	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-06	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-07	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-08	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-09	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-10	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-11	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-12	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-13	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-14	HDPE vials: 3 mL	1/31/2024
Restek Corporation	OF24-15	HDPE vials: 3 mL	1/31/2024
Restek Corporation	Δ 8-THC-O-Acetate Standard (1000 μ g/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Δ 8-THC-O-Acetate Standard (1000 μ g/mL in Acetonitrile) #34155	Glass ampule: 1.3 mL	2/2/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Restek Corporation	Δ9-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile)	Glass ampule: 1.3 mL	2/2/2024
Restek Corporation	Δ9-THC-O-Acetate Standard (1000 µg/mL in Acetonitrile) #34154	Glass ampule: 1.3 mL	2/2/2024
Revvity	AlphaLISA Testosterone (100 µM) AL324S	Polypropylene micro tube: 0.21 mL	10/31/2023
Revvity	Androst-4-ene-3,17-dione, [1β-3H(N)]—Exempt Chemical Preparation, NET926250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]—Exempt Chemical Preparation, NET453001MC (1 mCi).	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]—Exempt Chemical Preparation, NET453250MC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Dihydrotestosterone, [4-14C]—Exempt Chemical Preparation, NET1121250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Flunitrazepam, [methyl-3H]—Exempt Chemical Preparation, NET567250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Lysergic acid diethylamide, [N-methyl-3H]—Exempt Chemical Preparation, NET638250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Methyltrienolone, [17α-methyl-3H]-, (R1881) Exempt Chemical Preparation, NET590250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Pentazocine, [ring-1,3-3H]—Exempt Chemical Preparation, NET1056001MC (1 mCi).	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Pentazocine, [ring-1,3-3H]—Exempt Chemical Preparation, NET1056250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	TCP, [piperidyl-3,4-3H(N)]—Exempt Chemical Preparation, NET886250UC (250 µCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Testosterone, [1,2,6,7-3H]—Exempt Chemical Preparation, NET370001MC (1 mCi).	Nensure Vial: 1.0 mL	10/31/2023
Revvity	Testosterone, [1,2,6,7-3H]—Exempt Chemical Preparation, NET370250UC (250 mCi).	Nensure Vial: 0.25 mL	10/31/2023
Revvity	Testosterone, [4-14C]—Exempt Chemical Preparation, NEC101050UC (50 µCi).	Nensure Vial: 1.5 mL	10/31/2023
Roche Diagnostics	CalSet iTDMA cobas i	Plastic Reagent bottle: 2 bottles, 21 mL each.	5/1/2024
Roche Diagnostics	CalSet iTDMA cobas I Ref 09590331160	HDPE Bottle: 16 bottles, 2.5 mL each.	2/13/2025
Roche Diagnostics	Control Set iCSTDMA cobas I	HDPE Bottle: 16 bottles, 2.5 mL each.	9/18/2024
Roche Diagnostics	ControlSet iCSTDMA cobas i Ref 09495495160	HDPE Bottles: 16 bottles, 2.5 mL each.	2/13/2025
Roche Diagnostics	iAED2 Antiepileptic 2, Ref 09495495160	Glass bottle: 14.65 mL Plastic Reagent bottle: 2 bottles, 21 mL each.	2/13/2025
Roche Diagnostics	iAED2 Antiepileptic 2, Ref 09495495529	Glass bottle: 14.65 mL	5/1/2024
RTI International	Occasion 1 Sample 1	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 2	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 3	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 4	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 5	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 1 Sample 6	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 2	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 3	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 4	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 5	HDPE vial: 5 mL	7/16/2024
RTI International	Occasion 2 Sample 6	HDPE vial: 5 mL	7/16/2024
Technopath Clinical Diagnostics	Multichem MS TDMs Level 1	Plastic bottle: 12 bottles, 4.5 mL each.	2/25/2025
Technopath Clinical Diagnostics	Multichem MS TDMs Level 1 Ref 09922571529	HDPE Bottle: 16 bottles, 2.5 mL each.	5/1/2024
Technopath Clinical Diagnostics	Multichem MS TDMs Level 2	Plastic bottle: 12 bottles, 4.5 mL each.	2/25/2025
Technopath Clinical Diagnostics	Multichem MS TDMs Level 2 09922580529	Plastic Bottle: 12 bottles, 4.5 mL each.	9/18/2024
Thermo Fisher Scientific	Alinity Anti-Tg Calibrators J09P3401/ 09P3401	Kit: 6 HDPE Plastic Vials, 3 mL each.	10/10/2024
Thermo Fisher Scientific	Alinity Anti-Tg Control Kit J02K46–10/ 02K46–10	Kit: 2 LDPE Plastic Vials, 4 mL each.	10/10/2024
Thermo Fisher Scientific	Alinity Anti-Tg Control Kit J09P3410/ 09P3410	Kit: 2 LDPE Plastic Vials, 4 mL each.	10/10/2024
Thermo Fisher Scientific	Alinity Anti-TPO Calibrators J09P3501/ 09P35–01	Kit: 6 HDPE Plastic Vials, 3 mL each.	10/10/2024
Thermo Fisher Scientific	Alinity Anti-TPO Control Kit J09P3510/ 09P3510	Kit: 2 HDPE Plastic Vials, 4 mL each.	10/10/2024
Thermo Fisher Scientific	Alinity BRAHMS PCT Calibrator J01R1801/ 01R1801	HDPE Bottle: 2.0 mL	10/10/2024
Thermo Fisher Scientific	Anti-Tg Master Calibrators JY2K46(A–F)95	Kit: 6 LDPE Plastic Vials, 4 mL each.	10/15/2024
Thermo Fisher Scientific	Anti-Tg Panel 1, 2, 3 and 6 JY2K46P195 JY2K46P295 JY2K46P395 JY2K46P695.	Kit: 4 Polypropylene Vials, 1 mL each.	10/15/2024
Thermo Fisher Scientific	Anti-TPO Master Calibrators JY2K47(A–F)95	Kit: 6 LDPE Plastic Vials, 4 mL each.	10/15/2024
Thermo Fisher Scientific	Anti-TPO Panel 1, 2 and 3 JY2K47P195 JY2K47P295 JY2K47P395	Kit: 3 Polypropylene Vials, 1 mL each.	10/15/2024
Thermo Fisher Scientific	Architect Anti-Tg Calibrators J02K46–01/ 02K46–01	Kit: 6 LDPE Plastic Vials, 4 mL each.	10/10/2024

CHART I—Continued

Supplier name	Product name	Form	Application date
Thermo Fisher Scientific	Architect Anti-Tg Control Kit J02K46–10/02K46–10	Kit: 2 LDPE Plastic Vials, 4 mL each.	11/7/2024
Thermo Fisher Scientific	Architect Anti-TPO Calibrators J02K47–01/ 02K47–01	Kit: 6 LDPE Plastic Vials, 4 mL each.	10/10/2024
Thermo Fisher Scientific	Architect Anti-TPO Control Kit J02K47–10/ 02K47–10	Kit: 2 LDPE Plastic Vials, 4 mL each.	10/10/2024
Thermo Fisher Scientific	Architect PCT Calibrators J06P22–01/ 06P22–01	Kit: 6 LDPE Plastic Vials, 2 mL each.	10/10/2024
Thermo Fisher Scientific	CK–MB Panel 1 and 2 JY2K42P195 JY2K42P295	Kit: 2 Polypropylene Vials, 1 mL each.	10/15/2024
Thermo Fisher Scientific	Kontakt Pool J250312	PETG Vial, 10 mL	10/15/2024
Thermo Fisher Scientific	Kontakt J250312	PETG Vial, 10 mL	11/7/2024
Thermo Fisher Scientific	Kontakt (JC300312)	PETG Vial, 10 mL	12/17/2024
Thermo Fisher Scientific	PCT Panel 1, 3, 4 and 5 JY6P22P195 JY6P22P395 JY6P22P495	Kit: 4 Polypropylene Vials, 1 mL each.	10/15/2024
Thermo Fisher Scientific	JY6P22P595. PCT Primary Calibrator A JY6P22A95	Kit: 81 LDPE Bottles, 4 mL each	10/15/2024

The Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart II, below, is not consistent with the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23. Accordingly, the Assistant

Administrator has determined that the chemical preparations or mixtures generally described in Chart II, below, and specifically described in the application materials received by DEA, are not exempt from application of any part of the CSA or from application of

any part of the CFR, with regard to the requested exemption pursuant to 21 CFR 1308.23, as of the date that was provided in the determination letters to the individual requesters.

CHART II

Supplier name	Product name	Form	Application date
Absolute Standards, Inc	Alprazolam PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Alprazolam, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Alprazolam-D5 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Clonazepam PT, 1–1000 µg/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Clonazepam-D4 PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Fentanyl, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Fentanyl-D5, 1000 ug/mL, in Methanol	Glass ampoule: 1 mL	6/21/2024
Absolute Standards, Inc	Lorazepam PT, 1–1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Lysergic acid diethylamide (LSD) PT, 1–100 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Lysergic acid diethylamide (LSD) PT, 1–1000 ug/mL, in Acetonitrile	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Lysergic acid diethylamide-D3 (LSD-D3) PT, 1–100 ug/mL, in Acetonitrile.	Glass ampoule: 1 mL	12/6/2024
Absolute Standards, Inc	Lysergic acid diethylamide-D3 (LSD-D3) PT, 1–1000 ug/mL, in Acetonitrile.	Glass ampoule: 1 mL	7/30/2024
Absolute Standards, Inc	Triazolam PT, 1–1000 ug/mL, in Methanol	Glass ampoule: 1 mL	7/30/2024
Biochemical Diagnostics, Inc	Detectabuse Custom Liquid Control Urine, MC287	Glass vial/Plastic bottle: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL.	11/8/2023
Cayman Chemical Company	Emergent Drug Panel—Internal Standard	96-well plate; individual removable tube wells, alpha-numeric labels; 0.75 mL each.	4/30/2024
Cayman Chemical Company	Phytocannabinoid Mixture California Potency (CRM) 1 mg/ml ea in Acetonitrile.	Glass ampoule: 1.0 mL	11/21/2023
Cliniq Corporation	80 µg/mL Phenobarbital, and non-controlled substances in human serum.	Vial/Bottle: 2,000 ml	1/12/2024
Cliniq Corporation	MCC Level 6, Part: 86052	Vial/Bottle: 2,000 ml	1/12/2024
LGC Clinical Diagnostics, Inc	TDM1 ab WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 au WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 bc WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 db WrkBlk level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri GentC Set WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 ri TDM Set WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
LGC Clinical Diagnostics, Inc	TDM1 vt WrkBlk Level 5	Glass volumetric flask, 200–8000 mL.	9/5/2024
Microgenics Corporation	Abaxis Thyroxine (T4) Antibody/Substrate Reagent, Catalog number: 10010877.	Kit: bottles, 1 L, 20 L	2/14/2025
Microgenics Corporation	Buffer T Up Enz/Conj, Catalog number: 0814	Plastic Carboy: 20 L, 25 L, 50L, 100L.	2/21/2025
Microgenics Corporation	Buffer T4 Ab/Sub, Catalog number: 0462	Plastic tank: 1000 L, 1500 L	2/21/2025
Microgenics Corporation	Cal Opiate 1000ng BCI, Catalog number: 1603	Glass bottle: 16–36 L; Plastic Bottle: 20–40 L.	3/8/2025

CHART II—Continued

Supplier name	Product name	Form	Application date
Microgenics Corporation	Cal Opiate 300ng BCI, Catalog number: 1601	Glass bottle: 36 L; Plastic Bottle: 43 L.	3/8/2025
Microgenics Corporation	CEDIA Buprenorphine I Spike Solution, Catalog number: 1007967	Plastic or Glass bottle: 1000 mL, 2000 mL.	1/24/2025
Microgenics Corporation	CEDIA Methadone Spike Solution, Catalog number: 1000302	Plastic or Glass bottle: 250 mL, 300 mL.	1/24/2025
Microgenics Corporation	Ctrl MD Clin Low AlqtdCtrl MD Clinical Hi Alqt, Catalog number: 10007727.	Glass bottle: 16–36 L; Plastic Bottle: 20–105 L.	3/8/2025
Microgenics Corporation	Ctrl MD Clinical Hi Alqt, Catalog number: 10007728	Glass bottle: 16–36 L; Plastic Bottle: 10–105 L.	3/8/2025
Microgenics Corporation	Ctrl MD High BCI, Catalog number: 1554	Glass bottle: 4–36 L; Plastic Bottle: 5–100 L.	3/8/2025
Microgenics Corporation	Ctrl MD High Bulk BCI, Catalog number: 1596	Glass bottle: 4–36 L; Plastic Bottle: 5–80 L.	3/8/2025
Microgenics Corporation	Ctrl MD Low BCI, Catalog number: 1552	Glass bottle: 8–36 L; Plastic Bottle: 5–105 L.	3/8/2025
Microgenics Corporation	Ctrl MD Low Bulk BCI, Catalog number: 1590	Glass bottle: 8–36 L; Plastic Bottle: 10–105 L.	3/8/2025
Microgenics Corporation	Ctrl Opiate 225ng BCI, Catalog number: 1605	Plastic Bottle: 50–60 L	3/8/2025
Microgenics Corporation	Ctrl Opiate 375ng BCI, Catalog number: 1607	Glass bottle: 36 L; Plastic Bottle: 50–680 L.	3/8/2025
Microgenics Corporation	Daiichi Phenobarbital 16mg/mL Stock Solution	Bottle: 50–110 mL	3/17/2025
Microgenics Corporation	DAU Clinical High Control Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 25 L, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	DAU Clinical Low Control Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	DAU Primary High Control Bulk	Kit: Glass bottles, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25 L, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	DAU Primary Low Control Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 25 L, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	DAU Select High Control Bulk	Kit: Plastic or Glass bottles, 180 L, 300L.	1/31/2025
Microgenics Corporation	DAU Select Low Control Bulk	Plastic or Glass bottles, 300L	1/31/2025
Microgenics Corporation	DAU Specialty High Control Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 50 L, 100 L.	1/31/2025
Microgenics Corporation	DAU Specialty Low Control Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 50 L, 100 L.	1/31/2025
Microgenics Corporation	DRI Diazepam Spiking Solution, 1 mg/mL, Catalog number: 1255	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL.	1/24/2025
Microgenics Corporation	DRI Oxazepam Spiking Solution, 1 mg/mL, Catalog number: 0451	Glass bottle: 100mL, 250 mL	1/24/2025
Microgenics Corporation	DRI Oxazepam Spiking Solution, 1 mg/mL, Catalog number: 10007712	Glass bottle: 50 mL, 100 mL	1/24/2025
Microgenics Corporation	DRI Oxycodone Spiking Solution, 100,000 ng/mL, Catalog number: 10008310.	Plastic or Glass bottle: 250 mL, 500 mL, 800 mL.	1/24/2025
Microgenics Corporation	DRI Thyroxine (T4) Assay, Catalog number: 0454	Bottle, 100 mL	2/14/2025
Microgenics Corporation	DRI Thyroxine (T4) Assay, Catalog number: 10013070	Bottle, 500 mL	2/14/2025
Microgenics Corporation	DRI T-Uptake Assay, Catalog number: 0723	Bottle, 100 mL	2/14/2025
Microgenics Corporation	MAS Barb Solution 5mg/mL, Catalog number: 10007710	Glass bottle, 50 mL	2/14/2025
Microgenics Corporation	MAS Benzoylcegonine Soln, 1 mg/mL Catalog number: 432	Plastic or Glass bottle: 50 mL, 100 mL, 250 mL, 500 mL, 700 mL.	1/24/2025
Microgenics Corporation	MAS d-Methamphetamine Soln, 1 mg/mL Catalog number: 925	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL, 250 mL, 500 mL, 1000 mL, 2000 mL, 2500 mL.	1/24/2025
Microgenics Corporation	MAS Methadone Soln, 1 mg/mL Catalog number: 924	Plastic or Glass bottle: 25 mL, 50 mL, 100 mL, 250 mL, 500 mL, 950 mL.	1/24/2025
Microgenics Corporation	MAS Morphine Solution 1 mg/mL Catalog number: 00434	Kit: Glass bottles, 250 mL, 500 mL, 1 L, 2 L.	2/14/2025
Microgenics Corporation	MAS Nitrazepam Soln, 1 mg/mL Catalog number: 10013058	Plastic or Glass bottle: 50 mL, 100 mL, 250 mL, 400 mL.	1/24/2025
Microgenics Corporation	MAS Nordiazepam Stock Soln, Catalog number: 431	Kit: Glass bottles, 50mL, 100 mL, 250 mL, 500 mL, 1L, 2L.	2/14/2025
Microgenics Corporation	MAS Oxazepam Soln, 1 mg/mL Catalog number: 10013059	Plastic or Glass bottle: 50 mL, 100 mL, 250 mL, 500 mL.	1/24/2025
Microgenics Corporation	MAS Oxycodone Soln, 1 mg/mL Catalog number: 10013065	Plastic or Glass bottle: 50 mL, 100 mL, 250 mL 500 mL, 700 mL.	1/24/2025
Microgenics Corporation	MAS PCP Soln, 0.1 mg/mL Catalog number: 923	Plastic or Glass bottle: 250 mL, 500 mL, 870 mL.	1/24/2025
Microgenics Corporation	MAS Phenobarbital Soln, 50 mg/mL Catalog number: 418	Plastic or Glass bottle: 50 mL, 100 mL, 250 mL, 500 mL, 1000 mL, 2000 mL, 2500 mL.	1/24/2025
Microgenics Corporation	MAS Phenobarbital Stock Soln, Catalog number: 745	Kit: Glass bottles, 50 mL, 100 mL, 250 mL, 500 mL, 1 L, 2 L, 5L.	2/14/2025
Microgenics Corporation	MAS PPX Solution 5mg/mL, Catalog number: 0453	Glass bottle, 100 mL	2/14/2025
Microgenics Corporation	MAS PPX Solution 5mg/mL, Catalog number: 10007722	Kit: Glass bottles, 50 mL, 100 mL ..	2/14/2025
Microgenics Corporation	MAS Propoxyphene Stock Soln, Catalog number: 920	Kit: Glass bottles, 100 mL, 250 mL, 500 mL.	2/14/2025
Microgenics Corporation	MAS Secobarbital Solution 5mg/mL Catalog number: 0450	Glass bottle, 100 mL	2/14/2025

CHART II—Continued

Supplier name	Product name	Form	Application date
Microgenics Corporation	MAS Secobarbital Stock Soln, Catalog number: 921	Kit: Glass bottles, 250 mL, 500 mL	2/14/2025
Microgenics Corporation	MAS Testosterone Stock Soln, Catalog number: 748	Kit: Glass bottles, 1 L, 2 L	2/14/2025
Microgenics Corporation	MGC MD Calibrator 1, Bulk	Kit: Glass bottles, 45 L, Plastic or Glass bottles, 50 L, 100L, 180 L.	1/31/2025
Microgenics Corporation	MGC MD Calibrator 2, Bulk	Kit: Glass bottles, 20 L, 45 L, Plastic or Glass bottles, 50 L, 100L.	1/31/2025
Microgenics Corporation	MGC MD Calibrator 3, Bulk	Kit: Glass bottles, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25 L, 50L, 100 L.	1/31/2025
Microgenics Corporation	MGC MD Calibrator 4, Bulk	Kit: Glass bottles, 10 L, 20 L, 45 L, Plastic or Glass bottles, 20 L, 25 L, 50L, 100 L.	1/31/2025
Restek Corporation	Cannabinoids 11 (1000) Standard	Glass ampoule: 1.3 mL	1/30/2025
Roche Diagnostics	Control Set iCSTDMA cobas I	HDPE Bottle: 16 bottles, 2.5 mL each.	5/1/2024
Technopath Clinical Diagnostics	Multichem MS TDMS Level 2 09922580529	Plastic Bottle: 12 bottles, 4.5 mL each.	5/1/2024
Thermo Fisher Scientific	Contact Pool, Catalog Number: JB350308	HDPE Tank: 30 L	11/6/2024
Thermo Fisher Scientific	Contact Reagent Bulk	HDPE Tank, 10 L	2/19/2025
Thermo Fisher Scientific	PCT Reference Calibrator A JY6P22AREF	Kit: 529 LDPE Bottles, 4.42 mL each.	11/7/2024
Thermo Fisher Scientific	PCT Reference Calibrator A JY6P22AREF	Kit: 529 LDPE Bottle, 4.42 mL each	10/23/2024

Opportunity for Comment

Pursuant to 21 CFR 1308.23(e), any interested person may submit written comments on or objections to any chemical preparation in this order that has been approved or denied as exempt. If any comments or objections raise significant issues regarding any finding of fact or conclusion of law upon which this order is based, the Assistant Administrator will immediately suspend the effectiveness of any applicable part of this order until she may reconsider the application in light of the comments and objections filed. Thereafter, the Assistant Administrator shall reinstate, revoke, or amend his original order as she determines appropriate.

Approved Exempt Chemical Preparations Are Posted on DEA's Website

A list of all current exemptions, including those listed in this order, is available on DEA's website at http://www.DEAdiversion.usdoj.gov/schedules/exempt/exempt_chemlist.pdf. The dates of applications of all current exemptions are posted for easy reference.

Thomas Prevoznik,

Assistant Administrator.

[FR Doc. 2025–12198 Filed 6–30–25; 8:45 am]

BILLING CODE 4410–09–P

DEPARTMENT OF JUSTICE

[OMB 1140–0075]

Agency Information Collection Activities; Proposed eCollection eComments Requested; Revision of a Previously Approved Collection; Explosives Transactions Involving Limited Permittees—(ATF Forms 5400.4 and 5400.30)

AGENCY: Bureau of Alcohol, Tobacco, Firearms and Explosives, Department of Justice.

ACTION: 60-Day notice.

SUMMARY: The Department of Justice (DOJ), The Bureau of Alcohol, Tobacco, Firearms and Explosives (ATF), will be submitting the following information collection request to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act of 1995.

DATES: Comments are encouraged and will be accepted for 60 days until September 2, 2025.

FOR FURTHER INFORMATION CONTACT: If you have additional comments especially on the estimated public burden or associated response time, suggestions, or need a copy of the proposed information collection instrument with instructions or additional information, contact: Michael O'Lena, EIPB, either by mail at 99 New York Avenue NE, Room 6.N.518, Washington, DC 20226, by email at eipb-informationcollection@atf.gov, or telephone at (202) 648–7120.

SUPPLEMENTARY INFORMATION: Written comments and suggestions from the public and affected agencies concerning the proposed collection of information

are encouraged. Your comments should address one or more of the following four points:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the Bureau of Justice Statistics, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Evaluate whether and if so how the quality, utility, and clarity of the information to be collected can be enhanced; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Abstract: Specific requirements for licensees and permittees to distribute explosives and materials in transactions involving limited permittees, and to report lost or stolen Intrastate Purchase of Explosives Coupons. This information collection is contained in 27 CFR 555.34, 555.105, and 555.125, and 555.126. Information Collection (IC) OMB 1140–0075 is being revised to streamline the collections involving explosives limited permittees. There previously were four collections (OMB control numbers 1140–0025, 1140–0075, 1140–0077, and 1140–0079), which have been combined, simplified, and updated to remove duplicative