

additional information, please contact Ramona Rantala, Statistician, Bureau of Justice Statistics, 810 Seventh Street NW., Washington, DC 20531 (email: [Ramona.Rantala@usdoj.gov](mailto:Ramona.Rantala@usdoj.gov); telephone: 202-307-6170). Written comments and/or suggestions can also be sent to the Office of Management and Budget, Office of Information and Regulatory Affairs, Attention Department of Justice Desk Officer, Washington, DC 20503 or sent to [OIRA\\_submissions@omb.eop.gov](mailto:OIRA_submissions@omb.eop.gov).

**SUPPLEMENTARY INFORMATION:** Written comments and suggestions from the public and affected agencies concerning the proposed collection of information are encouraged. Your comments should address one or more of the following four points:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agencies estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

#### Overview of This Information Collection

(1) *Type of Information Collection:* Revision of a currently approved collection.

(2) *Title of the Form/Collection:* Survey of Sexual Victimization (formerly the Survey of Sexual Violence).

(3) *Agency form number, if any, and the applicable component of the Department sponsoring the collection:* Agency form numbers: SSV-1, SSV-2, SSV-3, SSV-4, SSV-5, SSV-6, SSV-IA, and SSV-IJ. Sponsoring component: Department of Justice, Bureau of Justice Statistics.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* Primary: State, Local or Tribal Government. Other: Federal Government and business (privately operated correctional institutions, both for-profit and not-for-profit).

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond/reply:* An estimate of the total number of respondents is 1,574 adult and juvenile systems and facilities.

(This estimate assumes a response rate of 100%.) Federal and state systems for adults and juveniles (102 respondents) will take an estimated 60 minutes to complete the summary form; local and privately operated facilities (1,472 respondents) will take an estimated 30 minutes to complete the summary form; and each incident form (we estimate about 2,310 incident forms will be completed, one for each incident that was substantiated) will take about 30 minutes. The burden estimates are based on data from the prior administration of the SSV.

(6) *An estimate of the total public burden (in hours) associated with the collection:* There are an estimated 1,993 total annual burden hours associated with this collection.

*If additional information is required contact:* Melody Braswell, Department Clearance Officer, United States Department of Justice, Justice Management Division, Policy and Planning Staff, Two Constitution Square, 145 N Street NE., Suite 3E.405B, Washington, DC 20530.

#### Melody Braswell,

Department Clearance Officer, PRA, U.S. Department of Justice.

[FR Doc. 2017-03442 Filed 2-21-17; 8:45 am]

**BILLING CODE 4410-18-P**

### NUCLEAR REGULATORY COMMISSION

[Docket No. 72-20; NRC-2017-0050]

#### Department of Energy; Three Mile Island 2 Independent Spent Fuel Storage Installation

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** License amendment application, docketing.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) has docketed a license amendment application from the Department of Energy (DOE or the licensee) for amendment of Materials License No. SNM-2508, for the Three Mile Island 2 (TMI-2) independent spent fuel storage installation located at the Idaho National Laboratory in Butte County, Idaho. If granted, the amendment would update the licensee delegation of authority in the license, the technical specifications, and the final safety analysis report. These

documents currently delegate authority under the license to the Manager, DOE Idaho Operations Office. The amendment would replace that reference with the Deputy Manager, Idaho Cleanup Project in each of the documents.

**ADDRESSES:** Please refer to Docket ID NRC-2017-0050 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0050. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Jose R. Cuadrado, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-0606; email: [Jose.Cuadrado@nrc.gov](mailto:Jose.Cuadrado@nrc.gov).

#### SUPPLEMENTARY INFORMATION:

#### I. Introduction

By letter dated September 8, 2016, DOE submitted to the NRC an application to amend the license, technical specifications, and the final safety analysis report, for the TMI-2 independent spent fuel storage installation located at the Idaho National Laboratory in Butte County, Idaho (ADAMS Accession No. ML16258A191). Materials License No. SNM-2508 authorizes the licensee to receive, store, and transfer canisters

containing core debris and damaged spent nuclear fuel from the TMI-2 reactor. The proposed amendment would revise the licensee delegation of authority in the license, the technical specifications, and the final safety analysis report. These documents currently delegate authority under the license to the Manager, DOE Idaho Operations Office. This amendment would replace that reference with the Deputy Manager, Idaho Cleanup Project in each of the documents.

In a letter to DOE dated December 9, 2016, the NRC notified DOE that the application was acceptable to begin a technical review (ADAMS Accession No. ML16347A192). The NRC's Office of Nuclear Materials Safety and Safeguards has docketed this application under Docket No. 72-20. If the NRC approves the amendment, the approval will be documented in an amendment to NRC Materials License No. SNM-2508. The Commission will approve the license amendment if it determines that the request complies with the standards and requirements of the Atomic Energy Act of 1954, as amended, and the NRC's rules and regulations, and make findings consistent with the National Environmental Policy Act and part 51 of title 10 of the *Code of Federal Regulations* (10 CFR). These findings will be documented in a safety evaluation report.

## II. Opportunity To Request a Hearing

The Commission may issue either a notice of hearing or a notice of proposed action and opportunity for hearing in accordance with 10 CFR 72.46(b)(1) or, if a determination is made that the amendment does not present a genuine issue as to whether public health and safety will be significantly affected, take immediate action on the amendment in accordance with 10 CFR 72.46(b)(2), and provide notice of the action taken and an opportunity for interested persons to request a hearing on whether the action should be rescinded or modified.

Dated at Rockville, Maryland, this 14th day of February, 2017.

For the Nuclear Regulatory Commission.

**Bernard H. White, IV,**

*Acting Chief, Spent Fuel Licensing Branch,  
Division of Spent Fuel Management, Office  
of Nuclear Material Safety and Safeguards.*

[FR Doc. 2017-03436 Filed 2-21-17; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Project No. 0769; NRC-2017-0043]

### NuScale Power, LLC

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Design certification application; receipt.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) received a design certification application (DCA) from NuScale Power, LLC (NuScale), on January 6, 2017, for a Small Modular Reactor (SMR). The DCA package included a transmittal letter, dated December 31, 2016, which indicated the application would be supplemented with one topical report and four technical reports by January 10, 2017. By January 12, 2017, NuScale provided updated files that allowed for the successful completion of the NRC's electronic processing of the DCA package.

**DATES:** The application was received on January 13, 2017.

**ADDRESSES:** Please refer to Docket ID NRC-2017-0043 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0043. Address questions about NRC dockets to Carol Gallagher; telephone: 301-287-3422; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "*Begin Web-based ADAMS Search.*" For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The entire NuScale application is available in ADAMS under Accession No. ML17013A229.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

### FOR FURTHER INFORMATION CONTACT:

Bruce Bavol, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-6715, email: [Bruce.Bavol@nrc.gov](mailto:Bruce.Bavol@nrc.gov).

**SUPPLEMENTARY INFORMATION:** By letter dated December 31, 2016, NuScale filed an application for a standard design certification of the NuScale SMR with the NRC, pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, and part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), "Licenses, Certifications, and Approvals for Nuclear Power Plants."

The NuScale SMR is a pressurized-water reactor (PWR). The design is based on the Multi-Application Small Light Water Reactor (MASLWR) developed at Oregon State University in the early 2000s. The NuScale SMR is a natural circulation light-water reactor with the reactor core and helical coil steam generator located in a common reactor vessel in a cylindrical steel containment. The NuScale power module is immersed in water in a safety related pool. The reactor pool is located below grade and is designed to hold up to twelve (12) power modules. Each NuScale SMR has a rated thermal output of 160 megawatts thermal (MWt) and electrical output of 50 megawatts electric (MWe). Each plant can hold up to 12 modules yielding a total capacity of 600 MWe.

The acceptability of the tendered application for docketing and other matters relating to the requested rulemaking pursuant to 10 CFR 52.51 for design certification, including provisions for participation of the public and other parties, will be the subject of subsequent **Federal Register** notices.

Dated at Rockville, Maryland, this 15th day of February, 2017.

For the Nuclear Regulatory Commission.

**Frank Akstulewicz,**

*Director, Division of New Reactor Licensing,  
Office of New Reactors.*

[FR Doc. 2017-03438 Filed 2-21-17; 8:45 am]

**BILLING CODE 7590-01-P**

## POSTAL SERVICE

### Revision to Mailing Standards for the Transport of Lithium Batteries

**AGENCY:** Postal Service™.