

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### Food and Drug Administration

[Docket Nos.: FDA-2015-E-0824; FDA-2015-E-0846; FDA-2015-E-0848; FDA-2015-E-0850]

### Determination of Regulatory Review Period for Purposes of Patent Extension; CORE VALVE SYSTEM

**AGENCY:** Food and Drug Administration, HHS.

**ACTION:** Notice.

**SUMMARY:** The Food and Drug Administration (FDA) has determined the regulatory review period for CORE VALVE SYSTEM and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of applications to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that medical device.

**DATES:** Anyone with knowledge that any of the dates as published (see the **SUPPLEMENTARY INFORMATION** section) are incorrect may submit either electronic or written comments and ask for a redetermination by January 23, 2017. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by May 22, 2017. See “Petitions” in the **SUPPLEMENTARY INFORMATION** section for more information.

**ADDRESSES:** You may submit comments as follows:

#### *Electronic Submissions*

Submit electronic comments in the following way:

- *Federal eRulemaking Portal:* <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your

comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

#### *Written/Paper Submissions*

Submit written/paper submissions as follows:

- *Mail/Hand delivery/Courier (for written/paper submissions):* Division of Dockets Management (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Division of Dockets Management, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

*Instructions:* All submissions received must include the Docket Nos. FDA-2015-E-0824; FDA-2015-E-0846; FDA-2015-E-0848; and FDA-2015-E-0850 for “Determination of Regulatory Review Period for Purposes of Patent Extension; CORE VALVE SYSTEM”. Received comments will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Division of Dockets Management between 9 a.m. and 4 p.m., Monday through Friday.

- *Confidential Submissions*—To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION”. The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Division of Dockets Management. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential”

will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA's posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <http://www.fda.gov/regulatoryinformation/dockets/default.htm>.

*Docket:* For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Division of Dockets Management, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

**FOR FURTHER INFORMATION CONTACT:** Beverly Friedman, Office of Regulatory Policy, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 51, Rm. 6250, Silver Spring, MD 20993-0002, 301-796-3600.

#### **SUPPLEMENTARY INFORMATION:**

##### **I. Background**

The Drug Price Competition and Patent Term Restoration Act of 1984 (Pub. L. 98-417) and the Generic Animal Drug and Patent Term Restoration Act (Pub. L. 100-670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product's regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: A testing phase and an approval phase. For medical devices, the testing phase begins with a clinical investigation of the device and runs until the approval phase begins. The approval phase starts with the initial submission of an application to market the device and continues until permission to market the device is granted. Although only a portion of a regulatory review period may count toward the actual amount of extension that the Director of USPTO may award (half the testing phase must be subtracted as well as any time that may have occurred before the patent was issued), FDA's determination of the length of a regulatory review period for a medical device will include all of the testing phase and approval phase as specified in 35 U.S.C. 156(g)(3)(B).

FDA has approved for marketing the medical device CORE VALVE SYSTEM.

CORE VALVE SYSTEM is indicated for relief of aortic stenosis in patients with symptomatic heart disease due to severe native calcific aortic stenosis (aortic valve area  $\leq 0.8$  cm<sup>2</sup>, a mean aortic valve gradient of  $>40$  mmHg, or a peak aortic-jet velocity of 4.0 m/s) and with native aortic annulus diameters between 18 and 29 mm who are judged by a heart team, including a cardiac surgeon, to be at extreme risk or inoperable for open surgical therapy (predicted risk of operative mortality and/or serious irreversible morbidity  $\geq 50\%$  at 30 days). Subsequent to this approval, the USPTO received patent term restoration applications for CORE VALVE SYSTEM (U.S. Patent Nos. 5,957,949; 7,018,406; 8,226,710; and 8,579,966 from Medtronic Corevalve LLC and U.S. Patent No. 5,957,949 from Medtronic Vascular Inc.), and the USPTO requested FDA's assistance in determining the patents' eligibility for patent term restoration. In two letters dated October 19, 2015, FDA advised the USPTO that this medical device had undergone a regulatory review period and that the approval of CORE VALVE SYSTEM represented the first permitted commercial marketing or use of the product. Thereafter, the USPTO requested that FDA determine the product's regulatory review period.

## II. Determination of Regulatory Review Period

FDA has determined that the applicable regulatory review period for CORE VALVE SYSTEM is 1,194 days. Of this time, 1,017 days occurred during the testing phase of the regulatory review period, while 177 days occurred during the approval phase. These periods of time were derived from the following dates:

1. *The date an exemption under section 520(g) of the Federal Food, Drug, and Cosmetic Act (the FD&C Act) (21 U.S.C. 360j(g)) involving this device became effective:* October 13, 2010. FDA has verified the applicants' claims that the date the investigational device exemption required under section 520(g) of the FD&C act for human tests to begin became effective October 13, 2010.

2. *The date an application was initially submitted with respect to the device under section 515 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360e):* July 25, 2013. FDA has verified the applicants' claims that the premarket approval application (PMA) for CORE VALVE SYSTEM (PMA P130021) was initially submitted July 25, 2013.

3. *The date the application was approved:* January 17, 2014. FDA has

verified the applicants' claims that PMA P130021 was approved on January 17, 2014.

This determination of the regulatory review period establishes the maximum potential length of a patent extension. However, the USPTO applies several statutory limitations in its calculations of the actual period for patent extension. In its applications for patent extension, these applicants seek 685 days, 360 days, or 66 days of patent term extension.

## III. Petitions

Anyone with knowledge that any of the dates as published are incorrect may submit either electronic or written comments and ask for a redetermination (see **DATES**). Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period. To meet its burden, the petition must be timely (see **DATES**) and contain sufficient facts to merit an FDA investigation. (See H. Rept. 857, part 1, 98th Cong., 2d sess., pp. 41–42, 1984.) Petitions should be in the format specified in 21 CFR 10.30.

Submit petitions electronically to <https://www.regulations.gov> at Docket No. FDA–2013–S–0610. Submit written petitions (two copies are required) to the Division of Dockets Management (HFA–305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852. Petitions that have not been made publicly available on <https://www.regulations.gov> may be viewed in the Division of Dockets Management between 9 a.m. and 4 p.m., Monday through Friday.

Dated: November 16, 2016.

**Leslie Kux,**

*Associate Commissioner for Policy.*

[FR Doc. 2016–28047 Filed 11–21–16; 8:45 am]

**BILLING CODE 4164–01–P**

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### Food and Drug Administration

[Docket Nos. FDA–2015–E–2663; FDA–2015–E–2890]

### Determination of Regulatory Review Period for Purposes of Patent Extension; RUCONEST

**AGENCY:** Food and Drug Administration, HHS.

**ACTION:** Notice.

**SUMMARY:** The Food and Drug Administration (FDA) has determined the regulatory review period for

RUCONEST and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of applications to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that human biological product.

**DATES:** Anyone with knowledge that any of the dates as published (see the **SUPPLEMENTARY INFORMATION** section) are incorrect may submit either electronic or written comments and ask for a redetermination by January 23, 2017. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by May 22, 2017. See “Petitions” in the **SUPPLEMENTARY INFORMATION** section for more information.

**ADDRESSES:** You may submit comments as follows:

#### *Electronic Submissions*

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

#### *Written/Paper Submissions*

Submit written/paper submissions as follows:

- **Mail/Hand delivery/Courier (for written/paper submissions):** Division of Dockets Management (HFA–305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Division of Dockets