

interest. In particular, the proposal reasonably addresses a gap in the Exchange's current continued listing standards that potentially allows an issuer to delay delisting, through corporate action taken to cure a Bid Price Requirement deficiency that then results in a deficiency in another numeric continued listing requirement, and thereby remain listed on the Exchange for an extended period of time despite not maintaining the Exchange standards required for continued listing.<sup>28</sup>

Importantly, the Exchange's proposal also prevents a company from requesting or receiving a compliance determination for its initial Bid Price Requirement deficiency and communicating to investors that it has regained compliance with the Exchange's listing requirements until it has also cured any non-compliance with other numeric listing requirements caused by its actions to cure the initial Bid Price Requirement deficiency.<sup>29</sup> If the company does not meet both these requirements, in that order, during the compliance period applicable to the initial bid price deficiency, the Exchange will issue a Staff Delisting Determination Letter. Furthermore, while the Commission recognizes that the Exchange delisting process is in part designed to allow companies experiencing temporary financial and/or business issues to regain compliance with continued listing standards,<sup>30</sup> the proposal reasonably balances the intent of the delisting process with the need to prevent companies from taking advantage of the delisting process through multiple extensions to remain listed while failing to comply with the Exchange's continued listing standards,

<sup>28</sup> See *supra* note 20.

<sup>29</sup> Under the proposal, if the reverse split causes a new deficiency, the company will not be deemed compliant with the Bid Price Requirement even if it has a bid price above \$1.00 for ten consecutive days after the reverse split until the new deficiency is first cured, and thereafter the bid price requirement is met for ten consecutive business days or such additional time period pursuant to Rule 5810(c)(3)(H).

<sup>30</sup> The Exchange has stated, for example, that the bid price compliance periods are "designed to allow adequate time for a company facing temporary business issues, a temporary decrease in the market value of its securities, or temporary market conditions to come back into compliance with a bid price deficiency." See Securities Exchange Act Release No. 87982 (Jan. 15, 2020), 85 FR 3736, 3737 (Jan. 22, 2020) (SR-NASDAQ-2020-001) (Notice of Filing of Proposed Rule Change to Modify the Delisting Process for Securities with a Bid Price Below \$0.10 and for Securities that Have Had One or More Reverse Stock Splits with a Cumulative Ratio of 250 or More to One over the Prior Two Year Period).

contrary to the goal of protecting investors and the public interest.

Finally, the Commission notes that the comment letters received on the proposal were generally supportive.<sup>31</sup>

For the reasons discussed above, the Commission finds that this proposed rule change, as modified by Amendment No. 2, is consistent with the requirements of the Exchange Act.

#### IV. Conclusion

*It Is Therefore Ordered*, pursuant to Section 19(b)(2) of the Exchange Act,<sup>32</sup> that the proposed rule change (SR-NASDAQ-2024-029), as modified by Amendment No. 2, be, and it hereby is, approved.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.<sup>33</sup>

**Sherry R. Haywood,**

*Assistant Secretary.*

[FR Doc. 2024-23535 Filed 10-10-24; 8:45 am]

**BILLING CODE 8011-01-P**

<sup>31</sup> See Letter from Joseph Corcoran, Managing Director, Associate General Counsel, Securities Industry and Financial Markets Association, dated July 30, 2024; Thomas H. Merritt, Deputy General Counsel, Virtu Financial, Inc., dated Aug. 5, 2025; Letter from Daniel Zinn, General Counsel, and Flavia Vehbiu, Deputy General Counsel, OTC Markets Group Inc., dated Sept. 17, 2024. See also Joint Letter from Christopher A. Iacovella, President and Chief Executive Officer, American Securities Association, Stephen Hall, Legal Director, Better Markets, Tyler Gellasch, President and CEO, Healthy Markets Association, John Ramsay, Chief Market Policy Officer, Investors Exchange LLC, Joseph Saluzzi, Partner, Themis Trading LLC, dated Aug. 23, 2024, at 2, n.4 (stating that recent Exchange proposals, including SR-NASDAQ-2024-029, to amend listing rules to address concerns regarding "listed penny stocks" "represent steps in the right direction"). The comment letters received also express support for additional proposals to enhance exchange listing standards to further address investor protection concerns, particularly those involving Nasdaq listed companies with low-priced securities. Nasdaq states that it is considering other changes to the delisting process applicable to companies that are non-compliant with the Bid Price Requirement and such changes will be subject to a separate rule filing. See Notice, *supra* note 3, at 56458, n.10. See, e.g., Securities Exchange Act Release No. 100767 (Aug. 19, 2024), 89 FR 68228 (Aug. 23, 2024) (SR-NASDAQ-2024-045) (Notice of Filing of Proposed Rule Change to Modify the Application of the Minimum Bid Price Compliance Periods and the Delisting Appeals Process for Bid Price Non-Compliance in Listing Rules 5810 and 5815 Under Certain Circumstances). In approving this proposal, the Commission is finding the proposal before us is consistent with the Exchange Act.

<sup>32</sup> *Id.*

<sup>33</sup> 17 CFR 200.30-3(a)(12).

## SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-101266; File No. SR-ISE-2024-47]

### Self-Regulatory Organizations; Nasdaq ISE, LLC; Notice of Filing and Immediate Effectiveness of Proposed Rule Change To Establish Fees for Its Expanded Co-Location Services

October 7, 2024.

Pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act"),<sup>1</sup> and Rule 19b-4 thereunder,<sup>2</sup> notice is hereby given that on September 24, 2024, Nasdaq ISE, LLC ("ISE" or "Exchange") filed with the Securities and Exchange Commission ("SEC" or "Commission") the proposed rule change as described in Items I, II, and III, below, which Items have been prepared by the Exchange. The Commission is publishing this notice to solicit comments on the proposed rule change from interested persons.

#### I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to establish fees for its expanded co-location services. The text of the proposed rule change is available on the Exchange's website at <https://listingcenter.nasdaq.com/rulebook/ise/rules>, at the principal office of the Exchange, and at the Commission's Public Reference Room.

#### II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

In its filing with the Commission, the Exchange included statements concerning the purpose of and basis for the proposed rule change and discussed any comments it received on the proposed rule change. The text of these statements may be examined at the places specified in Item IV below. The Exchange has prepared summaries, set forth in sections A, B, and C below, of the most significant aspects of such statements.

##### A. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

###### 1. Purpose

The Exchange filed a proposal to expand its co-location services by offering new cabinet, power, and power distribution unit options in the

<sup>1</sup> 15 U.S.C. 78s(b)(1).

<sup>2</sup> 17 CFR 240.19b-4.

Exchange's expanded data center.<sup>3</sup> As described in that filing, the Exchange's current data center ("NY11") in Carteret, NJ is undergoing an expansion ("NY11-4") in response to demand for power and cabinets. The purpose of this proposed rule change is to establish fees for the expanded co-location services. Specifically, the Exchange proposes to establish (i) a monthly fee for Ultra High Density Cabinets, (ii) an installation fee for cabinets in NY11-4, (iii) fees for power installation in NY11-4, and (iv) fees for power distribution unit options in NY11-4.

#### Ultra High Density Cabinet

Currently, co-location customers have the option of obtaining cabinets of various sizes and power densities. Co-location customers may obtain a Half Cabinet,<sup>4</sup> a Low Density Cabinet with power density less than or equal to 2.88 kilowatts ("kW"), a Medium Density Cabinet with power density greater than 2.88 kW and less than or equal to 5 kW, a Medium-High Density Cabinet with power density greater than 5 kW and less than or equal to 7 kW, a High Density Cabinet with power density greater than 7 kW and less than 10 kW, and a Super High Density Cabinet with power density greater than 10 kW and less than or equal to 17.3 kW.

The Exchange filed a proposal to introduce a new cabinet choice in NY11-4, an "Ultra High Density Cabinet," with power density greater than 10 kW and less than or equal to 15 kW.<sup>5</sup> The Ultra High Density Cabinet option will only be offered in NY11-4 because of the power configuration necessary for such cabinets, which is not possible or available in other portions of the data center due to different power distribution.<sup>6</sup> In addition to the Ultra High Density Cabinet, the Exchange will offer the other, existing cabinet options in NY11-4, with the exception of the Low Density Cabinet and Half Cabinet due to a lack of demand for such cabinets. The ongoing monthly fees for the Super High Density Cabinet, High Density Cabinet, Medium-High Density Cabinet, and Medium Density Cabinet are the same in NY11 and NY11-4 and the Exchange is not proposing to modify such fees.

The Exchange proposes to establish an ongoing monthly fee of \$7,230 for the Ultra High Density Cabinets. To effectuate this change, the Exchange proposes to add the \$7,230 ongoing monthly fee for Ultra High Density Cabinets to its fee schedule in General 8, Section 1(a). The Exchange notes that the proposed fee amount falls between the \$4,748 ongoing monthly fee charged for High Density Cabinets and the \$8,440 ongoing monthly fee charged for Super High Density Cabinets. Furthermore, the proposed fee is consistent with the existing ongoing monthly cabinet fees on a per kW basis. The existing monthly cabinet fees range from approximately \$475 per kW to \$916 per kW, while the proposed ongoing monthly cabinet fee for the Ultra High Density Cabinet ranges from approximately \$482 per kW (at the high end of the power density range for Ultra High Density Cabinets) to \$723 per kW (at the low end of the power density range for Ultra High Density Cabinets).

#### Installation Fee for Cabinets in NY11-4

The Exchange proposes to establish a cabinet installation fee of \$5,940 for all cabinets in NY11-4. To effectuate this change, the Exchange proposes to add the proposed \$5,940 installation fee to its fee schedule in General 8, Section 1(a) for Super High Density Cabinets, Ultra High Density Cabinets, High Density Cabinets, Medium-High Density Cabinets, and Medium Density Cabinets in NY11-4. In the existing data halls, customers may bring their own cabinets or use Exchange-provided cabinets. In NY11-4, because of the cooling system (hot aisle containment),<sup>7</sup> all cabinets must be uniform and therefore, the Exchange will provide all cabinets, the cost of which is included in the \$5,940 installation fee.<sup>8</sup> The cabinets in NY11-4 include certain features not included in cabinets provided by the Exchange in the existing data halls. Specifically, the cabinets in NY11-4 include uniform, wider cabinets (32" W × 48" D × 91" H), cable management, and a rear split door and combo lock. In addition, the proposed installation fee of \$5,940 is comparable to fees charged for similar products.<sup>9</sup>

#### Installation Fee for Cabinet Power in NY11-4

The cabinet power options for NY11-4 include: Phase 1 20 amp 240 volt, Phase 1 32 amp 240 volt, Phase 1 40 amp 240 volt, Phase 3 20 amp 415 volt, and Phase 3 32 amp 415 volt. These cabinet power options are specific to NY11-4 and one of these options must be selected for cabinets in NY11-4. The Exchange proposes to establish an installation fee of \$3,600 for Phase 1 cabinet power options in NY11-4 and an installation fee of \$4,560 for Phase 3 cabinet power options in NY11-4. To effectuate this change, the Exchange proposes to add the proposed fees to its fee schedule in General 8, Section 1(c). The Exchange also proposes not to charge an ongoing monthly fee for the cabinet power options in NY11-4 and update the fee schedule accordingly. For NY11-4, the data center operator is bringing in these higher voltage power options and is likely to experience increased power distribution efficiencies across the data center. The proposed power installation fees are higher in NY11-4 as compared to the existing data halls as the installation of the higher voltage power options costs more to the Exchange and is considered a premium product due to anticipated operational efficiencies.<sup>10</sup> As between the Phase 1 and Phase 3 power options, the Phase 3 options provide a more efficient power source.

#### Fees for Power Distribution Unit Options

The Exchange will offer power distribution units ("PDUs")<sup>11</sup> in NY11-4 as a convenience to customers. Rather than sourcing PDUs on a customer-by-customer basis, as the Exchange does for customers in NY11, the Exchange will offer Phase 1 and Phase 3<sup>12</sup> power distribution units in NY11-4. The Exchange proposes to establish a fee of \$4,100 for a Phase 1 PDU and \$5,260 for a Phase 3 PDU. This service is optional and customers may choose to provide

<sup>10</sup> Benefits include future proofing the data hall to allow for increasing power density in the future, requiring less whips to deliver the same amount of amperage, less circuits need to be installed to reach the same power supply, and safety improvements.

<sup>11</sup> PDUs are devices fitted with multiple outputs designed to distribute electric power. The standardized PDUs would only be offered for NY11-4.

<sup>12</sup> Phase 1 PDUs are compatible with the following power options: Phase 1 20 amp 240 volt, Phase 1 32 amp 240 volt, and Phase 1 40 amp 240 volt. Phase 3 PDUs are compatible with the following power options: Phase 3 20 amp 415 volt and Phase 3 32 amp 415 volt. Phase 1 and Phase 3 are available in NY11 and NY11-4. Phase 3 PDUs provide greater power density than Phase 1 PDUs by delivering power over three wires as opposed to one wire.

<sup>3</sup> Securities Exchange Act Release No. 34-101076 (September 5, 2024), 89 FR 77951 (September 24, 2024) (SR-ISE-2024-45).

<sup>4</sup> Half cabinets are not available to new subscribers. See General 8, Section 1(a).

<sup>5</sup> *Supra* note 3.

<sup>6</sup> Because of the addition of the Ultra High Density Cabinet option in NY11-4, the Super High Density Cabinet in NY11-4 will have power density greater than 15 kW and less than or equal to 17.3 kW.

<sup>7</sup> The existing data halls utilize cold aisle containment to manage temperatures. Hot aisle containment is a more effective way to manage heat in the data center.

<sup>8</sup> In contrast, to the extent customers provide their own cabinets in NY11, there is an additional out-of-pocket cost for such cabinets.

<sup>9</sup> For example, NYSE charges an initial \$5,000 fee for dedicated cabinets. See [https://www.nyse.com/publicdocs/Wireless\\_Connectivity\\_Fees\\_and\\_Charges.pdf](https://www.nyse.com/publicdocs/Wireless_Connectivity_Fees_and_Charges.pdf).

their own PDUs appropriate for their power installation choices. The Exchange notes that, as part of such proposed fees, the Exchange would provide a primary and redundant PDU. As such, the proposed PDU fees covers a pair of PDUs. In addition, customers utilizing a Phase 1 or Phase 3 PDU provided by the Exchange have the ability to upgrade or downgrade between amperage levels without replacing the PDU, by a simple upgrade of the facility cord and a receptacle update.<sup>13</sup> A PDU replacement is required when switching between phases/voltage.

The Exchange will also offer a switch monitored PDU add on in NY11-4, which would allow customers to connect remotely to their PDU and control the power sockets. With the switch monitored PDU option, customers would be able to power cycle or shut off power remotely. The Exchange proposes to establish a \$2,000 fee for the switch monitored PDU option. This option is optional as well and customers may choose to provide their own switch monitored PDU, if desired.

#### Implementation

Although the timing is subject to change,<sup>14</sup> the Exchange anticipates opening NY11-4 Exchange access on November 11, 2024 and providing customers access on October 7, 2024. Customer orders will not be fee liable until customers are provided access to the space.<sup>15</sup>

#### 2. Statutory Basis

The Exchange believes that its proposal is consistent with Section 6(b) of the Act,<sup>16</sup> in general, and furthers the objectives of Sections 6(b)(4) and 6(b)(5) of the Act,<sup>17</sup> in particular, in that it provides for the equitable allocation of reasonable dues, fees and other charges among members and issuers and other persons using any facility, and is not designed to permit unfair discrimination between customers, issuers, brokers, or dealers.

The Exchange believes that the proposal to establish a monthly fee for

<sup>13</sup> This functionality may be available with customer-provided PDUs as well and depends on the PDU provided by the customer.

<sup>14</sup> The Exchange will announce modifications to the proposed timing via the Nasdaq Customer Portal, which is the web portal used for order and inventory management of colocation services, and email communication to all colocation customers.

<sup>15</sup> Charging customers once access is provided is consistent with current practice and allows customers to set up equipment and begin using power.

<sup>16</sup> 15 U.S.C. 78f(b).

<sup>17</sup> 15 U.S.C. 78f(b)(4) and (5).

Ultra High Density Cabinets, an installation fee for cabinets in NY11-4, installation fees for power installation in NY11-4, and fees for power distribution unit options in NY11-4 is reasonable. First, the Exchange's proposal to establish a \$7,230 ongoing monthly fee for Ultra High Density Cabinets in NY11-4 is reasonable because it is comparable to the Exchange's current ongoing monthly fees for cabinets. The proposed fee amount falls between the \$4,748 ongoing monthly fee charged for High Density Cabinets and the \$8,440 ongoing monthly fee charged for Super High Density Cabinets. Furthermore, the proposed fee is consistent with the existing ongoing monthly cabinet fees on a per kW basis. The existing monthly cabinet fees range from approximately \$475 per kW to \$916 per kW, while the proposed ongoing monthly cabinet fee for the Ultra High Density Cabinet ranges from approximately \$482 per kW (at the high end of the power density range for Ultra High Density Cabinets) to \$723 per kW (at the low end of the power density range for Ultra High Density Cabinets). Second, the Exchange believes that the proposed cabinet installation fee of \$5,940 is reasonable as compared to the installation fees in NY11 (of \$3,693-\$4,748) because the proposed installation fee includes the cabinet itself, which includes certain enhanced features in NY11-4, including uniform, wider cabinets (32" W x 48" D x 91" H), cable management, and a rear split door and combo lock. In contrast, in NY11, customers may choose to provide their own cabinets, incurring an additional cost. Furthermore, the proposed installation fee is comparable to the rate charged by NYSE for a similar product, as described above. Third, the Exchange believes that the power installation fees of \$3,600 for Phase 1 power options and \$4,560 for Phase 3 power options in NY11-4 are reasonable. As compared to power installation fees in NY11, the proposed rates for NY11-4 are higher because the Exchange will incur increased costs for installation of the higher voltage power options. In addition, the higher voltage power options will provide operational efficiencies for the data hall, as discussed above,<sup>18</sup> warranting a higher fee. Finally, the Exchange believes that the proposed fees for PDUs and the PDU add on are reasonable because such fees are consistent with market rates. Furthermore, the Exchange is providing the PDU options as a convenience to customers. No customer is required to purchase any PDU options from the

Exchange. Customers may choose to provide their own PDUs and PDU add ons.

The Exchange believes substitutable products and services are available to market participants, including, among other things, other options exchanges that a market participant may connect to in lieu of the Exchange,<sup>19</sup> connectivity to the Exchange via a third-party reseller of connectivity, and/or trading of options products within markets which do not require connectivity to the Exchange, such as the Over-the-Counter (OTC) markets. Market participants that wish to connect to the Exchange will continue to choose the method of connectivity based on their specific needs. Market participants that wish to connect to the Exchange but want to avoid or mitigate the effect of these proposed fees can choose to connect to the Exchange through a vendor.

In summary, the proposal represents an equitable allocation of reasonable dues, fees and other charges because customers have choices in how they connect to the Exchange, the proposed monthly fee for Ultra High Density Cabinets is comparable to current fees charged by the Exchange for other cabinets, the Exchange will provide uniform cabinets in NY11-4 with special features, the proposed cabinet installation fee is consistent with that of comparable products offered by other providers, the Exchange will incur increased costs for new power installation in NY11-4, higher voltage power options will provide operational efficiencies for the data hall, and PDU options are provided as a convenience to customers and customers may choose to provide their own PDUs.

The Exchange believes that the proposed fee changes are not unfairly discriminatory because the cabinet, power, and PDU fees for NY11-4 are available to and assessed uniformly across all market participants. In addition, all customers have the choice of whether and how to connect to the Exchange.

<sup>19</sup> There are currently 17 exchanges offering options trading services. No single options exchange trades more than 15% of the options market by volume and only one of the 17 options exchanges has a market share over 10 percent. See Nasdaq, Options Market Statistics (Last updated July 3, 2024), available at <https://www.nasdaq-trader.com/Trader.aspx?id=OptionsVolumeSummary>. This broad dispersion of market share demonstrates that market participants can and do exercise choice in trading venues. Further, low barriers to entry mean that new exchanges may rapidly enter the market and offer additional substitute platforms to further compete with the Exchange and the products it offers.

<sup>18</sup> *Supra* note 10.

### *B. Self-Regulatory Organization's Statement on Burden on Competition*

The Exchange does not believe that the proposed rule change will impose any burden on competition not necessary or appropriate in furtherance of the purposes of the Act.

Nothing in the proposal burdens inter-market competition because approval of the proposal does not impose any burden on the ability of other exchanges to compete. The Exchange operates in a highly competitive market in which market participants can determine whether or not to connect to the Exchange based on the value received compared to the cost of doing so. Indeed, market participants have numerous alternative exchanges that they may participate on and direct their order flow, as well as off-exchange venues, where competitive products are available for trading.

Nothing in the proposal burdens intra-market competition because the Ultra High Density Cabinets, cabinet power options, and PDU optionality in NY11-4 are available to any customer under the same fees as any other customer, and any customer that wishes to order cabinets, power and PDUs in NY11-4 can do so on a non-discriminatory basis.

### *C. Self-Regulatory Organization's Statement on Comments on the Proposed Rule Change Received From Members, Participants, or Others*

No written comments were either solicited or received.

### **III. Date of Effectiveness of the Proposed Rule Change and Timing for Commission Action**

The foregoing rule change has become effective pursuant to Section 19(b)(3)(A)(ii) of the Act.<sup>20</sup> At any time within 60 days of the filing of the proposed rule change, the Commission summarily may temporarily suspend such rule change if it appears to the Commission that such action is: (i) necessary or appropriate in the public interest; (ii) for the protection of investors; or (iii) otherwise in furtherance of the purposes of the Act. If the Commission takes such action, the Commission shall institute proceedings to determine whether the proposed rule should be approved or disapproved.

### **IV. Solicitation of Comments**

Interested persons are invited to submit written data, views and arguments concerning the foregoing, including whether the proposed rule change is consistent with the Act.

Comments may be submitted by any of the following methods:

#### *Electronic Comments*

- Use the Commission's internet comment form (<https://www.sec.gov/rules/sro.shtml>); or
- Send an email to [rule-comments@sec.gov](mailto:rule-comments@sec.gov). Please include file number SR-ISE-2024-47 on the subject line.

#### *Paper Comments*

- Send paper comments in triplicate to Secretary, Securities and Exchange Commission, 100 F Street NE, Washington, DC 20549-1090.

All submissions should refer to file number SR-ISE-2024-47. This file number should be included on the subject line if email is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's internet website (<https://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for website viewing and printing in the Commission's Public Reference Room, 100 F Street NE, Washington, DC 20549, on official business days between the hours of 10 a.m. and 3 p.m. Copies of the filing also will be available for inspection and copying at the principal office of the Exchange. Do not include personal identifiable information in submissions; you should submit only information that you wish to make available publicly. We may redact in part or withhold entirely from publication submitted material that is obscene or subject to copyright protection. All submissions should refer to file number SR-ISE-2024-47 and should be submitted on or before November 1, 2024.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.<sup>21</sup>

**Sherry R. Haywood,**  
*Assistant Secretary.*

[FR Doc. 2024-23531 Filed 10-10-24; 8:45 am]

**BILLING CODE 8011-01-P**

## **SECURITIES AND EXCHANGE COMMISSION**

[Release No. 34-101269; File No. SR-MRX-2024-37]

### **Self-Regulatory Organizations; Nasdaq MRX, LLC; Notice of Filing and Immediate Effectiveness of Proposed Rule Change To Establish Fees for Its Expanded Co-Location Services**

October 7, 2024.

Pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act"),<sup>1</sup> and Rule 19b-4 thereunder,<sup>2</sup> notice is hereby given that on September 24, 2024, Nasdaq MRX, LLC ("MRX" or "Exchange") filed with the Securities and Exchange Commission ("SEC" or "Commission") the proposed rule change as described in Items I, II, and III, below, which Items have been prepared by the Exchange. The Commission is publishing this notice to solicit comments on the proposed rule change from interested persons.

#### **I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change**

The Exchange proposes to establish fees for its expanded co-location services.

The text of the proposed rule change is available on the Exchange's website at <https://listingcenter.nasdaq.com/rulebook/mrx/rules>, at the principal office of the Exchange, and at the Commission's Public Reference Room.

#### **II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change**

In its filing with the Commission, the Exchange included statements concerning the purpose of and basis for the proposed rule change and discussed any comments it received on the proposed rule change. The text of these statements may be examined at the places specified in Item IV below. The Exchange has prepared summaries, set forth in sections A, B, and C below, of the most significant aspects of such statements.

##### *A. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change*

###### **1. Purpose**

The Exchange filed a proposal to expand its co-location services by offering new cabinet, power, and power distribution unit options in the

<sup>1</sup> 15 U.S.C. 78s(b)(1).

<sup>2</sup> 17 CFR 240.19b-4.

<sup>20</sup> 15 U.S.C. 78s(b)(3)(A)(ii).

<sup>21</sup> 17 CFR 200.30-3(a)(12).