

information collection requirements have been previously approved by the Office of Management and Budget under OMB No. 0581-0178. The forms require information which is readily available from handler records and which can be provided without data processing equipment or trained statistical staff. As with other marketing order programs, reports and forms are periodically reviewed to reduce or eliminate duplicate information collection burdens by industry and public sector agencies. This final rule does not change those requirements. In addition, the USDA has not identified any relevant Federal rules that duplicate, overlap or conflict with this regulation.

Further, the Board's meeting was widely publicized throughout the hazelnut industry and all interested persons were invited to attend the meeting and participate in Board deliberations. Like all Board meetings, the November 14, 2000, meeting was a public meeting and all entities, both large and small, were able to express their views on this issue. Additionally, interested persons were invited to submit information on the regulatory and informational impacts of this action on small businesses.

An interim final rule regarding this action was published in the **Federal Register** on March 6, 2001. A copy of the rule was provided to the Board's staff for distribution to Board members as well as the hazelnut industry. In addition, the rule was made available through the Internet by the Office of the Federal Register and USDA. That rule provided for a 60-day comment period that ended on May 7, 2001. No comments were received. USDA is adopting and reinstating the interim final rule because the marketing percentages inadvertently expired on June 30, 2001. The marketing percentages established by the interim final rule will continue to apply until all restricted hazelnuts from the 2000-2001 marketing year have been properly disposed in accordance with marketing order requirements. Some of these dispositions are made after June 30, 2001, the end of the 2000-2001 marketing year.

A small business guide on complying with fruit, vegetable, and specialty crop marketing agreements and orders may be viewed at: <http://www.ams.usda.gov/fv/moab.html>. Any questions about the compliance guide should be sent to Jay Guerber at the previously mentioned address in the **FOR FURTHER INFORMATION CONTACT** section.

After consideration of all relevant material presented, including the Board's recommendation, and other

information, it is found that adopting and reinstating as a final rule without change the provisions of § 982.248 in the interim final rule published in the **Federal Register** (66 FR 13396, March 6, 2001), will tend to effectuate the declared policy of the Act.

Pursuant to 5 U.S.C. 553, it is also found that good cause exists for not postponing the effective date of this action until 30 days after publication in the **Federal Register** because: (1) The percentages established by the interim final rule continue to apply until all restricted hazelnuts from the 2000-2001 marketing year have been properly disposed of in accordance with the marketing order requirements; (2) the interim final rule was published in the **Federal Register** on March 6, 2001, with a May 7, 2001, comment period, and no comments were received; and (3) handlers are aware of this action and are prepared to comply with the marketing percentages.

List of Subjects in 7 CFR Part 982

Filberts, Hazelnuts, Marketing agreements, Nuts, Reporting and recordkeeping requirements.

PART 982—HAZELNUTS GROWN IN OREGON AND WASHINGTON

Accordingly, § 982.248 as published in the interim final rule at 66 FR 13396 on March 6, 2001, is adopted and reinstated as a final rule without change. Section 982.248 reads as follows:

§ 982.248 Free and restricted percentages—2000-2001 marketing year.

(a) The interim final free and restricted percentages for merchantable hazelnuts for the 2000-2001 marketing year shall be 14 and 86 percent, respectively.

(b) On May 1, 2001, the final free and restricted percentages for merchantable hazelnuts for the 2000-2001 marketing year shall be 17 and 83 percent, respectively.

Dated: March 7, 2002.

A.J. Yates,

Administrator, Agricultural Marketing Service.

[FR Doc. 02-5940 Filed 3-12-02; 8:45 am]

BILLING CODE 3410-02-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 23

[Docket No. CE177, Special Conditions 23-112-SC]

Special Conditions; Eclipse Aviation Corporation, Model 500 Airplane; Protection of Systems From High Intensity Radiated Fields (HIRF)

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions; request for comments.

SUMMARY: This document issues special conditions for the Eclipse Aviation Corporation, 2503 Clark Carr Loop SE, Albuquerque, NM 87106 on the Eclipse Model 500 airplane. This airplane will have novel and unusual design features when compared to the state of technology envisaged in the applicable airworthiness standards. These novel and unusual design features include the installation of electronic flight instrument system (EFIS) displays manufactured by Eclipse Aviation Corporation for which the applicable regulations do not contain adequate or appropriate airworthiness standard for the protection of these systems from the effects of high intensity radiated fields (HIRF). These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to the airworthiness standards applicable to these airplanes.

DATES: The effective date of these special conditions is February 21, 2002. Comments must be received on or before April 12, 2002.

ADDRESSES: Comments may be mailed in duplicate to: Federal Aviation Administration, Regional Counsel, ACE-7, Attention: Rules Docket Clerk, Docket No. CE156, Room 506, 901 Locust, Kansas City, Missouri 64106. All comments must be marked: Docket No. CE177. Comments may be inspected in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4:00 p.m.

FOR FURTHER INFORMATION CONTACT: Ervin Dvorak, Aerospace Engineer, Standards Office (ACE-110), Small Airplane Directorate, Aircraft Certification Service, Federal Aviation Administration, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone (816) 329-4123.

SUPPLEMENTARY INFORMATION: The FAA has determined that notice and opportunity for prior public comment

hereon are impracticable because these procedures would significantly delay issuance of the approval design and thus delivery of the affected aircraft. In addition, the substance of these special conditions has been subject to the public comment process in several prior instances with no substantive comments received. The FAA, therefore, finds that good cause exists for making these special conditions effective upon issuance.

Comments Invited

Interested persons are invited to submit such written data, views, or arguments as they may desire. Communications should identify the regulatory docket or notice number and be submitted in duplicate to the address specified above. All communications received on or before the closing date for comments will be considered by the Administrator. The special conditions may be changed in light of the comments received. All comments received will be available in the Rules Docket for examination by interested persons, both before and after the closing date for comments. A report summarizing each substantive public contract with FAA personnel concerning this rulemaking will be filed in the docket. Commenters wishing the FAA to acknowledge receipt of their comments submitted in response to this notice must include a self-addressed, stamped postcard on which the following statement is made: "Comments to Docket No. CE177." The postcard will be date stamped and returned to the commenter.

Background

On July 12, 2001, Eclipse Aviation Corporation applied for a type certificate for their new Eclipse Model 500 airplane. The proposed modification incorporates a novel or unusual design feature, such as digital avionics consisting of an electronic displays, electronic engine controls, that is vulnerable to HIRF external to the airplane.

Type Certification Basis

Under the provisions of 14 CFR part 21, § 21.17, Eclipse Aviation Corporation must show that the Eclipse Model 500 airplane meets the following:

(1) Applicable provisions of 14 CFR part 23, effective December 18, 1964, as amended by Amendments 23-1 through 23-54 (September 14, 2000).

(2) Part 34 of the Federal Aviation Regulations effective September 10, 1990, plus any amendments in effect on the date of type certification.

(3) Part 36 of the Federal Aviation Regulations effective December 1, 1969, as amended by Amendment 36-1 through the amendment in effect on the date of type certification.

(4) Noise Control Act of 1972.

(5) Special conditions that are not relevant to these proposed special conditions, if any;

(6) Exemption, if any;

(7) Equivalent level of safety findings, if any; and

(8) Special conditions adopted by this rulemaking action.

If the Administrator finds that the applicable airworthiness regulations (i.e., part 23) do not contain adequate or appropriate safety standards for the Eclipse Model 500 airplane because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions, as appropriate, as defined in § 11.19, are issued in accordance with § 11.38 after public notice and become part of the type certification basis in accordance with § 21.17(a)(2).

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended late to include any other model that incorporates the same novel or unusual design feature, the special conditions would also apply to the other model under the provisions of § 21.101.

Novel or Unusual Design Features

The Eclipse Model 500 airplane will incorporate the following novel or unusual design features into an airplane for which the airworthiness standards do not contain adequate or appropriate safety standards for protection from the effects of HIRF. These features include electronic engine control systems, electronic displays, and any other critical systems which are susceptible to the HRF environment, that were not envisaged by the existing regulations for this type of airplane.

Protection of Systems From High Intensity Radiated Fields (HIRF)

Recent advances in technology have given rise to the application in aircraft designs of advanced electrical and electronic systems that perform functions required for continued safe flight and landing. Due to the use of sensitive solid state advanced components in analog and digital electronics circuits, these advanced systems are readily responsive to the transient effects of induced electrical current and voltage caused by the HIRF. The HIRF can degrade electronic systems performance by damaging

components or upsetting system functions.

Furthermore, the HIRF environment has undergone a transformation that was not foreseen when the current requirements were developed. Higher energy levels are radiated from transmitters that are used for radar, radio, and television. Also, the number of transmitters has increased significantly. There is also uncertainty concerning the effectiveness of airframe shielding for HIRF. Furthermore, coupling to cockpit-installed equipment through the cockpit window apertures is undefined.

The combined effect of the technological advances in airplane design and the changing environment has resulted in an increased level of vulnerability of electrical and electronic systems required for the continued safe flight and landing of the airplane. Effective measures against the effects of exposure to HIRF must be provided by the design and installation of these systems. The accepted maximum energy levels in which civilian airplane system installations must be capable of operating safely are based on surveys and analysis of existing radio frequency emitters. These special conditions require that the airplane be evaluated under these energy levels for the protection of the electronic system and its associated wiring harness. These external threat levels, which are lower than previous required values, are believed to represent the worst case to which an airplane would be exposed in the operating environment.

These special conditions require qualification of systems that perform critical functions, as installed in aircraft, to the defined HIRF environment in paragraph 1 or, as an option to a fixed value using laboratory tests, in paragraph 2, as follows:

(1) The applicant may demonstrate that the operation and operational capability of the installed electrical and electronic systems that perform critical functions are not adversely affected when the aircraft is exposed to the HIRF environment defined below:

Frequency	Field strength (volts per meter)	
	Peak	Average
10 kHz–100 kHz	50	50
100 kHz–500 kHz	50	50
500 kHz–20 MHz	50	50
2 MHz–30 MHz	100	100
30 MHz–70 MHz	50	50
70 MHz–100 MHz	50	50
100 MHz–200 MHz	100	100
200 MHz–400 MHz	100	100
400 MHz–700 MHz	700	50

Frequency	Field strength (volts per meter)	
	Peak	Average
700 MHz–1 GHz	700	100
1 GHz–2 GHz	2000	200
2 GHz–4 GHz	3000	200
4 GHz–6 GHz	3000	200
6 GHz–8 GHz	1000	200
8 GHz–12 GHz	3000	300
12 GHz–18 GHz	2000	200
18 GHz–40 GHz	600	200

Note.—The field strengths are expressed in terms of peak root-mean-square (rms) values.

or,

(2) The applicant may demonstrate by a system test and analysis that the electrical and electronic systems that perform critical functions can withstand a minimum threat of 100 volts per meter, peak electrical field strength, from 10 kHz to 18 GHz. When using this test to show compliance with the HIRF requirements, no credit is given for signal attenuation due to installation.

A preliminary hazard analysis must be performed by the applicant, for approval by the FAA, to identify either electrical or electronic systems that perform critical functions. The term “critical” means those functions whose failure would contribute to, or cause, a failure condition that would prevent the continued safe flight and landing of the airplane. The systems identified by the hazard analysis that perform critical functions are candidates for the application of HIRF requirements. A system may perform both critical and non-critical functions. Primary electronic flight display systems, and their associated components, perform critical functions such as attitude, altitude, and airspeed indication. The HIRF requirements apply only to critical functions.

Compliance with HIRF requirements may be demonstrated by tests, analysis, models, similarity with existing systems, or any combination of these. Service experience alone is not acceptable since normal flight operations may not include an exposure to the HIRF environment. Reliance on a system with similar design features for redundancy as a means of protection against the effects of external HIRF is generally insufficient since all elements of a redundant system are likely to be exposed to the fields concurrently.

Applicability

As discussed above, these special conditions are applicable to the Eclipse Model 500 airplane. Should Eclipse Aviation Corporation apply at a later date for a change to the type certificate to include another model incorporating

the same novel or unusual design feature, the special conditions would apply to that model as well under the provisions of § 21.101.

Conclusion

This action affects only certain novel or unusual design features on one model of airplane. It is not a rule of general applicability and affects only the applicant who applied to the FAA for approval of these features on the airplane.

The substance of these special conditions has been subjected to the notice and comment period in several prior instances and has been derived without substantive change from those previously issued. It is unlikely that prior public comment would result in a significant change from the substance contained herein. For this reason, and because a delay would significantly affect the certification of the airplane, which is imminent, the FAA has determined that prior public notice and comment are unnecessary and impracticable, and good cause exists for adopting these special condition upon issuance. The FAA is requesting comments to allow interested persons to submit views that may not have been submitted in response to the prior opportunities for comment described above.

List of Subjects in 14 CFR Part 23

Aircraft, Aviation safety, Signs and symbols.

Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113 and 44701; 14 CFR 21.16 and 21.17; and 14 CFR 11.38 and 11.19.

The Special Conditions

Accordingly, the Federal Aviation Administration (FAA) issues the following special conditions as part of the type certification basis for the Eclipse Aviation Corporation Model 500, Airplane.

1. *Protection of Electrical and Electronic Systems from High Intensity Radiated Fields (HIRF).* Each system that performs critical functions must be designed and installed to ensure that the operations, and operational capabilities of these systems to perform critical functions, are not adversely affected when the airplane is exposed to high intensity radiated electromagnetic fields external to the airplane.

2. For the purpose of these special conditions, the following definition applies: Critical Functions: Functions whose failure would contribute to, or

cause, a failure condition that would prevent the continued safe flight and landing of the airplane.

Issued in Kansas City, Missouri on February 21, 2002.

Michael Gallagher,

Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. 02–5808 Filed 3–12–02; 8:45 am]

BILLING CODE 4910–13–M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2002–CE–06–AD; Amendment 39–12673; AD 2002–05–05]

RIN 2120–AA64

Airworthiness Directives; Cirrus Design Corporation Models SR20 and SR22 Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Final rule; request for comments.

SUMMARY: This amendment adopts a new airworthiness directive (AD) that applies to certain Cirrus Design Corporation (Cirrus) Models SR20 and SR22 airplanes. This AD requires you to incorporate temporary operating limitations into the Limitation Section of the airplane flight manual (AFM) for certain affected airplanes and install a cable clamp external to the cone adapter on the Cirrus Aircraft Parachute System (CAPS) activation cable for all affected airplanes. The operating limitations will reduce the need to use the CAPS system in a loss of aircraft control emergency situation. The installation will prevent the cable housing from going into the rocket cone and will allow the rocket to fire correctly. This AD is the result of a report from the manufacturer that certain CAPS may not activate in an emergency situation. The actions specified by this AD are intended to initially limit the chance of failure of the CAPS activation system in an emergency situation and eventually eliminate this potential failure. Failure of this system would result in occupant injury and/or loss of life and loss of aircraft.

DATES: This AD becomes effective on March 19, 2002.

The Director of the Federal Register approved the incorporation by reference of certain publications listed in the regulation as of March 19, 2002.