

**DEPARTMENT OF JUSTICE****Drug Enforcement Administration****[Docket No. DEA-392]****Bulk Manufacturer of Controlled Substances Application: Apertus Pharmaceuticals****ACTION:** Notice of application.

**DATES:** Registered bulk manufacturers of the affected basic classes, and applicants therefore, may file written comments on or objections to the issuance of the proposed registration in accordance with 21 CFR 1301.33(a) on or before May 26, 2015.

**ADDRESSES:** Written comments should be sent to: Drug Enforcement Administration, Attention: DEA Federal Register Representative/ODW, 8701 Morrisette Drive, Springfield, Virginia 22152. Request for hearings should be sent to: Drug Enforcement Administration, Attention: Hearing Clerk/LJ, 8701 Morrisette Drive, Springfield, Virginia 22152.

**SUPPLEMENTARY INFORMATION:** The Attorney General has delegated his authority under the Controlled Substances Act to the Administrator of the Drug Enforcement Administration (DEA), 28 CFR 0.100(b). Authority to exercise all necessary functions with respect to the promulgation and implementation of 21 CFR part 1301, incident to the registration of manufacturers, distributors, dispensers, importers, and exporters of controlled substances (other than final orders in connection with suspension, denial, or revocation of registration) has been redelegated to the Deputy Assistant Administrator of the DEA Office of Diversion Control ("Deputy Assistant Administrator") pursuant to section 7 of 28 CFR part 0, appendix to subpart R.

In accordance with 21 CFR 1301.33(a), this is notice that on March 20, 2014, Apertus Pharmaceuticals, 331 Consort Drive, St. Louis, Missouri 63011, applied to be registered as a bulk manufacturer of the following basic classes of controlled substances:

Controlled substance	Schedule
Marihuana (7360) .....	I
Tetrahydrocannabinols (7370) .....	I

The company plans to divide the synthesized cannabidiol, with a portion going for sale as an API in nabiximol. The raw material will be used to synthesize dronabinol. Therefore, they anticipate consuming and purchasing small quantities of CS for generating data to support the Drug Master File

with the FDA including validation batches, standards and stability studies.

No other activity for this drug code is authorized for this registration.

Dated: March 20, 2015.

**Joseph T. Rannazzisi,**

*Deputy Assistant Administrator.*

[FR Doc. 2015-06966 Filed 3-26-15; 8:45 am]

**BILLING CODE 4410-09-P**

**DEPARTMENT OF LABOR****Occupational Safety and Health Administration****[Docket No. OSHA-2012-0035]****Traylor/Skanska/Jay Dee Joint Venture: Grant of a Permanent Variance**

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Notice.

**SUMMARY:** In this notice, OSHA grants a permanent variance to Traylor/Skanska/Jay Dee Joint Venture from the provisions of OSHA standards that regulate work in compressed air environments at 29 CFR 1926.803.

**DATES:** The permanent variance specified by this notice becomes effective on March 27, 2015 and shall remain in effect until January 31, 2016.

**FOR FURTHER INFORMATION CONTACT:** Information regarding this notice is available from the following sources:

*Press inquiries:* Contact Mr. Frank Meilinger, Director, OSHA Office of Communications, U.S. Department of Labor, 200 Constitution Avenue NW., Room N-3647, Washington, DC 20210; telephone: (202) 693-1999; email: [Meilinger.frank2@dol.gov](mailto:Meilinger.frank2@dol.gov).

*General and technical information:* Contact Mr. Kevin Robinson, Acting Director, Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW., Room N-3655, Washington, DC 20210; phone: (202) 693-2110 or email: [robinson.kevin@dol.gov](mailto:robinson.kevin@dol.gov).

**SUPPLEMENTARY INFORMATION:**

*Copies of this Federal Register notice.* Electronic copies of this **Federal Register** notice are available at <http://www.regulations.gov>. This **Federal Register** notice, as well as news releases and other relevant information, also are available at OSHA's Web page at <http://www.osha.gov>.

**I. Notice of Application**

On April 26, 2012, Traylor Bros., Inc., 835 N. Congress Ave., Evansville, IN 47715, and Traylor/Skanska/Jay Dee Joint Venture, Blue Plains Tunnel, 5000 Overlook Avenue SW., Washington, DC 20032, submitted under Section 6(d) of the Occupational Safety and Health Act of 1970 ("OSH Act"; 29 U.S.C. 655) and 29 CFR 1905.11 ("Variances and other relief under section 6(d)") an application for a permanent variance from several provisions of the OSHA standard that regulates work in compressed air at 29 CFR 1926.803. OSHA is addressing this request as two separate applications: (1) Traylor Bros., Inc. ("Traylor") request for a permanent variance for future tunneling projects; and (2) Traylor/Skanska/Jay Dee Joint Venture, Blue Plains Tunnel ("Traylor JV" or "the applicant"). This notice only addresses the Traylor JV application for an interim order and permanent variance for the Blue Plains Tunnel project.<sup>1</sup> This notice does not address the Traylor application for a permanent variance for future projects. That request will be addressed separately.

Traylor JV also requested an interim order pending OSHA's decision on the application for a variance (Ex. OSHA-2012-0035-0008). Specifically, this notice addresses the application submitted by Traylor JV for the Blue Plains Tunnel project in which the applicant seeks a permanent variance and interim order from the provisions of the standard that: (1) Prohibit compressed-air worker exposure to pressures exceeding 50 pounds per square inch (p.s.i.) except in an emergency (29 CFR 1926.803(e)(5));<sup>2</sup> (2) require the use of the decompression values specified in decompression tables in Appendix A of the compressed-air standard for construction (29 CFR 1926.803(f)(1)); and (3) require the use of automated operational controls and a special decompression chamber (29 CFR 1926.803(g)(1)(iii) and .803(g)(1)(xvii), respectively).

The applicant is a contractor that works on complex tunnel projects using recently developed equipment and procedures for soft-ground tunneling. The applicant's workers engage in the construction of tunnels using advanced shielded mechanical excavation

<sup>1</sup> See Section III discussion of condition A Scope.

<sup>2</sup> The decompression tables in Appendix A of subpart S express the maximum working pressures as pounds per square inch gauge (p.s.i.g.), with a maximum working pressure of 50 p.s.i.g. Therefore, throughout this notice, OSHA expresses the 50 p.s.i. value specified by § 1926.803(e)(5) as 50 p.s.i.g., consistent with the terminology in Appendix A, Table 1 of subpart S.