

the Model A380-800 has been moved from May 2005, to January 2006, to match the delivery date of the first production airplane. In accordance with 14 CFR 21.17(d)(2), Airbus chose a new application date of April 20, 1999, and requested that the 7-year certification period which had already been approved be continued. The part 25 certification basis for the Model A380-800 airplane was adjusted to reflect the new application date.

The Model A380-800 airplane will be an all-new, four-engine jet transport airplane with a full double-deck, two-aisle cabin. The maximum takeoff weight will be 1.235 million pounds with a typical three-class layout of 555 passengers.

Type Certification Basis

Under the provisions of 14 CFR 21.17, Airbus must show that the Model A380-800 airplane meets the applicable provisions of 14 CFR part 25, as amended by Amendments 25-1 through 25-98. If the Administrator finds that the applicable airworthiness regulations do not contain adequate or appropriate safety standards for the Airbus A380-800 airplane because of novel or unusual design features, special conditions are prescribed under the provisions of 14 CFR 21.16.

In addition to the applicable airworthiness regulations and special conditions, the Airbus Model A380-800 airplane must comply with the fuel vent and exhaust emission requirements of 14 CFR part 34 and the noise certification requirements of 14 CFR part 36. In addition, the FAA must issue a finding of regulatory adequacy pursuant to section 611 of Public Law 93-574, the "Noise Control Act of 1972."

Special conditions, as defined in 14 CFR 11.19, are issued in accordance with 14 CFR 11.38 and become part of the type certification basis in accordance with 14 CFR 21.17(a)(2), Amendment 21-69, effective September 16, 1991.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, or should any other model already included on the same type certificate be modified to incorporate the same novel or unusual design features, the special conditions would also apply to the other model under the provisions of 14 CFR 21.101(a)(1), Amendment 21-69, effective September 16, 1991.

Discussion of Novel or Unusual Design Features

Emergency evacuations are generally associated with adverse conditions, such as a fire outside the airplane. Because those adverse conditions may pose an immediate threat to the occupants of the airplane, it is often necessary to avoid opening emergency exits that would otherwise be usable. For this reason, it would be extremely useful to have a viewing window or other means of assessing the outside conditions to determine whether to open a particular emergency exit.

The regulations governing the certification of the A380 do not adequately address a full-length double deck airplane in terms of the exit of passengers in an emergency and a viewing window or other means of assessing the outside conditions to determine whether to open an emergency exit. Therefore, the FAA is proposing special conditions to ensure that each emergency exit has a means to permit viewing of the conditions outside the exit when the exit is closed. These special conditions are based upon Notice of Proposed Rulemaking (NPRM) 96-9 and Amendment 25-116, effective November 26, 2004, which adopted a similar requirement into § 25.809(a).

Applicability

As discussed above, these special conditions are applicable to the Airbus A380-800 airplane. Should Airbus apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design features, these special conditions would apply to that model as well under the provisions of § 21.101(a)(1), Amendment 21-69, effective September 16, 1991.

Conclusion

This action affects only certain novel or unusual design features of the Airbus A380-800 airplane. It is not a rule of general applicability, and it affects only the applicant which applied to the FAA for approval of these features on the airplane.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

The Proposed Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation

Administration (FAA) proposes the following special conditions as part of the type certification basis for the Airbus A380-800 airplane.

In addition to the requirements of § 25.809(a), the following special conditions apply:

Each emergency exit must have means to permit viewing of the conditions outside the exit when the exit is closed. The viewing means may be on the exit or adjacent to it, provided that no obstructions exist between the exit and the viewing means. Means must also be provided to permit viewing of the likely areas of evacuee ground contact with the landing gear extended as well as in all conditions of landing gear collapse. A single device that satisfies both objectives is acceptable.

Issued in Renton, Washington, on July 19, 2005.

Ali Bahrami,

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 05-15658 Filed 8-8-05; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM316; Notice No. 25-05-11-SC]

Special Conditions: Airbus Model A380-800 Airplane, Discrete Gust Requirements

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed special conditions.

SUMMARY: This notice proposes special conditions for the Airbus A380-800 airplane. This airplane will have novel or unusual design features when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. Many of these novel or unusual design features are associated with the complex systems and the configuration of the airplane, including its full-length double deck. For these design features, the applicable airworthiness regulations do not contain adequate or appropriate safety standards regarding discrete gust requirements. These proposed special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards. Additional special conditions will be

issued for other novel or unusual design features of the Airbus Model A380–800 airplane.

DATES: Comments must be received on or before September 23, 2005.

ADDRESSES: Comments on this proposal may be mailed in duplicate to: Federal Aviation Administration, Transport Airplane Directorate, Attention: Rules Docket (ANM–113), Docket No. NM316, 1601 Lind Avenue SW., Renton, Washington 98055–4056; or delivered in duplicate to the Transport Airplane Directorate at the above address. All comments must be marked: Docket No. NM316. Comments may be inspected in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4 p.m.

FOR FURTHER INFORMATION CONTACT: Holly Thorson, FAA, International Branch, ANM–116, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue SW., Renton, Washington 98055–4056; telephone (425) 227–1357; facsimile (425) 227–1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites interested persons to participate in this rulemaking by submitting written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive as well as a report summarizing each substantive public contact with FAA personnel concerning these proposed special conditions. The docket is available for public inspection before and after the comment closing date. If you wish to review the docket in person, go to the address in the

ADDRESSES section of this notice between 7:30 a.m. and 4 p.m., Monday through Friday, except Federal holidays.

We will consider all comments we receive on or before the closing date for comments. We will consider comments filed late, if it is possible to do so without incurring expense or delay. We may change the proposed special conditions in light of the comments we receive.

If you want the FAA to acknowledge receipt of your comments on this proposal, include with your comments a pre-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

Background

Airbus applied for FAA certification/validation of the provisionally-designated Model A3XX–100 in its letter AI/L 810.0223/98, dated August 12, 1998, to the FAA. Application for certification by the Joint Aviation Authorities (JAA) of Europe had been made on January 16, 1998, reference AI/L 810.0019/98. In its letter to the FAA, Airbus requested an extension to the 5-year period for type certification in accordance with 14 CFR 21.17(c). The request was for an extension to a 7-year period, using the date of the initial application letter to the JAA as the reference date. The reason given by Airbus for the request for extension is related to the technical challenges, complexity, and the number of new and novel features on the airplane. On November 12, 1998, the Manager, Aircraft Engineering Division, AIR–100, granted Airbus' request for the 7-year period, based on the date of application to the JAA.

In its letter AI/LE–A 828.0040/99 Issue 3, dated July 20, 2001, Airbus stated that its target date for type certification of the Model A380–800 has been moved from May 2005, to January 2006, to match the delivery date of the first production airplane. In accordance with 14 CFR 21.17(d)(2), Airbus chose a new application date of April 20, 1999, and requested that the 7-year certification period which had already been approved be continued. The part 25 certification basis for the Model A380–800 airplane was adjusted to reflect the new application date.

The Model A380–800 airplane will be an all-new, four-engine jet transport airplane with a full double-deck, two-aisle cabin. The maximum takeoff weight will be 1.235 million pounds with a typical three-class layout of 555 passengers.

Type Certification Basis

Under the provisions of 14 CFR 21.17, Airbus must show that the Model A380–800 airplane meets the applicable provisions of 14 CFR part 25, as amended by Amendments 25–1 through 25–98. If the Administrator finds that the applicable airworthiness regulations do not contain adequate or appropriate safety standards for the Airbus A380–800 airplane because of novel or unusual design features, special conditions are prescribed under the provisions of 14 CFR 21.16.

In addition to the applicable airworthiness regulations and special conditions, the Airbus Model A380–800 airplane must comply with the fuel vent and exhaust emission requirements of

14 CFR part 34 and the noise certification requirements of 14 CFR part 36. In addition, the FAA must issue a finding of regulatory adequacy pursuant to section 611 of Public Law 93–574, the “Noise Control Act of 1972.”

Special conditions, as defined in 14 CFR 11.19, are issued in accordance with 14 CFR 11.38 and become part of the type certification basis in accordance with 14 CFR 21.17(a)(2), Amendment 21–69, effective September 16, 1991.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, or should any other model already included on the same type certificate be modified to incorporate the same novel or unusual design features, the special conditions would also apply to the other model under the provisions of 14 CFR 21.101(a)(1), Amendment 21–69, effective September 16, 1991.

Discussion of Novel or Unusual Design Features

In terms of discrete gust requirements, the size of the Airbus Model A380 is a novel or unusual design feature. These requirements are found in 14 CFR 25.341 (Amendment 25–86) which specifies that the gust loads acting on the airplane are to be determined by dynamic analysis, considering the dynamic and rigid body responses of the airplane. Section 25.341(a)(3) requires that a sufficient number of gust gradient distances in the range of 30 feet to 350 feet be investigated to find the critical response for each load quantity. For large airplanes, the longer gust gradient distances are vital to assess the rigid body response.

At the time § 25.341 was adopted, the value of the upper end of the range of gust gradient distances to be investigated was determined from the largest commercial airplane then in existence, the Boeing Model 747. This value was calculated to be the mean geometric chord of the Boeing 747 (which is 28 feet) multiplied by 12.5, which equals 350 feet.

Since the mean geometric chord of the A380 is larger than that of the Boeing 747, a special condition is necessary to define an appropriate upper value for the range of gust gradient distances to be investigated. That value would be the mean geometric chord of the A380 (which is 34.8 feet) multiplied by 12.5, which equals 435 feet. Increasing the range of gust gradient distances to be

investigated to 435 feet will ensure an appropriate analysis of the critical rigid body response of the A380.

Applicability

As discussed above, these special conditions are applicable to the Airbus A380–800 airplane. Should Airbus apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design features, these special conditions would apply to that model as well under the provisions of § 21.101(a)(1), Amendment 21–69, effective September 16, 1991.

Conclusion

This action affects only certain novel or unusual design features of the Airbus A380–800 airplane. It is not a rule of general applicability, and it affects only the applicant which applied to the FAA for approval of these features on the airplane.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

The Proposed Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration (FAA) proposes the following special conditions as part of the type certification basis for the Airbus A380–800 airplane.

In lieu of the requirements of § 25.341(a)(3), the following special conditions apply:

A sufficient number of gust gradient distances in the range of 30 feet to 435 feet (12.5 times the Geometric Mean Chord of the Model A380) must be investigated to find the critical response for each load quantity.

Issued in Renton, Washington, on July 19, 2005.

Ali Bahrami,

*Manager, Transport Airplane Directorate,
Aircraft Certification Service.*

[FR Doc. 05–15659 Filed 8–8–05; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM317; Notice No. 25–05–12–SC]

Special Conditions: Airbus Model A380–800 Airplane, Flotation and Ditching

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed special conditions.

SUMMARY: This notice proposes special conditions for the Airbus A380–800 airplane. This airplane will have novel or unusual design features when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. Many of these novel or unusual design features are associated with the complex systems and the configuration of the airplane, including its full-length double deck. For these design features, the applicable airworthiness regulations do not contain adequate or appropriate safety standards regarding flotation and ditching. These proposed special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards. Additional special conditions will be issued for other novel or unusual design features of the Airbus Model A380–800 airplane.

DATES: Comments must be received on or before September 23, 2005.

ADDRESSES: Comments on this proposal may be mailed in duplicate to: Federal Aviation Administration, Transport Airplane Directorate, Attention: Rules Docket (ANM–113), Docket No. NM317, 1601 Lind Avenue SW., Renton, Washington 98055–4056; or delivered in duplicate to the Transport Airplane Directorate at the above address. All comments must be marked: Docket No. NM317. Comments may be inspected in the Rules Docket weekdays, except Federal holidays, between 7:30 a.m. and 4 p.m.

FOR FURTHER INFORMATION CONTACT:

Holly Thorson, FAA, International Branch, ANM–116, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue SW., Renton, Washington 98055–4056; telephone (425) 227–1357; facsimile (425) 227–1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites interested persons to participate in this rulemaking by submitting written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive as well as a report summarizing each substantive public contact with FAA personnel concerning these proposed special conditions. The docket is available for public inspection before and after the comment closing date. If you wish to review the docket in person, go to the address in the **ADDRESSES** section of this notice between 7:30 a.m. and 4 p.m., Monday through Friday, except Federal holidays.

We will consider all comments we receive on or before the closing date for comments. We will consider comments filed late, if it is possible to do so without incurring expense or delay. We may change the proposed special conditions in light of the comments we receive.

If you want the FAA to acknowledge receipt of your comments on this proposal, include with your comments a pre-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

Background

Airbus applied for FAA certification/validation of the provisionally-designated Model A3XX–100 in its letter AI/L 810.0223/98, dated August 12, 1998, to the FAA. Application for certification by the Joint Aviation Authorities (JAA) of Europe had been made on January 16, 1998, reference AI/L 810.0019/98. In its letter to the FAA, Airbus requested an extension to the 5-year period for type certification in accordance with 14 CFR 21.17(c). The request was for an extension to a 7-year period, using the date of the initial application letter to the JAA as the reference date. The reason given by Airbus for the request for extension is related to the technical challenges, complexity, and the number of new and novel features on the airplane. On November 12, 1998, the Manager, Aircraft Engineering Division, AIR–100, granted Airbus' request for the 7-year period, based on the date of application to the JAA.

In its letter AI/LE–A 828.0040/99 Issue 3, dated July 20, 2001, Airbus stated that its target date for type