CBPL No.	ASTM	Title
27–58	D5191	Standard Test Method For Vapor Pressure of Petroleum Products (Mini Method).

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the website listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://www.cbp.gov/about/labsscientific/commercial-gaugers-andlaboratories.

Dated: March 5, 2018.

### James D. Sweet,

Acting Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2018-04758 Filed 3-8-18; 8:45 am]

BILLING CODE 9111-14-P

### DEPARTMENT OF HOMELAND SECURITY

### **U.S. Customs and Border Protection**

# Approval of SGS North America, Inc., as a Commercial Gauger

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of approval of SGS North America, Inc., as a commercial gauger.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that SGS North America, Inc., has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of May 24, 2017.

**DATES:** The approval of SGS North America, Inc., as commercial gauger became effective on May 24, 2017. The next triennial inspection date will be scheduled for May 2020.

# FOR FURTHER INFORMATION CONTACT: Mr. Stephen Cassata, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW, Suite 1500N, Washington,

DC 20229, tel. 202–344–1060. **SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.13,

that SGS North America, Inc., 6624 Langley Dr., Baton Rouge, LA 70809, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. SGS North America, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API chapters	Title
8 12	Tank gauging. Temperature Determination. Sampling. Calculations. Maritime Measurements.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the website listed below for a complete listing of CBP approved gaugers and accredited laboratories. http:// www.cbp.gov/about/labs-scientific/ commercial-gaugers-and-laboratories.

Dated: February 28, 2018.

#### James D. Sweet,

Acting Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2018–04762 Filed 3–8–18; 8:45 am]

BILLING CODE 9111-14-P

## DEPARTMENT OF HOMELAND SECURITY

## Federal Emergency Management Agency

[Docket ID FEMA-2018-0002; Internal Agency Docket No. FEMA-B-1806]

## Proposed Flood Hazard Determinations

**AGENCY:** Federal Emergency Management Agency, DHS.

**ACTION:** Notice.

**SUMMARY:** Comments are requested on proposed flood hazard determinations, which may include additions or

modifications of any Base Flood Elevation (BFE), base flood depth, Special Flood Hazard Area (SFHA) boundary or zone designation, or regulatory floodway on the Flood Insurance Rate Maps (FIRMs), and where applicable, in the supporting Flood Insurance Study (FIS) reports for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the preliminary FIRM, and where applicable, the FIS report that the Federal Emergency Management Agency (FEMA) has provided to the affected communities. The FIRM and FIS report are the basis of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, the FIRM and FIS report, once effective, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents of those buildings.

**DATES:** Comments are to be submitted on or before June 7, 2018.

ADDRESSES: The Preliminary FIRM, and where applicable, the FIS report for each community are available for inspection at both the online location https://www.fema.gov/preliminaryfloodhazarddata and the respective Community Map Repository address listed in the tables below. Additionally, the current effective FIRM and FIS report for each community are accessible online through the FEMA Map Service Center at https://msc.fema.gov for comparison.

You may submit comments, identified by Docket No. FEMA–B–1806, to Rick Sacbibit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 400 C Street SW, Washington, DC 20472, (202) 646–7659, or (email) patrick.sacbibit@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Rick Sacbibit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 400 C Street SW, Washington, DC 20472, (202) 646–7659, or (email) patrick.sacbibit@fema.dhs.gov; or visit the FEMA Map Information eXchange (FMIX) online at https://www.floodmaps.fema.gov/fhm/fmx\_main.html.