

Energy Facility in western New York. The process by which the EPA may initiate the reopening process for such a title V permit is explained at 40 CFR 70.7(g)(1).

DATES: Any such petition for review of this Order filed under the CAA must be received by November 7, 2016 pursuant to section 307 of the CAA.

ADDRESSES: You may review copies of the final Order, the petitions, and other supporting information during normal business hours at EPA Region 2, 290 Broadway, New York, New York. If you wish to examine these documents, you should make an appointment at least 24 hours before the visiting day.

FOR FURTHER INFORMATION CONTACT: Steven Riva, Chief, Permitting Section, Air Programs Branch, Clean Air and Sustainability Division, EPA, Region 2, 290 Broadway, 25th Floor, New York, New York 10007, telephone (212) 637-4074, email address: riva.steven@epa.gov, or the above EPA Region 2 address.

SUPPLEMENTARY INFORMATION: In the context of a petition to reopen, the threshold determination is the Administrator's "find[ing] that cause exists to terminate, modify, or revoke and reissue a permit" pursuant to 40 CFR 70.7(f). If, and only if, the Administrator makes that finding, the EPA "will notify" the relevant entities to initiate the reopening process. In light of the discretionary threshold finding applicable to reopening for cause by the EPA, a petition to reopen a title V permit should present evidence (*e.g.*, factual information, citation, analysis) explaining why there is cause to reopen the title V permit pursuant to 40 CFR 70.7(f). In this instance, the Petitioner has not presented sufficient evidence that the title V permit fails to comply with the CAA, or that it should be reopened for cause pursuant to 40 CFR 70.7(f).

Dated: August 29, 2016.

Catherine McCabe,

Acting Regional Administrator, Region 2.

[FR Doc. 2016-21614 Filed 9-7-16; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2016-0178; FRL-9952-00-OEI]

Information Collection Request Submitted to OMB for Review and Approval; Comment Request; EPA Application Materials for the Water Infrastructure Finance and Innovation Act

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency has submitted an information collection request (ICR), "EPA Application Materials for the Water Infrastructure Finance and Innovation Act" (EPA ICR No. 2549.01, OMB Control No. 2040-NEW) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*). This is a request for approval of a new collection. Public comments were previously requested via the **Federal Register** (81 FR 32327) on May 23, 2016 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An Agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before October 11, 2016.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA-HQ-OW-2016-0178, to (1) EPA online using www.regulations.gov (our preferred method), or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW., Washington, DC 20460, and (2) OMB via email to oir_submission@omb.eop.gov. Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT: Karen Fligger, Water Infrastructure Division, Office of Wastewater

Management, 4201-T, Environmental Protection Agency, 1200 Pennsylvania Ave. NW., Washington, DC 20460; telephone number: 202-564-2992; email address: fligger.karen@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents which explain in detail the information that the EPA will be collecting are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW., Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit <http://www.epa.gov/dockets>.

Abstract: The collection of information is necessary in order to receive applications for credit assistance pursuant to section 5024 of the Water Infrastructure Finance and Innovation Act (WIFIA) of 2014, 33 U.S.C. 3903. The purpose of the WIFIA program is to provide Federal credit assistance in the form of direct loans and loan guarantees to eligible water infrastructure projects.

WIFIA requires that an eligible entity shall submit to the Administrator an application at such time, in such manner, and containing such information, as the Administrator *may require* to receive assistance under WIFIA. In order to satisfy these requirements, EPA must collect an application from applicants seeking funding. The Letters of Interest and Applications collected from loan applicants through this solicitation will be used by EPA, the WIFIA program office, and an evaluation team to determine whether each proposed project meets creditworthiness and other Federal requirements to receive WIFIA credit assistance.

Form Numbers: None.

Respondents/affected entities: The Letters of Interest and Applications collected from loan applicants through this solicitation will be used by EPA to evaluate requests for credit assistance under the WIFIA eligibility requirements and selection criteria.

Respondent's obligation to respond: Required to obtain credit assistance pursuant to section 5024 of WIFIA, 33 U.S.C. 3903.

Estimated number of respondents: 25 per year (total).

Frequency of response: one per respondent.

Total estimated burden: 1,500 hours (per year). Burden is defined at 5 CFR 1320.03(b).

Total estimated cost: \$3,064,594 (per year), includes \$3,005,000 non-labor costs.

Spencer Clark,

Acting Director, Regulatory Support Division.

[FR Doc. 2016-21592 Filed 9-7-16; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OAR-2016-0243; FRL-9951-55-OAR]

Proposed Information Collection Request; Comment Request; Information Collection Request for Plywood and Composite Wood Products National Emission Standards for Hazardous Air Pollutants (NESHAP) Residual Risk and Technology Review (RTR)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency (EPA) is planning to submit an information collection request (ICR), "Information Collection Request for Plywood and Composite Wood Products National Emission Standards for Hazardous Air Pollutants (NESHAP) Residual Risk and Technology Review (RTR)" (EPA ICR No. 2552.01, OMB Control No. 2060—NEW) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3501 *et seq.*). Before doing so, the EPA is soliciting public comments on specific aspects of the proposed information collection as described below. This is a request for approval of a new collection. An Agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

DATES: Comments must be submitted on or before November 7, 2016.

ADDRESSES: Submit your comments, referencing Docket ID No. EPA-HQ-OAR-2016-0243, online using <http://www.regulations.gov> (our preferred method), by email to A-and-R-docket@epa.gov, or by mail to EPA Docket Center (EPA/DC), Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW., Washington, DC 20460.

The EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential

Business Information (CBI), or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT: John Bradfield, Sector Policies and Programs Division, Office of Air Quality Planning and Standards (E143-03), Environmental Protection Agency, 109 T.W. Alexander Drive, Research Triangle Park, NC 27711; telephone number: (919) 541-3062; fax number: (919) 541-3470; email address: bradfield.john@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents which explain in detail the information that the EPA will be collecting are available in the public docket for this ICR. The docket can be viewed online at <http://www.regulations.gov> or in person at the EPA Docket Center (EPA/DC), EPA WJC West Building, Room 3334, 1301 Constitution Ave. NW., Washington, DC. The telephone number for the Docket Center is 202-566-1742. The telephone number for the public reading room is 202-566-1744. For additional information about the EPA's public docket, visit <http://www.epa.gov/dockets>.

Pursuant to section 3506(c)(2)(A) of the PRA, the EPA is soliciting comments and information to enable it to:

- (i) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the Agency, including whether the information will have practical utility;
- (ii) Evaluate the accuracy of the Agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and its practical feasibility and the assumptions used;
- (iii) Enhance the quality, utility, and clarity of the information to be collected; and
- (iv) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated electronic, mechanical, or other technological collection techniques or other forms of information technology, *e.g.*, permitting electronic submission of responses. The EPA is evaluating the use of the Compliance and Emissions Data Reporting Interface (CEDRI) to collect ICR data for this category. Using CEDRI can both reduce the ICR collection burden through the use of on-line information technology and reduce reporting burdens in the future for affected facilities in the category. The EPA is interested in receiving comments on the use of this data collection approach.

The EPA will consider the comments received and amend the ICR as appropriate. The final ICR package will then be submitted to OMB for review and approval. At that time, the EPA will issue another **Federal Register** notice to announce the submission of the ICR to OMB and the opportunity to submit additional comments to OMB.

Abstract: This ICR is being conducted by the EPA's Office of Air and Radiation to assist the EPA Administrator to fulfill her responsibilities under sections 112(d) and 112(f) of the Clean Air Act (CAA), as amended. The CAA requires a review of each NESHAP following the application of the standards to determine any remaining risk and whether the standards protect public health with an ample margin of safety and to determine whether more stringent standards are necessary to prevent an adverse environmental effect. The CAA also requires that the standard be reviewed and revised, as necessary, taking into account developments in practices, processes, and control technology. For efficiency and to reduce burden, these reviews are conducted concurrently and known as residual risk and technology reviews (RTR). In addition to the CAA reviews, in 2007, the United States Court of Appeals for the District of Columbia Circuit issued a remand requiring the administrator to develop standards for emission units identified in the Plywood and Composite Wood Products (PCWP) NESHAP for which emission limits were not promulgated.

The EPA reviewed its emission inventory and compliance databases to determine if its current information was sufficient to conduct an RTR for the PCWP NESHAP and develop emission limits for the remanded PCWP process units. The available data for the affected population of plywood, composite wood products, and lumber dry kilns was found to be insufficient to adequately review and evaluate the emission standards for these source categories. The ICR will provide specific, required information, including emission inventories, compliance demonstrations, process changes, and information about control technologies/practices adopted since the application of maximum achievable control technology (MACT). Table 1 contains the North American Industry Classification System (NAICS) codes of facilities impacted by this information collection. Only major sources and synthetic area sources for these NESHAP categories will be affected by this information collection.

There will be a survey phase, Phase I, and a contingent testing phase, Phase