

telephone: (717) 238-0423, ext. 1312; fax: (717) 238-2436. Information concerning the applications for these projects is available at the SRBC Water Application and Approval Viewer at <http://mdw.srbc.net/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/pubinfo/docs/2009-02-Access_to_Records_Policy_20140115.pdf.

SUPPLEMENTARY INFORMATION: The public hearing will cover the following projects:

Projects Scheduled for Action

1. Project Sponsor and Facility: Brymac, Inc. dba Mountain View Country Club (Pond ¾), Harris Township, Centre County, Pa. Application for surface water withdrawal of up to 0.240 mgd (peak day).
2. Project Sponsor and Facility: Cabot Oil & Gas Corporation (East Branch Tunkhannock Creek), Lenox Township, Susquehanna County, Pa. Application for surface water withdrawal of up to 1.000 mgd (peak day).
3. Project Sponsor and Facility: Dillsburg Area Authority, Franklin Township, York County, Pa. Modification to increase groundwater withdrawal by an additional 0.099 mgd (30-day average), for a total groundwater withdrawal of up to 0.200 mgd (30-day average) from Well 3 (Docket No. 20081207).
4. Project Sponsor and Facility: Lycoming Engines, a Division of Avco Corporation, City of Williamsport, Lycoming County, Pa. Application for renewal of groundwater withdrawal of up to 0.980 mgd (30-day average) for groundwater remediation system (Docket No. 19880203).
5. Project Sponsor: Mayapple Real Estate Holdings. Project Facility: Mayapple Golf Links, South Middleton Township, Cumberland County, Pa. Application for consumptive use of up to 0.200 mgd (peak day).
6. Project Sponsor: Mayapple Real Estate Holdings. Project Facility: Mayapple Golf Links, South Middleton Township, Cumberland County, Pa. Application for groundwater withdrawal of up to 0.099 mgd (30-day average) from Well 1.
7. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Fall Brook), Ward Township, Tioga County, Pa. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20140313).
8. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Fellows

Creek), Ward Township, Tioga County, Pa. Application for renewal of surface water withdrawal of up to 0.999 mgd (Docket No. 20140314).

9. Project Sponsor and Facility: Seneca Resources Corporation (Arnot No. 5 Mine Discharge), Bloss Township, Tioga County, Pa. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20140311).

10. Project Sponsor and Facility: SWEPI LP (Susquehanna River), Sheshequin Township, Bradford County, Pa. Application for renewal of surface water withdrawal of up to 0.850 mgd (peak day) (Docket No. 20140312).

11. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, Pa. Application for renewal of surface water withdrawal of up to 2.500 mgd (peak day) (Docket No. 20140302).

12. Project Sponsor and Facility: XTO Energy Inc. (Little Muncy Creek), Moreland Township, Lycoming County, Pa. Application for renewal of surface water withdrawal of up to 0.249 mgd (peak day) (Docket No. 20140315).

Opportunity To Appear and Comment

Interested parties may appear at the hearing to offer comments to the Commission on any project listed above. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Guidelines for the public hearing will be posted on the Commission's website, www.srbc.net, prior to the hearing for review. The presiding officer reserves the right to modify or supplement such guidelines at the hearing. Written comments on any project listed above may also be mailed to Mr. Jason Oyler, General Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, Pa. 17110-1788, or submitted electronically through www.srbc.net/pubinfo/publicparticipation.htm. Comments mailed or electronically submitted must be received by the Commission on or before February 12, 2018, to be considered.

Authority: Pub. L. 91-575, 84 Stat. 1509 *et seq.*, 18 CFR parts 806, 807, and 808.

Dated: December 28, 2017.

Stephanie L. Richardson,
Secretary to the Commission.

[FR Doc. 2017-28426 Filed 1-2-18; 8:45 am]

BILLING CODE 7040-01-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2017-0062; Notice 2]

Final Decision That Certain Canadian-Certified Vehicles Are Eligible for Importation

AGENCY: National Highway Traffic Safety Administration (NHTSA), U.S. Department of Transportation (DOT).

ACTION: Final decision.

SUMMARY: This document announces a final decision by NHTSA that certain vehicles that do not comply with all applicable Federal motor vehicle safety standards (FMVSS), but that are certified by their original manufacturer as complying with all applicable Canadian motor vehicle safety standards (CMVSS), are nevertheless eligible for importation into the United States. The vehicles in question either (1) are substantially similar to vehicles that were certified by their manufacturers as complying with the U.S. safety standards and are capable of being readily altered to conform to those standards, or (2) have safety features that comply with, or are capable of being altered to comply with, all U.S. safety standards.

DATE: This decision is applicable on January 3, 2018.

FOR FURTHER INFORMATION CONTACT: Mr. Neil Thurgood, Office of Vehicle Safety Compliance, NHTSA, 1200 New Jersey Avenue SE, Washington, DC 20590. Telephone: (202) 366-0712.

SUPPLEMENTARY INFORMATION:

Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless NHTSA has decided, either pursuant to a petition from the manufacturer or registered importer or on its own initiative, (1) that the nonconforming motor vehicle is substantially similar to a motor vehicle of the same model year that was originally manufactured for importation into and sale in the United States and certified by its manufacturer as complying with all applicable FMVSS, and (2) that the nonconforming motor vehicle is capable of being readily altered to conform to all applicable FMVSS. Where there is no substantially similar U.S. certified motor vehicle, 49 U.S.C. 30141(a)(1)(B) permits a nonconforming motor vehicle to be admitted into the United States if

NHTSA decides that its safety features comply with, or are capable of being altered to comply with, all applicable FMVSS based on destructive test data or such other evidence as NHTSA decides to be adequate.

Tentative Decision

On October 24, 2017, NHTSA published a notice in the **Federal Register** announcing that it had made a tentative decision that certain motor vehicles that are certified by their original manufacturer as complying with all applicable CMVSS are eligible for importation into the United States (82 FR 49260). The notice identified these vehicles as:

(a) All passenger cars manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;

(b) All passenger cars manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;

(c) All multipurpose passenger vehicles, trucks, and buses with a gross vehicle weight rating (GVWR) of 4,536 kg (10,000 lb) or less manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and, 226;

(d) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, and 214, and insofar as they are

applicable, with FMVSS Nos. 222, 225, and 226; and

(e) All multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb) manufactured on or after August 1, 2019, and before September 1, 2022, that as originally manufactured, comply with FMVSS No. 136 insofar as it is applicable.

The reader is referred to the October 24 notice for a full discussion of the factors leading to the tentative decision. The notice included tables that summarize the current state of harmonization between the CMVSS and the FMVSS. For the convenience of the reader, those tables are set out below. Table 1 is a list of all FMVSS that are harmonized to the CMVSS, or for which the differences are such that compliance with the U.S. standard can be readily achieved. Table 2 is a list of all FMVSS that are not harmonized.

TABLE 1—HARMONIZED STANDARDS

U.S. standard (FMVSS)	Canadian equivalent (CMVSS)
102—Transmission Shift Position Sequence, Starter Interlock, and Transmission Braking Effect.	CMVSS 102—Transmission Control Functions.
103—Windshield Defrosting and Defogging Systems	CMVSS 103—Windshield Defrost and Defog.
104—Windshield Wiping and Washing Systems	CMVSS 104—Windshield Wiping and Wash.
105—Hydraulic and Electric Brake Systems	CMVSS 105—Hydraulic and Electric Brakes; TSD 105.
106—Brake Hoses	CMVSS 106—Brake Hoses; TSD 106.
108—Lamps, Reflective Devices and Associated Equipment	CMVSS 108—Lighting Systems and Retroreflective Devices; TSD 108.
110—Tire Selection and Rims for Motor Vehicles with a GVWR of 4,536 kg (10,000 lb) or Less.	CMVSS 110—Tire Selection and Rims; TSD 110.
113—Hood Latch Systems	CMVSS 113—Hood Latch System.
114—Theft Protection and Rollaway Prevention	CMVSS 114—Locking and Immobilization; TSD 114.
116—Motor Vehicle Brake Fluids	CMVSS 116—Hydraulic Brake Fluids; TSD 116.
118—Power-Operated Window, Partition, and Roof Panel Systems	CMVSS 118—Power-operated Windows; TSD 118.
120—Tire Selection and Rims and Motor Home/Recreation Vehicle Trailer Load Carrying Capacity Information for Motor Vehicles with a GVWR of More Than 4,536 Kilograms (10,000 pounds).	CMVSS 120—Tire Selection and Rims for Vehicles Other Than Passenger Cars; TSD 120.
121—Air Brake Systems	CMVSS 121—Air Brakes for Trucks; TSD 121.
122—Motorcycle Brake Systems	CMVSS 122—Motorcycle Brake Systems; TSD 122.
123—Motorcycle Controls and Displays	CMVSS 123—Motorcycle Control & Displays; TSD 123.
124—Accelerator Control Systems	CMVSS 124—Accelerator Control Systems; TSD 124.
126—Electronic Stability Control Systems	CMVSS 126—Electronic Stability Control; TSD 126.
131—School Bus Pedestrian Safety Devices	CMVSS 131—School Bus Pedestrian Safety Devices; TSD 131.
135—Light Vehicle Brake Systems	CMVSS 135—Light Vehicle Brake Systems; TSD 135.
202—Head Restraints; Applicable unless a vehicle is certified to § 571.202a.	CMVSS 202—Head Restraints; TSD 202.
202a—Head Restraints	CMVSS 202—Head Restraints; TSD 202.
203—Impact protection for the driver from the steering control system	CMVSS 203—Driver Impact Protection.
204—Steering control rearward displacement	CMVSS 204—Steering Column Rearward Displacement.
205—Glazing materials	CMVSS 205—Glazing Materials.
205a—Glazing materials before September 1, 2006 and glazing materials used in vehicles manufactured before November 1, 2006.	CMVSS 205—Glazing Materials.
207—Seating systems	CMVSS 207—Anchorage of Seats.
210—Seat belt assembly anchorages	CMVSS 210—Seat Belt Assembly Anchorages.
212—Windshield mounting	CMVSS 212—Windshield Mounting.
216—Roof crush resistance; Applicable unless a vehicle is certified to § 571.216a.	CMVSS 216—Roof Intrusion Protection; TSD 216.
216a—Roof crush resistance; Upgraded standard	CMVSS 216—Roof Intrusion Protection; TSD 216.
217—Bus emergency exits and window retention and release	CMVSS 217—Bus Window Retention and Emergency Exits.
219—Windshield zone intrusion	CMVSS 219—Windshield Zone Intrusion.
220—School bus rollover protection	CMVSS 220—Rollover Protection; TSD 220.
221—School bus body joint strength	CMVSS 221—School Bus Body Joint Strength.
224—Rear impact protection	CMVSS 223—Rear Impact Guards.
301—Fuel system integrity	CMVSS 301—Fuel System Integrity; TSD 301.

TABLE 1—HARMONIZED STANDARDS—Continued

U.S. standard (FMVSS)	Canadian equivalent (CMVSS)
302—Flammability of interior materials	CMVSS 302—Flammability; TSD 302.
303—Fuel system integrity of compressed natural gas vehicles	CMVSS 301.2—CNG Fuel System Integrity.
304—Compressed natural gas fuel container integrity	CMVSS 301.2—CNG Fuel System Integrity.
305—Electric-powered vehicles: electrolyte spillage and electrical shock protection.	CMVSS 305—Electrolyte Spillage and Electrical Shock Protection; TSD 305.
401—Internal trunk release	CMVSS 401—Interior Trunk Release; TSD 401.
500—Low-speed vehicles	CMVSS 500—Low-speed Vehicles; TSD 500.

TABLE 2—STANDARDS THAT HAVE NOT BEEN HARMONIZED

[X denotes “applicable”]

U.S. standard (FMVSS)	Canadian standard (CMVSS)	Passenger cars	Multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 Kg (10,000 Lb) or less
FMVSS 101—Controls and Displays	CMVSS 101—Controls and Displays	X	X
FMVSS 111—Rear Visibility	CMVSS 111—Mirrors	X	X
FMVSS 136—Electronic Stability Control Systems for Heavy Vehicles.	Trucks/buses with GVWR greater than 11,793 Kg (26,000 lb) only
FMVSS 138—Tire Pressure Monitoring Systems.	X	X
FMVSS 201—Occupant Protection in Interior Impact.	CMVSS 201—Occupant Protection	X	X
FMVSS 206—Door locks and door retention components.	CMVSS 206—Door Locks and Door Retention Components.	X	X
FMVSS 208—Occupant Crash Protection	CMVSS 208—Occupant Restraint Frontal Impact.	X	X
FMVSS 213—Child Restraint Systems	CMVSS 213.4—Built-in Child Restraint Systems.	X	X
FMVSS 214—Side Impact Protection	CMVSS 214—Side Door Strength	X	X
FMVSS 222—School Bus Passenger Seating And Crash Protection.	CMVSS 222—School Bus Passenger Seating and Crash Protection.	School buses only
FMVSS 225—Child restraint anchorage systems.	X	X
FMVSS 226—Ejection Mitigation	X	X

In accordance with 49 U.S.C. 30141(b), the October 24 notice solicited public comments on the tentative decision. No pertinent comments were submitted in response to the notice. Accordingly, NHTSA is adopting the tentative decision as a final decision.

Final Decision

In consideration of the foregoing, NHTSA hereby decides that—

(a) All passenger cars manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable with FMVSS No. 226;

(b) All passenger cars manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;

(c) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after September 1,

2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and, 226;

(d) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and 226; and

(e) All multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb) manufactured on or after August 1, 2019, and before September 1, 2022, that as originally manufactured, comply with FMVSS No. 136 insofar as it is applicable; that are certified by their original manufacturer as complying with all applicable CMVSS, are eligible for importation into the United States on the basis that either:

1. They are substantially similar to vehicles of the same make, model, and model year originally manufactured for importation into and sale in the United States, or originally manufactured in the United States for sale therein, and certified as complying with all applicable FMVSS, and are capable of being readily altered to conform to all applicable FMVSS, or

2. They have safety features that comply with, or are capable of being altered to comply with, all applicable FMVSS.

Vehicle Eligibility Number

In order to import a vehicle made admissible under any final decision, the importer must indicate to U.S. Customs and Border Protection that the vehicle has been determined eligible for importation. This is done by indicating the eligibility number, published under that final decision, on DOT declaration form HS-7. Vehicle Eligibility Number VSA-80 is currently assigned to Canadian-certified passenger cars, Vehicle Eligibility Number VSA-81 is currently assigned to Canadian-certified

multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less, and Vehicle Eligibility Number VSA-82 is currently assigned to Canadian-certified multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb). All passenger cars admissible under this decision will be assigned Vehicle Eligibility Number VSA-80, all multipurpose passenger vehicles, trucks, and buses with a GVWR of less than 4,536 kg (10,000 lb) admissible under this decision will be assigned Vehicle Eligibility Number VSA-81, and all multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb) admissible under this decision will be assigned Vehicle Eligibility Number VSA-82.

Authority: 49 U.S.C. 30141(a)(1)(A), (a)(1)(B), and (b)(1); 49 CFR 593.8; delegation of authority at 49 CFR 1.95.

Heidi R. King,

Deputy Administrator.

[FR Doc. 2017-28391 Filed 1-2-18; 8:45 am]

BILLING CODE 4910-59-P

DEPARTMENT OF VETERANS AFFAIRS

VA Prevention of Fraud, Waste, and Abuse Advisory Committee, Amended Notice of Meeting

The Department of Veterans Affairs (VA) gives notice under the Federal Advisory Committee Act that the VA Prevention of Fraud, Waste, and Abuse Advisory Committee will meet January 18, 2018 at 301 7th St. SW, Conference Room 2720, Washington, DC 20024, from 8:00 a.m. until 5:00 p.m. (EST). All sessions are open to the public.

The purpose of the Committee is to advise the Secretary, through the Assistant Secretary for Management and Chief Financial Officers, on matters relating to improving and enhancing VA's efforts to identify, prevent, and mitigate fraud, waste, and abuse across VA in order to improve the integrity of VA's payments and the efficiency of its programs and activities.

The agenda will include detailed discussions of VA's community care programs, legislative changes proposed for community care, operational changes proposed for community care, OIG findings in the community care, and a working group report.

The meeting will include time reserved for public comments in the

afternoon. A sign-up sheet for 5-minute comments will be available at the meeting. Individuals who wish to address the Committee may submit a 1-2 page summary of their comments for inclusion in the official meeting record. Members of the public may also submit written statements for the Committee's review to Tamika Barrier via email at Tamika.Barrier@va.gov.

Because the meeting will take place in a Federal building, visitors will be required to present photo identification. Any person attending should allow an additional 30 minutes before the beginning to allow for this security process. For interested parties who cannot attend in person, there is a toll-free telephone number (800) 767-1750; access code 03905#.

Note: *The telephone line will be muted until the Committee Chairman opens the floor for public comment.* Any member of the public seeking additional information should contact Tamika Barrier, Designated Federal Officer, at (757) 254-8630.

Dated: December 28, 2017.

Jelessa M. Burney,

Federal Advisory Committee Management Officer.

[FR Doc. 2017-28377 Filed 1-2-18; 8:45 am]

BILLING CODE P