

figure 2–1, paragraph (32)(e), an “Environmental Analysis Check List” or “Categorical Exclusion Determination” is not required for this rule. Comments on this section will be considered before we make the final decision on whether to categorically exclude this rule from further environmental review.

List of Subjects in 33 CFR Part 117 Bridges

For the reasons discussed in the preamble, the Coast Guard proposes to amend 33 CFR part 117 as follows:

PART 117—DRAWBRIDGE OPERATION REGULATIONS

1. The authority citation for part 117 continues to read as follows:

Authority: 33 U.S.C. 499; 33 CFR 1.05–1(g); Department of Homeland Security Delegation No. 0170.1.

2. Revise § 117.287(i) to read as follows:

§ 117.287 Gulf Intracoastal Waterway.

* * * * *

(i) The draw of the Belleair Beach Drawbridge, mile 131.8, Belleair Beach, FL shall open on signal, except that from 7 a.m. to 7 p.m., the bridge shall open on the hour and half-hour.

Dated: May 30, 2007.

D.W. Kunkel,

Rear Admiral, U.S. Coast Guard, Commander, Seventh Coast Guard District.

[FR Doc. E7–11661 Filed 6–15–07; 8:45 am]

BILLING CODE 4910–15–P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA–R09–OAR–2006–0619; FRL–8327–2]

Revisions to the Nevada State Implementation Plan, Washoe County District Health Department

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule.

SUMMARY: EPA is proposing to approve revisions to the Washoe County District Health Department (WCDHD) portion of the Nevada State Implementation Plan (SIP). These revisions concern opacity, emissions of carbon monoxide (CO) and particulate matter (PM) from wood stoves and fireplaces, and air emergency episode plans. We are proposing approval of local rules that help regulate emission sources under the Clean Air Act as amended in 1990 (CAA or the Act).

DATES: Any comments on this proposal must arrive by July 18, 2007.

ADDRESSES: Submit comments, identified by docket number EPA–R09–OAR–2006–0619, by one of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the on-line instructions.

- *E-mail:* steckel.andrew@epa.gov.
- *Mail or deliver:* Andrew Steckel (Air–4), U.S. Environmental Protection Agency Region IX, 75 Hawthorne Street, San Francisco, CA 94105.

Instructions: All comments will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any personal information provided, unless the comment includes Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Information that you consider CBI or otherwise protected should be clearly identified as such and should not be submitted through www.regulations.gov or e-mail.

www.regulations.gov is an “anonymous access” system, and EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send e-mail directly to EPA, your e-mail address will be automatically captured and included as part of the public comment. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment.

Docket: The index to the docket for this action is available electronically at <http://www.regulations.gov> and in hard copy at EPA Region IX, 75 Hawthorne Street, San Francisco, California. While all documents in the docket are listed in the index, some information may be publicly available only at the hard copy location (e.g., copyrighted material), and some may not be publicly available in either location (e.g., CBI). To inspect the hard copy materials, please schedule an appointment during normal business hours with the contact listed in the **FOR FURTHER INFORMATION CONTACT** section.

FOR FURTHER INFORMATION CONTACT: Al Petersen, Rulemaking Office (AIR–4), U.S. Environmental Protection Agency, Region IX, (415) 947–4118, petersen.alfred@epa.gov.

SUPPLEMENTARY INFORMATION: This proposal addresses the following local rules: WCDHD Rules 010.117, 040.005, 040.051, and 050.001. In the Rules and Regulations section of this **Federal Register**, we are approving these local rules in a direct final action without prior proposal because we believe these SIP revisions are not controversial. If we

receive adverse comments, however, we will publish a timely withdrawal of the direct final rule and address the comments in subsequent action based on this proposed rule. We do not plan to open a second comment period, so anyone interested in commenting should do so at this time. If we do not receive adverse comments, no further activity is planned. For further information, please see the direct final action.

Please note that if we receive adverse comment on an amendment, paragraph, or section of this rule and if that provision may be severed from the remainder of the rule, we may adopt as final those provisions of the rule that are not the subject of an adverse comment.

Dated: May 9, 2007.

Laura Yoshii,

Acting Regional Administrator, Region IX.

[FR Doc. E7–11581 Filed 6–15–07; 8:45 am]

BILLING CODE 6560–50–P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Medicare & Medicaid Services

42 CFR Part 484

[CMS–1541–CN]

RIN 0938–AO32

Medicare Program; Home Health Prospective Payment System Refinement and Rate Update for Calendar Year 2008; Correction

AGENCY: Centers for Medicare & Medicaid Services (CMS), HHS.

ACTION: Proposed rule; correction notice.

SUMMARY: This document corrects technical errors that appeared in the proposed rule published in the **Federal Register** on May 4, 2007, entitled “Medicare Program; Home Health Prospective Payment System Refinement and Rate Update for Calendar Year 2008” (72 FR 25356).

FOR FURTHER INFORMATION CONTACT: Randy Thronset, (410) 786–0131.

SUPPLEMENTARY INFORMATION:

I. Background

In FR Doc. 07–2167 of May 4, 2007 (72 FR 25356), there were a number of technical errors that we identified and corrected in the Correction of Errors section below.

II. Summary of Errors

In the May 4, 2007 published proposed rule, on page 25388, we