

LeRoy A. Richardson,
Chief, Information Collection Review Office,
Office of Scientific Integrity, Office of the
Associate Director for Science, Office of the
Director, Center for Disease Control and
Prevention.

[FR Doc. 2013-22038 Filed 9-10-13; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2013-N-0557]

Agency Information Collection Activities; Submission for Office of Management and Budget Review; Comment Request; Postmarket Surveillance

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) is announcing that a proposed collection of information has been submitted to the Office of Management and Budget (OMB) for review and clearance under the Paperwork Reduction Act of 1995.

DATES: Fax written comments on the collection of information by October 11, 2013.

ADDRESSES: To ensure that comments on the information collection are received, OMB recommends that written comments be faxed to the Office of Information and Regulatory Affairs, OMB, Attn: FDA Desk Officer, FAX: 202-395-7285, or emailed to oira_submission@omb.eop.gov. All comments should be identified with the OMB control number 0910-0449. Also include the FDA docket number found in brackets in the heading of this document.

FOR FURTHER INFORMATION CONTACT: FDA PRA Staff, Office of Operations, Food and Drug Administration, 1350 Piccard Dr., PI50-400B, Rockville, MD 20850, PRAStaff@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: In compliance with 44 U.S.C. 3507, FDA has submitted the following proposed collection of information to OMB for review and clearance.

Postmarket Surveillance—21 CFR Part 822 (OMB Control Number 0910-0449)—Extension

Section 522 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360f)

authorizes FDA to require a manufacturer to conduct postmarket surveillance (PS) of any device that meets the criteria set forth in the statute. The PS regulation establishes procedures that FDA uses to approve and disapprove PS plans. The regulation provides instructions to manufacturers so they know what information is required in a PS plan submission. FDA reviews PS plan submissions in accordance with part 822 (21 CFR part 822) in §§ 822.15 through 822.19 of the regulation, which describe the grounds for approving or disapproving a PS plan. In addition, the PS regulation provides instructions to manufacturers to submit interim and final reports in accordance with § 822.38. Respondents to this collection of information are those manufacturers who require postmarket surveillance of their products.

In the **Federal Register** of May 16, 2013 (78 FR 28853), FDA published a 60-day notice requesting public comment on the proposed collection of information. No comments were received.

FDA estimates the burden of this collection of information as follows:

TABLE 1—ESTIMATED ANNUAL REPORTING BURDEN¹

Activity/21 CFR section	Number of respondents	Number of responses per respondent	Total annual responses	Average burden per response	Total hours
Postmarket surveillance submission (§§ 822.9 and 822.10)	131	1	131	120	15,720
Changes to PS plan after approval (§ 822.21)	15	1	15	40	600
Changes to PS plan for a device that is no longer marketed (§ 822.28)	80	1	80	8	640
Waiver (§ 822.29)	1	1	1	40	40
Exemption request (§ 822.30)	16	1	16	40	640
Periodic reports (§ 822.38)	131	3	393	40	15,720
Total					33,360

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Explanation of Reporting Burden Estimate. The burden captured in table 1 of this document is based on the data available in FDA's internal tracking

system. Sections 822.26, 822.27, and 822.34 do not constitute information collection subject to review under the PRA because "it entails no burden other

than that necessary to identify the respondent, the date, the respondent's address, and the nature of the instrument." (See 5 CFR 1320.3(h)(1).)

TABLE 2—ESTIMATED ANNUAL RECORDKEEPING BURDEN¹

Activity/21 CFR section	Number of recordkeepers	Number of records per recordkeeper	Total annual records	Average burden per recordkeeping	Total hours
Manufacturer records (§ 822.31)	131	1	131	20	2,620
Investigator records (§ 822.32)	393	1	393	5	1,965
Total					4,585

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Explanation of Recordkeeping Burden Estimate. FDA expects that at least some of the manufacturers will be able to satisfy the PS requirement using information or data they already have. For purposes of calculating burden, however, FDA has assumed that each PS order can only be satisfied by a 3-year clinically based surveillance plan, using three investigators. These estimates are based on FDA's knowledge and experience with postmarket surveillance.

Dated: September 5, 2013.

Leslie Kux,

Assistant Commissioner for Policy.

[FR Doc. 2013-22013 Filed 9-10-13; 8:45 am]

BILLING CODE 4160-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2013-N-1089]

Agency Information Collection Activities; Proposed Collection; Comment Request; Recommended Glossary and Educational Outreach To Support Use of Symbols on Labels and in Labeling of In Vitro Diagnostic Devices Intended for Professional Use

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) is announcing an opportunity for public comment on the proposed collection of certain information by the Agency. Under the Paperwork Reduction Act of 1995 (the PRA), Federal Agencies are required to publish notice in the **Federal Register** concerning each proposed collection of information, including each proposed extension of an existing collection of information, and to allow 60 days for public comment in response to the notice. This notice solicits comments on the reporting requirements for the collection "Recommended Glossary and Educational Outreach to Support Use of Symbols on Labels and in Labeling of In Vitro Diagnostic Devices Intended for Professional Use."

DATES: Submit either electronic or written comments on the collection of information by November 12, 2013.

ADDRESSES: Submit electronic comments on the collection of information to <http://www.regulations.gov>. Submit written comments on the collection of information to the Division of Dockets Management (HFA-305), Food and Drug

Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852. All comments should be identified with the docket number found in brackets in the heading of this document.

FOR FURTHER INFORMATION CONTACT: FDA PRA Staff, Office of Operations, Food and Drug Administration, 1350 Piccard Dr., PI50-400B, Rockville, MD 20850, PRASStaff@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: Under the PRA (44 U.S.C. 3501-3520), Federal Agencies must obtain approval from the Office of Management and Budget (OMB) for each collection of information they conduct or sponsor. "Collection of information" is defined in 44 U.S.C. 3502(3) and 5 CFR 1320.3(c) and includes Agency requests or requirements that members of the public submit reports, keep records, or provide information to a third party. Section 3506(c)(2)(A) of the PRA (44 U.S.C. 3506(c)(2)(A)) requires Federal Agencies to provide a 60-day notice in the **Federal Register** concerning each proposed collection of information, including each proposed extension of an existing collection of information, before submitting the collection to OMB for approval. To comply with this requirement, FDA is publishing notice of the proposed collection of information set forth in this document.

With respect to the following collection of information, FDA invites comments on these topics: (1) Whether the proposed collection of information is necessary for the proper performance of FDA's functions, including whether the information will have practical utility; (2) the accuracy of FDA's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used; (3) ways to enhance the quality, utility, and clarity of the information to be collected; and (4) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques, when appropriate, and other forms of information technology.

Recommended Glossary and Educational Outreach to Support Use of Symbols on Labels and in Labeling of In Vitro Diagnostic Devices Intended for Professional Use—(OMB Control Number 0910-0553)—Extension

Section 502 of the Federal Food, Drug, and Cosmetic Act (the FD&C Act) (21 U.S.C. 352), among other things, establishes requirements for the label or labeling of a medical device so that it is not misbranded. Section 351 of the Public Health Service Act (the PHS Act)

(42 U.S.C. 262) establishes requirements that manufacturers of biological products must submit a license application for FDA review and approval prior to marketing a biological product for introduction into interstate commerce.

In the **Federal Register** of November 30, 2004 (69 FR 69606), FDA published a notice of availability of the guidance entitled "Use of Symbols on Labels and in Labeling of In Vitro Diagnostic Devices Intended for Professional Use." The guidance document provides guidance for the voluntary use of selected symbols in place of text in labeling. It provides the labeling guidance required for: (1) In vitro diagnostic devices (IVDs), intended for professional use under 21 CFR 809.10, FDA's labeling requirements for IVDs; and (2) FDA's labeling requirements for biologics, including IVDs under 21 CFR parts 610 and 660. Under section 502(c) of the FD&C Act, a drug or device is misbranded, ". . . If any word, statement, or other information required by or under authority of this Act to appear on the label or labeling is not prominently placed thereon with such conspicuousness (as compared with other words, statements, designs, or devices, in the labeling) and in such terms as to render it likely to be read and understood by the ordinary individual under customary conditions of purchase and use."

The guidance document recommends that a glossary of terms accompany each IVD to define the symbols used on that device's labels and/or labeling. Furthermore, the guidance recommends an educational outreach effort to enhance the understanding of newly introduced symbols. Both the glossary and educational outreach information help to ensure that IVD users have enough general familiarity with the symbols used, as well as provide a quick reference for available materials, thereby further ensuring that such labeling satisfies the labeling requirements under section 502(c) of the FD&C Act and section 351 of the PHS Act.

The likely respondents for this collection of information are IVD manufacturers who plan to use the selected symbols in place of text on the labels and/or labeling of their IVDs.

The glossary activity is inclusive of both domestic and foreign IVD manufacturers. FDA receives submissions from approximately 689 IVD manufacturers annually. The 4-hour estimate for a glossary is based on the average time necessary for a manufacturer to modify the glossary for the specific symbols used in labels or labeling for the IVDs manufactured.