

They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

*National Environmental Policy Act.* This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

*Regulatory Classification.* This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

#### List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

#### PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

#### § 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

| State    | City/town/county                         | Source of flooding  | Location                                                                              | # Depth in feet above ground *elevation in feet *(NGVD) |          |
|----------|------------------------------------------|---------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------|----------|
|          |                                          |                     |                                                                                       | Existing                                                | Modified |
| OH ..... | Chagrin Falls (Village) Cuyahoga County. | Chagrin River ..... | At the downstream corporate limit, approximately 4,735 feet downstream of Miles Road. | *836                                                    | *838     |
|          |                                          |                     | Just downstream of the corporate limit, approximately 5,100 feet upstream of the dam. | None                                                    | *979     |

Maps are available for inspection at the Village Hall, 21 W. Washington Street, Chagrin Falls, Ohio.

Send comments to Mr. Ben Himes, Chief Administrative Officer, Village of Chagrin Falls, 21 West Washington Street, Chagrin Falls, Ohio 44022.

|          |                                     |                 |                                                                               |      |      |
|----------|-------------------------------------|-----------------|-------------------------------------------------------------------------------|------|------|
| OH ..... | Lake County (Unincorporated Areas). | Red Creek ..... | Just upstream of CSX Railroad .....                                           | None | *677 |
|          |                                     |                 | Approximately 700 feet upstream of Farm Road.                                 | None | *696 |
|          | .....                               | Red Mill Creek  | A reach approximately 1,200 feet south of Norfolk Southern Railroad.          | None | *704 |
|          |                                     |                 | Area east of the Main Street and 700 feet south of Norfolk Southern Railroad. | None | #2   |

Maps are available for inspection at the Lake County Engineers Office, 550 Blackbrook Road, Painesville, Ohio.

Send comments to Mr. Mike Krems, Chief Building Inspector, 27 Woodland Road, Painesville, Ohio 44077.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: July 28, 2004.

**David I. Maurstad,**

*Acting Director, Mitigation Division,  
Emergency Preparedness and Response  
Directorate.*

[FR Doc. 04-17959 Filed 8-5-04; 8:45 am]

**BILLING CODE 9110-12-P**

## DEPARTMENT OF HOMELAND SECURITY

### Federal Emergency Management Agency

#### 44 CFR Part 67

[Docket No. FEMA-P-7655]

#### Proposed Flood Elevation Determinations

**AGENCY:** Federal Emergency Management Agency, Emergency Preparedness and Response Directorate, Department of Homeland Security.

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a

newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-2903.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency makes the final determinations listed below for the modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Mitigation Division Director of the Emergency Preparedness and Response Directorate has resolved any appeals resulting from this notification.

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any

existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

*National Environmental Policy Act.* This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

*Regulatory Classification.* This proposed rule is not a significant

regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, flood insurance, reporting and record keeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.4 [Amended]**

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

| Source of flooding and location of referenced elevation                                                    | *Elevation in feet (NGVD) existing/modified | Communities affected |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------------|
| Red Creek .....                                                                                            | * 696 to * 699 .....                        | Village of Perry, OH |
| Red Mill Creek .....                                                                                       | * 684 to * 710 .....                        |                      |
| Area east of Main Street and approximately 1,300 feet south of Norfolk Southern Railroad.                  | #2 .....                                    |                      |
| Maps are available for inspection at the Village of Perry Municipal Center, 3758 Center Road, Perry, Ohio. |                                             |                      |
| Send comments to The Honorable Lee Lydick, Mayor, Village of Perry, P.O. Box 100, Perry, Ohio 44081.       |                                             |                      |

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: July 28, 2004.

**David I. Maurstad,**  
*Acting Director, Mitigation Division,  
Emergency Preparedness and Response  
Directorate.*

[FR Doc. 04-17960 Filed 8-5-04; 8:45 am]

BILLING CODE 9110-12-P

**DEPARTMENT OF HOMELAND  
SECURITY**

**Federal Emergency Management  
Agency**

**44 CFR Part 67**

**[Docket No. FEMA-P-7657]**

**Proposed Flood Elevation  
Determinations**

**AGENCY:** Federal Emergency Management Agency, Emergency Preparedness and Response Directorate, Department of Homeland Security.

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities

listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.