



FEDERAL REGISTER

Vol. 76 Tuesday,
No. 80 April 26, 2011

Part III

Department of the Interior

Fish and Wildlife Service

50 CFR Parts 10 and 21
General Provisions; Revised List of Migratory Birds; Proposed Rule

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service****50 CFR Parts 10 and 21**

[Docket No. FWS-R9-MB-2010-0088; 91200-1231-9BPP]

RIN 1018-AX48

General Provisions; Revised List of Migratory Birds

AGENCY: Fish and Wildlife Service, Interior.

ACTION: Proposed rule.

SUMMARY: We, the U.S. Fish and Wildlife Service, propose to revise the List of Migratory Birds by both adding and removing species. Reasons for the changes to the list include adding species based on new taxonomy and new evidence of occurrence in the United States or U.S. territories, removing species no longer known to occur within the United States, and changing names to conform to accepted use. The net increase of 19 species (23 added and 4 removed) brings the total number of species protected by the Migratory Bird Treaty Act (MBTA) to 1,026. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for public notification and regulatory purposes.

DATES: To ensure consideration of your comments, they must be received or postmarked on or before July 25, 2011.

ADDRESSES: You may submit comments by either one of the following methods:

- **Federal eRulemaking Portal:** <http://www.regulations.gov>. Follow the instructions for submitting comments on Docket No. FWS-R9-MB-2010-0088.

- **U.S. Mail or hand delivery:** Public Comments Processing, Attn: FWS-R9-MB-2010-0088; Division of Policy and Directives Management; U.S. Fish and Wildlife Service; 4401 North Fairfax Drive, Suite 222; Arlington, VA 22203-1610.

We will not accept e-mail or faxes. We will post all comments on <http://www.regulations.gov>. This generally means that we will post any personal information that you provide. See the Public Comments section below for more information.

FOR FURTHER INFORMATION CONTACT: Terry Doyle, Wildlife Biologist, Division of Migratory Bird Management, 703-358-1799.

SUPPLEMENTARY INFORMATION:

Background*What statutory authority does the service have for this rulemaking?*

We have statutory authority and responsibility for enforcing the Migratory Bird Treaty Act (MBTA) (16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628);

(2) *Mexico:* Convention between the United States and Mexico for the Protection of Migratory Birds and Game Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912);

(3) *Japan:* Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) *Russia:* Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment (Russia), November 19, 1976, 29 U.S.T. 4647 (T.I.A.S. No. 9073).

What is the purpose of this rulemaking?

Our purpose is to inform the public of the species protected by the MBTA and its implementing regulations. These regulations are found in Title 50, Code of Federal Regulations (CFR), Parts 10, 20, and 21. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for regulatory purposes.

Why is this amendment of the list of migratory birds necessary?

The amendment is needed to: (1) Add five species previously overlooked from a family protected under the MBTA; (2) correct the spelling of five species on the alphabetized list; (3) correct the spelling of two species on the taxonomic list; (4) add 11 species based on new distributional records documenting their natural occurrence in the United States since April 2007; (5) add one species from a family now protected under the MBTA as a result of taxonomic changes; (6) add six species

newly recognized as a result of recent taxonomic changes; (7) remove four species not known to occur within the boundaries of the United States or its territories as a result of recent taxonomic changes; (8) change the common (English) names of nine species to conform with accepted use; and (9) change the scientific names of 36 species to conform to accepted use.

The List of Migratory Birds (50 CFR 10.13) was last revised on March 1, 2010 (75 FR 9282). These amendments were necessitated by three published supplements to the 7th (1998) edition of the American Ornithologists' Union's (AOU's) *Check-list of North American Birds* (AOU 2008, AOU 2009, and AOU 2010).

In addition, we propose to correct the legal authorities citations at 50 CFR 10.13(a).

We also would make a small change to a definition in 50 CFR 21.3. We propose to update the definition of "raptor" to also include the order Accipitriformes to correspond to the proposed changes in the List of Migratory Birds.

What scientific authorities are used to amend the list of migratory birds?

Although bird names (common and scientific) are relatively stable, staying current with standardized use is necessary to avoid confusion in communications. In making our determinations, we primarily relied on the American Ornithologists' Union's *Check-list of North American Birds* (AOU 1998), as amended (AOU 1999, 2000, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, and 2010), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (orders, families, subfamilies) for species that occur in North America. The AOU Checklist contains all bird species that have occurred in North America from the Arctic through Panama, including the West Indies and the Hawaiian Islands, and includes distributional information for each species, which specifies whether the species is known to occur in the United States. For the 39 species that occur outside the geographic area covered by the *Check-list* (28 that occur in the Pacific island territories and 11 listed in the Japanese and/or Russian conventions that have not occurred in the AOU area), we relied primarily on Clements (2007). Although we primarily rely on the above checklists, when informed taxonomic opinion is inconsistent or controversial, we evaluate available published and unpublished information and come to

our own conclusion regarding the validity of taxa.

What criteria are used to identify individual species protected by the MBTA?

A species qualifies for protection under the MBTA by meeting one or more of the following four criteria:

(1) It is covered by the Canadian Convention of 1916, as amended in 1996, by virtue of meeting the following three criteria: (a) It belongs to a family or group of species named in the Canadian Convention, as amended; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(2) It is covered by the Mexican Convention of 1936, as amended in 1972, by virtue of meeting the following three criteria: (a) It belongs to a family or group of species named in the Mexican Convention, as amended; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(3) It is listed in the annex to the Japanese Convention of 1972, as amended.

(4) It is listed in the appendix to the Russian Convention of 1976.

In accordance with the Migratory Bird Treaty Reform Act of 2004 (MBTRA) (Pub. L. 108–447, 118 Stat. 2809, 3071–72), we include all species native to the United States or its territories, which are those that occur as a result of natural biological or ecological processes (see 70 FR 12710, March 15, 2005). We do not include nonnative species whose occurrences in the United States are solely the result of intentional or unintentional human-assisted introduction(s).

How do the proposed changes affect the list of migratory birds?

Several taxonomic changes were made at the Order and Family level by the AOU since publication of the last list. These changes affect the inclusion and taxonomic order of species on this list. Specifically, the Orders Phaethontiformes and Suliformes were split from the Pelecaniformes. Phaethontiformes now includes the Family Phaethontidae (tropicbirds); Suliformes now includes the Families

Fregatidae (frigatebirds), Sulidae (boobys), Phalacrocoracidae (cormorants), and Anhingidae (anhingas). In addition, the Order Accipitriformes was split from the Falconiformes and now include the Families Cathartidae (vultures), Pandionidae (Osprey), and Accipitridae (hawks and eagles). At the Family level, the Ardeidae (herons and egrets) and Threskiornithidae (ibis and spoonbills) were moved from the Ciconiiformes to the Pelecaniformes Order, the Pandionidae (Osprey) were separated from the Accipitridae (hawks and eagles), and the Stercorariidae (jaegers and skuas) were separated from the Laridae (gulls, terns, and skimmers). The Polioptilidae (gnatcatchers), Phylloscopidae (*Phylloscopus* warblers), Acrocephalidae (*Acrocephalus* warblers), and Megaluridae (*Locustella* warblers) were separated from the Sylviidae, and the Calcariidae (longspurs and snow buntings) were separated from the Emberizidae (buntings and sparrows). The euphonias were put into their own Subfamily (Euphoniinae) and moved from the Thraupidae to the Fringillidae Family. All species within these newly created families continue to be protected under the MBTA. In addition, the Wrentit was moved from the Timaliidae (babblers) to the Sylviidae and is now in a family protected by the MBTA.

The amendments (23 additions, 4 removals, and 51 name changes) affect a grand total of 78 species and result in a net addition of 19 species to the List of Migratory Birds, increasing the species total from 1,007 to 1,026. Of the 23 species that we add to the list, 6 were previously covered under the MBTA as subspecies of listed species. These amendments can be logically arranged in the following 9 categories:

(1) Add five species from the family Muscicapidae, a family specifically listed in the 1996 protocol amending the 1916 convention with Canada. The omission of these species on the previous list was an oversight. All are considered accidental or casual in Alaska. The species and relevant AOU publication(s) are:

Mugimaki Flycatcher, *Ficedula mugimaki* (AOU 1987, 1997, 1998);

Taiga Flycatcher, *Ficedula albicilla* (AOU 1982, 1983, 1998, 2006);

Dark-sided Flycatcher, *Muscicapa sibirica* (AOU 1982, 1983, 1998, 2004);

Asian Brown Flycatcher, *Muscicapa dauurica* (AOU 1987, 1989, 1998); and

Spotted Flycatcher, *Muscicapa striata* (AOU 2004).

(2) Correct the spelling of five scientific names on the alphabetized list:

Nesofregata fuliginosa (Polynesian Storm-Petrel), becomes *Nesofregetta fuliginosa*;

Thalasseus maximus (Royal Tern), becomes *Thalasseus maximus*;

Thalasseus sandvicensis (Sandwich Tern), becomes *Thalasseus sandvicensis*;

Phylloscopus siilatrix (Wood Warbler), becomes *Phylloscopus sibilatrix*; and

Locustella lanceoloata (Lanceolated Warbler), becomes *Locustella lanceolata*.

(3) Correct the spelling of two scientific names on the taxonomic list:

Nesofregetta fuiginosa (Polynesian Storm-Petrel), becomes *Nesofregetta fuliginosa*; and

Tiaris olivacea (Yellow-faced Grassquit), becomes *Tiaris olivaceus*.

(4) Add 11 species based on review and acceptance by AOU (since April 2007) of new distributional records documenting their occurrence in the United States, Puerto Rico, or the U.S. Virgin Islands. These species belong to families covered by the Canadian and/or Mexican Conventions, and all are considered to be of accidental or casual occurrence. For each species, we list the State in which it has been recorded plus the relevant publication:

Parkinson's Petrel, *Procellaria parkinsoni*—California (AOU 2008);

Swinhoe's Storm-Petrel, *Oceanodroma monorhis*—North Carolina (AOU 2010);

Swallow-tailed Gull, *Creagrus furcatus*—California (AOU 2008);

Brown Hawk-Owl, *Ninox scutulata*—Alaska (AOU 2009);

White-crested Elaenia, *Elaenia albiceps*—Texas (AOU 2010);

Crowned Slaty Flycatcher, *Empidonax aurantioatrocristatus*—Louisiana (AOU 2010);

Sinaloa Wren, *Thryothorus sinaloa*—Arizona (AOU 2010);

Pallas's Leaf-Warbler, *Phylloscopus proregulus*—Alaska (AOU 2008);

Sedge Warbler, *Acrocephalus schoenobaenus*—Alaska (AOU 2009);

Rufous-tailed Robin, *Luscinia sibilans*—Alaska (AOU 2010); and

Yellow-browed Bunting, *Emberiza chrysophrys*—Alaska (AOU 2009).

(5) Add one species because of recent taxonomic changes transferring a species in a family formerly not protected by the MBTA (Timaliidae) into a family protected under the MBTA (Sylviidae). We reference the AOU publication supporting the change:

Wrentit, *Chamaea fasciata* (AOU 2010).

(6) Add six species because of recent taxonomic changes in which taxa formerly treated as subspecies have

been determined to be distinct species. Given that each of these species was formerly treated as subspecies of a listed species, these additions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication supporting the change:

Eastern Spot-billed Duck, *Anas zonorhyncha*—formerly considered a subspecies of *Anas poecilorhyncha*, Spot-billed Duck (AOU 2008);

Black Scoter, *Melanitta americana*—formerly treated as a subspecies of *Melanitta nigra*, Common [Black] Scoter (AOU 2009);

Mexican Whip-poor-will, *Caprimulgus arizonicus*—formerly treated as a subspecies of *Caprimulgus vociferus*, Whip-poor-will (AOU 2010);

Pacific Wren, *Troglodytes pacificus*—formerly treated as a subspecies of *Troglodytes troglodytes*, Eurasian [Winter] Wren (AOU 2010);

Winter Wren, *Troglodytes hiemalis*—formerly treated as a subspecies of *Troglodytes troglodytes*, Eurasian [Winter] Wren (AOU 2010); and

Puerto Rican Oriole, *Icterus portoricensis*—formerly treated as a subspecies of *Icterus dominicensis*, Hispaniolan [Greater Antillean] Oriole (AOU 2010).

(7) Remove four species based on revised taxonomic treatments and distributional evidence confirming that their known geographic ranges lie entirely outside the political boundaries of the United States and its territories. In each case, we reference the AOU publication supporting these changes:

Spot-billed Duck, *Anas poecilorhyncha* (AOU 2008);

Common [Black] Scoter, *Melanitta nigra* (AOU 2009);

Eurasian [Winter] Wren, *Troglodytes troglodytes* (AOU 2010); and

Hispaniolan [Greater Antillean] Oriole, *Icterus dominicensis* (AOU 2010).

(8) Revise the common (English) names of nine species to conform to the most recent nomenclatural treatment. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the published source for the name change:

Greater Flamingo, *Phoenicopterus ruber*, becomes American Flamingo (AOU 2008);

Greater Shearwater, *Puffinus gravis*, becomes Great Shearwater (AOU 2010);

Whip-poor-will, *Caprimulgus vociferus*, becomes Eastern Whip-poor-will (AOU 2010);

Green Violet-ear, *Colibri thalassinus*, becomes Green Violetear (AOU 2008);

Blue Rock Thrush, *Monticola solitarius*, becomes Blue Rock-Thrush (Clements 2007);

Clay-colored Robin, *Turdus grayi*, becomes Clay-colored Thrush (AOU 2008);

White-throated Robin, *Turdus assimilis*, becomes White-throated Thrush (AOU 2008);

Nelson's Sharp-tailed Sparrow, *Ammodramus nelsoni*, becomes Nelson's Sparrow (AOU 2009); and

Saltmarsh Sharp-tailed Sparrow, *Ammodramus caudacutus*, becomes Saltmarsh Sparrow (AOU 2009).

(9) Revise the scientific names of 36 species to conform to the most recent nomenclatural treatment. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication documenting the name change:

Larus philadelphia (Bonaparte's Gull) becomes *Chroicocephalus philadelphia* (AOU 2008);

Larus cirrocephalus (Gray-hooded Gull) becomes *Chroicocephalus cirrocephalus* (AOU 2008);

Larus ridibundus (Black-headed Gull) becomes *Chroicocephalus ridibundus* (AOU 2008);

Larus minutus (Little Gull) becomes *Hydrocoloeus minutus* (AOU 2008);

Larus atricilla (Laughing Gull) becomes *Leucophaeus atricilla* (AOU 2008);

Larus pipixcan (Franklin's Gull) becomes *Leucophaeus pipixcan* (AOU 2008);

Cyanocorax morio (Brown Jay) becomes *Psilorhinus morio* (AOU 2010);

Poecile hudsonica (Boreal Chickadee) becomes *Poecile hudsonicus* (AOU 2009);

Poecile cincta (Gray-headed Chickadee) becomes *Poecile cinctus* (AOU 2009);

Calcarius mccownii (McCown's Longspur) becomes *Rhynchophanes mccownii* (AOU 2010);

Vermivora pinus (Blue-winged Warbler) becomes *Vermivora cyanoptera* (AOU 2010);

Vermivora peregrina (Tennessee Warbler) becomes *Oreothlypis peregrina* (AOU 2010);

Vermivora celata (Orange-crowned Warbler) becomes *Oreothlypis celata* (AOU 2010);

Vermivora ruficapilla (Nashville Warbler) becomes *Oreothlypis ruficapilla* (AOU 2010);

Vermivora virginiae (Virginia's Warbler) becomes *Oreothlypis virginiae* (AOU 2010);

Vermivora crissalis (Colima Warbler) becomes *Oreothlypis crissalis* (AOU 2010);

Vermivora luciae (Lucy's Warbler) becomes *Oreothlypis luciae* (AOU 2010);

Parula superciliosa (Crescent-chested Warbler) becomes *Oreothlypis superciliosa* (AOU 2010);

Seiurus noveboracensis (Northern Waterthrush) becomes *Parkesia noveboracensis* (AOU 2010);

Seiurus motacilla (Louisiana Waterthrush) becomes *Parkesia motacilla* (AOU 2010);

Pipilo fuscus (Canyon Towhee) becomes *Melozone fusca* (AOU 2010);

Pipilo crissalis (California Towhee) becomes *Melozone crissalis* (AOU 2010);

Pipilo aberti (Abert's Towhee) becomes *Melozone aberti* (AOU 2010);

Aimophila carpalis (Rufous-winged Sparrow) becomes *Peucaea carpalis* (AOU 2010);

Aimophila botterii (Botteri's Sparrow) becomes *Peucaea botterii* (AOU 2010);

Aimophila cassini (Cassin's Sparrow) becomes *Peucaea cassini* (AOU 2010);

Aimophila aestivalis (Bachman's Sparrow) becomes *Peucaea aestivalis* (AOU 2010);

Aimophila quinquestriata (Five-striped Sparrow) becomes *Amphispiza quinquestriata* (AOU 2010);

Carduelis flammea (Common Redpoll) becomes *Acanthis flammea* (AOU 2009);

Carduelis hornemannii (Hoary Redpoll) becomes *Acanthis hornemannii* (AOU 2009);

Carduelis spinus (Eurasian Siskin) becomes *Spinus spinus* (AOU 2009);

Carduelis pinus (Pine Siskin) becomes *Spinus pinus* (AOU 2009);

Carduelis psaltria (Lesser Goldfinch) becomes *Spinus psaltria* (AOU 2009);

Carduelis lawrencei (Lawrence's Goldfinch) becomes *Spinus lawrencei* (AOU 2009);

Carduelis tristis (American Goldfinch) becomes *Spinus tristis* (AOU 2009); and

Carduelis sinica (Oriental Greenfinch) becomes *Chloris sinica* (AOU 2009).

For ease of comparison, changes are summarized in the following table (numbers reference the categories treated above). Species whose names have been revised (categories 2, 8, and 9) appear in both the left-hand column (old name removed) and right-hand column (new name added), as are species that have been added based on taxonomic splits (category 6) of extralimital species that have been removed (category 7).

Removed (taxonomically)	Added (taxonomically)
Spot-billed Duck, <i>Anas poecilorhyncha</i> (7)	Eastern Spot-billed Duck, <i>Anas zonorhyncha</i> (6).
Common [Black] Scoter, <i>Melanitta nigra</i> (7)	Black Scoter, <i>Melanitta americana</i> (6).
Greater Flamingo, <i>Phoenicopterus ruber</i> (8)	American Flamingo, <i>Phoenicopterus ruber</i> (8).
Greater Shearwater, <i>Puffinus gravis</i> (8)	Parkinson's Petrel, <i>Procellaria parkinsoni</i> (4).
Polynesian Storm-Petrel, <i>Nesofregata fuliginosa</i> (2)	Great Shearwater, <i>Puffinus gravis</i> (8).
Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (3)	Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (2).
Bonaparte's Gull, <i>Larus philadelphia</i> (9)	Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (3).
Gray-hooded Gull, <i>Larus cirrocephalus</i> (9)	Swinhoe's Storm-Petrel, <i>Oceanodroma monorhis</i> (4).
Black-headed Gull, <i>Larus ridibundus</i> (9)	Swallow-tailed Gull, <i>Creagrus furcatus</i> (4).
Little Gull, <i>Larus minutus</i> (9)	Bonaparte's Gull, <i>Chroicocephalus philadelphia</i> (9).
Laughing Gull, <i>Larus atricilla</i> (9)	Gray-hooded Gull, <i>Chroicocephalus cirrocephalus</i> (9).
Franklin's Gull, <i>Larus pipixcan</i> (9)	Black-headed Gull, <i>Chroicocephalus ridibundus</i> (9).
Royal Tern, <i>Thalasseus maximus</i> (2)	Little Gull, <i>Hydrocoloeus minutus</i> (9).
Sandwich Tern, <i>Thalasseus sandvicensis</i> (2)	Laughing Gull, <i>Leucophaeus atricilla</i> (9).
Whip-poor-will, <i>Caprimulgus vociferus</i> (8)	Franklin's Gull, <i>Leucophaeus pipixcan</i> (9).
Green Violet-ear, <i>Colibri thalassinus</i> (8)	Royal Tern, <i>Thalasseus maximus</i> (2).
Brown Jay, <i>Cyanocorax morio</i> (9)	Sandwich Tern, <i>Thalasseus sandvicensis</i> (2).
Boreal Chickadee, <i>Poecile hudsonica</i> (9)	Brown Hawk-Owl, <i>Ninox scutulata</i> (4).
Gray-headed Chickadee, <i>Poecile cincta</i> (9)	Eastern Whip-poor-will, <i>Caprimulgus vociferus</i> (8).
Eurasian [Winter] Wren, <i>Troglodytes troglodytes</i> (7)	Mexican Whip-poor-will, <i>Caprimulgus arizoneae</i> (6).
Wood Warbler, <i>Phylloscopus sibilatrix</i> (2)	Green Violetear, <i>Colibri thalassinus</i> (8).
Lanceolated Warbler, <i>Locustella lanceolata</i> (2)	White-crested Elaenia, <i>Elaenia albiceps</i> (4).
Blue Rock Thrush, <i>Monticola solitarius</i> (8)	Crowned Slaty Flycatcher, <i>Empidonax aurantioatrocristatus</i> (4).
Clay-colored Robin, <i>Turdus grayi</i> (8)	Brown Jay, <i>Psilorhinus morio</i> (9).
White-throated Robin, <i>Turdus assimilis</i> (8)	Boreal Chickadee, <i>Poecile hudsonicus</i> (9).
McCown's Longspur, <i>Calcarius mccownii</i> (9)	Gray-headed Chickadee, <i>Poecile cinctus</i> (9).
Blue-winged Warbler, <i>Vermivora pinus</i> (9)	Sinaloa Wren, <i>Thryothorus sinaloa</i> (4).
Tennessee Warbler, <i>Vermivora peregrina</i> (9)	Pacific Wren, <i>Troglodytes pacificus</i> (6).
Orange-crowned Warbler, <i>Vermivora celata</i> (9)	Winter Wren, <i>Troglodytes hiemalis</i> (6).
Nashville Warbler, <i>Vermivora ruficapilla</i> (9)	Wood Warbler, <i>Phylloscopus sibilatrix</i> (2).
Virginia's Warbler, <i>Vermivora virginiae</i> (9)	Pallas's Leaf-Warbler, <i>Phylloscopus proregulus</i> (4).
Colima Warbler, <i>Vermivora crissalis</i> (9)	Lanceolated Warbler, <i>Locustella lanceolata</i> (2).
Lucy's Warbler, <i>Vermivora luciae</i> (9)	Wrentit, <i>Chamaea fasciata</i> (5).
Crescent-chested Warbler, <i>Parula superciliosa</i> (9)	Sedge Warbler, <i>Acrocephalus schoenobaenus</i> (4).
Northern Waterthrush, <i>Seiurus noveboracensis</i> (9)	Mugimaki Flycatcher, <i>Ficedula mugimaki</i> (1).
Louisiana Waterthrush, <i>Seiurus motacilla</i> (9)	Taiga Flycatcher, <i>Ficedula albicilla</i> (1).
Yellow-faced Grassquit, <i>Tiaris olivacea</i> (3)	Dark-sided Flycatcher, <i>Muscicapa sibirica</i> (1).
Canyon Towhee, <i>Pipilo fuscus</i> (9)	Asian Brown Flycatcher, <i>Muscicapa dauurica</i> (1).
California Towhee, <i>Pipilo crissalis</i> (9)	Spotted Flycatcher, <i>Muscicapa striata</i> (1).
Abert's Towhee, <i>Pipilo aberti</i> (9)	Blue Rock-Thrush, <i>Monticola solitarius</i> (8).
Rufous-winged Sparrow, <i>Aimophila carpalis</i> (9)	Rufous-tailed Robin, <i>Luscinia sibilans</i> (4).
Botteri's Sparrow, <i>Aimophila botterii</i> (9)	Clay-colored Thrush, <i>Turdus grayi</i> (8).
Cassin's Sparrow, <i>Aimophila cassinii</i> (9)	White-throated Thrush, <i>Turdus assimilis</i> (8).
Bachman's Sparrow, <i>Aimophila aestivalis</i> (9)	McCown's Longspur, <i>Rhynchophanes mccownii</i> (9).
Five-striped Sparrow, <i>Aimophila quinquestriata</i> (9)	Blue-winged Warbler, <i>Vermivora cyanoptera</i> (9).
Nelson's Sharp-tailed Sparrow, <i>Ammodramus nelsoni</i> (8)	Tennessee Warbler, <i>Oreothlypis peregrina</i> (9).
Saltmarsh Sharp-tailed Sparrow, <i>Ammodramus caudacutus</i> (8)	Orange-crowned Warbler, <i>Oreothlypis celata</i> (9).
Hispaniolan [Greater Antillean] Oriole, <i>Icterus dominicensis</i> (7)	Nashville Warbler, <i>Oreothlypis ruficapilla</i> (9).
Common Redpoll, <i>Carduelis flammea</i> (9)	Virginia's Warbler, <i>Oreothlypis virginiae</i> (9).
Hoary Redpoll, <i>Carduelis hornemannii</i> (9)	Colima Warbler, <i>Oreothlypis crissalis</i> (9).
Eurasian Siskin, <i>Carduelis spinus</i> (9)	Lucy's Warbler, <i>Oreothlypis luciae</i> (9).
Pine Siskin, <i>Carduelis pinus</i> (9)	Crescent-chested Warbler, <i>Oreothlypis superciliosa</i> (9).
Lesser Goldfinch, <i>Carduelis psaltria</i> (9)	Northern Waterthrush, <i>Parkesia noveboracensis</i> (9).
Lawrence's Goldfinch, <i>Carduelis lawrencei</i> (9)	Louisiana Waterthrush, <i>Parkesia motacilla</i> (9).
American Goldfinch, <i>Carduelis tristis</i> (9)	Yellow-faced Grassquit, <i>Tiaris olivaceus</i> (3).

Removed (taxonomically)	Added (taxonomically)
Oriental Greenfinch, <i>Carduelis sinica</i> (9)	Oriental Greenfinch, <i>Chloris sinica</i> (9).

How is the list of migratory birds organized?

The species are listed in two formats to suit the needs of different segments of the public: alphabetically in 50 CFR 10.13(c)(1) and taxonomically in 50 CFR 10.13(c)(2). In the alphabetical listing, species are listed by common (English) group names, with the scientific name of each species following the English group name. This format, similar to that used in modern telephone directories, is most useful to members of the lay public. In the taxonomic listing, species are listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily. This format follows the sequence adopted by the AOU (1998, 2010) and is most useful to ornithologists and other scientists.

What species are not protected by the Migratory Bird Treaty Act?

The MBTA does not apply to:

(1) Nonnative species introduced into the United States or its territories by means of intentional or unintentional human assistance that belong to families or groups covered by the Canadian, Mexican, or Russian Conventions, in accordance with the MBTRA. See 70 FR 12710 (March 15, 2005) for a partial list of nonnative, human-introduced bird species in this category. Note, though, that native species that are introduced into parts of the United States where they are not native are still protected under the MBTA regardless of where they occur in the United States or its territories.

(2) Nonnative, human-introduced species that belong to families or groups not covered by the Canadian, Mexican, or Russian Conventions, including Tinamidae (tinamous), Cracidae (chachalacas), Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Turnicidae (buttonquails), Odontophoridae (New World quail), Pteroclidae (sandgrouse), Psittacidae (parrots), Dicruridae (drongos), Rhamphastidae (toucans), Musophagidae (turacos), Bucerotidae (hornbills), Bucorvidae (ground-hornbills), Pycnonotidae (bulbuls), Pittidae (pittas), Irenidae (fairy-bluebirds), Timaliidae (babblers), Zosteropidae (white-eyes), Sturnidae (starlings; except as listed in the Japanese Convention), Passeridae (Old

World sparrows), Ploceidae (weavers), Estrildidae (estrildid finches), and numerous other families not currently represented in the United States or its territories.

(3) Native species that belong to families or groups represented in the United States, but which are not expressly mentioned by the Canadian, Mexican, or Russian Conventions, including the Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Odontophoridae (New World quail), Burhinidae (thick-knees), Glareolidae (pratincoles), Psittacidae (parrots), Todidae (todies), Meliphagidae (honeyeaters), Monarchidae (monarch flycatchers [elepaios]), Zosteropidae (white-eyes), and Coerebidae (bananaquit). It should be noted that this rule supersedes the 70 FR 12710 notice to the extent that they are inconsistent. Specifically, the 1996 amendment to the Canadian Convention included the family Muscicapidae (Old World flycatchers). Thus, all members of the Muscicapidae family are now included on this list. In addition, the Wrentit is now considered a member of the Sylviidae family rather than the Timaliidae family and is now included on this list.

Partial lists of the species included in categories 2 and 3 are available at <http://www.fws.gov/migratorybirds/RegulationsPolicies/mbta/MBTAProtectedNonprotected.html>.

Public Comments

We request comments or suggestions on this proposed rule from any interested parties. You may submit your comments and materials concerning this proposed rule by one of the methods listed in the **ADDRESSES** section. We will not consider comments sent by e-mail or fax or to an address not listed in the **ADDRESSES** section.

If you submit a comment via <http://www.regulations.gov>, your entire comment—including any personal identifying information—will be posted on the Web site. If you submit a hardcopy comment that includes personal identifying information, you may request at the top of your document that we withhold this information from public review. However, we cannot guarantee that we will be able to do so. We will post all hardcopy comments on <http://www.regulations.gov>.

Comments and materials we receive, as well as supporting documentation we

used in preparing this proposed rule, will be available for public inspection at <http://www.regulations.gov>, or by appointment, during normal business hours, at the U.S. Fish and Wildlife Service (see **FOR FURTHER INFORMATION CONTACT**). You may obtain copies of our previous actions concerning this subject by mail (see **FOR FURTHER INFORMATION CONTACT**) or by visiting the Federal eRulemaking Portal at <http://www.regulations.gov>.

Required Determinations

Regulatory Planning and Review (Executive Order 12866)

The Office of Management and Budget (OMB) has determined that this proposed rule is not significant under Executive Order 12866. OMB bases its determination upon the following four criteria:

(a) Whether the rule will have an annual effect of \$100 million or more on the economy or adversely affect an economic sector, productivity, jobs, the environment, or other units of the government.

(b) Whether the rule will create inconsistencies with other Federal agencies' actions.

(c) Whether the rule will materially affect entitlements, grants, user fees, loan programs, or the rights and obligations of their recipients.

(d) Whether the rule raises novel legal or policy issues.

Regulatory Flexibility Act (5 U.S.C. 601 et seq.)

Under the Regulatory Flexibility Act (5 U.S.C. 601 et seq., as amended by the Small Business Regulatory Enforcement Fairness Act (SBREFA) of 1996 (Pub. L. 104-121)), whenever an agency is required to publish a notice of rulemaking for any proposed or final rule, it must prepare and make available for public comment a regulatory flexibility analysis that describes the effect of the rule on small entities (i.e., small businesses, small organizations, and small government jurisdictions). However, no regulatory flexibility analysis is required if the head of an agency certifies the rule does not have a significant economic impact on a substantial number of small entities.

SBREFA amended the Regulatory Flexibility Act to require Federal agencies to provide the statement of the factual basis for certifying that a rule will not have a significant economic

impact on a substantial number of small entities. We have examined this proposed rule's potential effects on small entities as required by the Regulatory Flexibility Act, and have determined that this action would not have a significant economic impact on a substantial number of small entities, because we are simply updating the list of migratory bird species protected under the Conventions. Consequently, we certify that because this rule does not have a significant economic effect on a substantial number of small entities, a regulatory flexibility analysis is not required.

This proposed rule is not a major rule under SBREFA (5 U.S.C. 804(2)). It would not have a significant impact on a substantial number of small entities.

a. This proposed rule would not have an annual effect on the economy of \$100 million or more.

b. This proposed rule would not cause a major increase in costs or prices for consumers, individual industries, Federal, State, or local government agencies, or geographic regions.

c. This proposed rule will not have significant adverse effects on competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises.

Unfunded Mandates Reform Act

In accordance with the Unfunded Mandates Reform Act (2 U.S.C. 1501 *et seq.*), we have determined the following:

a. This proposed rule would not “significantly or uniquely” affect small governments. A small government agency plan is not required. Actions under the proposed regulation would not affect small government activities in any significant way.

b. This proposed rule would not produce a Federal mandate of \$100 million or greater in any year; i.e., it is not a “significant regulatory action” under the Unfunded Mandates Reform Act.

Takings

In accordance with Executive Order 12630, the proposed rule would not have significant takings implications. This proposed rule does not contain a provision for taking of private property. Therefore, a takings implication assessment is not required.

Federalism

This proposed rule would not have sufficient Federalism effects to warrant preparation of a Federalism assessment under Executive Order 13132. It would not interfere with the States' ability to manage themselves or their funds. No

significant economic impacts are expected to result from the updating of the list of migratory bird species.

Civil Justice Reform

In accordance with Executive Order 12988, the Office of the Solicitor has determined that the proposed rule would not unduly burden the judicial system and meets the requirements of sections 3(a) and 3(b)(2) of the Order.

Paperwork Reduction Act

We examined this proposed rule under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*). There are no new information collection requirements associated with this proposed rule. We are not requiring any new permits, reports, or recordkeeping in this proposed rule.

National Environmental Policy Act (NEPA)

Given that the revision of 50 CFR 10.13 is strictly administrative in nature and will have no or minor environmental effects, it is categorically excluded from further NEPA requirements (43 CFR 46.210(h)).

Endangered Species Act (ESA)

Seventy-five of the species on the proposed List of Migratory Birds are also designated as endangered or threatened in all or some portion of their U.S. range under provisions of the Endangered Species Act of 1973 (16 U.S.C. 1531–44; 50 CFR 17.11). No legal complications arise from the dual listing since the two lists are developed under separate authorities and for different purposes. Because the rule is strictly administrative in nature, it does not require ESA consultation.

Government-to-Government Relationship With Tribes

In accordance with the President's memorandum of April 29, 1994, “Government-to-Government Relations with Native American tribal Governments” (59 FR 22951), Executive Order 13175, and 512 DM 2, we have evaluated potential effects on Federally recognized Indian tribes and have determined that there are no potential effects. The revisions to existing regulations in this proposed rule are purely administrative in nature and would not interfere with the tribes' ability to manage themselves or their funds or to regulate migratory bird activities on tribal lands.

Energy Supply, Distribution, or Use (Executive Order 13211)

On May 18, 2001, the President issued Executive Order 13211 addressing

regulations that significantly affect energy supply, distribution, and use. Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions. Because this proposed rule only affects the listing of protected species in the United States, it is not a significant regulatory action under Executive Order 12866, and does not significantly affect energy supplies, distribution, or use. Therefore, this action is not a significant energy action and no Statement of Energy Effects is required.

References Cited

A complete list of all references cited is available upon request (see **FOR FURTHER INFORMATION CONTACT** above).

List of Subjects in 50 CFR Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

Proposed Regulation Promulgation

For the reasons discussed in the preamble, we propose to amend title 50, chapter I, subchapter B, part 10 of the Code of Federal Regulations, as follows:

PART 10—[AMENDED]

1. The authority citation for part 10 continues to read as follows:

Authority: 18 U.S.C. 42; 16 U.S.C. 703–712; 16 U.S.C. 668a–d; 19 U.S.C. 1202; 16 U.S.C. 1531–1543; 16 U.S.C. 1361–1384, 1401–1407; 16 U.S.C. 742a–742j–l; 16 U.S.C. 3371–3378.

2. Revise § 10.13 to read as follows:

§ 10.13 List of Migratory Birds.

(a) *Legal authority for this list.* The legal authorities for this list are the Migratory Bird Treaty Act (MBTA; 16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–742j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628), as amended;

(2) *Mexico:* Convention between the United States and Mexico for the Protection of Migratory Birds and Game Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912), as amended;

(3) *Japan:* Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their

Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) *Russia*: Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment, November 19, 1976, 20 U.S.T. 4647 (T.I.A.S. No. 9073).

(b) *Purpose of this list*. The purpose is to inform the public of the species protected by regulations that enforce the terms of the MBTA. These regulations, found in parts 10, 20, and 21 of this chapter, cover most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds.

(c) *What species are protected as migratory birds?* Species protected as migratory birds are listed in two formats to suit the varying needs of the user: Alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's *Check-list of North American birds* (1998, as amended through 2010). For species not treated by the AOU *Check-list*, we generally follow *The Clements Checklist of Birds of the World* (Clements 2007).

(1) *Alphabetical listing*. Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name.

ACCENTOR, Siberian, *Prunella montanella*
AKEKEE, *Loxops caeruleirostris*
AKEPA, *Loxops coccineus*
AKIALOA, Greater, *Hemignathus ellisianus*
AKIAPOLAAU, *Hemignathus munroi*
AKIKIKI, *Oreomystis bairdi*
AKOHEKOHE, *Palmeria dolei*
ALAUHAIO, Maui, *Paroreomyza montana*
Oahu, *Paroreomyza maculata*
ALBATROSS, Black-browed,
Thalassarche melanophrys
Black-footed, *Phoebastria nigripes*
Laysan, *Phoebastria immutabilis*
Light-mantled, *Phoebetria palpebrata*
Short-tailed, *Phoebastria albatrus*
Shy, *Thalassarche cauta*
Wandering, *Diomedea exulans*
Yellow-nosed, *Thalassarche chlororhynchos*
AMAKIHI, Hawaii, *Hemignathus virens*
Kauai, *Hemignathus kauaiensis*
Oahu, *Hemignathus flavus*
ANHINGA, *Anhinga anhinga*
ANI, Groove-billed, *Crotophaga sulcirostris*
Smooth-billed, *Crotophaga ani*
ANIANIAU, *Magumma parva*
APAPANE, *Himatione sanguinea*

AUKLET, Cassin's, *Ptychoramphus aleuticus*
Crested, *Aethia cristatella*
Least, *Aethia pusilla*
Parakeet, *Aethia psittacula*
Rhinoceros, *Cerorhinca monocerata*
Whiskered, *Aethia pygmaea*
AVOCET, American, *Recurvirostra americana*
BEAN-GOOSE, Taiga, *Anser fabalis*
Tundra, *Anser serrirostris*
BEARLESS-TYRANNULET, Northern,
Camptostoma imberbe
BECARD, Rose-throated, *Pachyramphus aglaiae*
BITTERN, American, *Botaurus lentiginosus*
Black, *Ixobrychus flavicollis*
Least, *Ixobrychus exilis*
Schrenck's, *Ixobrychus eurhythmus*
Yellow, *Ixobrychus sinensis*
BLACK-HAWK, Common, *Buteogallus anthracinus*
BLACKBIRD, Brewer's, *Euphagus cyanocephalus*
Red-winged, *Agelaius phoeniceus*
Rusty, *Euphagus carolinus*
Tawny-shouldered, *Agelaius humeralis*
Tricolored, *Agelaius tricolor*
Yellow-headed, *Xanthocephalus xanthocephalus*
Yellow-shouldered, *Agelaius xanthomus*
BLUEBIRD, Eastern, *Sialia sialis*
Mountain, *Sialia currucoides*
Western, *Sialia mexicana*
BLUETAIL, Red-flanked, *Tarsiger cyanurus*
BLUETHROAT, *Luscinia svecica*
BOBOLINK, *Dolichonyx oryzivorus*
BOOBY, Blue-footed, *Sula nebouxii*
Brown, *Sula leucogaster*
Masked, *Sula dactylatra*
Red-footed, *Sula sula*
BRAMBLING, *Fringilla montifringilla*
BRANT, *Branta bernicla*
BUFFLEHEAD, *Bucephala albeola*
BULLFINCH, Eurasian, *Pyrrhula pyrrhula*
Puerto Rican, *Loxigilla portoricensis*
BUNTING, Blue, *Cyanocompsa parellina*
Gray, *Emberiza variabilis*
Indigo, *Passerina cyanea*
Little, *Emberiza pusilla*
Lark, *Calamospiza melanocorys*
Lazuli, *Passerina amoena*
McKay's, *Plectrophenax hyperboreus*
Painted, *Passerina ciris*
Pallas's, *Emberiza pallasi*
Pine, *Emberiza leucocephalos*
Reed, *Emberiza schoeniclus*
Rustic, *Emberiza rustica*
Snow, *Plectrophenax nivalis*
Varied, *Passerina versicolor*
Yellow-breasted, *Emberiza aureola*
Yellow-browed, *Emberiza chrysophrys*

Yellow-throated, *Emberiza elegans*
BUSHTIT, *Psaltriparus minimus*
CANVASBACK, *Aythya valisineria*
CARACARA, Crested, *Caracara cheriway*
CARDINAL, Northern, *Cardinalis cardinalis*
CARIB, Green-throated, *Eulampis holosericeus*
Purple-throated, *Eulampis jugularis*
CATBIRD, Black, *Melanoptila glabrirostris*
Gray, *Dumetella carolinensis*
CHAFFINCH, Common, *Fringilla coelebs*
CHAT, Yellow-breasted, *Icteria virens*
CHICKADEE, Black-capped, *Poecile atricapillus*
Boreal, *Poecile hudsonicus*
Carolina, *Poecile carolinensis*
Chestnut-backed, *Poecile rufescens*
Gray-headed, *Poecile cinctus*
Mexican, *Poecile sclateri*
Mountain, *Poecile gambeli*
CHUCK-WILL'S-WIDOW, *Caprimulgus carolinensis*
CONDOR, California, *Gymnogyps californianus*
COOT, American, *Fulica americana*
Caribbean, *Fulica caribaea*
Eurasian, *Fulica atra*
Hawaiian, *Fulica alai*
CORMORANT, Brandt's, *Phalacrocorax penicillatus*
Double-crested, *Phalacrocorax auritus*
Great, *Phalacrocorax carbo*
Little Pied, *Phalacrocorax melanoleucus*
Neotropic, *Phalacrocorax brasiliensis*
Pelagic, *Phalacrocorax pelagicus*
Red-faced, *Phalacrocorax urile*
COWBIRD, Bronzed, *Molothrus aeneus*
Brown-headed, *Molothrus ater*
Shiny, *Molothrus bonariensis*
CRAKE, Corn, *Crex crex*
Paint-billed, *Neocrex erythrops*
Spotless, *Porzana tabuensis*
Yellow-breasted, *Porzana flaviventer*
CRANE, Common, *Grus grus*
Sandhill, *Grus canadensis*
Whooping, *Grus americana*
CREEPER, Brown, *Certhia americana*
Hawaii, *Oreomystis mana*
CROSSBILL, Red, *Loxia curvirostra*
White-winged, *Loxia leucoptera*
CROW, American, *Corvus brachyrhynchos*
Fish, *Corvus ossifragus*
Hawaiian, *Corvus hawaiiensis*
Mariana, *Corvus kubaryi*
Northwestern, *Corvus caurinus*
Tamaulipas, *Corvus imparatus*
White-necked, *Corvus leucognaphalus*
CUCKOO, Black-billed, *Coccyzus erythropthalmus*
Common, *Cuculus canorus*
Mangrove, *Coccyzus minor*
Oriental, *Cuculus optatus*

Yellow-billed, <i>Coccyzus americanus</i>	Purple, <i>Carpodacus purpureus</i>	Marbled, <i>Limosa fedoa</i>
CURLEW, Bristle-thighed, <i>Numenius tahitiensis</i>	FLAMINGO, American, <i>Phoenicopterus ruber</i>	GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>
Eskimo, <i>Numenius borealis</i>	FLICKER, Gilded, <i>Colaptes chrysoides</i>	European, <i>Pluvialis apricaria</i>
Eurasian, <i>Numenius arquata</i>	Northern, <i>Colaptes auratus</i>	Pacific, <i>Pluvialis fulva</i>
Far Eastern, <i>Numenius madagascariensis</i>	FLYCATCHER, Acadian, <i>Empidonax virescens</i>	GOLDENEYE, Barrow's, <i>Bucephala islandica</i>
Little, <i>Numenius minutus</i>	Alder, <i>Empidonax alnorum</i>	Common, <i>Bucephala clangula</i>
Long-billed, <i>Numenius americanus</i>	Ash-throated, <i>Myiarchus cinerascens</i>	GOLDFINCH, American, <i>Spinus tristis</i>
DICKCISSEL, <i>Spiza americana</i>	Asian Brown, <i>Muscicapa dauurica</i>	Lawrence's, <i>Spinus lawrencei</i>
DIPPER, American, <i>Cinclus mexicanus</i>	Brown-crested, <i>Myiarchus tyrannulus</i>	Lesser, <i>Spinus psaltria</i>
DOTTEREL, Eurasian, <i>Charadrius morinellus</i>	Buff-breasted, <i>Empidonax fulvifrons</i>	GOOSE, Barnacle, <i>Branta leucopsis</i>
DOVE, Inca, <i>Columbina inca</i>	Cordilleran, <i>Empidonax occidentalis</i>	Canada, <i>Branta canadensis</i> (including Cackling Goose, <i>Branta hutchinsii</i>)
Mourning, <i>Zenaida macroura</i>	Crowned Slaty, <i>Empidonotus aurantioatrocristatus</i>	Emperor, <i>Chen canagica</i>
White-tipped, <i>Leptotila verreauxi</i>	Dark-sided, <i>Muscicapa sibirica</i>	Greater White-fronted, <i>Anser albifrons</i>
White-winged, <i>Zenaida asiatica</i>	Dusky, <i>Empidonax oberholseri</i>	Hawaiian, <i>Branta sandvicensis</i>
Zenaida, <i>Zenaida aurita</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>	Lesser White-fronted, <i>Anser erythropus</i>
DOVEKIE, <i>Alle alle</i>	Fork-tailed, <i>Tyrannus savana</i>	Ross's, <i>Chen rossii</i>
DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	Gray, <i>Empidonax wrightii</i>	Snow, <i>Chen caerulescens</i>
Short-billed, <i>Limnodromus griseus</i>	Gray-streaked, <i>Muscicapa griseistica</i>	GOSHAWK, Northern, <i>Accipiter gentilis</i>
DUCK, American Black, <i>Anas rubripes</i>	Great Crested, <i>Myiarchus crinitus</i>	GRACKLE, Boat-tailed, <i>Quiscalus major</i>
Eastern Spot-billed, <i>Anas zonorhyncha</i>	Hammond's, <i>Empidonax hammondi</i>	Common, <i>Quiscalus quiscula</i>
Falcated, <i>Anas falcata</i>	La Sagra's, <i>Myiarchus sagrae</i>	Great-tailed, <i>Quiscalus mexicanus</i>
Harlequin, <i>Histrionicus histrionicus</i>	Least, <i>Empidonax minimus</i>	Greater Antillean, <i>Quiscalus niger</i>
Hawaiian, <i>Anas wyvilliana</i>	Mugimaki, <i>Ficedula mugimaki</i>	GRASSHOPPER-WARBLER,
Laysan, <i>Anas laysanensis</i>	Narcissus, <i>Ficedula narcissina</i>	Middendorff's, <i>Locustella ochotensis</i>
Long-tailed, <i>Clangula hyemalis</i>	Nutting's, <i>Myiarchus nuttingi</i>	GRASSQUIT, Black-faced, <i>Tiaris bicolor</i>
Masked, <i>Nomonyx dominicus</i>	Olive-sided, <i>Contopus cooperi</i>	Yellow-faced, <i>Tiaris olivaceus</i>
Mottled, <i>Anas fulvigula</i>	Pacific-slope, <i>Empidonax difficilis</i>	GREBE, Clark's, <i>Aechmophorus clarkii</i>
Muscovy, <i>Cairina moschata</i>	Piratic, <i>Legatus leucophalus</i>	Eared, <i>Podiceps nigricollis</i>
Pacific Black, <i>Anas superciliosa</i>	Puerto Rican, <i>Myiarchus antillarum</i>	Horned, <i>Podiceps auritus</i>
Ring-necked, <i>Aythya collaris</i>	Scissor-tailed, <i>Tyrannus forficatus</i>	Least, <i>Tachybaptus dominicus</i>
Ruddy, <i>Oxyura jamaicensis</i>	Social, <i>Myiozetetes similis</i>	Pied-billed, <i>Podilymbus podiceps</i>
Tufted, <i>Aythya fuligula</i>	Spotted, <i>Muscicapa striata</i>	Red-necked, <i>Podiceps grisegena</i>
Wood, <i>Aix sponsa</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>	Western, <i>Aechmophorus occidentalis</i>
DUNLIN, <i>Calidris alpina</i>	Taiga, <i>Ficedula albicilla</i>	GREENFINCH, Oriental, <i>Chloris sinica</i>
EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Tufted, <i>Mitrephanes phaeocercus</i>	GREENSHANK, Common, <i>Tringa nebularia</i>
Golden, <i>Aquila chrysaetos</i>	Variegated, <i>Empidonax varius</i>	Nordmann's, <i>Tringa guttifer</i>
White-tailed, <i>Haliaeetus albicilla</i>	Vermilion, <i>Pyrocephalus rubinus</i>	GROSBEAK, Black-headed, <i>Pheucticus melanocephalus</i>
EGRET, Cattle, <i>Bubulcus ibis</i>	Willow, <i>Empidonax traillii</i>	Blue, <i>Passerina caerulea</i>
Chinese, <i>Egretta eulophotes</i>	Yellow-bellied, <i>Empidonax flaviventris</i>	Crimson-collared, <i>Rhodothraupis celaeno</i>
Great, <i>Ardea alba</i>	FOREST-FALCON, Collared, <i>Micrastur semitorquatus</i>	Evening, <i>Coccothraustes vespertinus</i>
Intermediate, <i>Mesophoyx intermedia</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>	Pine, <i>Pinicola enucleator</i>
Little, <i>Egretta garzetta</i>	Lesser, <i>Fregata ariel</i>	Rose-breasted, <i>Pheucticus ludovicianus</i>
Reddish, <i>Egretta rufescens</i>	Magnificent, <i>Fregata magnificens</i>	Yellow, <i>Pheucticus chrysopaeplus</i>
Snowy, <i>Egretta thula</i>	FROG-HAWK, Gray, <i>Accipiter soloensis</i>	GROUND-DOVE, Common, <i>Columbina passerina</i>
EIDER, Common, <i>Somateria mollissima</i>	FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus porphyraceus</i>	Friendly, <i>Gallicolumba stauri</i>
King, <i>Somateria spectabilis</i>	Many-colored, <i>Ptilinopus perousii</i>	Ruddy, <i>Columbina talpacoti</i>
Spectacled, <i>Somateria fischeri</i>	Mariana, <i>Ptilinopus roseicapilla</i>	White-throated, <i>Gallicolumba xanthonura</i>
Steller's, <i>Polysticta stelleri</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>	GUILLEMOT, Black, <i>Cephus grylle</i>
ELAENIA, Caribbean, <i>Elaenia martinica</i>	GADWALL, <i>Anas strepera</i>	Pigeon, <i>Cephus columba</i>
Greenish, <i>Myiopagis viridicata</i>	GALLINULE, Azure, <i>Porphyrio flavirostris</i>	GULL, Belcher's, <i>Larus belcheri</i>
White-crested, <i>Elaenia albiceps</i>	Purple, <i>Porphyrio martinica</i>	Black-headed, <i>Chroicocephalus ridibundus</i>
EMERALD, Puerto Rican, <i>Chlorostilbon maugaeus</i>	GANNET, Northern, <i>Morus bassanus</i>	Black-tailed, <i>Larus crassirostris</i>
EUPHONIA, Antillean, <i>Euphonia musica</i>	GARGANEY, <i>Anas querquedula</i>	Bonaparte's, <i>Chroicocephalus philadelphus</i>
FALCON, Aplomado, <i>Falco femoralis</i>	GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>	California, <i>Larus californicus</i>
Peregrine, <i>Falco peregrinus</i>	Black-tailed, <i>Polioptila melanura</i>	Franklin's, <i>Leucophaeus pipixcan</i>
Prairie, <i>Falco mexicanus</i>	Blue-gray, <i>Polioptila caerulea</i>	Glaucous, <i>Larus hyperboreus</i>
Red-footed, <i>Flaco vespertinus</i>	California, <i>Polioptila californica</i>	
FIELDFARE, <i>Turdus pilaris</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>	
FINCH, Cassin's, <i>Carpodacus cassinii</i>	Black-tailed, <i>Limosa limosa</i>	
House, <i>Carpodacus mexicanus</i>	Hudsonian, <i>Limosa haemastica</i>	
Laysan, <i>Telespiza cantans</i>		
Nihoa, <i>Telespiza ultima</i>		

Glaucous-winged, <i>Larus glaucescens</i>	Costa's, <i>Calypte costae</i>	Sky, <i>Alauda arvensis</i>
Gray-hooded, <i>Chroicocephalus cirrocephalus</i>	Lucifer, <i>Calothorax lucifer</i>	LEAF-WARBLER, Pallas's, <i>Phylloscopus proregulus</i>
Great Black-backed, <i>Larus marinus</i>	Magnificent, <i>Eugenes fulgens</i>	LIMPKIN, <i>Aramus guarauna</i>
Heermann's, <i>Larus heermanni</i>	Ruby-throated, <i>Archilochus colubris</i>	LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>
Herring, <i>Larus argentatus</i>	Rufous, <i>Selasphorus rufus</i>	LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>
Iceland, <i>Larus glaucopterus</i>	Violet-crowned, <i>Amazilia violiceps</i>	Lapland, <i>Calcarius lapponicus</i>
Ivory, <i>Pagophila eburnea</i>	White-eared, <i>Hylocharis leucotis</i>	McCown's, <i>Rhynchophanes mccownii</i>
Kelp, <i>Larus dominicanus</i>	Xantus's, <i>Hylocharis xanthus</i>	Smith's, <i>Calcarius pictus</i>
Laughing, <i>Leucophaeus atricilla</i>	IBIS, Glossy, <i>Plegadis falcinellus</i>	LOON, Arctic, <i>Gavia arctica</i>
Lesser Black-backed, <i>Larus fuscus</i>	Scarlet, <i>Eudocimus ruber</i>	Common, <i>Gavia immer</i>
Little, <i>Hydrocoloeus minutus</i>	White, <i>Eudocimus albus</i>	Pacific, <i>Gavia pacifica</i>
Mew, <i>Larus canus</i>	White-faced, <i>Plegadis chihi</i>	Red-throated, <i>Gavia stellata</i>
Ring-billed, <i>Larus delawarensis</i>	IIWI, <i>Vestiaria coccinea</i>	Yellow-billed, <i>Gavia adamsii</i>
Ross's, <i>Rhodostethia rosea</i>	IMPERIAL-PIGEON, Pacific, <i>Ducula pacifica</i>	MAGPIE, Black-billed, <i>Pica hudsonia</i>
Sabine's, <i>Xema sabini</i>	JABIRU, <i>Jabiru mycteria</i>	Yellow-billed, <i>Pica nuttalli</i>
Slaty-backed, <i>Larus schistisagus</i>	JACANA, Northern, <i>Jacana spinosa</i>	MALLARD, <i>Anas platyrhynchos</i>
Swallow-tailed, <i>Creagrus furcatus</i>	JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>	MANGO, Antillean, <i>Anthracothorax dominicus</i>
Thayer's, <i>Larus thayeri</i>	Parasitic, <i>Stercorarius parasiticus</i>	Green, <i>Anthracothorax viridis</i>
Western, <i>Larus occidentalis</i>	Pomarine, <i>Stercorarius pomarinus</i>	Green-breasted, <i>Anthracothorax prevostii</i>
Yellow-footed, <i>Larus livens</i>	JAY, Blue, <i>Cyanocitta cristata</i>	MARTIN, Brown-chested, <i>Progne tapera</i>
Yellow-legged, <i>Larus michahellis</i>	Brown, <i>Psilorhinus morio</i>	Caribbean, <i>Progne dominicensis</i>
GYRFALCON, <i>Falco rusticolus</i>	Gray, <i>Perisoreus canadensis</i>	Cuban, <i>Progne cryptoleuca</i>
HARRIER, Northern, <i>Circus cyaneus</i>	Green, <i>Cyanocorax yncas</i>	Gray-breasted, <i>Progne chalybea</i>
HAWFINCH, <i>Coccothraustes coccothraustes</i>	Mexican, <i>Aphelocoma ultramarina</i>	Purple, <i>Progne subis</i>
HAWK, Broad-winged, <i>Buteo platypterus</i>	Pinyon, <i>Gymnorhinus cyanocephalus</i>	Southern, <i>Progne elegans</i>
Cooper's, <i>Accipiter cooperii</i>	Steller's, <i>Cyanocitta stelleri</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>
Crane, <i>Geranospiza caerulescens</i>	JUNCO, Dark-eyed, <i>Junco hyemalis</i>	Western, <i>Sturnella neglecta</i>
Ferruginous, <i>Buteo regalis</i>	Yellow-eyed, <i>Junco phaeonotus</i>	MERGANSER, Common, <i>Mergus merganser</i>
Gray, <i>Buteo nitidus</i>	KAKAWAHIE, <i>Paroreomyza flammea</i>	Hooded, <i>Lophodytes cucullatus</i>
Harris's, <i>Parabuteo unicinctus</i>	KAMAO, <i>Myadestes myadestinus</i>	Red-breasted, <i>Mergus serrator</i>
Hawaiian, <i>Buteo solitarius</i>	KESTREL, American, <i>Falco sparverius</i>	MERLIN, <i>Falco columbarius</i>
Red-shouldered, <i>Buteo lineatus</i>	Eurasian, <i>Falco tinnunculus</i>	MILLERBIRD, <i>Acrocephalus familiaris</i>
Red-tailed, <i>Buteo jamaicensis</i>	KILLDEER, <i>Charadrius vociferus</i>	MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>
Roadside, <i>Buteo magnirostris</i>	KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>	Blue, <i>Melanotis caerulescens</i>
Rough-legged, <i>Buteo lagopus</i>	Couch's, <i>Tyrannus couchii</i>	Northern, <i>Mimus polyglottos</i>
Sharp-shinned, <i>Accipiter striatus</i>	Eastern, <i>Tyrannus tyrannus</i>	MOORHEN, Common, <i>Gallinula chloropus</i>
Short-tailed, <i>Buteo brachyurus</i>	Gray, <i>Tyrannus dominicensis</i>	MURRE, Common, <i>Uria aalge</i>
Swainson's, <i>Buteo swainsoni</i>	Loggerhead, <i>Tyrannus caudifasciatus</i>	Thick-billed, <i>Uria lomvia</i>
White-tailed, <i>Buteo albicaudatus</i>	Thick-billed, <i>Tyrannus crassirostris</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>
Zone-tailed, <i>Buteo albonotatus</i>	Tropical, <i>Tyrannus melancholicus</i>	Craveri's, <i>Synthliboramphus craveri</i>
HAWK-CUCKOO, Hodgson's, <i>Cuculus fugax</i>	Western, <i>Tyrannus verticalis</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>
HAWK-OWL, Brown, <i>Ninox scutulata</i>	KINGFISHER, Belted, <i>Megaceryle alcyon</i>	Long-billed, <i>Brachyramphus perdix</i>
HERON, Gray, <i>Ardea cinerea</i>	Collared, <i>Todiramphus chloris</i>	Marbled, <i>Brachyramphus marmoratus</i>
Great Blue, <i>Ardea herodias</i>	Green, <i>Chloroceryle americana</i>	XANTUS'S, <i>Synthliboramphus hypoleucus</i>
Green, <i>Butorides virescens</i>	Micronesian, <i>Todiramphus cinnamominus</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>
Little Blue, <i>Egretta caerulea</i>	Ringed, <i>Megaceryle torquata</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>
Tricolored, <i>Egretta tricolor</i>	KINGLET, Golden-crowned, <i>Regulus satrapa</i>	Japanese, <i>Gorsachius goisagi</i>
HOBBY, Eurasian, <i>Falco subbuteo</i>	Ruby-crowned, <i>Regulus calendula</i>	Malayan, <i>Gorsachius melanolophus</i>
HOOPOE, Eurasian, <i>Upupa epops</i>	KISKADEE, Great, <i>Pitangus sulphuratus</i>	Yellow-crowned, <i>Nyctanassa violacea</i>
HOUSE-MARTIN, Common, <i>Delichon urbicum</i>	KITE, Black, <i>Milvus migrans</i>	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>
HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>	Hook-billed, <i>Chondrohierax uncinatus</i>	Common, <i>Chordeiles minor</i>
Anna's, <i>Calypte anna</i>	Mississippi, <i>Ictinia mississippiensis</i>	Lesser, <i>Chordeiles acutipennis</i>
Antillean Crested, <i>Orthorhyncus cristatus</i>	Snail, <i>Rostrhamus sociabilis</i>	NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>
Berylline, <i>Amazilia beryllina</i>	Swallow-tailed, <i>Elanoides forficatus</i>	Orange-billed, <i>Catharus</i>
Black-chinned, <i>Archilochus alexandri</i>	White-tailed, <i>Elanus leucurus</i>	
Blue-throated, <i>Lampornis clemenciae</i>	KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	
Broad-billed, <i>Cynanthus latirostris</i>	Red-legged, <i>Rissa brevirostris</i>	
Broad-tailed, <i>Selasphorus platycercus</i>	KNOT, Great, <i>Calidris tenuirostris</i>	
Buff-bellied, <i>Amazilia yucatanensis</i>	Red, <i>Calidris canutus</i>	
Bumblebee, <i>Atthis heloisa</i>	LAPWING, Northern, <i>Vanellus vanellus</i>	
Calliope, <i>Stellula calliope</i>	LARK, Horned, <i>Eremophila alpestris</i>	
Cinnamon, <i>Amazilia rutila</i>		

<i>aurantirostris</i>	Northern, <i>Glaucidium gnoma</i>
NIGHTJAR, Buff-collared, <i>Caprimulgus ridgwayi</i>	PYRRHULOXIA, <i>Cardinalis sinuatus</i>
Gray, <i>Caprimulgus indicus</i>	QUAL-DOVE, Bridled, <i>Geotrygon mystacea</i>
Puerto Rican, <i>Caprimulgus noctitherus</i>	Key West, <i>Geotrygon chrysia</i>
NODDY, Black, <i>Anous minutus</i>	Ruddy, <i>Geotrygon montana</i>
Blue-gray, <i>Procelsterna cerulea</i>	QUETZEL, Eared, <i>Euptilotis neoxenus</i>
Brown, <i>Anous stolidus</i>	RAIL, Black, <i>Laterallus jamaicensis</i>
NUKUPUU, <i>Hemignathus lucidus</i>	Buff-banded, <i>Gallirallus philippensis</i>
NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>	Clapper, <i>Rallus longirostris</i>
NUTHATCH, Brown-headed, <i>Sitta pusilla</i>	Guam, <i>Gallirallus owstoni</i>
Pygmy, <i>Sitta pygmaea</i>	King, <i>Rallus elegans</i>
Red-breasted, <i>Sitta canadensis</i>	Spotted, <i>Pardirallus maculatus</i>
White-breasted, <i>Sitta carolinensis</i>	Virginia, <i>Rallus limicola</i>
OLOMAO, <i>Myadestes lanaiensis</i>	Yellow, <i>Coturnicops noveboracensis</i>
OMAO, <i>Myadestes obscurus</i>	RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>
ORIOLE, Altamira, <i>Icterus gularis</i>	Common, <i>Corvus corax</i>
Audubon's, <i>Icterus graduacauda</i>	RAZORBILL, <i>Alca torda</i>
Baltimore, <i>Icterus galbula</i>	REDHEAD, <i>Aythya americana</i>
Black-vented, <i>Icterus wagleri</i>	REDPOLL, Common, <i>Acanthis flammea</i>
Bullock's, <i>Icterus bullockii</i>	Hoary, <i>Acanthis hornemannii</i>
Hooded, <i>Icterus cucullatus</i>	REDSHANK, Spotted, <i>Tringa erythropus</i>
Orchard, <i>Icterus spurius</i>	REDSTART, American, <i>Setophaga ruticilla</i>
Puerto Rican, <i>Icterus portoricensis</i>	Painted, <i>Myioborus pictus</i>
Scott's, <i>Icterus parisorum</i>	Slate-throated, <i>Myioborus miniatus</i>
Streak-backed, <i>Icterus pustulatus</i>	REED-WARBLER, Nightingale, <i>Acrocephalus luscinia</i>
OSPREY, <i>Pandion haliaetus</i>	REEF-EGRET, Pacific, <i>Egretta sacra</i>
OU, <i>Psittirostra psittacea</i>	REEF-HERON, Western, <i>Egretta gularis</i>
OVENBIRD, <i>Seiurus aurocapilla</i>	ROADRUNNER, Greater, <i>Geococcyx californianus</i>
OWL, Barn, <i>Tyto alba</i>	ROBIN, American, <i>Turdus migratorius</i>
Barred, <i>Strix varia</i>	Rufous-backed, <i>Turdus rufopalliatus</i>
Boreal, <i>Aegolius funereus</i>	Rufous-tailed, <i>Luscinia sibilans</i>
Burrowing, <i>Athene cunicularia</i>	Siberian Blue, <i>Luscinia cyane</i>
Elf, <i>Micrathene whitneyi</i>	ROCK-THRUSH, Blue, <i>Monticola solitarius</i>
Flammulated, <i>Otus flammeolus</i>	ROSEFINCH, Common, <i>Carpodacus erythrinus</i>
Great Gray, <i>Strix nebulosa</i>	ROSY-FINCH, Black, <i>Leucosticte atrata</i>
Great Horned, <i>Bubo virginianus</i>	Brown-capped, <i>Leucosticte australis</i>
Long-eared, <i>Asio otus</i>	Gray-crowned, <i>Leucosticte tephrocotis</i>
Mottled, <i>Ciccaba virgata</i>	RUBYTHROAT, Siberian, <i>Luscinia calliope</i>
Northern Hawk, <i>Surnia ulula</i>	RUFF, <i>Philomachus pugnax</i>
Northern Saw-whet, <i>Aegolius acadicus</i>	SANDERLING, <i>Calidris alba</i>
Short-eared, <i>Asio flammeus</i>	SANDPIPER, Baird's, <i>Calidris bairdii</i>
Snowy, <i>Bubo scandiacus</i>	Broad-billed, <i>Limicola falcinellus</i>
Spotted, <i>Strix occidentalis</i>	Buff-breasted, <i>Tryngites subruficollis</i>
Stygian, <i>Asio stygius</i>	Common, <i>Actitis hypoleucos</i>
OYSTERCATCHER, American, <i>Haematopus palliatus</i>	Curlew, <i>Calidris ferruginea</i>
Black, <i>Haematopus bachmani</i>	Green, <i>Tringa ochropus</i>
Eurasian, <i>Haematopus ostralegus</i>	Least, <i>Calidris minutilla</i>
PALILA, <i>Loxioides bailleui</i>	Marsh, <i>Tringa stagnatilis</i>
PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>	Pectoral, <i>Calidris melanotos</i>
PARROTBILL, Maui, <i>Pseudonestor xanthophrys</i>	Purple, <i>Calidris maritima</i>
PARULA, Northern, <i>Parula americana</i>	Rock, <i>Calidris ptilocnemis</i>
Tropical, <i>Parula pityayumi</i>	Semipalmated, <i>Calidris pusilla</i>
PAURAQUE, Common, <i>Nyctidromus albicollis</i>	Sharp-tailed, <i>Calidris acuminata</i>
PELICAN, American White, <i>Pelecanus erythrorhynchos</i>	Solitary, <i>Tringa solitaria</i>
Brown, <i>Pelecanus occidentalis</i>	Spoon-billed, <i>Eurynorhynchus pygmeus</i>
PETREL, Bermuda, <i>Pterodroma cahow</i>	Spotted, <i>Actitis macularius</i>
Black-capped, <i>Pterodroma hasitata</i>	Stilt, <i>Calidris himantopus</i>
Black-winged, <i>Pterodroma nigripennis</i>	Terek, <i>Xenus cinereus</i>
	Upland, <i>Bartramia longicauda</i>
	Western, <i>Calidris mauri</i>

White-rumped, <i>Calidris fuscicollis</i>	Bachman's, <i>Peucaea aestivalis</i>	Ringed, <i>Oceanodroma hornbyi</i>
Wood, <i>Tringa glareola</i>	Baird's, <i>Ammodramus bairdii</i>	Swinhoe's, <i>Oceanodroma monorhis</i>
SAND-PLOVER, Greater, <i>Charadrius leschenaultii</i>	Black-chinned, <i>Spizella atrogularis</i>	Tristram's, <i>Oceanodroma tristrami</i>
Lesser, <i>Charadrius mongolus</i>	Black-throated, <i>Amphispiza bilineata</i>	Wedge-rumped, <i>Oceanodroma tethys</i>
SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Botteri's, <i>Peucaea botterii</i>	White-faced, <i>Pelagodroma marina</i>
Red-naped, <i>Sphyrapicus nuchalis</i>	Brewer's, <i>Spizella breweri</i>	White-bellied, <i>Fregetta grallaria</i>
Williamson's, <i>Sphyrapicus thyroideus</i>	Cassin's, <i>Peucaea cassini</i>	Wilson's, <i>Oceanites oceanicus</i>
Yellow-bellied, <i>Sphyrapicus varius</i>	Chipping, <i>Spizella passerina</i>	SURFBIRD, <i>Aphriza virgata</i>
SCAUP, Greater, <i>Aythya marila</i>	Clay-colored, <i>Spizella pallida</i>	SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>
Lesser, <i>Aythya affinis</i>	Field, <i>Spizella pusilla</i>	Bank, <i>Riparia riparia</i>
SCOPS-OWL, Oriental, <i>Otus sunia</i>	Five-striped, <i>Amphispiza quinquestrata</i>	Barn, <i>Hirundo rustica</i>
SCOTER, Black, <i>Melanitta americana</i>	Fox, <i>Passerella iliaca</i>	Cave, <i>Petrochelidon fulva</i>
Surf, <i>Melanitta perspicillata</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>	Cliff, <i>Petrochelidon pyrrhonota</i>
White-winged, <i>Melanitta fusca</i>	Grasshopper, <i>Ammodramus savannarum</i>	Mangrove, <i>Tachycineta albilinea</i>
SCREECH-OWL, Eastern, <i>Megascops asio</i>	Harris's, <i>Zonotrichia querula</i>	Northern Rough-winged, <i>Stelgidopteryx serripennis</i>
Puerto Rican, <i>Megascops nudipes</i>	Henslow's, <i>Ammodramus henslowii</i>	Tree, <i>Tachycineta bicolor</i>
Western, <i>Megascops kennicottii</i>	Lark, <i>Chondestes grammacus</i>	Violet-green, <i>Tachycineta thalassina</i>
Whiskered, <i>Megascops trichopsis</i>	Le Conte's, <i>Ammodramus lecontei</i>	SWAMPHEN, Purple, <i>Porphyrio porphyrio</i>
SCRUB-JAY, Florida, <i>Aphelocoma coerulescens</i>	Lincoln's, <i>Melospiza lincolni</i>	SWAN, Trumpeter, <i>Cygnus buccinator</i>
Island, <i>Aphelocoma insularis</i>	Nelson's, <i>Ammodramus nelsoni</i>	Tundra, <i>Cygnus columbianus</i>
Western, <i>Aphelocoma californica</i>	Olive, <i>Arremonops rufivirgatus</i>	Whooper, <i>Cygnus cygnus</i>
SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Rufous-crowned, <i>Aimophila ruficeps</i>	SWIFT, Alpine, <i>Apus melba</i>
SEEDEATER, White-collared, <i>Sporophila torqueola</i>	Rufous-winged, <i>Peucaea carpalis</i>	Black, <i>Cypseloides niger</i>
SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>	Sage, <i>Amphispiza bell</i>	Chimney, <i>Chaetura pelagica</i>
Black-vented, <i>Puffinus opisthomelas</i>	Saltmarsh, <i>Ammodramus caudacutus</i>	Common, <i>Apus apus</i>
Buller's, <i>Puffinus bulleri</i>	Savannah, <i>Passerculus sandwichensis</i>	Fork-tailed, <i>Apus pacificus</i>
Cape Verde, <i>Calonectris edwardsii</i>	Seaside, <i>Ammodramus maritimus</i>	Short-tailed, <i>Chaetura brachyura</i>
Christmas, <i>Puffinus nativitatis</i>	Song, <i>Melospiza melodia</i>	Vaux's, <i>Chaetura vauxi</i>
Cory's, <i>Calonectris diomedea</i>	Swamp, <i>Melospiza georgiana</i>	White-collared, <i>Streptoprocne zonaris</i>
Flesh-footed, <i>Puffinus carneipes</i>	Vesper, <i>Pooecetes gramineus</i>	White-throated, <i>Aeronauta saxatalis</i>
Great, <i>Puffinus gravis</i>	White-crowned, <i>Zonotrichia leucophrys</i>	SWIFLET, Mariana, <i>Aerodramus bartschi</i>
Little, <i>Puffinus assimilis</i>	White-throated, <i>Zonotrichia albicollis</i>	White-rumped, <i>Aerodramus spodiopygius</i>
Manx, <i>Puffinus puffinus</i>	Worthen's, <i>Spizella wortheni</i>	TANAGER, Flame-colored, <i>Piranga bidentata</i>
Pink-footed, <i>Puffinus creatopus</i>	SPARROWHAWK, Japanese, <i>Accipiter gularis</i>	Hepatic, <i>Piranga flava</i>
Short-tailed, <i>Puffinus tenuirostris</i>	SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>	Puerto Rican, <i>Nesospingus speculiferus</i>
Sooty, <i>Puffinus griseus</i>	Western, <i>Spindalis zena</i>	Scarlet, <i>Piranga olivacea</i>
Streaked, <i>Calonectris leucomelas</i>	SPOONBILL, Roseate, <i>Platalea ajaja</i>	Summer, <i>Piranga rubra</i>
Townsend's, <i>Puffinus auricularis</i>	STARLING, Chestnut-cheeked, <i>Sturnus philippensis</i>	Western, <i>Piranga ludoviciana</i>
Wedge-tailed, <i>Puffinus pacificus</i>	White-cheeked, <i>Sturnus cineraceus</i>	TATTLER, Gray-tailed, <i>Tringa brevipes</i>
SHOVELER, Northern, <i>Anas clypeata</i>	STARTHROAT, Plain-capped, <i>Heliomaster constantii</i>	Wandering, <i>Tringa incana</i>
SHRIKE, Brown, <i>Lanius cristatus</i>	STILT, Black-necked, <i>Himantopus mexicanus</i>	TEAL, Baikal, <i>Anas formosa</i>
Loggerhead, <i>Lanius ludovicianus</i>	Black-winged, <i>Himantopus himantopus</i>	Blue-winged, <i>Anas discors</i>
Northern, <i>Lanius excubitor</i>	STINT, Little, <i>Calidris minuta</i>	Cinnamon, <i>Anas cyanoptera</i>
SILKY-FLYCATCHER, Gray, <i>Ptilogonyx cinereus</i>	Long-toed, <i>Calidris subminuta</i>	Green-winged, <i>Anas crecca</i>
SISKIN, Eurasian, <i>Spinus spinus</i>	Red-necked, <i>Calidris ruficollis</i>	TERN, Aleutian, <i>Onychoprion aleuticus</i>
Pine, <i>Spinus pinus</i>	Temminck's, <i>Calidris temminckii</i>	Arctic, <i>Sterna paradisaea</i>
SKIMMER, Black, <i>Rynchops niger</i>	STONECHAT, <i>Saxicola torquatus</i>	Black, <i>Chlidonias niger</i>
SKUA, Great, <i>Stercorarius skua</i>	STORK, Wood, <i>Mycteria americana</i>	Black-naped, <i>Sterna sumatrana</i>
South Polar, <i>Stercorarius maccormicki</i>	STORM-PETREL, Ashy, <i>Oceanodroma homochroa</i>	Bridled, <i>Onychoprion anaethetus</i>
SMEW, <i>Mergellus albellus</i>	Band-rumped, <i>Oceanodroma castro</i>	Caspian, <i>Hydroprogne caspia</i>
SNIPE, Common, <i>Gallinago gallinago</i>	Black, <i>Oceanodroma Melania</i>	Common, <i>Sterna hirundo</i>
Jack, <i>Lymnocryptes minimus</i>	Black-bellied, <i>Fregetta tropica</i>	Elegant, <i>Thalasseus elegans</i>
Pin-tailed, <i>Gallinago stenura</i>	Fork-tailed, <i>Oceanodroma furcata</i>	Forster's, <i>Sterna forsteri</i>
Swinhoe's, <i>Gallinago megala</i>	Leach's, <i>Oceanodroma leucorhoa</i>	Gray-backed, <i>Onychoprion lunatus</i>
Wilson's, <i>Gallinago delicata</i>	Least, <i>Oceanodroma microsoma</i>	Great Crested, <i>Thalasseus bergii</i>
SOLITAIRE, Townsend's, <i>Myadestes townsendi</i>	Matsudaira's, <i>Oceanodroma matsudaireae</i>	Gull-billed, <i>Gelochelidon nilotica</i>
SORA, <i>Porzana carolina</i>	Polynesian, <i>Nesofregetta fuliginosa</i>	Large-billed, <i>Phaetusa simplex</i>
SPARROW, American Tree, <i>Spizella arborea</i>		Least, <i>Sternula antillarum</i>
		Little, <i>Sternula albifrons</i>
		Roseate, <i>Sterna dougallii</i>
		Royal, <i>Thalasseus maximus</i>
		Sandwich, <i>Thalasseus sandvicensis</i>

Sooty, <i>Onychoprion fuscatus</i>	Yucatan, <i>Vireo magister</i>	<i>vermivorum</i>
Whiskered, <i>Chlidonias hybrida</i>	VULTURE, Black, <i>Coragyps atratus</i>	Yellow, <i>Dendroica petechia</i>
White, <i>Gygis alba</i>	Turkey, <i>Cathartes aura</i>	Yellow-browed, <i>Phylloscopus inornatus</i>
White-winged, <i>Chlidonias leucopterus</i>	WAGTAIL, Citrine, <i>Motacilla citreola</i>	Yellow-rumped, <i>Dendroica coronata</i>
THRASHER, Bendire's, <i>Toxostoma bendirei</i>	Eastern Yellow, <i>Motacilla tschutschensis</i>	Yellow-throated, <i>Dendroica dominica</i>
Brown, <i>Toxostoma rufum</i>	Gray, <i>Motacilla cinerea</i>	WATERTHRUSH, Louisiana, <i>Parkesia motacilla</i>
California, <i>Toxostoma redivivum</i>	White, <i>Motacilla alba</i>	Northern, <i>Parkesia noveboracensis</i>
Crissal, <i>Toxostoma crissale</i>	WARBLER, Adelaide's, <i>Dendroica adelaidae</i>	WAXWING, Bohemian, <i>Bombycilla garrulus</i>
Curve-billed, <i>Toxostoma curvirostre</i>	Arctic, <i>Phylloscopus borealis</i>	Cedar, <i>Bombycilla cedrorum</i>
Le Conte's, <i>Toxostoma lecontei</i>	Bachman's, <i>Vermivora bachmanii</i>	WHEATEAR, Northern, <i>Oenanthe oenanthe</i>
Long-billed, <i>Toxostoma longirostre</i>	Bay-breasted, <i>Dendroica castanea</i>	WHIMBREL, <i>Numenius phaeopus</i>
Pearly-eyed, <i>Margarops fuscatus</i>	Black-and-white, <i>Mniotilla varia</i>	WHIP-POOR-WILL, Eastern, <i>Caprimulgus vociferus</i>
Sage, <i>Oreoscoptes montanus</i>	Black-throated Blue, <i>Dendroica caerulescens</i>	Mexican, <i>Caprimulgus arizonae</i>
THRUSH, Aztec, <i>Ridgwayia pinicola</i>	Black-throated Gray, <i>Dendroica nigrescens</i>	WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>
Bicknell's, <i>Catharus bicknelli</i>	Black-throated Green, <i>Dendroica virens</i>	Fulvous, <i>Dendrocygna bicolor</i>
Clay-colored, <i>Turdus grayi</i>	Blackburnian, <i>Dendroica fusca</i>	West Indian, <i>Dendrocygna arborea</i>
Dusky, <i>Turdus naumanni</i>	Blackpoll, <i>Dendroica striata</i>	WHITETHROAT, Lesser, <i>Sylvia curruca</i>
Eyebrowed, <i>Turdus obscurus</i>	Blue-winged, <i>Vermivora cyanoptera</i>	WIGEON, American, <i>Anas americana</i>
Gray-cheeked, <i>Catharus minimus</i>	Canada, <i>Wilsonia canadensis</i>	Eurasian, <i>Anas penelope</i>
Hermit, <i>Catharus guttatus</i>	Cape May, <i>Dendroica tigrina</i>	WILLET, <i>Tringa semipalmata</i>
Red-legged, <i>Turdus plumbeus</i>	Cerulean, <i>Dendroica cerulea</i>	WOOD-PEWEE, Eastern, <i>Contopus virens</i>
Swainson's, <i>Catharus ustulatus</i>	Chestnut-sided, <i>Dendroica pensylvanica</i>	Western, <i>Contopus sordidulus</i>
Varied, <i>Ixoreus naevius</i>	Colima, <i>Oreothlypis crissalis</i>	WOODCOCK, American, <i>Scolopax minor</i>
White-throated, <i>Turdus assimilis</i>	Connecticut, <i>Oporornis agilis</i>	Eurasian, <i>Scolopax rusticola</i>
Wood, <i>Hylocichla mustelina</i>	Crescent-chested, <i>Oreothlypis superciliosa</i>	WOODPECKER, Acorn, <i>Melanerpes formicivorus</i>
TITMOUSE, Black-crested, <i>Baeolophus atricristatus</i>	Dusky, <i>Phylloscopus fuscatus</i>	American Three-toed, <i>Picoides dorsalis</i>
Bridled, <i>Baeolophus wollweberi</i>	Elfin-woods, <i>Dendroica angelae</i>	Arizona, <i>Picoides arizonae</i>
Juniper, <i>Baeolophus ridgwayi</i>	Fan-tailed, <i>Euthlypis lachrymosa</i>	Black-backed, <i>Picoides arcticus</i>
Oak, <i>Baeolophus inornatus</i>	Golden-cheeked, <i>Dendroica chrysoparia</i>	Downy, <i>Picoides pubescens</i>
Tufted, <i>Baeolophus bicolor</i>	Golden-crowned, <i>Basileuterus culicivorus</i>	Gila, <i>Melanerpes uropygialis</i>
TITYRA, Masked, <i>Tityra semifasciata</i>	Golden-winged, <i>Vermivora chrysoptera</i>	Golden-fronted, <i>Melanerpes aurifrons</i>
TOWHEE, Abert's, <i>Melozone aberti</i>	Grace's, <i>Dendroica graciae</i>	Great Spotted, <i>Dendrocopos major</i>
California, <i>Melozone crissalis</i>	Hermit, <i>Dendroica occidentalis</i>	Hairy, <i>Picoides villosus</i>
Canyon, <i>Melozone fusca</i>	Hooded, <i>Wilsonia citrina</i>	Ivory-billed, <i>Campephilus principalis</i>
Eastern, <i>Pipilo erythrorththalmus</i>	Kentucky, <i>Oporornis formosus</i>	Ladder-backed, <i>Picoides scalaris</i>
Green-tailed, <i>Pipilo chlorurus</i>	Kirtland's, <i>Dendroica kirtlandii</i>	Lewis's, <i>Melanerpes lewisi</i>
Spotted, <i>Pipilo maculatus</i>	Lanceolated, <i>Locustella lanceolata</i>	Nuttall's, <i>Picoides nuttallii</i>
TROGON, Elegant, <i>Trogon elegans</i>	Lucy's, <i>Oreothlypis luciae</i>	Pileated, <i>Dryocopus pileatus</i>
TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	MacGillivray's, <i>Oporornis tolmie</i>	Puerto Rican, <i>Melanerpes portoricensis</i>
Red-tailed, <i>Phaethon rubricauda</i>	Magnolia, <i>Dendroica magnolia</i>	Red-bellied, <i>Melanerpes carolinus</i>
White-tailed, <i>Phaethon lepturus</i>	Mourning, <i>Oporornis philadelphica</i>	Red-cockaded, <i>Picoides borealis</i>
TURNSTONE, Black, <i>Arenaria melanocephala</i>	Nashville, <i>Oreothlypis ruficapilla</i>	Red-headed, <i>Melanerpes erythrocephalus</i>
Ruddy, <i>Arenaria interpres</i>	Olive, <i>Peucedramus taeniatus</i>	White-headed, <i>Picoides albolarvatus</i>
TURTLE-DOVE, Oriental, <i>Streptopelia orientalis</i>	Orange-crowned, <i>Oreothlypis celata</i>	WOODSTAR, Bahama, <i>Calliphlox evelynae</i>
VEERY, <i>Catharus fuscescens</i>	Palm, <i>Dendroica palmarum</i>	WREN, Bewick's, <i>Thryomanes bewickii</i>
VERDIN, <i>Auriparus flaviceps</i>	Pine, <i>Dendroica pinus</i>	Cactus, <i>Campylorhynchus brunneicapillus</i>
VIOLETEAR, Green, <i>Colibri thalassinus</i>	Prairie, <i>Dendroica discolor</i>	Canyon, <i>Catherpes mexicanus</i>
VIREO, Bell's, <i>Vireo bellii</i>	Prothonotary, <i>Protonotaria citrea</i>	Carolina, <i>Thryothorus ludovicianus</i>
Black-capped, <i>Vireo atricapillus</i>	Red-faced, <i>Cardellina rubrifrons</i>	House, <i>Troglodytes aedon</i>
Black-whiskered, <i>Vireo altiloquus</i>	Rufous-capped, <i>Basileuterus rufifrons</i>	Marsh, <i>Cistothorus palustris</i>
Blue-headed, <i>Vireo solitarius</i>	Sedge, <i>Acrocephalus schoenobaenus</i>	Pacific, <i>Troglodytes pacificus</i>
Cassin's, <i>Vireo cassini</i>	Swainson's, <i>Limnothlypis swainsonii</i>	Rock, <i>Salpinctes obsoletus</i>
Gray, <i>Vireo vicinior</i>	Tennessee, <i>Oreothlypis peregrina</i>	Sedge, <i>Cistothorus platensis</i>
Hutton's, <i>Vireo huttoni</i>	Townsend's, <i>Dendroica townsendi</i>	Sinaloa, <i>Thryothorus sinaloa</i>
Philadelphia, <i>Vireo philadelphicus</i>	Virginia's, <i>Oreothlypis virginiae</i>	Winter, <i>Troglodytes hiemalis</i>
Plumbeous, <i>Vireo plumbeus</i>	Willow, <i>Phylloscopus trochilus</i>	
Puerto Rican, <i>Vireo latimeri</i>	Wilson's, <i>Wilsonia pusilla</i>	
Red-eyed, <i>Vireo olivaceus</i>	Wood, <i>Phylloscopus sibilatrix</i>	
Thick-billed, <i>Vireo crassirostris</i>	Worm-eating, <i>Helmitheros</i>	
Warbling, <i>Vireo gilvus</i>		
White-eyed, <i>Vireo griseus</i>		
Yellow-green, <i>Vireo flavoviridis</i>		
Yellow-throated, <i>Vireo flavifrons</i>		

WRENTIT, *Chamaea fasciata*
 WRYNECK, Eurasian, *Jynx torquilla*
 YELLOWLEGS, Greater, *Tringa melanoleuca*
 Lesser, *Tringa flavipes*
 YELLOWTHROAT, Common, *Geothlypis trichas*
 Gray-crowned, *Geothlypis poliocephala*
 (2) **Taxonomic listing.** Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.
 Order ANSERIFORMES
 Family ANATIDAE
 Subfamily DENDROCYGNINAE
 Dendrocygna autumnalis, Black-bellied Whistling-Duck
 Dendrocygna arborea, West Indian Whistling-Duck
 Dendrocygna bicolor, Fulvous Whistling-Duck
 Subfamily ANSERINAE
 Anser fabalis, Taiga Bean-Goose
 Anser serrirostris, Tundra Bean-Goose
 Anser albifrons, Greater White-fronted Goose
 Anser erythropus, Lesser White-fronted Goose
 Chen canagica, Emperor Goose
 Chen caerulescens, Snow Goose
 Chen rossii, Ross's Goose
 Branta bernicla, Brant
 Branta leucopsis, Barnacle Goose
 Branta canadensis, Canada Goose (including *Branta hutchinsii*, Cackling Goose)
 Branta sandvicensis, Hawaiian Goose
 Cygnus buccinator, Trumpeter Swan
 Cygnus columbianus, Tundra Swan
 Cygnus cygnus, Whooper Swan
 Subfamily ANATINAE
 Cairina moschata, Muscovy Duck
 Aix sponsa, Wood Duck
 Anas strepera, Gadwall
 Anas falcata, Falcated Duck
 Anas penelope, Eurasian Wigeon
 Anas americana, American Wigeon
 Anas rubripes, American Black Duck
 Anas platyrhynchos, Mallard
 Anas fulvigula, Mottled Duck
 Anas wyvilliana, Hawaiian Duck
 Anas laysanensis, Laysan Duck
 Anas zonorhyncha, Eastern Spot-billed Duck
 Anas superciliosa, Pacific Black Duck
 Anas discors, Blue-winged Teal
 Anas cyanoptera, Cinnamon Teal
 Anas clypeata, Northern Shoveler
 Anas bahamensis, White-cheeked Pintail
 Anas acuta, Northern Pintail
 Anas querquedula, Garganey
 Anas formosa, Baikal Teal

Anas crecca, Green-winged Teal
Aythya valisineria, Canvasback
Aythya americana, Redhead
Aythya ferina, Common Pochard
Aythya baeri, Baer's Pochard
Aythya collaris, Ring-necked Duck
Aythya fuligula, Tufted Duck
Aythya marila, Greater Scaup
Aythya affinis, Lesser Scaup
Polyicta stelleri, Steller's Eider
Somateria fischeri, Spectacled Eider
Somateria spectabilis, King Eider
Somateria mollissima, Common Eider
Histrionicus histrionicus, Harlequin Duck
Melanitta perspicillata, Surf Scoter
Melanitta fusca, White-winged Scoter
Melanitta americana, Black Scoter
Clangula hyemalis, Long-tailed Duck
Bucephala albeola, Bufflehead
Bucephala clangula, Common Goldeneye
Bucephala islandica, Barrow's Goldeneye
Mergellus albellus, Smew
Lophodytes cucullatus, Hooded Merganser
Mergus merganser, Common Merganser
Mergus serrator, Red-breasted Merganser
Nomonyx dominicus, Masked Duck
Oxyura jamaicensis, Ruddy Duck
 Order GAVIIFORMES
 Family GAVIIDAE
 Gavia stellata, Red-throated Loon
 Gavia arctica, Arctic Loon
 Gavia pacifica, Pacific Loon
 Gavia immer, Common Loon
 Gavia adamsii, Yellow-billed Loon
 Order PODICIPEDIFORMES
 Family PODICIPEDIDAE
 Tachybaptus dominicus, Least Grebe
 Podilymbus podiceps, Pied-billed Grebe
 Podiceps auritus, Horned Grebe
 Podiceps grisegena, Red-necked Grebe
 Podiceps nigricollis, Eared Grebe
 Aechmophorus occidentalis, Western Grebe
 Aechmophorus clarkii, Clark's Grebe
 Order PHOENICOPTERIFORMES
 Family PHOENICOPTERIDAE
 Phoenicopterus ruber, American Flamingo
 Order PROCELLARIIFORMES
 Family DIOMEDEIDAE
 Thalassarche chlororhynchos, Yellow-nosed Albatross
 Thalassarche cauta, Shy Albatross
 Thalassarche melanophris, Black-browed Albatross
 Phoebetria palpebrata, Light-mantled Albatross
 Diomedea exulans, Wandering Albatross
 Phoebastria immutabilis, Laysan Albatross
 Phoebastria nigripes, Black-footed Albatross
 Family HYDROBATIDAE
 Oceanites oceanicus, Wilson's Storm-Petrel
 Pelagodroma marina, White-faced Storm-Petrel
 Fregetta tropica, Black-bellied Storm-Petrel
 Albatross
Phoebastria albatrus, Short-tailed Albatross
 Family PROCELLARIIDAE
 Fulmarus glacialis, Northern Fulmar
 Pterodroma macroptera, Great-winged Petrel
Pterodroma neglecta, Kermadec Petrel
Pterodroma arminjoniana, Herald Petrel
Pterodroma ultima, Murphy's Petrel
Pterodroma inexpectata, Mottled Petrel
Pterodroma cahow, Bermuda Petrel
Pterodroma hasitata, Black-capped Petrel
Pterodroma externa, Juan Fernandez Petrel
Pterodroma sandwichensis, Hawaiian Petrel
Pterodroma cervicalis, White-necked Petrel
Pterodroma hypoleuca, Bonin Petrel
Pterodroma nigripennis, Black-winged Petrel
Pterodroma cookii, Cook's Petrel
Pterodroma longirostris, Stejneger's Petrel
Pterodroma alba, Phoenix Petrel
Pterodroma leucoptera, Gould's Petrel
Pterodroma rostrata, Tahiti Petrel
Bulweria bulwerii, Bulwer's Petrel
Bulweria fallax, Jouanin's Petrel
Procellaria parkinsoni, Parkinson's Petrel
Calonectris leucomelas, Streaked Shearwater
Calonectris diomedea, Cory's Shearwater
Calonectris edwardsii, Cape Verde Shearwater
Puffinus creatopus, Pink-footed Shearwater
Puffinus carneipes, Flesh-footed Shearwater
Puffinus gravis, Great Shearwater
Puffinus pacificus, Wedge-tailed Shearwater
Puffinus bulleri, Buller's Shearwater
Puffinus griseus, Sooty Shearwater
Puffinus tenuirostris, Short-tailed Shearwater
Puffinus nativitatis, Christmas Shearwater
Puffinus puffinus, Manx Shearwater
Puffinus auricularis, Townsend's Shearwater
Puffinus opisthomelas, Black-vented Shearwater
Puffinus lherminieri, Audubon's Shearwater
Puffinus assimilis, Little Shearwater
 Family HYDROBATIDAE
 Oceanites oceanicus, Wilson's Storm-Petrel
 Pelagodroma marina, White-faced Storm-Petrel
 Fregetta tropica, Black-bellied Storm-Petrel

<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	White Pelican	<i>Accipiter gularis</i> , Japanese Sparrowhawk
<i>Nesofregetta fuliginosa</i> , Polynesian Storm-Petrel	<i>Pelecanus occidentalis</i> , Brown Pelican	<i>Accipiter striatus</i> , Sharp-shinned Hawk
<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel	Family ARDEIDAE	<i>Accipiter cooperii</i> , Cooper's Hawk
<i>Oceanodroma hornbyi</i> , Ringed Storm-Petrel	<i>Botaurus lentiginosus</i> , American Bittern	<i>Accipiter gentilis</i> , Northern Goshawk
<i>Oceanodroma monorhis</i> , Swinhoe's Storm-Petrel	<i>Ixobrychus sinensis</i> , Yellow Bittern	<i>Geranospiza caerulescens</i> , Crane Hawk
<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel	<i>Ixobrychus exilis</i> , Least Bittern	<i>Buteogallus anthracinus</i> , Common Black-Hawk
<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel	<i>Ixobrychus eurhythmus</i> , Schrenck's Bittern	<i>Parabuteo unicinctus</i> , Harris's Hawk
<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel	<i>Ixobrychus flavicollis</i> , Black Bittern	<i>Buteo magnirostris</i> , Roadside Hawk
<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel	<i>Ardea herodias</i> , Great Blue Heron	<i>Buteo lineatus</i> , Red-shouldered Hawk
<i>Oceanodroma matsudaireae</i> , Matsudaira's Storm-Petrel	<i>Ardea cinerea</i> , Gray Heron	<i>Buteo platypterus</i> , Broad-winged Hawk
<i>Oceanodroma Melania</i> , Black Storm-Petrel	<i>Ardea alba</i> , Great Egret	<i>Buteo nitidus</i> , Gray Hawk
<i>Oceanodroma tristrami</i> , Tristram's Storm-Petrel	<i>Mesophoyx intermedia</i> , Intermediate Egret	<i>Buteo brachyurus</i> , Short-tailed Hawk
<i>Oceanodroma microsoma</i> , Least Storm-Petrel	<i>Egretta euphophotes</i> , Chinese Egret	<i>Buteo swainsoni</i> , Swainson's Hawk
Order PHAETHONTIFORMES	<i>Egretta garzetta</i> , Little Egret	<i>Buteo albicaudatus</i> , White-tailed Hawk
Family PHAETHONTIDAE	<i>Egretta sacra</i> , Pacific Reef-Egret	Order FALCONIFORMES
<i>Phaethon lepturus</i> , White-tailed Tropicbird	<i>Egretta gularis</i> , Western Reef-Heron	Family FALCONIDAE
<i>Phaethon aethereus</i> , Red-billed Tropicbird	<i>Egretta thula</i> , Snowy Egret	Subfamily MICRASTURINAE
<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	<i>Egretta caerulea</i> , Little Blue Heron	<i>Micrastur semitorquatus</i> , Collared Forest-Falcon
Order CICONIIFORMES	<i>Egretta tricolor</i> , Tricolored Heron	Subfamily CARACARINAE
Family CICONIIDAE	<i>Egretta rufescens</i> , Reddish Egret	<i>Caracara cheriway</i> , Crested Caracara
<i>Jabiru mycteria</i> , Jabiru	<i>Bubulcus ibis</i> , Cattle Egret	Subfamily FALCONINAE
<i>Mycteria americana</i> , Wood Stork	<i>Ardeola bacchus</i> , Chinese Pond-Heron	<i>Falco tinnunculus</i> , Eurasian Kestrel
Order SULIFORMES	<i>Butorides virescens</i> , Green Heron	<i>Falco sparverius</i> , American Kestrel
Family FREGATIDAE	<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron	<i>Falco vespertinus</i> , Red-footed Falcon
<i>Fregata magnificens</i> , Magnificent Frigatebird	<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron	<i>Falco columbarius</i> , Merlin
<i>Fregata minor</i> , Great Frigatebird	<i>Gorsachius goisagi</i> , Japanese Night-Heron	<i>Falco subbuteo</i> , Eurasian Hobby
<i>Fregata ariel</i> , Lesser Frigatebird	<i>Gorsachius melanolophus</i> , Malayan Night-Heron	<i>Falco femoralis</i> , Aplomado Falcon
Family SULIDAE	Family THRESKIORNITHIDAE	<i>Falco rusticolus</i> , Gyrfalcon
<i>Sula dactylatra</i> , Masked Booby	Subfamily THRESKIORNITHINAE	<i>Falco peregrinus</i> , Peregrine Falcon
<i>Sula nebulouxii</i> , Blue-footed Booby	<i>Eudocimus albus</i> , White Ibis	<i>Falco mexicanus</i> , Prairie Falcon
<i>Sula leucogaster</i> , Brown Booby	<i>Eudocimus ruber</i> , Scarlet Ibis	Order GRUIFORMES
<i>Sula sula</i> , Red-footed Booby	<i>Plegadis falcinellus</i> , Glossy Ibis	Family RALLIDAE
<i>Morus bassanus</i> , Northern Gannet	<i>Plegadis chihi</i> , White-faced Ibis	<i>Coturnicops noveboracensis</i> , Yellow Rail
Family PHALACROCORACIDAE	Subfamily PLATALEINAE	<i>Laterallus jamaicensis</i> , Black Rail
<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant	<i>Platalea ajaja</i> , Roseate Spoonbill	<i>Gallirallus philippensis</i> , Buff-banded Rail
<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant	Order ACCIPITRIFORMES	<i>Gallirallus owstoni</i> , Guam Rail
<i>Phalacrocorax auritus</i> , Double-crested Cormorant	Family CATHARTIDAE	<i>Crex crex</i> , Corn Crake
<i>Phalacrocorax carbo</i> , Great Cormorant	<i>Coragyps atratus</i> , Black Vulture	<i>Rallus longirostris</i> , Clapper Rail
<i>Phalacrocorax urile</i> , Red-faced Cormorant	<i>Cathartes aura</i> , Turkey Vulture	<i>Rallus elegans</i> , King Rail
<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant	<i>Gymnogyps californianus</i> , California Condor	<i>Rallus limicola</i> , Virginia Rail
<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant	Family PANDIONIDAE	<i>Porzana carolina</i> , Sora
Family ANHINGIDAE	<i>Pandion haliaetus</i> , Osprey	<i>Porzana tabuensis</i> , Spotless Crake
<i>Anhinga anhinga</i> , Anhinga	Family ACCIPITRIDAE	<i>Porzana flaviventer</i> , Yellow-breasted Crake
Order PELECANIFORMES	<i>Chondrohierax uncinatus</i> , Hook-billed Kite	<i>Neocrex erythrops</i> , Paint-billed Crake
Family PELECANIDAE	<i>Elanoides forficatus</i> , Swallow-tailed Kite	<i>Pardirallus maculatus</i> , Spotted Rail
<i>Pelecanus erythrorhynchos</i> , American	<i>Elanus leucurus</i> , White-tailed Kite	<i>Porphyrio porphyrio</i> , Purple Swamphen

<i>Fulica americana</i> , American Coot	<i>Tringa nebularia</i> , Common Greenshank	<i>Scolopax rusticola</i> , Eurasian Woodcock
<i>Fulica caribaea</i> , Caribbean Coot	<i>Tringa guttifer</i> , Nordmann's Greenshank	<i>Scolopax minor</i> , American Woodcock
Family ARAMIDAE	<i>Tringa semipalmata</i> , Willet	Subfamily PHALAROPODINAE
<i>Aramus guarauna</i> , Limpkin	<i>Tringa flavipes</i> , Lesser Yellowlegs	<i>Phalaropus tricolor</i> , Wilson's Phalarope
Family GRUIDAE	<i>Tringa stagnatilis</i> , Marsh Sandpiper	<i>Phalaropus lobatus</i> , Red-necked Phalarope
<i>Grus canadensis</i> , Sandhill Crane	<i>Tringa glareola</i> , Wood Sandpiper	<i>Phalaropus fulicarius</i> , Red Phalarope
<i>Grus grus</i> , Common Crane	<i>Bartramia longicauda</i> , Upland Sandpiper	Family LARIDAE
<i>Grus americana</i> , Whooping Crane	<i>Numenius minutus</i> , Little Curlew	Subfamily LARINAE
Order CHARADRIIFORMES	<i>Numenius borealis</i> , Eskimo Curlew	<i>Creagrus furcatus</i> , Swallow-tailed Gull
Family CHARADRIIDAE	<i>Numenius phaeopus</i> , Whimbrel	<i>Rissa tridactyla</i> , Black-legged Kittiwake
Subfamily VANELLINAE	<i>Numenius tahitiensis</i> , Bristle-thighed Curlew	<i>Rissa brevirostris</i> , Red-legged Kittiwake
<i>Vanellus vanellus</i> , Northern Lapwing	<i>Numenius madagascariensis</i> , Far Eastern Curlew	<i>Pagophila eburnea</i> , Ivory Gull
Subfamily CHARADRIINAE	<i>Numenius arquata</i> , Eurasian Curlew	<i>Xema sabini</i> , Sabine's Gull
<i>Pluvialis squatarola</i> , Black-bellied Plover	<i>Numenius americanus</i> , Long-billed Curlew	<i>Chroicocephalus philadelphia</i> , Bonaparte's Gull
<i>Pluvialis apricaria</i> , European Golden-Plover	<i>Limosa limosa</i> , Black-tailed Godwit	<i>Chroicocephalus cirrocephalus</i> , Gray-hooded Gull
<i>Pluvialis dominica</i> , American Golden-Plover	<i>Limosa haemastica</i> , Hudsonian Godwit	<i>Chroicocephalus ridibundus</i> , Black-headed Gull
<i>Pluvialis fulva</i> , Pacific Golden-Plover	<i>Limosa lapponica</i> , Bar-tailed Godwit	<i>Hydrocoloeus minutus</i> , Little Gull
<i>Charadrius mongolus</i> , Lesser Sand-Plover	<i>Limosa fedoa</i> , Marbled Godwit	<i>Rhodostethia rosea</i> , Ross's Gull
<i>Charadrius leschenaultii</i> , Greater Sand-Plover	<i>Arenaria interpres</i> , Ruddy Turnstone	<i>Leucophaeus atricilla</i> , Laughing Gull
<i>Charadrius collaris</i> , Collared Plover	<i>Arenaria melanocephala</i> , Black Turnstone	<i>Leucophaeus pipixcan</i> , Franklin's Gull
<i>Charadrius alexandrinus</i> , Snowy Plover	<i>Aphriza virgata</i> , Surfbird	<i>Larus belcheri</i> , Belcher's Gull
<i>Charadrius wilsonia</i> , Wilson's Plover	<i>Calidris tenuirostris</i> , Great Knot	<i>Larus crassirostris</i> , Black-tailed Gull
<i>Charadrius hiaticula</i> , Common Ringed Plover	<i>Calidris canutus</i> , Red Knot	<i>Larus heermanni</i> , Heermann's Gull
<i>Charadrius semipalmatus</i> , Semipalmated Plover	<i>Calidris alba</i> , Sanderling	<i>Larus canus</i> , Mew Gull
<i>Charadrius melanotos</i> , Piping Plover	<i>Calidris pusilla</i> , Semipalmated Sandpiper	<i>Larus delawarensis</i> , Ring-billed Gull
<i>Charadrius dubius</i> , Little Ringed Plover	<i>Calidris mauri</i> , Western Sandpiper	<i>Larus occidentalis</i> , Western Gull
<i>Charadrius vociferus</i> , Killdeer	<i>Calidris ruficollis</i> , Red-necked Stint	<i>Larus livens</i> , Yellow-footed Gull
<i>Charadrius montanus</i> , Mountain Plover	<i>Calidris minuta</i> , Little Stint	<i>Larus californicus</i> , California Gull
<i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Calidris temminckii</i> , Temminck's Stint	<i>Larus argentatus</i> , Herring Gull
Family HAEMATOPODIDAE	<i>Calidris subminuta</i> , Long-toed Stint	<i>Larus michahellis</i> , Yellow-legged Gull
<i>Haematopus ostralegus</i> , Eurasian Oystercatcher	<i>Calidris minutilla</i> , Least Sandpiper	<i>Larus thayeri</i> , Thayer's Gull
<i>Haematopus palliatus</i> , American Oystercatcher	<i>Calidris fuscicollis</i> , White-rumped Sandpiper	<i>Larus glaucopterus</i> , Iceland Gull
<i>Haematopus bachmani</i> , Black Oystercatcher	<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Larus fuscus</i> , Lesser Black-backed Gull
Family RECURVIROSTRIDAE	<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Larus schistisagus</i> , Slaty-backed Gull
<i>Himantopus himantopus</i> , Black-winged Stilt	<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Larus glaucescens</i> , Glaucous-winged Gull
<i>Himantopus mexicanus</i> , Black-necked Stilt	<i>Calidris maritima</i> , Purple Sandpiper	<i>Larus hyperboreus</i> , Glaucous Gull
<i>Recurvirostra americana</i> , American Avocet	<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Larus marinus</i> , Great Black-backed Gull
Family JACANIDAE	<i>Calidris alpina</i> , Dunlin	<i>Larus dominicanus</i> , Kelp Gull
<i>Jacana spinosa</i> , Northern Jacana	<i>Calidris ferruginea</i> , Curlew Sandpiper	Subfamily STERNINAE
Family SCOLOPACIDAE	<i>Calidris himantopus</i> , Stilt Sandpiper	<i>Anous stolidus</i> , Brown Noddy
Subfamily SCOLOPACINAE	<i>Eurynorhynchus pygmeus</i> , Spoon-billed Sandpiper	<i>Anous minutus</i> , Black Noddy
<i>Xenus cinereus</i> , Terek Sandpiper	<i>Limicola falcinellus</i> , Broad-billed Sandpiper	<i>Procelsterna cerulea</i> , Blue-gray Noddy
<i>Actitis hypoleucos</i> , Common Sandpiper	<i>Tryngites subruficollis</i> , Buff-breasted Sandpiper	<i>Gygis alba</i> , White Tern
<i>Actitis macularius</i> , Spotted Sandpiper	<i>Philomachus pugnax</i> , Ruff	<i>Onychoprion fuscatus</i> , Sooty Tern
<i>Tringa ochropus</i> , Green Sandpiper	<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Onychoprion lunatus</i> , Gray-backed Tern
<i>Tringa solitaria</i> , Solitary Sandpiper	<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	<i>Onychoprion anaethetus</i> , Bridled Tern
<i>Tringa brevipes</i> , Gray-tailed Tattler	<i>Lymnocryptes minimus</i> , Jack Snipe	<i>Onychoprion aleuticus</i> , Aleutian Tern
<i>Tringa incana</i> , Wandering Tattler	<i>Gallinago delicata</i> , Wilson's Snipe	<i>Sternula albifrons</i> , Little Tern
<i>Tringa erythropus</i> , Spotted Redshank	<i>Gallinago gallinago</i> , Common Snipe	<i>Sternula antillarum</i> , Least Tern
<i>Tringa melanoleuca</i> , Greater Yellowlegs	<i>Gallinago stenura</i> , Pin-tailed Snipe	<i>Phaetusa simplex</i> , Large-billed Tern
	<i>Gallinago megala</i> , Swinhoe's Snipe	<i>Gelochelidon nilotica</i> , Gull-billed Tern
		<i>Hydroprogne caspia</i> , Caspian Tern

<i>Chlidonias niger</i> , Black Tern	<i>Zenaida asiatica</i> , White-winged Dove	<i>Micrathene whitneyi</i> , Elf Owl
<i>Chlidonias leucopterus</i> , White-winged Tern	<i>Zenaida aurita</i> , Zenaida Dove	<i>Athene cunicularia</i> , Burrowing Owl
<i>Chlidonias hybridus</i> , Whiskered Tern	<i>Zenaida macroura</i> , Mourning Dove	<i>Ciccaba virgata</i> , Mottled Owl
<i>Sterna dougallii</i> , Roseate Tern	<i>Columbina inca</i> , Inca Dove	<i>Strix occidentalis</i> , Spotted Owl
<i>Sterna sumatrana</i> , Black-naped Tern	<i>Columbina passerina</i> , Common Ground-Dove	<i>Strix varia</i> , Barred Owl
<i>Sterna hirundo</i> , Common Tern	<i>Columbina talpacoti</i> , Ruddy Ground-Dove	<i>Strix nebulosa</i> , Great Gray Owl
<i>Sterna paradisaea</i> , Arctic Tern	<i>Leptotila verreauxi</i> , White-tipped Dove	<i>Asio otus</i> , Long-eared Owl
<i>Sterna forsteri</i> , Forster's Tern	<i>Geotrygon chrysia</i> , Key West Quail-Dove	<i>Asio stygius</i> , Stygian Owl
<i>Thalasseus maximus</i> , Royal Tern	<i>Geotrygon mystacea</i> , Bridled Quail-Dove	<i>Asio flammeus</i> , Short-eared Owl
<i>Thalasseus bergii</i> , Great Crested Tern	<i>Geotrygon montana</i> , Ruddy Quail-Dove	<i>Aegolius funereus</i> , Boreal Owl
<i>Thalasseus sandvicensis</i> , Sandwich Tern	<i>Gallicolumba xanthonura</i> , White-throated Ground-Dove	<i>Aegolius acadicus</i> , Northern Saw-whet Owl
<i>Thalasseus elegans</i> , Elegant Tern	<i>Gallicolumba stairi</i> , Friendly Ground-Dove	<i>Ninox scutulata</i> , Brown Hawk-Owl
Subfamily RYNCHOPINAE	<i>Ptilinopus perousii</i> , Many-colored Fruit-Dove	Order CAPRIMULGIFORMES
<i>Rynchops niger</i> , Black Skimmer	<i>Ptilinopus porphyraceus</i> , Crimson-crowned Fruit-Dove	Family CAPRIMULGIDAE
Family STERCORARIIDAE	<i>Ptilinopus roseicapilla</i> , Mariana Fruit-Dove	Subfamily CHORDEILINAE
<i>Stercorarius skua</i> , Great Skua	<i>Ducula pacifica</i> , Pacific Imperial-Pigeon	<i>Chordeiles acutipennis</i> , Lesser Nighthawk
<i>Stercorarius maccormicki</i> , South Polar Skua	Order CUCULIFORMES	<i>Chordeiles minor</i> , Common Nighthawk
<i>Stercorarius pomarinus</i> , Pomarine Jaeger	Family CUCULIDAE	<i>Chordeiles gundlachii</i> , Antillean Nighthawk
<i>Stercorarius parasiticus</i> , Parasitic Jaeger	Subfamily CUCULINAE	Subfamily CAPRIMULGINAE
<i>Stercorarius longicaudus</i> , Long-tailed Jaeger	<i>Cuculus fugax</i> , Hodgson's Hawk-Cuckoo	<i>Nyctidromus albicollis</i> , Common Pauraque
Family ALCIDAE	<i>Cuculus canorus</i> , Common Cuckoo	<i>Phalaenoptilus nuttallii</i> , Common Poorwill
<i>Alle alle</i> , Dovekie	<i>Cuculus optatus</i> , Oriental Cuckoo	<i>Caprimulgus carolinensis</i> , Chuck-will's-widow
<i>Uria aalge</i> , Common Murre	<i>Coccyzus americanus</i> , Yellow-billed Cuckoo	<i>Caprimulgus ridgwayi</i> , Buff-collared Nightjar
<i>Uria lomvia</i> , Thick-billed Murre	<i>Coccyzus minor</i> , Mangrove Cuckoo	<i>Caprimulgus vociferus</i> , Eastern Whip-poor-will
<i>Alca torda</i> , Razorbill	<i>Coccyzus erythrophthalmus</i> , Black-billed Cuckoo	<i>Caprimulgus arizonae</i> , Mexican Whip-poor-will
<i>Cephus grylle</i> , Black Guillemot	<i>Coccyzus vieilloti</i> , Puerto Rican Lizard-Cuckoo	<i>Caprimulgus noctitherus</i> , Puerto Rican Nightjar
<i>Cephus columba</i> , Pigeon Guillemot	Subfamily NEOMORPHINAE	<i>Caprimulgus indicus</i> , Gray Nightjar
<i>Brachyramphus perdix</i> , Long-billed Murrelet	<i>Geococcyx californianus</i> , Greater Roadrunner	Order APODIFORMES
<i>Brachyramphus marmoratus</i> , Marbled Murrelet	Subfamily CROTOPHAGINAE	Family APODIDAE
<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet	<i>Crotaphaga ani</i> , Smooth-billed Ani	Subfamily CYPSELOOIDINAE
<i>Synthliboramphus hypoleucus</i> , Xantus's Murrelet	<i>Crotaphaga sulcirostris</i> , Groove-billed Ani	<i>Cypseloides niger</i> , Black Swift
<i>Synthliboramphus craveri</i> , Craveri's Murrelet	Order STRIGIFORMES	<i>Streptoprocne zonaris</i> , White-collared Swift
<i>Synthliboramphus antiquus</i> , Ancient Murrelet	Family TYTONIDAE	Subfamily CHAETURINAE
<i>Ptychoramphus aleuticus</i> , Cassin's Auklet	<i>Tyto alba</i> , Barn Owl	<i>Chaetura pelasgica</i> , Chimney Swift
<i>Aethia psittacula</i> , Parakeet Auklet	Family STRIGIDAE	<i>Chaetura vauxi</i> , Vaux's Swift
<i>Aethia pusilla</i> , Least Auklet	<i>Otus flammeolus</i> , Flammulated Owl	<i>Chaetura brachyura</i> , Short-tailed Swift
<i>Aethia pygmaea</i> , Whiskered Auklet	<i>Otus sunia</i> , Oriental Scops-Owl	<i>Hirundapus caudacutus</i> , White-throated Needletail
<i>Aethia cristatella</i> , Crested Auklet	<i>Megascops kennicottii</i> , Western Screech-Owl	<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet
<i>Cerorhinca monocerata</i> , Rhinoceros Auklet	<i>Megascops asio</i> , Eastern Screech-Owl	<i>Aerodramus bartschi</i> , Mariana Swiftlet
<i>Fratercula arctica</i> , Atlantic Puffin	<i>Megascops trichopsis</i> , Whiskered Screech-Owl	Subfamily APODINAE
<i>Fratercula corniculata</i> , Horned Puffin	<i>Megascops nudipes</i> , Puerto Rican Screech-Owl	<i>Apus apus</i> , Common Swift
<i>Fratercula cirrhata</i> , Tufted Puffin	<i>Bubo virginianus</i> , Great Horned Owl	<i>Apus pacificus</i> , Fork-tailed Swift
Order COLUMBIFORMES	<i>Bubo scandiacus</i> , Snowy Owl	<i>Apus melba</i> , Alpine Swift
Family COLUMBIIDAE	<i>Surnia ulula</i> , Northern Hawk Owl	<i>Aeronautes saxatalis</i> , White-throated Swift
<i>Patagioenas squamosa</i> , Scaly-naped Pigeon	<i>Glaucidium gnoma</i> , Northern Pygmy-Owl	<i>Tachornis phoenicobia</i> , Antillean Palm-Swift
<i>Patagioenas leucocephala</i> , White-crowned Pigeon	<i>Glaucidium brasiliense</i> , Ferruginous Pygmy-Owl	Family TROCHILIDAE
<i>Patagioenas flavirostris</i> , Red-billed Pigeon	<i>Colibri thalassinus</i> , Green Violetear	Subfamily TROCHILINAE
<i>Patagioenas inornata</i> , Plain Pigeon	<i>Anthracothorax prevostii</i> , Green-breasted Mango	<i>Anthracothorax dominicus</i> , Antillean
<i>Patagioenas fasciata</i> , Band-tailed Pigeon	<i>Anthracothorax dominicus</i> , Antillean	
<i>Streptopelia orientalis</i> , Oriental Turtle-Dove		

Mango	<i>Chloroceryle americana</i> , Green Kingfisher	<i>Contopus pertinax</i> , Greater Pewee
<i>Anthracothorax viridis</i> , Green Mango	Order PICIFORMES	<i>Contopus sordidulus</i> , Western Wood-Pewee
<i>Eulampis jugularis</i> , Purple-throated Carib	Family PICIDAE	<i>Contopus virens</i> , Eastern Wood-Pewee
<i>Eulampis holosericeus</i> , Green-throated Carib	Subfamily JYNGINAE	<i>Contopus caribaeus</i> , Cuban Pewee
<i>Orthorhyncus cristatus</i> , Antillean Crested Hummingbird	<i>Jynx torquilla</i> , Eurasian Wryneck	<i>Contopus hispaniolensis</i> , Hispaniolan Pewee
<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald	Subfamily PICINAE	<i>Contopus latirostris</i> , Lesser Antillean Pewee
<i>Cynanthus latirostris</i> , Broad-billed Hummingbird	<i>Melanerpes lewis</i> , Lewis's Woodpecker	<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher
<i>Hylocharis leucotis</i> , White-eared Hummingbird	<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker	<i>Empidonax virescens</i> , Acadian Flycatcher
<i>Hylocharis xantusii</i> , Xantus's Hummingbird	<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker	<i>Empidonax alnorum</i> , Alder Flycatcher
<i>Amazilia beryllina</i> , Berylline Hummingbird	<i>Melanerpes formicivorus</i> , Acorn Woodpecker	<i>Empidonax traillii</i> , Willow Flycatcher
<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird	<i>Melanerpes uropygialis</i> , Gila Woodpecker	<i>Empidonax minimus</i> , Least Flycatcher
<i>Amazilia rutila</i> , Cinnamon Hummingbird	<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker	<i>Empidonax hammondii</i> , Hammond's Flycatcher
<i>Amazilia violiceps</i> , Violet-crowned Hummingbird	<i>Melanerpes carolinus</i> , Red-bellied Woodpecker	<i>Empidonax wrightii</i> , Gray Flycatcher
<i>Lampornis clemenciae</i> , Blue-throated Hummingbird	<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker	<i>Empidonax oberholseri</i> , Dusky Flycatcher
<i>Eugenes fulgens</i> , Magnificent Hummingbird	<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker	<i>Empidonax difficilis</i> , Pacific-slope Flycatcher
<i>Heliodoxa constantii</i> , Plain-capped Starthroat	<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker	<i>Empidonax occidentalis</i> , Cordilleran Flycatcher
<i>Calliphlox evelynae</i> , Bahama Woodstar	<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker	<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher
<i>Calothorax lucifer</i> , Lucifer Hummingbird	<i>Dendrocopos major</i> , Great Spotted Woodpecker	<i>Sayornis nigricans</i> , Black Phoebe
<i>Archilochus colubris</i> , Ruby-throated Hummingbird	<i>Picoides scalaris</i> , Ladder-backed Woodpecker	<i>Sayornis phoebe</i> , Eastern Phoebe
<i>Archilochus alexandri</i> , Black-chinned Hummingbird	<i>Picoides nuttallii</i> , Nuttall's Woodpecker	<i>Sayornis saya</i> , Say's Phoebe
<i>Calypte anna</i> , Anna's Hummingbird	<i>Picoides pubescens</i> , Downy Woodpecker	<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher
<i>Calypte costae</i> , Costa's Hummingbird	<i>Picoides villosus</i> , Hairy Woodpecker	
<i>Stellula calliope</i> , Calliope Hummingbird	<i>Picoides arizonae</i> , Arizona Woodpecker	
<i>Atthis heloisa</i> , Bumblebee Hummingbird	<i>Picoides borealis</i> , Red-cockaded Woodpecker	
<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird	<i>Picoides albolarvatus</i> , White-headed Woodpecker	
<i>Selasphorus rufus</i> , Rufous Hummingbird	<i>Picoides dorsalis</i> , American Three-toed Woodpecker	
<i>Selasphorus sasin</i> , Allen's Hummingbird	<i>Picoides arcticus</i> , Black-backed Woodpecker	
Order TROGONIFORMES	<i>Colaptes auratus</i> , Northern Flicker	
Family TROGONIDAE	<i>Colaptes chrysoides</i> , Gilded Flicker	
Subfamily TROGONINAE	<i>Dryocopus pileatus</i> , Pileated Woodpecker	
<i>Trogon elegans</i> , Elegant Trogon	<i>Campephilus principalis</i> , Ivory-billed Woodpecker	
<i>Euptilotis neoxenus</i> , Eared Quetzal	Order PASSERIFORMES	
Order UPUPIFORMES	Family TYRANNIDAE	
Family UPUPIDAE	Subfamily ELAENIINAE	
<i>Upupa epops</i> , Eurasian Hoopoe	<i>Campstostoma imberbe</i> , Northern Beardless-Tyrannulet	
Order CORACIFORMES	<i>Myiopagis viridicata</i> , Greenish Elaenia	
Family ALCEDINIDAE	<i>Elaenia martinica</i> , Caribbean Elaenia	
Subfamily HALCYONINAE	<i>Elaenia albiceps</i> , White-crested Elaenia	
<i>Todirhamphus cinnamominus</i> , Micronesian Kingfisher	Subfamily FLUVICOLINAE	
<i>Todirhamphus chloris</i> , Collared Kingfisher	<i>Mitrephanes phaeocercus</i> , Tufted Flycatcher	
Subfamily CERYLINAE	<i>Contopus cooperi</i> , Olive-sided Flycatcher	
<i>Megacyrle torquata</i> , Ringed Kingfisher		
<i>Megacyrle alcyon</i> , Belted Kingfisher		

Kingbird <i>Tyrannus caudifasciatus</i> , Loggerhead Kingbird	<i>Alauda arvensis</i> , Sky Lark <i>Eremophila alpestris</i> , Horned Lark	<i>Thryothorus ludovicianus</i> , Carolina Wren
<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher	Family HIRUNDINIDAE Subfamily HIRUNDININAE <i>Progne subis</i> , Purple Martin <i>Progne cryptoleuca</i> , Cuban Martin <i>Progne dominicensis</i> , Caribbean Martin <i>Progne chalybea</i> , Gray-breasted Martin <i>Progne elegans</i> , Southern Martin	<i>Thryomanes bewickii</i> , Bewick's Wren
<i>Tyrannus savana</i> , Fork-tailed Flycatcher	<i>Progne tapera</i> , Brown-chested Martin	<i>Troglodytes aedon</i> , House Wren
<i>Pachyramphus aglaiae</i> , Rose-throated Becard	<i>Tachycineta bicolor</i> , Tree Swallow	<i>Troglodytes pacificus</i> , Pacific Wren
<i>Tityra semifasciata</i> , Masked Tityra	<i>Tachycineta albilinea</i> , Mangrove Swallow	<i>Troglodytes hiemalis</i> , Winter Wren
Family LANIIDAE	<i>Tachycineta thalassina</i> , Violet-green Swallow	<i>Cistothorus platensis</i> , Sedge Wren
<i>Lanius cristatus</i> , Brown Shrike	<i>Tachycineta cyaneoviridis</i> , Bahama Swallow	<i>Cistothorus palustris</i> , Marsh Wren
<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Stelgidopteryx serripennis</i> , Northern Rough-winged Swallow	Family POLIOPTILIDAE
<i>Lanius excubitor</i> , Northern Shrike	<i>Riparia riparia</i> , Bank Swallow	<i>Polioptila caerulea</i> , Blue-gray Gnatcatcher
Family VIREONIDAE	<i>Petrochelidon pyrrhonota</i> , Cliff Swallow	<i>Polioptila californica</i> , California Gnatcatcher
<i>Vireo griseus</i> , White-eyed Vireo	<i>Petrochelidon fulva</i> , Cave Swallow	<i>Polioptila melanura</i> , Black-tailed Gnatcatcher
<i>Vireo crassirostris</i> , Thick-billed Vireo	<i>Hirundo rustica</i> , Barn Swallow	<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher
<i>Vireo latimeri</i> , Puerto Rican Vireo	<i>Delichon urbicum</i> , Common House-Martin	Family CINCLIDAE
<i>Vireo bellii</i> , Bell's Vireo	Family PARIDAE	<i>Cinclus mexicanus</i> , American Dipper
<i>Vireo atricapillus</i> , Black-capped Vireo	<i>Poecile carolinensis</i> , Carolina Chickadee	Family REGULIDAE
<i>Vireo vicinior</i> , Gray Vireo	<i>Poecile atricapillus</i> , Black-capped Chickadee	<i>Regulus satrapa</i> , Golden-crowned Kinglet
<i>Vireo flavifrons</i> , Yellow-throated Vireo	<i>Poecile gambeli</i> , Mountain Chickadee	<i>Regulus calendula</i> , Ruby-crowned Kinglet
<i>Vireo plumbeus</i> , Plumbeous Vireo	<i>Poecile sclateri</i> , Mexican Chickadee	Family PHYLLOSCOPIDAE
<i>Vireo cassinii</i> , Cassin's Vireo	<i>Poecile rufescens</i> , Chestnut-backed Chickadee	<i>Phylloscopus trochilus</i> , Willow Warbler
<i>Vireo solitarius</i> , Blue-headed Vireo	<i>Poecile hudsonicus</i> , Boreal Chickadee	<i>Phylloscopus sibilatrix</i> , Wood Warbler
<i>Vireo huttoni</i> , Hutton's Vireo	<i>Poecile cinctus</i> , Gray-headed Chickadee	<i>Phylloscopus fuscatus</i> , Dusky Warbler
<i>Vireo gilvus</i> , Warbling Vireo	<i>Baeolophus wollweberi</i> , Bridled Titmouse	<i>Phylloscopus proregulus</i> , Pallas's Leaf-Warbler
<i>Vireo philadelphicus</i> , Philadelphia Vireo	<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Phylloscopus inornatus</i> , Yellow-browed Warbler
<i>Vireo olivaceus</i> , Red-eyed Vireo	<i>Baeolophus ridgwayi</i> , Juniper Titmouse	<i>Phylloscopus borealis</i> , Arctic Warbler
<i>Vireo flavoviridis</i> , Yellow-green Vireo	Family SYLVIIDAE	Family ACROCEPHALIDAE
<i>Vireo altiloquus</i> , Black-whiskered Vireo	<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Sylvia curruca</i> , Lesser Whitethroat
<i>Vireo magister</i> , Yucatan Vireo	<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Chamaea fasciata</i> , Wrentit
Family CORVIDAE	Family REMIZIDAE	Family ACROCEPHALIDAE
<i>Perisoreus canadensis</i> , Gray Jay	<i>Auriparus flaviceps</i> , Verdin	<i>Acrocephalus luscinia</i> , Nightingale Reed-Warbler
<i>Psilorhinus morio</i> , Brown Jay	Family AEGITHALIDAE	<i>Acrocephalus familiaris</i> , Millerbird
<i>Cyanocorax yncas</i> , Green Jay	<i>Psaltriparus minimus</i> , Bushtit	<i>Acrocephalus schoenobaenus</i> , Sedge Warbler
<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay	Family SITTIDAE	Family MEGALURIDAE
<i>Cyanocitta stelleri</i> , Steller's Jay	Subfamily SITTINAE	<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler
<i>Cyanocitta cristata</i> , Blue Jay	<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Locustella lanceolata</i> , Lanceolated Warbler
<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay	<i>Sitta carolinensis</i> , White-breasted Nuthatch	Family MUSCICAPIDAE
<i>Aphelocoma insularis</i> , Island Scrub-Jay	<i>Sitta pygmaea</i> , Pygmy Nuthatch	<i>Ficedula narcissina</i> , Narcissus Flycatcher
<i>Aphelocoma californica</i> , Western Scrub-Jay	<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Ficedula mugimaki</i> , Mugimaki Flycatcher
<i>Aphelocoma ultramarina</i> , Mexican Jay	Family CERTHIIDAE	<i>Ficedula albicilla</i> , Taiga Flycatcher
<i>Nucifraga columbiana</i> , Clark's Nutcracker	Subfamily CERTHIINAE	<i>Muscicapa sibirica</i> , Dark-sided Flycatcher
<i>Pica hudsonia</i> , Black-billed Magpie	<i>Certhia americana</i> , Brown Creeper	<i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher
<i>Pica nuttalli</i> , Yellow-billed Magpie	Family TROGLODYTIDAE	<i>Muscicapa dauurica</i> , Asian Brown Flycatcher
<i>Corvus kubaryi</i> , Mariana Crow	<i>Campylorhynchus brunneicapillus</i> , Cactus Wren	<i>Muscicapa striata</i> , Spotted Flycatcher
<i>Corvus brachyrhynchos</i> , American Crow	<i>Salpinctes obsoletus</i> , Rock Wren	Family TURDIDAE
<i>Corvus caurinus</i> , Northwestern Crow	<i>Catherpes mexicanus</i> , Canyon Wren	<i>Monticola solitarius</i> , Blue Rock-Thrush
<i>Corvus leucognaphalus</i> , White-necked Crow	<i>Thryothorus sinaloa</i> , Sinaloa Wren	<i>Luscinia sibilans</i> , Rufous-tailed Robin
<i>Corvus imparatus</i> , Tamaulipas Crow		<i>Luscinia calliope</i> , Siberian Rubythroat
<i>Corvus ossifragus</i> , Fish Crow		<i>Luscinia svecica</i> , Bluethroat
<i>Corvus hawaiiensis</i> , Hawaiian Crow		<i>Luscinia cyane</i> , Siberian Blue Robin
<i>Corvus cryptoleucus</i> , Chihuahuan Raven		
<i>Corvus corax</i> , Common Raven		
Family ALAUDIDAE		

<i>Tarsiger cyanurus</i> , Red-flanked Bluetail	Family PRUNELLIDAE <i>Prunella montanella</i> , Siberian Accentor	<i>Dendroica nigrescens</i> , Black-throated Gray Warbler
<i>Oenanthe oenanthe</i> , Northern Wheatear	Family MOTACILLIDAE <i>Motacilla tschutschensis</i> , Eastern Yellow Wagtail	<i>Dendroica chrysoparia</i> , Golden-cheeked Warbler
<i>Saxicola torquatus</i> , Stonechat	<i>Motacilla citreola</i> , Citrine Wagtail	<i>Dendroica virens</i> , Black-throated Green Warbler
<i>Sialia sialis</i> , Eastern Bluebird	<i>Motacilla cinerea</i> , Gray Wagtail	<i>Dendroica townsendi</i> , Townsend's Warbler
<i>Sialia mexicana</i> , Western Bluebird	<i>Motacilla alba</i> , White Wagtail	<i>Dendroica occidentalis</i> , Hermit Warbler
<i>Sialia currucoides</i> , Mountain Bluebird	<i>Anthus trivialis</i> , Tree Pipit	<i>Dendroica fusca</i> , Blackburnian Warbler
<i>Myadestes townsendi</i> , Townsend's Solitaire	<i>Anthus hodgsoni</i> , Olive-backed Pipit	<i>Dendroica dominica</i> , Yellow-throated Warbler
<i>Myadestes myadestinus</i> , Kamao	<i>Anthus gustavi</i> , Pechora Pipit	<i>Dendroica graciae</i> , Grace's Warbler
<i>Myadestes lanaiensis</i> , Olomao	<i>Anthus cervinus</i> , Red-throated Pipit	<i>Dendroica adelaidae</i> , Adelaide's Warbler
<i>Myadestes obscurus</i> , Omao	<i>Anthus rubescens</i> , American Pipit	<i>Dendroica discolor</i> , Prairie Warbler
<i>Myadestes palmeri</i> , Puaiohi	<i>Anthus spragueii</i> , Sprague's Pipit	<i>Dendroica palmarum</i> , Palm Warbler
<i>Catharus aurantiirostris</i> , Orange-billed Nightingale-Thrush	Family BOMBYCILLIDAE <i>Bombycilla garrulus</i> , Bohemian Waxwing	<i>Dendroica castanea</i> , Bay-breasted Warbler
<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush	<i>Bombycilla cedrorum</i> , Cedar Waxwing	<i>Dendroica striata</i> , Blackpoll Warbler
<i>Catharus fuscescens</i> , Veery	Family PTILOGONATIDAE <i>Ptilogonyx cinereus</i> , Gray Silky-flycatcher	<i>Dendroica cerulea</i> , Cerulean Warbler
<i>Catharus minimus</i> , Gray-cheeked Thrush	<i>Phainopepla nitens</i> , Phainopepla	<i>Dendroica angelae</i> , Elfin-woods Warbler
<i>Catharus bicknelli</i> , Bicknell's Thrush	Family PEUCEDRAMIDAE <i>Peucedramus taeniatus</i> , Olive Warbler	<i>Mniotilla varia</i> , Black-and-white Warbler
<i>Catharus ustulatus</i> , Swainson's Thrush	Family CALCARIIDAE <i>Calcarius lapponicus</i> , Lapland Longspur	<i>Setophaga ruticilla</i> , American Redstart
<i>Catharus guttatus</i> , Hermit Thrush	<i>Calcarius ornatus</i> , Chestnut-collared Longspur	<i>Protonotaria citrea</i> , Prothonotary Warbler
<i>Hylocichla mustelina</i> , Wood Thrush	<i>Calcarius pictus</i> , Smith's Longspur	<i>Helmitheros vermivorum</i> , Worm-eating Warbler
<i>Turdus obscurus</i> , Eyebrowed Thrush	<i>Rhynchophanes mccownii</i> , McCown's Longspur	<i>Limnothlypis swainsonii</i> , Swainson's Warbler
<i>Turdus naumannni</i> , Dusky Thrush	<i>Plectrophenax nivalis</i> , Snow Bunting	<i>Seiurus aurocapilla</i> , Ovenbird
<i>Turdus pilaris</i> , Fieldfare	<i>Plectrophenax hyperboreus</i> , McKay's Bunting	<i>Parkesia noveboracensis</i> , Northern Waterthrush
<i>Turdus grayi</i> , Clay-colored Thrush	Family PARULIDAE <i>Vermivora bachmanii</i> , Bachman's Warbler	<i>Parkesia motacilla</i> , Louisiana Waterthrush
<i>Turdus assimilis</i> , White-throated Thrush	<i>Vermivora cyanoptera</i> , Blue-winged Warbler	<i>Oporornis formosus</i> , Kentucky Warbler
<i>Turdus rufopalliatus</i> , Rufous-backed Robin	<i>Vermivora chrysoptera</i> , Golden-winged Warbler	<i>Oporornis agilis</i> , Connecticut Warbler
<i>Turdus migratorius</i> , American Robin	<i>Oreothlypis peregrina</i> , Tennessee Warbler	<i>Oporornis philadelphica</i> , Mourning Warbler
<i>Turdus plumbeus</i> , Red-legged Thrush	<i>Oreothlypis celata</i> , Orange-crowned Warbler	<i>Oporornis tolmiei</i> , MacGillivray's Warbler
<i>Ixoreus naevius</i> , Varied Thrush	<i>Oreothlypis ruficapilla</i> , Nashville Warbler	<i>Geothlypis trichas</i> , Common Yellowthroat
<i>Ridgwayia pinicola</i> , Aztec Thrush	<i>Oreothlypis virginiae</i> , Virginia's Warbler	<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat
Family MIMIDAE	<i>Oreothlypis crissalis</i> , Colima Warbler	<i>Wilsonia citrina</i> , Hooded Warbler
<i>Dumetella carolinensis</i> , Gray Catbird	<i>Oreothlypis luciae</i> , Lucy's Warbler	<i>Wilsonia pusilla</i> , Wilson's Warbler
<i>Melanoptila glabrirostris</i> , Black Catbird	<i>Oreothlypis superciliosa</i> , Crescent-chested Warbler	<i>Wilsonia canadensis</i> , Canada Warbler
<i>Mimus polyglottos</i> , Northern Mockingbird	<i>Parula americana</i> , Northern Parula	<i>Cardellina rubrifrons</i> , Red-faced Warbler
<i>Mimus gundlachii</i> , Bahama Mockingbird	<i>Parula pitayumi</i> , Tropical Parula	<i>Myioborus pictus</i> , Painted Redstart
<i>Oreoscoptes montanus</i> , Sage Thrasher	<i>Dendroica petechia</i> , Yellow Warbler	<i>Myioborus miniatus</i> , Slate-throated Redstart
<i>Toxostoma rufum</i> , Brown Thrasher	<i>Dendroica pensylvanica</i> , Chestnut-sided Warbler	<i>Euthlypis lachrymosa</i> , Fan-tailed Warbler
<i>Toxostoma longirostre</i> , Long-billed Thrasher	<i>Dendroica magnolia</i> , Magnolia Warbler	<i>Basileuterus culicivorus</i> , Golden-crowned Warbler
<i>Toxostoma bendirei</i> , Bendire's Thrasher	<i>Dendroica tigrina</i> , Cape May Warbler	<i>Basileuterus rufifrons</i> , Rufous-capped Warbler
<i>Toxostoma curvirostre</i> , Curve-billed Thrasher	<i>Dendroica caeruleascens</i> , Black-throated Blue Warbler	<i>Icteria virens</i> , Yellow-breasted Chat
<i>Toxostoma redivivum</i> , California Thrasher	<i>Dendroica coronata</i> , Yellow-rumped Warbler	
<i>Toxostoma crissale</i> , Crissal Thrasher		
<i>Toxostoma lecontei</i> , Le Conte's Thrasher		
<i>Melanotis caeruleascens</i> , Blue Mockingbird		
<i>Margarops fuscatus</i> , Pearly-eyed Thrasher		
Family STURNIDAE		
<i>Sturnus philippensis</i> , Chestnut-cheeked Starling		
<i>Sturnus cineraceus</i> , White-cheeked Starling		

Family THRAUPIDAE

Nesospingus speculiferus, Puerto Rican Tanager
Spindalis zena, Western Spindalis
Spindalis portoricensis, Puerto Rican Spindalis
Family EMBERIZIDAE
Sporophila torqueola, White-collared Seedeater
Tiaris olivaceus, Yellow-faced Grassquit
Tiaris bicolor, Black-faced Grassquit
Loxigilla portoricensis, Puerto Rican Bullfinch
Arremonops rufivirgatus, Olive Sparrow
Pipilo chlorurus, Green-tailed Towhee
Pipilo maculatus, Spotted Towhee
Pipilo erythrorththalmus, Eastern Towhee
Aimophila ruficeps, Rufous-crowned Sparrow
Melozone fusca, Canyon Towhee
Melozone crissalis, California Towhee
Melozone aberti, Abert's Towhee
Peucaea carpalis, Rufous-winged Sparrow
Peucaea botterii, Botteri's Sparrow
Peucaea cassini, Cassin's Sparrow
Peucaea aestivalis, Bachman's Sparrow
Spizella arborea, American Tree Sparrow
Spizella passerina, Chipping Sparrow
Spizella pallida, Clay-colored Sparrow
Spizella breweri, Brewer's Sparrow
Spizella pusilla, Field Sparrow
Spizella wortheni, Worthen's Sparrow
Spizella atrogularis, Black-chinned Sparrow
Pooecetes gramineus, Vesper Sparrow
Chondestes grammacus, Lark Sparrow
Amphispiza quinquestriata, Five-striped Sparrow
Amphispiza bilineata, Black-throated Sparrow
Amphispiza belli, Sage Sparrow
Calamospiza melanocorys, Lark Bunting
Passerculus sandwichensis, Savannah Sparrow
Ammodramus savannarum, Grasshopper Sparrow
Ammodramus bairdii, Baird's Sparrow
Ammodramus henslowii, Henslow's Sparrow
Ammodramus leconteii, Le Conte's Sparrow
Ammodramus nelsoni, Nelson's Sparrow
Ammodramus caudacutus, Saltmarsh Sparrow
Ammodramus maritimus, Seaside Sparrow
Passerella iliaca, Fox Sparrow
Melospiza melodia, Song Sparrow
Melospiza lincolni, Lincoln's

Sparrow

Melospiza georgiana, Swamp Sparrow
Zonotrichia albicollis, White-throated Sparrow
Zonotrichia querula, Harris's Sparrow
Zonotrichia leucophrys, White-crowned Sparrow
Zonotrichia atricapilla, Golden-crowned Sparrow
Junco hyemalis, Dark-eyed Junco
Junco phaeonotus, Yellow-eyed Junco
Emberiza leucocephalos, Pine Bunting
Emberiza chrysophrys, Yellow-browed Bunting
Emberiza pusilla, Little Bunting
Emberiza rustica, Rustic Bunting
Emberiza elegans, Yellow-throated Bunting
Emberiza aureola, Yellow-breasted Bunting
Emberiza variabilis, Gray Bunting
Emberiza pallasi, Pallas's Bunting
Emberiza schoeniclus, Reed Bunting
Family CARDINALIDAE
Piranga flava, Hepatic Tanager
Piranga rubra, Summer Tanager
Piranga olivacea, Scarlet Tanager
Piranga ludoviciana, Western Tanager
Piranga bidentata, Flame-colored Tanager
Rhodothraupis celaeno, Crimson-collared Grosbeak
Cardinalis cardinalis, Northern Cardinal
Cardinalis sinuatus, Pyrrhuloxia
Pheucticus chrysopoeplus, Yellow Grosbeak
Pheucticus ludovicianus, Rose-breasted Grosbeak
Pheucticus melanocephalus, Black-headed Grosbeak
Cyanocompsa parellina, Blue Bunting
Passerina caerulea, Blue Grosbeak
Passerina amoena, Lazuli Bunting
Passerina cyanea, Indigo Bunting
Passerina versicolor, Varied Bunting
Passerina ciris, Painted Bunting
Spiza americana, Dickcissel

Family ICTERIDAE

Dolichonyx oryzivorus, Bobolink
Agelaius phoeniceus, Red-winged Blackbird
Agelaius tricolor, Tricolored Blackbird
Agelaius humeralis, Tawny-shouldered Blackbird
Agelaius xanthomus, Yellow-shouldered Blackbird
Sturnella magna, Eastern Meadowlark
Sturnella neglecta, Western Meadowlark
Xanthocephalus xanthocephalus, Yellow-headed Blackbird
Euphagus carolinus, Rusty Blackbird
Euphagus cyanocephalus, Brewer's Blackbird
Quiscalus quiscula, Common Grackle
Quiscalus major, Boat-tailed Grackle

Quiscalus mexicanus, Great-tailed Grackle

Quiscalus niger, Greater Antillean Grackle
Molothrus bonariensis, Shiny Cowbird
Molothrus aeneus, Bronzed Cowbird
Molothrus ater, Brown-headed Cowbird
Icterus portoricensis, Puerto Rican Oriole
Icterus wagleri, Black-vented Oriole
Icterus spurius, Orchard Oriole
Icterus cucullatus, Hooded Oriole
Icterus pustulatus, Streak-backed Oriole
Icterus bullockii, Bullock's Oriole
Icterus gularis, Altamira Oriole
Icterus graduacauda, Audubon's Oriole
Icterus galbula, Baltimore Oriole
Icterus parisorum, Scott's Oriole
Family FRINGILLIDAE
Subfamily FRINGILLINAE
Fringilla coelebs, Common Chaffinch
Fringilla montifringilla, Brambling
Subfamily EUPHONIINAE
Euphonia musica, Antillean Euphonnia
Subfamily CARDUELINAE
Leucosticte tephrocotis, Gray-crowned Rosy-Finch
Leucosticte atrata, Black Rosy-Finch
Leucosticte australis, Brown-capped Rosy-Finch
Pinicola enucleator, Pine Grosbeak
Carpodacus erythrinus, Common Rosefinch
Carpodacus purpureus, Purple Finch
Carpodacus cassini, Cassin's Finch
Carpodacus mexicanus, House Finch
Loxia curvirostra, Red Crossbill
Loxia leucoptera, White-winged Crossbill
Acanthis flammea, Common Redpoll
Acanthis hornemannii, Hoary Redpoll
Spinus spinus, Eurasian Siskin
Spinus pinus, Pine Siskin
Spinus psaltria, Lesser Goldfinch
Spinus lawrencei, Lawrence's Goldfinch
Spinus tristis, American Goldfinch
Chloris sinica, Oriental Greenfinch
Pyrhula pyrrhula, Eurasian Bullfinch
Coccothraustes vespertinus, Evening Grosbeak
Coccothraustes coccothraustes, Hawfinch
Subfamily DREPANIDINAE
Telespiza cantans, Laysan Finch
Telespiza ultima, Nihoa Finch
Psittirostra psittacea, Ou
Loxioides bailleui, Palila
Pseudonestor xanthophrys, Maui Parrotbill
Hemignathus virens, Hawaii Amakihi
Hemignathus flavus, Oahu Amakihi
Hemignathus kauaiensis, Kauai Amakihi
Hemignathus ellisianus, Greater

Akialoa
Hemignathus lucidus, Nukupuu
Hemignathus munroi, Akiapolaau
Magumma parva, Anianiau
Oreomystis bairdi, Akikiki
Oreomystis mana, Hawaii Creeper
Paroreomyza maculata, Oahu
Alauahio
Paroreomyza flammea, Kakawahie
Paroreomyza montana, Maui
Alauahio
Loxops caeruleirostris, Akekee
Loxops coccineus, Akepa

Vestiaria coccinea, Iiwi
Palmeria dolei, Akohekohe
Himatione sanguinea, Apapane
Melamprosops phaeosoma, Poo-uli

PART 21—[AMENDED]

3. The authority citation for part 21 is revised to read as follows:

Authority Migratory Bird Treaty Act, 65 Pub. L. No. 65–186, 40 Stat. 755 (1918) (16 U.S.C. 703–12), as amended.

§ 21.3 [Amended]

4. Amend § 21.3, the definition of “Raptor”, by adding the words “the Order Accipitriformes,” immediately before the words “the Order Falconiformes”.

Dated: April 6, 2011.

Will Shafroth,

Acting Assistant Secretary for Fish and Wildlife and Parks.

[FR Doc. 2011-9448 Filed 4-25-11; 8:45 am]

BILLING CODE 4310-55-P