under the criteria of the Regulatory Flexibility Act.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

## The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

## § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Pilatus Aircraft Ltd.: Docket No. FAA–2020– 0818; Project Identifier MCAI–2020– 00987–A.

## (a) Comments Due Date

The FAA must receive comments by November 2, 2020.

## (b) Affected ADs

None.

## (c) Applicability

This AD applies to Pilatus Aircraft Ltd. Model PC–24 airplanes, serial numbers 101 through 160 inclusive, certificated in any category.

## (d) Subject

Joint Aircraft System Component (JASC) Code 2497, ELECTRICAL POWER SYSTEM WIRING; 3197, INSTRUMENT SYSTEM WIRING.

## (e) Unsafe Condition

This AD was prompted by electrical harness installations on some PC–24 airplanes in production that did not comply with the approved design. The FAA is issuing this AD to prevent wire chafing and potential arcing or failure of wires having the incorrect length. The unsafe condition, if not addressed, could result in loss of system redundancy, electrical arcing, or loss of power plant fire protection.

## (f) Actions and Compliance

Unless already accomplished, during the next annual inspection after the effective date of this AD or within 12 months after the effective date of this AD, whichever occurs later, modify the electrical harness installation in accordance with sections 3.A. through 3.H. of Accomplishment Instructions in Pilatus PC–24 Service Bulletin No. 91–001, dated April 7, 2020.

## (g) Alternative Methods of Compliance (AMOCs)

(1) The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to Doug Rudolph, Aerospace Engineer, FAA, General Aviation & Rotorcraft Section, International Validation Branch, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329–4059; fax: (816) 329–4090; email: doug.rudolph@faa.gov. Before using any approved AMOC on any airplane to which the AMOC applies, notify your appropriate principal inspector (PI) in the FAA Flight Standards District Office (FSDO), or lacking a PI, your local FSDO.

(2) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

## (h) Related Information

(1) For more information about this AD, contact Doug Rudolph, Aerospace Engineer, FAA, General Aviation & Rotorcraft Section, International Validation Branch, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329–4059; fax: (816) 329–4090; email: doug.rudolph@faa.gov.

(2) Refer to MCAI European Union Aviation Safety Agency (EASA) AD No. 2020–0158, dated July 16, 2020, for more information. You may examine the EASA AD in the AD docket on the internet at https:// www.regulations.gov by searching for and locating it in Docket No. FAA–2020–0818.

(3) For service information identified in this AD, contact Pilatus Aircraft Ltd., CH–6371, Stans, Switzerland; telephone: +41 848 24 7 365; email: techsupport.ch@pilatus-aircraft.com; internet: https://www.pilatus-aircraft.com/. You may review this referenced service information at the FAA, Airworthiness Products Section, Operational Safety Branch, 901 Locust, Kansas City, Missouri 64106. For information on the availability of this material at the FAA, call (816) 329–4148.

Issued on September 11, 2020.

## Lance T. Gant,

Director, Compliance & Airworthiness Division, Aircraft Certification Service. [FR Doc. 2020–20485 Filed 9–16–20; 8:45 am]

BILLING CODE 4910-13-P

## **DEPARTMENT OF TRANSPORTATION**

## **Federal Aviation Administration**

## 14 CFR Part 39

[Docket No. FAA-2020-0842; Product Identifier 2020-NM-101-AD]

## RIN 2120-AA64

Airworthiness Directives; Yaborã Indústria Aeronáutica S.A. (Type Certificate Previously Held by Embraer S.A.) Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking

(NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for certain Yaborã Indústria Aeronáutica S.A. Model ERJ 170 airplanes and Model ERJ 190–100 STD, –100 LR, –100 ECJ, -100 IGW, -200 STD, -200 LR, and -200 IGW airplanes. This proposed AD was prompted by reports of installation of inverted poles of the horizontal stabilizer pitch trim switches on the control vokes, which causes opposite commands for the horizontal stabilizer. This proposed AD would require installing supports for the horizontal stabilizer control yoke pitch trim switches and re-identifying the control yokes, as specified in two Agência Nacional de Aviação Civil (ANAC) ADs, which will be incorporated by reference. The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 2, 2020.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to https://www.regulations.gov. Follow the instructions for submitting comments.
  - Fax: 202-493-2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M— 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For material incorporated by reference (IBR) in this AD, contact National Civil Aviation Agency (ANAC), Aeronautical Products Certification Branch (GGCP), Rua Dr. Orlando Feirabend Filho, 230-Centro Empresarial Aquarius—Torre B—Andares 14 a 18, Parque Residencial Aquarius, CEP 12.246-190-São José dos Campos-SP, BRAZIL, Tel: 55 (12) 3203-6600; Email: pac@anac.gov.br; internet www.anac.gov.br/en/. You may find this IBR material on the ANAC website at https://sistemas.anac.gov.br/ certificacao/DA/DAE.asp. You may view this IBR material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. It is also available in the AD docket on the internet at https:// www.regulations.gov by searching for and locating Docket No. FAA-2020-0842.

## **Examining the AD Docket**

You may examine the AD docket on the internet at https://www.regulations.gov by searching for and locating Docket No. FAA-2020-0842; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be available in the AD docket shortly after receipt.

## FOR FURTHER INFORMATION CONTACT:

Krista Greer, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3221; Krista.Greer@faa.gov.

#### SUPPLEMENTARY INFORMATION:

#### **Comments Invited**

The FAA invites you to participate in this rulemaking by submitting written comments, data, or views about this proposal. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. To ensure the docket does not contain duplicate comments, commenters should send only one copy of written comments, or if comments are filed electronically, commenters should submit only one time. Send your comments to an address listed under the ADDRESSES section. Include "Docket No. FAA-2020-0842; Product Identifier 2020-NM-101-AD" at the beginning of your comments.

**Except for Confidential Business** Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, as well as a report summarizing each substantive public contact with FAA personnel concerning this proposed rulemaking. Before acting on this proposal, the FAA will consider all comments received by the closing date for comments. The FAA will consider comments filed after the comment period has closed if it is possible to do so without incurring expense or delay. The FAA may change this NPRM because of those comments.

## **Confidential Business Information**

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM

contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to the person identified in the FOR FURTHER INFORMATION **CONTACT** section. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

#### Discussion

The ANAC, which is the aviation authority for Brazil, has issued ANAC AD 2020-05-01, effective May 26, 2020; and ANAC AD 2020-05-02, effective May 26, 2020 ("ANAC AD 2020-05-01" and "ANAC AD 2020-05-02") (also referred to as the Mandatory Continuing Airworthiness Information, or "the MCAI"); to correct an unsafe condition for certain Yaborã Indústria Aeronáutica S.A. Model ERJ 170 airplanes and Model ERJ 190–100 STD, –100 LR, –100 ECJ, -100 IGW, -100 SR, -200 STD, -200 LR, and -200 IGW airplanes. Model ERJ 190-100 SR airplanes are not certificated by the FAA and are not included on the U.S. type certificate data sheet; this AD therefore does not include those airplanes in the applicability.

This proposed AD was prompted by reports of installation of inverted poles of the horizontal stabilizer pitch trim switches on the control yokes, which causes opposite commands for the horizontal stabilizer. The FAA is proposing this AD to address this condition, which could result in reduced controllability of the airplane. See the MCAI for additional background information.

# Related IBR Material Under 1 CFR Part 51

ANAC AD 2020–05–01 and ANAC AD 2020–05–02 describe procedures for installing supports for the horizontal stabilizer control yoke pitch trim switches and re-identifying the control yokes. These documents are distinct since they apply to different airplane models. This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

# FAA's Determination and Requirements of This Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with the State of Design Authority, the FAA has been notified of the unsafe condition described in the MCAI referenced above. The FAA is proposing this AD because the FAA evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or develop in other products of the same type design.

## **Proposed AD Requirements**

This proposed AD would require accomplishing the actions specified in ANAC AD 2020–05–01 and ANAC AD 2020–05–02 described previously, as incorporated by reference, except for any differences identified as exceptions in the regulatory text of this AD.

## **Explanation of Required Compliance Information**

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA initially worked with Airbus and the European Union Aviation Safety Agency (EASA) to develop a process to use certain EASA ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has since coordinated with other manufacturers and civil aviation authorities (CAAs) to use this process. As a result, ANAC AD 2020-05-01 and ANAC AD 2020-05-02 will be incorporated by reference in the FAA final rule. This proposed AD would, therefore, require compliance with ANAC AD 2020-05-01 and ANAC AD 2020–05–02 in its entirety, through that incorporation, except for any differences identified as exceptions in the regulatory text of this proposed AD. Service information specified in ANAC AD 2020-05-01 and ANAC AD 2020-05-02 that is required for compliance with ANAC AD 2020-05-01 and ANAC AD 2020-05-02 will be available on the internet at https://www.regulations.gov by searching for and locating Docket No. FAA-2020-0842 after the FAA final rule is published.

## **Costs of Compliance**

The FAA estimates that this proposed AD affects 324 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

## **ESTIMATED COSTS FOR REQUIRED ACTIONS**

Labor cost	Parts cost	Cost per product	Cost on U.S. op- erators
Up to 7 work-hours × \$85 per hour = \$595	Up to \$267	Up to \$862	Up to \$279,288.

## **Authority for This Rulemaking**

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

## **Regulatory Findings**

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- (1) Is not a "significant regulatory action" under Executive Order 12866,
- (2) Will not affect intrastate aviation in Alaska, and
- (3) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

## List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

## The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

#### § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Yaborã Indústria Aeronáutica S.A. (Type Certificate Previously Held by Embraer S.A.): Docket No. FAA–2020–0842; Product Identifier 2020–NM–101–AD.

#### (a) Comments Due Date

The FAA must receive comments by November 2, 2020.

#### (b) Affected ADs

None.

#### (c) Applicability

This AD applies to Yaborã Indústria Aeronáutica S.A. Model airplanes identified in paragraphs (c)(1) and (2) of this AD, certificated in any category.

(1) Model ERJ 170–100 LR, -100 STD, -100 SE, -100 SU, -200 LR, -200 SU, -200 STD, and -200 LL airplanes, as identified in Agência Nacional de Aviação Civil (ANAC) AD 2020–05–01, effective May 26, 2020 ("ANAC AD 2020–05–01").

(2) Model ERJ 190–100 STD, –100 LR, –100 ECJ, –100 IGW, –200 STD, –200 LR, and –200 IGW airplanes, as identified in ANAC AD 2020–05–02, effective May 26, 2020 ("ANAC AD 2020–05–02").

## (d) Subject

Air Transport Association (ATA) of America Code 27, Flight controls.

## (e) Reason

This AD was prompted by reports of installation of inverted poles of the horizontal stabilizer pitch trim switches on the control yokes, which causes opposite commands for the horizontal stabilizer. The FAA is issuing this AD to address this condition, which could result in reduced controllability of the airplane.

## (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

## (g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, ANAC AD 2020–05–01 and ANAC AD 2020–05–02, as applicable.

## (h) Exceptions to ANAC AD 2020–05–01 and ANAC AD 2020–05–02

- (1) Where ANAC AD 2020–05–01 and ANAC AD 2020–05–02 refer to their effective date, this AD requires using the effective date of this AD.
- (2) The "Alternative method of compliance (AMOC)" section of ANAC AD 2020–05–01 and ANAC AD 2020–05–02 does not apply to this AD.
- (3) Where ANAC AD 2020–05–01 and ANAC AD 2020–05–02 prohibit installing certain parts, this AD prohibits their installation as of the applicable compliance time specified by paragraph (h)(3)(i) or (ii) of this AD.
- (i) If the modification required by this AD was done before the effective date of this AD, installation is prohibited as of the effective date of this AD.
- (ii) If the modification required by this AD is done after the effective date of this AD, installation is prohibited after accomplishment of the modification required by this AD.

### (i) Other FAA AD Provisions

The following provisions also apply to this AD:

- (1) Alternative Methods of Compliance (AMOCs): The Manager, Large Aircraft Section, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the Large Aircraft Section, International Validation Branch, send it to the attention of the person identified in paragraph (j)(2) of this AD. Information may be emailed to: 9-AVS-AIR-730-AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.
- (2) Contacting the Manufacturer: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, Large Aircraft Section, International Validation Branch, FAA; or ANAC; or ANAC's authorized Designee. If approved by the ANAC Designee, the approval must include the Designee's authorized signature.

## (j) Related Information

(1) For information about ANAC AD 2020– 05–01 and ANAC AD 2020–05–02, contact National Civil Aviation Agency (ANAC), Aeronautical Products Certification Branch

(GGCP), Rua Dr. Orlando Feirabend Filho, 230—Centro Empresarial Aquarius—Torre B—Andares 14 a 18, Parque Residencial Aguarius, CEP 12.246-190-São José dos Campos—SP, BRAZIL, Tel: 55 (12) 3203-6600; Email: pac@anac.gov.br; internet www.anac.gov.br/en/. You may find this IBR material on the ANAC website at https:// sistemas.anac.gov.br/certificacao/DA/ DAE.asp. You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. This material may be found in the AD docket on the internet at https:// www.regulations.gov by searching for and locating Docket No. FAA-2020-0842

(2) For more information about this AD, contact Krista Greer, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3221; Krista.Greer@faa.gov.

Issued on September 10, 2020.

#### Lance T. Gant.

 $\label{linear_problem} Director, Compliance \, \& \, Airworth in ess \\ Division, Aircraft \, Certification \, Service.$ 

[FR Doc. 2020–20376 Filed 9–16–20; 8:45 am]

BILLING CODE 4910-13-P

#### DEPARTMENT OF TRANSPORTATION

#### **Federal Aviation Administration**

## 14 CFR Part 39

[Docket No. FAA-2020-0792; Product Identifier 2018-SW-049-AD]

RIN 2120-AA64

# Airworthiness Directives; Sikorsky Aircraft Corporation Helicopters

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking

(NPRM).

**SUMMARY:** The FAA proposes to adopt a new airworthiness directive (AD) for Sikorsky Aircraft Corporation (Sikorsky) Model Š-92A helicopters. This proposed AD was prompted by seven incidents of fatigue cracks in the horizontal stabilizer root fitting FWD (forward root fitting). This proposed AD would require establishing the life limit of certain part-numbered forward root fittings, establishing the life limit of certain part-numbered stabilizer strut fittings, repetitively inspecting certain parts, and depending on the inspection results, removing parts from service. This proposed AD would also prohibit the installation of certain parts. The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 2, 2020.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to https://www.regulations.gov. Follow the instructions for submitting comments.
  - Fax: 202-493-2251.
- *Mail*: U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact your local Sikorsky Field Representative or Sikorsky's Service Engineering Group at Sikorsky Aircraft Corporation, 124 Quarry Road, Trumbull, CT 06611; telephone 1–800– 946–4337 (1–800-Winged-S); email *wcs* cust service eng.gr-sik@lmco.com. Operators may also log on to the Sikorsky 360 website at https:// www.sikorsky360.com. You may view this service information at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Pkwy., Room 6N-321, Fort Worth, TX 76177. For information on the availability of this material at the FAA, call 817-222-5110.

## **Examining the AD Docket**

You may examine the AD docket on the internet at https://www.regulations.gov by searching for and locating Docket No. FAA—2020—0792; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Dorie Resnik, Aerospace Engineer, Boston ACO Branch, 1200 District Avenue, Burlington, Massachusetts 01803; telephone 781–238–7693; email dorie.resnik@faa.gov.

## SUPPLEMENTARY INFORMATION:

### **Comments Invited**

The FAA invites you to send any written relevant data, views, or arguments about this proposal. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. To ensure the docket does not contain duplicate comments, commenters

should send only one copy of written comments, or if comments are filed electronically, commenters should submit only one time.

**Except for Confidential Business** Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will file in the docket all comments received, as well as a report summarizing each substantive public contact with FAA personnel concerning this proposed rulemaking. Before acting on this proposal, the FAA will consider all comments received on or before the closing date for comments. The FAA will consider comments filed after the comment period has closed if it is possible to do so without incurring expense or delay. The FAA may change this proposal in light of the comments received.

## **Confidential Business Information**

Confidential Business Information (CBI) is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Dorie Resnik, Aviation Safety Engineer, Boston ACO Branch, 1200 District Avenue, Burlington, Massachusetts 01803; telephone 781-238-7693; email dorie.resnik@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

## Discussion

The FAA proposes to adopt a new AD for Sikorsky Model S–92A helicopters with certain part-numbered horizontal stabilizer assemblies (stabilizer assembly), certain part-numbered forward root fittings, or certain part-numbered stabilizer strut fittings installed. This proposed AD was prompted by seven incidents of fatigue cracks in forward root fittings. Fatigue cracking in a forward root fitting degrades the load path and increases the load on other assembly parts,