

as study requests. All comments and study requests should be sent to the address above in paragraph h. In addition, all comments, study requests, requests for cooperating agency status, and all communications to Commission staff related to the merits of the potential application (original and eight copies) must be filed with the Commission at the following address: Magalie R. Salas, Secretary, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. All filings with the Commission must include on the first page, the project name, (Boundary Hydroelectric Project) and number (P-2144-035), and bear the heading, as appropriate, "Comments on Pre-Application Document," "Study Requests," "Comments on Scoping Document 1," "Request for Cooperating Agency Status," or "Communications to and from Commission Staff." Any individual or entity interested in submitting study requests, commenting on the PAD or SD1, and any agency requesting cooperating status must do so by September 1, 2006.

All study requests must address the seven criteria, pursuant to 18 CFR 5.9(b) of the Commission's regulations.

Comments, study requests, requests for cooperating agency status, and other permissible forms of communications with the Commission may be filed electronically via the Internet in lieu of paper. The Commission strongly encourages electronic filings. See 18 CFR 385.2001(a)(1)(iii) and the instructions on the Commission's Web site (<http://www.ferc.gov>) under the "e-filing" link.

Magalie R. Salas,
Secretary.

[FR Doc. E6-10806 Filed 7-10-06; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Notice of Application for Amendment of License and Soliciting Comments, Motions To Intervene, and Protests

July 3, 2006.

Take notice that the following hydroelectric application has been filed with the Commission and is available for public inspection:

a. *Application Type:* Amendment of license to upgrade the installed capacity.

b. *Project No.:* 2503-100.

c. *Date Filed:* May 25, 2006.

d. *Applicant:* Duke Power A Division of Duke Energy.

e. *Name of Project:* Keowee-Toxaway.

f. *Location:* The project is located on the Keowee River in Ocone County, South Carolina.

g. *Filed Pursuant to:* Federal Power Act, 16 U.S.C. 791a-825r.

h. *Applicant Contact:* Mr. Jeffery G. Lineberger, Manager Hydro Licensing, Duke Energy Lake Services, EC12Q/PO Box 1006, Charlotte, NC 28201-1006, Tel. (704) 382-5942.

i. *FERC Contact:* Any questions on this notice should be addressed to Vedula Sarma at (202) 502-6190 or vedula.sarma@ferc.gov.

j. *Deadline for filing comments and/or motions:* July 31, 2006.

k. *Description of Filing:* Duke Power A Division of Duke Energy proposes to replace the existing runners of Units 3 and 4 of the Jacosee Pumped Storage Development of the project. The project consists of Jacosee and Keowee developments with a current authorized total installed capacity of 769.5 megawatts (MW) and total hydraulic capacity of 55,600 cfs. The proposed upgrade would increase the authorized installed capacity of the Jacosee Development of the project from 612 MW to 662.5 MW, and the hydraulic capacity from 55,600 cfs to 57,900 cfs. The proposed changes would increase the project's total installed capacity by 50.5 MW and its hydraulic capacity by 4.1 percent.

l. *Locations of Applications:* A copy of the application is available for inspection and reproduction at the Commission in the Public Reference Room, located at 888 First Street, NE., Room 2A, Washington, DC 20426, or by calling (202) 502-8371. This filing may also be viewed on the Commission's Web site at <http://www.ferc.gov> using the "eLibrary" link. Enter the docket number excluding the last three digits in the docket number field to access the document. You may also register online at <http://www.ferc.gov/docs-filing/esubscription.asp> to be notified via e-mail of new filings and issuances related to this or other pending projects. For assistance, call toll-free 1-866-208-3676 or e-mail FERCOnlineSupport@ferc.gov. For TTY, call (202) 502-8659. A copy is also available for inspection and reproduction at the address in item (h) above.

m. Individuals desiring to be included on the Commission's mailing list should so indicate by writing to the Secretary of the Commission.

n. *Comments, Protests, or Motions to Intervene:* Anyone may submit comments, a protest, or a motion to intervene in accordance with the requirements of Rules of Practice and

Procedure, 18 CFR 385.210, 385.211, 385.214. In determining the appropriate action to take, the Commission will consider all protests or other comments filed, but only those who file a motion to intervene in accordance with the Commission's Rules may become a party to the proceeding. Any comments, protests, or motions to intervene must be received on or before the specified comment date for the particular application.

o. *Filing and Service of Responsive Documents:* Any filings must bear in all capital letters the title "COMMENTS", "RECOMMENDATIONS FOR TERMS AND CONDITIONS", "PROTEST", or "MOTION TO INTERVENE", as applicable, and the Project Number of the particular application to which the filing refers. All documents (original and eight copies) should be filed with: Magalie R. Salas, Secretary, Federal Energy Regulatory Commission, 888 First Street, NE., Washington DC 20426. A copy of any motion to intervene must also be served upon each representative of the Applicant specified in the particular application.

p. *Agency Comments:* Federal, state, and local agencies are invited to file comments on the described application. A copy of the application may be obtained by agencies directly from the Applicant. If an agency does not file comments within the time specified for filing comments, it will be presumed to have no comments. One copy of an agency's comments must also be sent to the Applicant's representatives.

q. Comments, protests and interventions may be filed electronically via the Internet in lieu of paper. See, 18 CFR 385.2001(a)(1)(iii) and the instructions on the Commission's Web site at <http://www.ferc.gov> under the "e-Filing" link.

Magalie R. Salas,
Secretary.

[FR Doc. E6-10807 Filed 7-10-06; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2005-0074, FRL-8194-6]

Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; NSPS for Metal Furniture Coating (Renewal); EPA ICR Number 0649.09, OMB Control Number 2060-0106

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR, which is abstracted below, describes the nature of the information collection and its estimated burden and cost.

DATES: Additional comments may be submitted on or before August 10, 2006.

ADDRESSES: Submit your comments, referencing docket ID Number EPA-HQ-OECA-2005-0074, to (1) EPA online using <http://www.regulations.gov> (our preferred method), by e-mail to docket.oeca@epa.gov, or by mail to: EPA Docket Center (EPA/DC), Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, mail code 2201T, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, and (2) OMB by mail to: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT:

Leonard Lazarus, Compliance Assessment and Media Programs Division, Office of Compliance, (2223A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460; telephone number: (202) 564-6369; fax number: (202) 564-0050; e-mail address: lazarus.leonard@epa.gov.

SUPPLEMENTARY INFORMATION: EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On September 21, 2005 (70 FR 55368), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received no comments. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under Docket ID Number EPA-HQ-OECA-2005-0074, which is available for online viewing at <http://www.regulations.gov>, or in person viewing at the Enforcement and Compliance Docket and Information Center in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Avenue, NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal

holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket and Information Center Docket is (202) 566-1972.

Use EPA's electronic docket and comment system at <http://www.regulations.gov>, to submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper, will be made available for public viewing at <http://www.regulations.gov> as EPA receives them and without change, unless the comment contains copyrighted material, CBI, or other information whose public disclosure is restricted by statute. For further information about the electronic docket, go to <http://www.regulations.gov>.

Title: NSPS for Metal Furniture Coating (Renewal).

ICR Numbers: EPA ICR Number 0649.09, OMB Control Number 2060-0106.

ICR Status: This ICR is scheduled to expire on June 30, 2006. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information, unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, are displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

Abstract: Respondents are owners or operators of large appliance surface coating facilities. These standards apply to each metal furniture surface coating operation in which organic coatings are applied (greater than 3,842 liters of coating per year), commencing construction, modification or reconstruction after November 28, 1980. Volatile Organic Compounds (VOCs) are the pollutants regulated under this subpart. Owners or operators of the affected facilities described must make initial reports when a source becomes subject, conduct and report on a performance test, demonstrate and

report on continuous monitor performance, and maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility. Semiannual reports of excess emissions are required. These notifications, reports, and records are essential in determining compliance; and are required, in general, of all sources subject to New Source Performance Standards (NSPS).

Any owner or operator subject to the provisions of this part shall maintain a file of these measurements, and retain the file for at least two years following the date of such measurements, maintenance reports, and records. All reports are sent to the delegated state or local authority. In the event that there is no such delegated authority, the reports are sent directly to the EPA regional office.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in 40 CFR are listed in 40 CFR part 9 and are identified on the form and/or instrument, if applicable.

Burden Statement: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 58 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements which have subsequently changed; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

Respondents/Affected Entities: Owners or operators of metal furniture surface coating facilities.

Estimated Number of Respondents: 400.

Frequency of Response: Semiannually, On Occasion, Initially.

Estimated Total Annual Hour Burden: 56,074.

Estimated Total Annual Cost: \$840,000 includes no capital/startup

costs and \$840,000 annualized O&M costs.

Changes in the Estimates: There is a decrease of 17,107 hours in the total estimated burden currently identified in the OMB Inventory of Approved ICR Burdens. This decrease is an adjustment that reflects a correction in the frequency of reporting from quarterly to semi-annually. The increase in O&M costs is due to an increase in equipment maintenance costs.

Dated: June 27, 2006.

Oscar Morales,

Director, Collection Strategies Division.

[FR Doc. E6-10832 Filed 7-10-06; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2005-0077; FRL-8194-1]

Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; NSPS for Emission Guidelines and Compliance Times for Small Municipal Waste Combustion Units Constructed on or Before August 30, 1999 (Renewal), EPA ICR Number 1901.03, OMB Control Number 2060-0424

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR which is abstracted below describes the nature of the collection and the estimated burden and cost.

DATES: Additional comments may be submitted on or before August 10, 2006.

ADDRESSES: Submit your comments, referencing docket ID number EPA-HQ-OECA-2005-0077 to (1) EPA online using www.regulations.gov (our preferred method), or by email to docket.oeca@epa.gov, or by mail to: EPA Docket Center (EPA/DC), Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, mail code 2201T, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, and (2) OMB at: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer

for EPA, 725 17th Street, NW., Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT:

Gregory Fried, Compliance Assessment and Media Programs Division, Office of Compliance, Mail code: 2223A, Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460; telephone number: (202) 564-7016; fax number: (202) 564-0050; e-mail address: fried.gregory@epa.gov.

SUPPLEMENTARY INFORMATION: EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On September 21, 2005, (70 FR 55368), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received no comments (or) has addressed the comments received. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under docket ID number EPA-HQ-OECA-2005-0077, which is available for public viewing online at <http://www.regulations.gov>, in person viewing at the Enforcement and Compliance Docket in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Avenue, NW., Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket is (202) 566-1752.

Use EPA's electronic docket and comment system at <http://www.regulations.gov>, to submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper, will be made available for public viewing at <http://www.regulations.gov>, as EPA receives them and without change, unless the comment contains copyrighted material, Confidential Business Information (CBI), or other information whose public disclosure is restricted by statute. For further information about the electronic docket, go to www.regulations.gov.

Title: NSPS for Emission Guidelines and Compliance Times for Small Municipal Waste Combustion Units

Constructed on or Before August 30, 1999 (Renewal).

ICR Numbers: EPA ICR Number 1901.03, OMB Control Number 2060-0424.

ICR Status: This ICR is scheduled to expire on June 30, 2006. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, and displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

Abstract: The emission guidelines apply to small municipal waste combustors (MWCs) commencing construction before August 30, 1999, that combust greater than 35 tons per day (tpd) but less than 250 tpd of municipal solid waste. The emission guidelines regulate organics (dioxin/furans), metals (cadmium, lead, mercury, and particulate matter), and acid gases (hydrogen chloride, sulfur dioxide, and nitrogen oxides). The emission guidelines require initial reports, semiannual reports and annual reports. Owners or operators are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. Owners or operators subject to these regulations are required to maintain records of measurements and reports for at least five years.

Burden Statement: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 1,709 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and