

burden, increase efficiency, and better manage resources, SAMHSA goal is to combine these two surveys into the National Substance Use and Mental Health Services Survey (N-SUMHSS).

The N-SUMHSS, will include the facility characteristics and services questions currently asked in the N-SSATS and the N-MHSS. The survey will also collect, on an annual basis, client counts on those individuals receiving services at these facilities. Historically, client count information was collected every other year; however there is an increasing need to collect and maintain data on current and accurate numbers of clients in treatment at the local level for community to assess capacity and estimate resource requirements. This information on substance use and mental health services has assisted with communities to better respond to life changing events, (*i.e.*, hurricane) and plan for service demands in the event of a natural disaster, (*i.e.*, earthquakes).

SAMHSA requests is for approval of the N-SUMHSS data collection and the extension of the I-BHS data collection.

The N-SUMHSS survey will provide data on the numbers and types of patients treated and the characteristics of facilities providing substance use and mental health treatment services. The extension of the duration of the I-BHS survey, which is current authorized as part of N-SSATS (OMB No. 0930-0106), aligns it to the same period as the N-SUMHSS. These surveys are conducted under the authority of Section 505 of the Public Health Service Act (42 U.S.C. 290aa-4) to meet the specific mandates for annual information about public and private substance use/mental health treatment providers and the clients they serve.

This request includes:

- N-SUMHSS, an annual census of substance use and mental health treatment facilities which collects descriptive data on the location, scope of services provided, and operational characteristics of all known substance use and mental health treatment facilities in the United States and jurisdictions, and on utilization of services by means of a single-day count of clients in treatment; and

- I-BHS data collection activities associated with updating the inventory of both mental health treatment facilities and substance use treatment facilities.

The information in N-SUMHSS and I-BHS is needed to assess the nature and extent of these resources, to identify gaps in services, and to provide a database for treatment referrals.

The request for OMB approval will include a request to conduct the N-SUMHSS survey which includes facility characteristics and services and one-day client counts and to update the I-BHS facility listing on a continuous basis in 2021, 2022 and 2023. Also included in this request is the Between Cycle N-SUMHSS data collection (N-SUMHSS BC), to be conducted between annual surveys to collect information on new facilities for inclusion in the Treatment Locator. N-SUMHSS BC use is an abbreviated N-SUMHSS survey questionnaire.

The estimated annual burden for the I-BHS and BHSIS activities is as follows:

Type of respondent and activity	Number of respondents	Responses per respondent	Total responses	Hours per response	Total burden hours	Wage rate	Total hour cost
<b>States</b>							
I-BHS Online <sup>1</sup> .....	56	75	4,200	0.08	336	\$23	\$7,728
State Subtotal .....	56	.....	4,200	.....	336	.....	7,728
<b>Facilities</b>							
I-BHS application <sup>2</sup> .....	800	1	800	0.08	64	19.40	1,242
Augmentation screener .....	1,300	1	1,300	0.08	104	19.40	2,018
N-SUMHSS questionnaire (either SU or MH) .....	32,000	1	32,000	0.67	21,333	47.95	1,022,917
N-SUMHSS (both SU and MH) .....	5,000	1	5,000	1.17	5,833	47.95	279,692
N-SUMHSS BC .....	1,000	1	1,000	0.58	580	47.95	27,811
Facility Subtotal .....	40,100	.....	40,100	.....	27,914	.....	1,333,680
Total .....	40,156	.....	44,300	.....	28,250	.....	1,341,408

<sup>1</sup> States use the I-BHS Online system to submit information on newly licensed/approved facilities and on changes in facility name, address, status, etc.

<sup>2</sup> New facilities complete and submit the online I-BHS application form in order to get listed on the Inventory.

Send comments to Carlos Graham, SAMHSA Reports Clearance Officer, 5600 Fisher Lane, Room 15E57A, Rockville, MD 20852 OR email him a copy at [carlos.graham@samhsa.hhs.gov](mailto:carlos.graham@samhsa.hhs.gov). Written comments should be received by August 14, 2020.

**Carlos Graham,**

*Social Science Analyst.*

[FR Doc. 2020-12837 Filed 6-12-20; 8:45 am]

**BILLING CODE 4162-20-P**

## DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6217-N-01]

### Notice of Annual Factors for Determining Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

**AGENCY:** Office of the Assistant Secretary for Public and Indian Housing, HUD.

**ACTION:** Notice.

**SUMMARY:** This notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy, during calendar year (CY) 2020.

**DATES:** *Applicable Date:* January 1, 2020.

**FOR FURTHER INFORMATION CONTACT:** Miguel A. Fontánez, Director, Housing Voucher Financial Management

Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, 451 Seventh Street SW, Room 4222, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing or speech impaired individuals may call TTY number 1 (800) 877-8337.

#### SUPPLEMENTARY INFORMATION:

##### A. Background

This notice provides the HUD's methodology used to determine the CY 2020 administrative fee rates by area, which HUD uses to determine PHA administrative fees for the HCV, Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy programs. The HCV program is the federal government's major program for assisting very low-income families, the elderly, and the disabled to afford decent, safe, and sanitary housing in the private market. Mainstream Vouchers are tenant-based vouchers serving households that include a non-elderly person with a disability, available to PHAs through a competitive Notice of Funding Availability (NOFA). The moderate rehabilitation program provides project-based rental assistance for low income families. The program was repealed in 1991 and no new projects are authorized for development. Assistance is limited to properties previously rehabilitated pursuant to a housing assistance payments (HAP) contract between an owner and a PHA. PHAs are local offices responsible for administering and maintaining Section 8 housing benefits, located across the country.

##### B. CY 2020 Methodology

For CY 2020, in accordance with the 2020 Appropriations Act (Pub. L. 116-94), administrative fees are determined based on vouchers leased as of the first day of each month. This data is extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For Moderate Rehabilitation, including Single Room Occupancy, HAP contracts, administrative fees are earned based on the units under a HAP contract.

In the attached table, two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7200 voucher unit months leased in CY 2020. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2020. In years prior to 2010, Column C applied to all voucher unit months leased in dwelling units

owned by the PHA. For CY 2020, as in recent years, there are no Column C administrative fee rates. Fees for leasing PHA-owned units is determined in the same manner and at the same Column A and Column B rates as for all other voucher leasing.

In some cases, the fee rates calculated for CY 2020 are lower than those established for CY 2019. In these cases, the affected PHAs are held harmless at the CY 2019 fee rates.

The fee rates for each PHA generally cover the fees for areas in which the PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA chooses, the PHA may request HUD establish a blended fee rate to proportionately consider all areas in which participants are located. Once a blended rate is established, it is used to determine the PHA's fee eligibility for all months in CY 2020. The 2020 HCV Funding Implementation Notice described how to apply for blended fee rates and the deadline date for submitting such requests. The notice can be accessed through the following link: <https://www.hud.gov/sites/dfiles/PIH/documents/pih2020-04.pdf>.

PHAs operating over large geographic areas, defined as multiple counties, may request a higher administrative fee rate if eligible. The 2020 HCV Funding Implementation Notice described when to apply for higher fee rates and the deadline date for such requests. Higher administrative fee rates differ from blended administrative fee rates in how they are calculated. Requests for higher administrative rates must clearly demonstrate that the PHA's published rate cannot cover their projected expenses. Next, a breakeven rate is calculated to ensure the PHA receives sufficient funds to cover their expenses while also ensuring the administrative fee reserves do not grow.

This notice identifies the monthly per-voucher-unit fee rates to be used to determine PHA administrative fee eligibility. These fee rates remain posted at: [http://portal.hud.gov/hudportal/HUD?src=/program\\_offices/public\\_indian\\_housing/programs/hcv](http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv), under Program Related Information.

Direct questions to the PHA's assigned representative at the Financial Management Center or the Financial Management Division at [PIHFinancialManagementDivision@hud.gov](mailto:PIHFinancialManagementDivision@hud.gov).

##### C. Moving to Work (MTW) Agencies

Where an MTW Agency has an alternative formula for calculating HCV

Administrative Fees in Attachment A of their MTW Agreements, HUD calculates the HCV Administrative Fees in accordance with that MTW Agreement provision.

The Assistant Secretary for Public and Indian Housing, R. Hunter Kurtz, having reviewed and approved the annual announcement of Administrative Fee Rates, is delegating the authority to electronically sign this document to Aaron Santa Anna, who is the **Federal Register** Liaison for HUD, for purposes of publication in the **Federal Register**.

Dated: June 9, 2020.

**Aaron Santa Anna**,  
Federal Liaison for the Department of Housing and Urban Development.

PHA num	A rate	B rate
AK901 .....	\$102.40	\$95.58
AL001 .....	68.38	63.82
AL002 .....	69.46	64.84
AL004 .....	67.48	62.98
AL005 .....	70.23	65.55
AL006 .....	67.48	62.98
AL007 .....	67.48	62.98
AL008 .....	66.11	61.70
AL011 .....	66.11	61.70
AL012 .....	67.48	62.98
AL014 .....	66.11	61.70
AL047 .....	69.48	64.86
AL048 .....	67.48	62.98
AL049 .....	67.48	62.98
AL050 .....	67.48	62.98
AL052 .....	66.11	61.70
AL053 .....	66.11	61.70
AL054 .....	67.48	62.98
AL060 .....	66.11	61.70
AL061 .....	67.48	62.98
AL063 .....	68.38	63.82
AL068 .....	67.48	62.98
AL069 .....	68.38	63.82
AL072 .....	68.38	63.82
AL073 .....	66.27	61.85
AL075 .....	66.11	61.70
AL077 .....	67.48	62.98
AL086 .....	68.38	63.82
AL090 .....	66.11	61.70
AL091 .....	66.11	61.70
AL099 .....	66.11	61.70
AL105 .....	66.11	61.70
AL107 .....	66.11	61.70
AL112 .....	66.11	61.70
AL114 .....	66.11	61.70
AL115 .....	66.11	61.70
AL116 .....	66.11	61.70
AL118 .....	66.11	61.70
AL121 .....	66.11	61.70
AL124 .....	66.27	61.85
AL125 .....	68.38	63.82
AL129 .....	67.48	62.98
AL131 .....	67.48	62.98
AL138 .....	67.48	62.98
AL139 .....	67.48	62.98
AL152 .....	67.48	62.98
AL154 .....	66.11	61.70
AL155 .....	66.11	61.70
AL160 .....	66.11	61.70
AL165 .....	70.47	65.78
AL169 .....	69.46	64.84
AL171 .....	66.11	61.70
AL172 .....	67.48	62.98

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
AL174	66.11	61.70	AZ021	73.98	69.04	CA093	128.02	119.49
AL177	66.11	61.70	AZ023	61.91	57.78	CA094	128.02	119.49
AL181	66.11	61.70	AZ025	73.14	68.26	CA096	89.20	83.25
AL192	66.11	61.70	AZ028	73.98	69.04	CA102	128.02	119.49
AL202	69.46	64.84	AZ031	73.98	69.04	CA103	128.02	119.49
AR002	71.21	66.47	AZ032	73.98	69.04	CA104	128.02	119.49
AR003	65.27	60.92	AZ033	73.14	68.26	CA105	128.02	119.49
AR004	71.21	66.47	AZ034	60.78	56.73	CA106	89.20	83.25
AR006	71.21	66.47	AZ035	82.19	76.72	CA108	114.46	106.82
AR010	62.63	58.45	AZ037	60.78	56.73	CA110	128.02	119.49
AR012	62.63	58.45	AZ041	80.89	75.50	CA111	128.02	119.49
AR015	65.43	61.07	AZ043	99.06	92.46	CA114	128.02	119.49
AR016	62.63	58.45	AZ045	60.88	56.82	CA116	114.46	106.82
AR017	65.27	60.92	AZ880	73.98	69.04	CA117	128.02	119.49
AR020	62.78	58.59	AZ901	80.89	75.50	CA118	128.02	119.49
AR024	69.33	64.71	CA001	128.02	119.49	CA119	128.02	119.49
AR031	65.27	60.92	CA002	128.02	119.49	CA120	128.02	119.49
AR033	62.63	58.45	CA003	128.02	119.49	CA121	128.02	119.49
AR034	65.27	60.92	CA004	128.02	119.49	CA123	128.02	119.49
AR035	62.63	58.45	CA005	97.22	90.74	CA125	111.14	103.73
AR037	62.63	58.45	CA006	89.20	83.25	CA126	128.02	119.49
AR039	62.63	58.45	CA007	97.22	90.74	CA128	97.22	90.74
AR041	71.21	66.47	CA008	97.56	91.06	CA131	111.14	103.73
AR042	65.27	60.92	CA011	128.02	119.49	CA132	114.46	106.82
AR045	62.63	58.45	CA014	128.02	119.49	CA136	128.02	119.49
AR052	62.63	58.45	CA019	102.13	95.33	CA143	92.82	86.63
AR059	62.63	58.45	CA021	125.01	116.65	CA144	84.88	79.22
AR066	62.63	58.45	CA022	102.13	95.33	CA149	97.22	90.74
AR068	62.63	58.45	CA023	83.81	78.24	CA151	97.22	90.74
AR082	62.63	58.45	CA024	93.29	87.08	CA155	114.46	106.82
AR104	65.27	60.92	CA026	93.94	87.67	CO001	78.01	72.81
AR117	62.63	58.45	CA027	102.13	95.33	CO002	72.06	67.25
AR121	62.63	58.45	CA028	89.20	83.25	CO005	81.04	75.63
AR131	65.27	60.92	CA030	83.18	77.65	CO006	69.37	64.74
AR135	62.63	58.45	CA031	128.02	119.49	CO016	88.52	82.61
AR152	62.63	58.45	CA032	128.02	119.49	CO019	78.01	72.81
AR161	62.63	58.45	CA033	110.29	102.93	CO024	69.37	64.74
AR163	65.27	60.92	CA035	128.02	119.49	CO028	72.78	67.92
AR166	62.63	58.45	CA039	92.82	86.63	CO031	69.37	64.74
AR170	71.21	66.47	CA041	111.14	103.73	CO034	83.88	78.30
AR175	71.21	66.47	CA043	85.73	80.00	CO035	72.33	67.52
AR176	62.63	58.45	CA044	97.22	90.74	CO036	78.01	72.81
AR177	62.63	58.45	CA048	73.56	68.66	CO040	107.12	99.99
AR181	65.27	60.92	CA052	128.02	119.49	CO041	83.88	78.30
AR194	65.27	60.92	CA053	80.51	75.14	CO043	81.04	75.63
AR197	62.63	58.45	CA055	111.14	103.73	CO045	69.37	64.74
AR200	62.63	58.45	CA056	128.02	119.49	CO048	78.01	72.81
AR210	62.63	58.45	CA058	128.02	119.49	CO049	78.01	72.81
AR211	62.63	58.45	CA059	128.02	119.49	CO050	78.01	72.81
AR213	62.63	58.45	CA060	128.02	119.49	CO051	91.26	85.17
AR214	62.63	58.45	CA061	84.88	79.22	CO052	78.01	72.81
AR215	62.63	58.45	CA062	128.02	119.49	CO057	78.01	72.81
AR219	71.21	66.47	CA063	114.46	106.82	CO058	78.01	72.81
AR223	62.63	58.45	CA064	110.82	103.43	CO061	88.52	82.61
AR224	62.63	58.45	CA065	111.14	103.73	CO070	88.52	82.61
AR225	62.63	58.45	CA066	111.14	103.73	CO071	72.78	67.92
AR232	65.27	60.92	CA067	128.02	119.49	CO072	78.01	72.81
AR240	62.63	58.45	CA068	128.02	119.49	CO079	81.04	75.63
AR241	65.47	61.10	CA069	89.20	83.25	CO087	107.12	99.99
AR247	62.63	58.45	CA070	77.68	72.50	CO090	72.33	67.52
AR252	71.21	66.47	CA071	128.02	119.49	CO095	102.43	95.60
AR257	62.63	58.45	CA072	128.02	119.49	CO101	69.37	64.74
AR264	69.33	64.71	CA073	111.14	103.73	CO103	83.88	78.30
AR265	62.63	58.45	CA074	128.02	119.49	CO888	72.06	67.25
AR266	62.63	58.45	CA075	128.02	119.49	CO911	78.01	72.81
AZ001	73.98	69.04	CA076	125.01	116.65	CO921	78.01	72.81
AZ003	73.98	69.04	CA077	114.46	106.82	CT001	100.19	93.52
AZ004	73.14	68.26	CA079	128.02	119.49	CT002	107.40	100.25
AZ005	73.98	69.04	CA082	128.02	119.49	CT003	94.44	88.13
AZ006	80.89	75.50	CA084	91.48	85.38	CT004	104.10	97.16
AZ008	58.76	54.84	CA085	124.86	116.54	CT005	94.44	88.13
AZ009	73.98	69.04	CA086	87.44	81.60	CT006	85.30	79.61
AZ010	73.98	69.04	CA088	124.86	116.54	CT007	107.40	100.25
AZ013	82.19	76.72	CA092	128.02	119.49	CT008	94.44	88.13

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
CT009	94.44	88.13	FL041	84.39	78.77	IA004	70.66	65.95
CT010	85.30	79.61	FL045	84.39	78.77	IA015	67.21	62.73
CT011	104.10	97.16	FL046	64.40	60.11	IA018	70.90	66.17
CT013	94.44	88.13	FL047	83.28	77.74	IA020	80.19	74.85
CT015	100.19	93.52	FL049	63.20	58.99	IA022	81.73	76.29
CT017	100.19	93.52	FL053	64.92	60.58	IA023	71.25	66.50
CT018	92.71	86.53	FL057	63.20	58.99	IA024	77.63	72.45
CT019	107.40	100.25	FL060	81.10	75.69	IA030	67.21	62.73
CT020	107.40	100.25	FL062	79.21	73.92	IA038	77.93	72.74
CT023	94.44	88.13	FL063	71.18	66.44	IA042	67.21	62.73
CT024	85.30	79.61	FL066	107.49	100.34	IA045	74.56	69.59
CT026	94.44	88.13	FL068	107.49	100.34	IA047	67.21	62.73
CT027	100.19	93.52	FL069	64.40	60.11	IA049	67.21	62.73
CT028	94.44	88.13	FL070	71.18	66.44	IA050	77.93	72.74
CT029	104.10	97.16	FL071	65.93	61.54	IA054	67.21	62.73
CT030	100.19	93.52	FL072	79.41	74.12	IA056	67.21	62.73
CT031	85.30	79.61	FL073	70.50	65.79	IA057	67.21	62.73
CT032	94.44	88.13	FL075	79.21	73.92	IA084	67.21	62.73
CT033	94.44	88.13	FL079	100.65	93.94	IA087	71.84	67.05
CT036	94.44	88.13	FL080	83.94	78.34	IA098	70.81	66.10
CT038	94.44	88.13	FL081	100.65	93.94	IA100	67.21	62.73
CT039	94.44	88.13	FL083	83.94	78.34	IA107	67.21	62.73
CT040	94.44	88.13	FL092	64.92	60.58	IA108	67.21	62.73
CT041	94.44	88.13	FL093	82.73	77.21	IA113	77.93	72.74
CT042	104.10	97.16	FL102	64.40	60.11	IA114	67.21	62.73
CT047	85.30	79.61	FL104	79.21	73.92	IA117	71.25	66.50
CT048	94.44	88.13	FL105	86.94	81.14	IA119	67.21	62.73
CT049	94.44	88.13	FL106	82.73	77.21	IA120	80.19	74.85
CT051	94.44	88.13	FL110	64.40	60.11	IA122	67.21	62.73
CT052	100.19	93.52	FL113	79.41	74.12	IA124	67.21	62.73
CT053	94.44	88.13	FL116	100.65	93.94	IA125	67.21	62.73
CT058	85.30	79.61	FL119	83.94	78.34	IA126	74.56	69.59
CT061	85.30	79.61	FL123	79.74	74.42	IA127	67.21	62.73
CT063	104.10	97.16	FL128	83.28	77.74	IA128	67.21	62.73
CT067	104.10	97.16	FL132	84.08	78.49	IA129	67.21	62.73
CT068	94.44	88.13	FL136	100.65	93.94	IA130	67.21	62.73
CT901	94.44	88.13	FL137	79.21	73.92	IA131	80.19	74.85
DC001	116.27	108.53	FL139	65.93	61.54	IA132	77.93	72.74
DC880	116.27	108.53	FL141	86.66	80.89	IA136	67.21	62.73
DE001	93.31	87.09	FL144	108.66	101.43	ID005	68.89	64.30
DE002	80.59	75.21	FL145	107.49	100.34	ID013	85.61	79.91
DE003	93.31	87.09	FL147	64.40	60.11	ID016	85.61	79.91
DE005	93.31	87.09	FL201	82.73	77.21	ID021	85.61	79.91
DE901	80.59	75.21	FL202	63.20	58.99	ID901	71.32	66.55
FL001	75.03	70.03	FL881	107.49	100.34	IL002	98.72	92.13
FL002	79.21	73.92	FL888	79.21	73.92	IL003	77.95	72.76
FL003	79.21	73.92	GA001	70.23	65.55	IL004	71.04	66.30
FL004	82.73	77.21	GA002	70.23	65.55	IL006	69.57	64.94
FL005	107.49	100.34	GA004	70.23	65.55	IL009	74.56	69.59
FL007	79.41	74.12	GA006	85.63	79.91	IL010	74.56	69.59
FL008	86.94	81.14	GA007	70.23	65.55	IL011	63.13	58.92
FL009	83.94	78.34	GA009	70.23	65.55	IL012	67.22	62.74
FL010	100.65	93.94	GA010	85.63	79.91	IL014	74.93	69.94
FL011	65.93	61.54	GA011	85.63	79.91	IL015	67.77	63.25
FL013	108.66	101.43	GA023	70.23	65.55	IL016	62.64	58.46
FL015	70.50	65.79	GA062	67.12	62.64	IL018	74.56	69.59
FL017	107.49	100.34	GA078	85.63	79.91	IL020	74.56	69.59
FL018	64.40	60.11	GA095	85.63	79.91	IL022	70.89	66.17
FL019	76.37	71.30	GA116	85.63	79.91	IL024	98.72	92.13
FL020	76.37	71.30	GA188	85.63	79.91	IL025	98.72	92.13
FL021	83.94	78.34	GA228	85.63	79.91	IL026	98.72	92.13
FL022	79.41	74.12	GA232	85.63	79.91	IL028	71.04	66.30
FL023	86.94	81.14	GA237	85.63	79.91	IL030	67.77	63.25
FL024	79.41	74.12	GA264	85.63	79.91	IL032	74.93	69.94
FL025	76.37	71.30	GA269	85.63	79.91	IL034	69.57	64.94
FL026	65.93	61.54	GA285	70.23	65.55	IL035	74.93	69.94
FL028	100.65	93.94	GA901	85.63	79.91	IL037	62.64	58.46
FL030	79.41	74.12	GQ901	118.25	110.38	IL038	62.64	58.46
FL031	63.20	58.99	HI002	120.91	112.85	IL039	67.35	62.87
FL032	64.92	60.58	HI003	131.38	122.63	IL040	62.64	58.46
FL033	82.73	77.21	HI004	131.39	122.64	IL042	62.64	58.46
FL034	79.21	73.92	HI005	136.18	127.11	IL043	62.64	58.46
FL035	64.40	60.11	HI901	131.38	122.63	IL050	63.13	58.92
FL037	75.03	70.03	IA002	67.21	62.73	IL051	69.33	64.72

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
IL052	62.64	58.46	IN062	57.39	53.58	KY169	55.86	52.14
IL053	63.13	58.92	IN067	53.46	49.90	KY171	62.61	58.44
IL054	98.72	92.13	IN071	63.30	59.07	KY901	69.34	64.72
IL056	98.72	92.13	IN073	53.46	49.90	LA001	73.17	68.28
IL057	62.64	58.46	IN077	54.42	50.79	LA002	71.63	66.86
IL059	62.64	58.46	IN078	55.96	52.23	LA003	79.00	73.74
IL061	63.38	59.15	IN079	65.53	61.16	LA004	68.37	63.81
IL074	67.77	63.25	IN080	65.53	61.16	LA005	68.37	63.81
IL076	62.64	58.46	IN086	53.46	49.90	LA006	68.37	63.81
IL079	62.64	58.46	IN091	53.46	49.90	LA009	79.00	73.74
IL082	62.64	58.46	IN092	53.46	49.90	LA012	73.17	68.28
IL083	70.89	66.17	IN094	55.35	51.65	LA013	73.17	68.28
IL084	66.44	62.01	IN100	58.34	54.46	LA023	68.37	63.81
IL085	63.95	59.69	IN901	65.53	61.16	LA024	67.58	63.08
IL086	66.44	62.01	KS001	65.89	61.49	LA029	68.37	63.81
IL087	62.64	58.46	KS002	62.39	58.24	LA031	67.58	63.08
IL088	62.64	58.46	KS004	67.22	62.73	LA032	68.37	63.81
IL089	78.24	73.02	KS006	58.67	54.76	LA033	67.58	63.08
IL090	98.72	92.13	KS017	58.67	54.76	LA036	67.58	63.08
IL091	62.64	58.46	KS038	58.67	54.76	LA037	72.99	68.13
IL092	98.72	92.13	KS041	58.67	54.76	LA046	68.37	63.81
IL095	73.47	68.57	KS043	65.89	61.49	LA057	68.37	63.81
IL096	62.64	58.46	KS053	68.95	64.35	LA063	68.37	63.81
IL101	98.72	92.13	KS062	58.67	54.76	LA067	67.58	63.08
IL103	98.72	92.13	KS063	59.23	55.28	LA074	67.58	63.08
IL104	77.95	72.76	KS068	65.89	61.49	LA086	67.58	63.08
IL107	98.72	92.13	KS073	67.22	62.73	LA094	73.17	68.28
IL116	98.72	92.13	KS091	58.67	54.76	LA097	67.58	63.08
IL117	69.33	64.72	KS149	58.67	54.76	LA101	79.00	73.74
IL120	62.64	58.46	KS159	65.89	61.49	LA103	73.17	68.28
IL122	70.89	66.17	KS161	58.67	54.76	LA104	68.37	63.81
IL123	62.64	58.46	KS162	65.89	61.49	LA111	67.58	63.88
IL124	77.95	72.76	KS165	58.67	54.76	LA114	67.58	63.08
IL126	63.13	58.92	KS166	58.67	54.76	LA115	67.58	63.08
IL130	98.72	92.13	KS167	59.23	55.28	LA120	68.37	63.81
IL131	74.56	69.59	KS168	62.39	58.24	LA122	68.37	63.81
IL136	98.72	92.13	KS170	58.67	54.76	LA125	67.58	63.08
IL137	99.57	92.92	KY001	62.61	58.44	LA128	67.58	63.08
IL901	98.72	92.13	KY003	56.90	53.11	LA129	68.37	63.81
IN002	53.46	49.90	KY004	69.34	64.72	LA132	67.58	63.08
IN003	59.27	55.33	KY007	55.86	52.14	LA159	67.58	63.08
IN004	55.21	51.53	KY008	55.86	52.14	LA163	67.58	63.08
IN005	55.21	51.53	KY009	62.61	58.44	LA165	68.37	63.81
IN006	65.53	61.16	KY011	70.23	65.55	LA166	67.58	63.08
IN007	57.66	53.82	KY012	57.29	53.47	LA169	67.58	63.08
IN009	53.46	49.90	KY015	71.51	66.74	LA171	68.37	63.81
IN010	72.36	67.55	KY017	55.86	52.14	LA172	68.37	63.81
IN011	72.36	67.55	KY021	55.86	52.14	LA173	68.37	63.81
IN012	62.61	58.44	KY022	55.86	52.14	LA174	68.37	63.81
IN015	58.34	54.46	KY026	55.86	52.14	LA178	68.37	63.81
IN016	57.29	53.47	KY027	55.86	52.14	LA181	73.17	68.28
IN017	65.53	61.16	KY035	55.86	52.14	LA182	67.58	63.08
IN018	53.46	49.90	KY040	55.86	52.14	LA184	71.63	66.86
IN019	57.16	53.34	KY047	55.86	52.14	LA186	68.37	63.81
IN020	58.34	54.46	KY053	55.86	52.14	LA187	73.17	68.28
IN021	55.21	51.53	KY056	55.86	52.14	LA188	67.58	63.08
IN022	58.74	54.83	KY061	69.34	64.72	LA189	68.37	63.81
IN023	62.61	58.44	KY071	62.10	57.96	LA190	71.63	66.86
IN025	62.61	58.44	KY086	55.86	52.14	LA192	67.58	63.08
IN026	57.28	53.46	KY107	55.86	52.14	LA194	70.06	65.40
IN029	72.36	67.55	KY121	55.86	52.14	LA195	67.58	63.08
IN031	53.46	49.90	KY132	61.86	57.74	LA196	68.37	63.81
IN032	54.42	50.79	KY133	71.51	66.74	LA199	79.00	73.74
IN035	55.21	51.53	KY135	71.51	66.74	LA202	79.00	73.74
IN037	57.29	53.47	KY136	71.51	66.74	LA204	79.00	73.74
IN041	53.46	49.90	KY137	55.86	52.14	LA205	79.00	73.74
IN043	53.46	49.90	KY138	55.86	52.14	LA206	68.37	63.81
IN047	53.46	49.90	KY140	69.34	64.72	LA207	68.37	63.81
IN048	53.46	49.90	KY141	55.86	52.14	LA211	70.06	65.40
IN050	53.46	49.90	KY142	62.44	58.28	LA212	67.58	63.08
IN055	54.42	50.79	KY157	55.86	52.14	LA213	72.99	68.13
IN056	55.96	52.23	KY160	55.86	52.14	LA214	68.37	63.81
IN058	59.81	55.83	KY161	62.44	58.28	LA215	67.58	63.08
IN060	57.28	53.46	KY163	55.86	52.14	LA220	67.58	63.08

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
LA222	67.58	63.08	MA069	130.81	122.08	MD014	78.28	73.06
LA229	67.58	63.08	MA070	130.81	122.08	MD015	116.27	108.53
LA230	71.63	66.86	MA072	130.81	122.08	MD016	93.31	87.09
LA232	67.58	63.08	MA073	130.81	122.08	MD018	87.10	81.28
LA233	67.58	63.08	MA074	130.81	122.08	MD019	76.79	71.66
LA238	73.17	68.28	MA075	130.81	122.08	MD021	98.80	92.21
LA241	67.58	63.08	MA076	121.02	112.96	MD022	116.27	108.53
LA242	67.58	63.08	MA077	121.02	112.96	MD023	87.10	81.28
LA246	67.58	63.08	MA078	121.02	112.96	MD024	116.27	108.53
LA247	67.58	63.08	MA079	130.81	122.08	MD025	87.10	81.28
LA248	67.58	63.08	MA080	121.02	112.96	MD027	87.10	81.28
LA253	70.06	65.40	MA081	121.02	112.96	MD028	68.32	63.76
LA257	67.58	63.08	MA082	121.02	112.96	MD029	93.31	87.09
LA258	67.58	63.08	MA084	121.02	112.96	MD032	87.10	81.28
LA266	68.37	63.81	MA085	121.02	112.96	MD033	87.10	81.28
LA888	71.63	66.86	MA086	121.02	112.96	MD034	87.10	81.28
LA889	73.17	68.28	MA087	121.02	112.96	MD901	116.27	108.53
LA903	73.17	68.28	MA088	121.02	112.96	ME001	66.51	62.08
MA001	121.02	112.96	MA089	130.81	122.08	ME002	66.51	62.08
MA002	130.81	122.08	MA090	130.81	122.08	ME003	105.84	98.80
MA003	130.81	122.08	MA091	130.81	122.08	ME004	66.51	62.08
MA005	121.02	112.96	MA092	130.81	122.08	ME005	75.74	70.68
MA006	118.28	110.40	MA093	130.81	122.08	ME006	80.94	75.53
MA007	121.02	112.96	MA094	119.92	111.93	ME007	75.74	70.68
MA008	121.02	112.96	MA095	131.11	122.38	ME008	69.93	65.26
MA010	121.02	112.96	MA096	119.92	111.93	ME009	76.88	71.77
MA012	121.02	112.96	MA098	130.81	122.08	ME011	93.12	86.90
MA013	130.81	122.08	MA099	130.81	122.08	ME015	105.84	98.80
MA014	130.81	122.08	MA100	121.02	112.96	ME018	76.88	71.77
MA015	130.81	122.08	MA101	130.81	122.08	ME019	84.84	79.16
MA016	130.81	122.08	MA105	121.02	112.96	ME020	105.84	98.80
MA017	130.81	122.08	MA106	121.02	112.96	ME021	76.88	71.77
MA018	118.28	110.40	MA107	121.02	112.96	ME025	66.51	62.08
MA019	130.81	122.08	MA108	121.02	112.96	ME027	68.27	63.73
MA020	130.81	122.08	MA109	130.81	122.08	ME028	93.12	86.90
MA022	130.81	122.08	MA110	131.11	122.38	ME030	69.93	65.26
MA023	130.81	122.08	MA111	130.81	122.08	ME901	65.29	60.93
MA024	121.02	112.96	MA112	130.81	122.08	MI001	67.95	63.42
MA025	130.81	122.08	MA116	130.81	122.08	MI005	67.95	63.42
MA026	121.02	112.96	MA117	130.81	122.08	MI006	58.11	54.23
MA027	130.81	122.08	MA118	130.81	122.08	MI008	67.95	63.42
MA028	130.81	122.08	MA119	130.81	122.08	MI009	58.49	54.58
MA029	121.02	112.96	MA121	130.81	122.08	MI010	59.23	55.29
MA031	130.81	122.08	MA122	130.81	122.08	MI019	56.79	53.00
MA032	130.81	122.08	MA123	121.02	112.96	MI020	56.79	53.00
MA033	130.81	122.08	MA125	130.81	122.08	MI023	56.79	53.00
MA034	121.02	112.96	MA127	121.02	112.96	MI027	67.95	63.42
MA035	121.02	112.96	MA133	130.81	122.08	MI030	56.79	53.00
MA036	130.81	122.08	MA134	130.81	122.08	MI031	64.14	59.87
MA037	121.02	112.96	MA135	130.81	122.08	MI032	59.23	55.29
MA039	121.02	112.96	MA138	131.11	122.38	MI035	61.24	57.17
MA040	130.81	122.08	MA139	121.02	112.96	MI036	56.79	53.00
MA041	121.02	112.96	MA140	130.81	122.08	MI037	67.95	63.42
MA042	130.81	122.08	MA147	130.81	122.08	MI038	58.73	54.82
MA043	121.02	112.96	MA154	130.81	122.08	MI039	67.95	63.42
MA044	130.81	122.08	MA155	130.81	122.08	MI040	67.95	63.42
MA045	130.81	122.08	MA165	130.81	122.08	MI044	67.95	63.42
MA046	131.11	122.38	MA170	118.28	110.40	MI045	67.95	63.42
MA047	131.11	122.38	MA172	121.02	112.96	MI047	56.79	53.00
MA048	130.81	122.08	MA174	130.81	122.08	MI048	67.95	63.42
MA050	121.02	112.96	MA180	131.11	122.38	MI049	56.79	53.00
MA051	121.02	112.96	MA181	131.11	122.38	MI050	56.79	53.00
MA053	130.81	122.08	MA188	121.02	112.96	MI051	67.95	63.42
MA054	130.81	122.08	MA880	130.81	122.08	MI052	67.95	63.42
MA055	130.81	122.08	MA881	130.81	122.08	MI055	67.95	63.42
MA056	130.81	122.08	MA882	121.02	112.96	MI058	65.15	60.80
MA057	130.81	122.08	MA883	130.81	122.08	MI059	67.95	63.42
MA059	130.81	122.08	MA901	130.81	122.08	MI060	60.91	56.84
MA060	121.02	112.96	MD001	87.10	81.28	MI061	61.30	57.21
MA061	130.81	122.08	MD002	87.10	81.28	MI063	56.79	53.00
MA063	130.81	122.08	MD003	116.27	108.53	MI064	80.96	75.56
MA065	130.81	122.08	MD004	116.27	108.53	MI066	64.14	59.87
MA066	121.02	112.96	MD006	68.32	63.76	MI070	60.91	56.84
MA067	130.81	122.08	MD007	116.27	108.53	MI073	64.14	59.87

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
MI074 .....	61.30	57.21	MN184 .....	92.99	86.79	MS128 .....	64.41	60.11
MI080 .....	63.03	58.84	MN188 .....	63.37	59.14	MS301 .....	67.01	62.54
MI084 .....	60.91	56.84	MN190 .....	63.37	59.14	MT001 .....	89.44	83.48
MI087 .....	60.91	56.84	MN191 .....	63.37	59.14	MT002 .....	79.19	73.92
MI089 .....	67.95	63.42	MN192 .....	63.37	59.14	MT003 .....	73.94	69.00
MI093 .....	64.14	59.87	MN193 .....	71.20	66.46	MT004 .....	85.97	80.24
MI094 .....	56.79	53.00	MN197 .....	63.37	59.14	MT006 .....	69.65	65.02
MI096 .....	67.95	63.42	MN200 .....	63.37	59.14	MT015 .....	75.47	70.43
MI097 .....	67.95	63.42	MN203 .....	66.48	62.04	MT033 .....	80.51	75.13
MI100 .....	67.95	63.42	MN212 .....	92.99	86.79	MT036 .....	75.47	70.43
MI112 .....	56.79	53.00	MN216 .....	92.99	86.79	MT901 .....	89.44	83.48
MI115 .....	64.14	59.87	MN219 .....	69.08	64.47	NC001 .....	67.86	63.34
MI117 .....	56.79	53.00	MN220 .....	69.13	64.53	NC002 .....	81.07	75.66
MI119 .....	56.79	53.00	MN801 .....	92.99	86.79	NC003 .....	74.35	69.38
MI120 .....	59.23	55.29	MN802 .....	92.99	86.79	NC004 .....	64.25	59.97
MI121 .....	61.30	57.21	MO001 .....	67.77	63.25	NC006 .....	70.23	65.56
MI132 .....	56.79	53.00	MO002 .....	65.89	61.49	NC007 .....	67.86	63.34
MI139 .....	67.95	63.42	MO003 .....	64.97	60.64	NC008 .....	74.35	69.38
MI157 .....	67.95	63.42	MO004 .....	67.77	63.25	NC009 .....	68.98	64.37
MI167 .....	65.15	60.80	MO006 .....	67.77	63.25	NC011 .....	70.23	65.56
MI168 .....	65.15	60.80	MO007 .....	64.97	60.64	NC012 .....	70.23	65.56
MI186 .....	56.79	53.00	MO008 .....	64.75	60.44	NC013 .....	81.07	75.66
MI194 .....	65.15	60.80	MO009 .....	64.97	60.64	NC014 .....	64.25	59.97
MI198 .....	64.14	59.87	MO010 .....	64.75	60.44	NC015 .....	67.86	63.34
MI880 .....	65.15	60.80	MO014 .....	64.97	60.64	NC018 .....	64.25	59.97
MI901 .....	67.95	63.42	MO016 .....	64.75	60.44	NC019 .....	67.86	63.34
MN001 .....	92.99	86.79	MO017 .....	65.89	61.49	NC020 .....	64.25	59.97
MN002 .....	92.99	86.79	MO030 .....	65.89	61.49	NC021 .....	81.07	75.66
MN003 .....	68.78	64.20	MO037 .....	64.75	60.44	NC022 .....	67.86	63.34
MN006 .....	64.25	59.97	MO040 .....	64.75	60.44	NC025 .....	64.25	59.97
MN007 .....	68.78	64.20	MO053 .....	65.89	61.49	NC032 .....	64.25	59.97
MN008 .....	63.37	59.14	MO058 .....	64.97	60.64	NC035 .....	64.86	60.53
MN009 .....	63.37	59.14	MO064 .....	64.75	60.44	NC039 .....	66.81	62.36
MN018 .....	63.37	59.14	MO065 .....	64.75	60.44	NC050 .....	67.55	63.04
MN021 .....	76.95	71.82	MO072 .....	64.75	60.44	NC056 .....	71.50	66.74
MN032 .....	63.37	59.14	MO074 .....	64.75	60.44	NC057 .....	74.35	69.38
MN034 .....	63.37	59.14	MO107 .....	64.75	60.44	NC059 .....	70.23	65.56
MN037 .....	63.43	59.21	MO129 .....	64.75	60.44	NC065 .....	74.35	69.38
MN038 .....	70.85	66.12	MO133 .....	64.75	60.44	NC070 .....	70.73	66.00
MN049 .....	63.37	59.14	MO145 .....	64.75	60.44	NC071 .....	66.81	62.36
MN063 .....	69.08	64.47	MO149 .....	64.75	60.44	NC072 .....	70.43	65.74
MN067 .....	92.99	86.79	MO188 .....	64.97	60.64	NC075 .....	64.25	59.97
MN073 .....	68.78	64.20	MO190 .....	64.75	60.44	NC077 .....	64.25	59.97
MN077 .....	69.13	64.53	MO193 .....	65.89	61.49	NC081 .....	70.23	65.56
MN085 .....	63.37	59.14	MO196 .....	65.89	61.49	NC087 .....	67.86	63.34
MN090 .....	63.37	59.14	MO197 .....	65.89	61.49	NC089 .....	64.25	59.97
MN101 .....	63.37	59.14	MO198 .....	64.97	60.64	NC098 .....	67.86	63.34
MN107 .....	63.37	59.14	MO199 .....	67.77	63.25	NC102 .....	70.73	66.00
MN128 .....	63.37	59.14	MO200 .....	64.75	60.44	NC104 .....	81.07	75.66
MN144 .....	92.99	86.79	MO203 .....	64.97	60.64	NC118 .....	64.25	59.97
MN147 .....	92.99	86.79	MO204 .....	65.89	61.49	NC120 .....	81.07	75.66
MN151 .....	76.99	71.87	MO205 .....	67.77	63.25	NC134 .....	70.73	66.00
MN152 .....	92.99	86.79	MO206 .....	64.75	60.44	NC137 .....	67.86	63.34
MN153 .....	63.37	59.14	MO207 .....	64.75	60.44	NC138 .....	64.25	59.97
MN154 .....	63.37	59.14	MO209 .....	64.75	60.44	NC139 .....	64.25	59.97
MN158 .....	76.95	71.82	MO210 .....	65.89	61.49	NC140 .....	67.86	63.34
MN161 .....	66.48	62.04	MO212 .....	64.75	60.44	NC141 .....	64.25	59.97
MN163 .....	92.99	86.79	MO213 .....	65.89	61.49	NC144 .....	67.86	63.34
MN164 .....	76.95	71.82	MO215 .....	64.97	60.64	NC145 .....	64.25	59.97
MN166 .....	63.37	59.14	MO216 .....	64.97	60.64	NC146 .....	64.25	59.97
MN167 .....	69.08	64.47	MO217 .....	64.75	60.44	NC147 .....	67.86	63.34
MN168 .....	66.48	62.04	MO227 .....	67.77	63.25	NC149 .....	64.25	59.97
MN169 .....	63.37	59.14	MS004 .....	64.41	60.11	NC150 .....	64.25	59.97
MN170 .....	92.99	86.79	MS005 .....	67.01	62.54	NC151 .....	64.68	60.37
MN171 .....	65.48	61.10	MS006 .....	64.41	60.11	NC152 .....	67.86	63.34
MN172 .....	70.85	66.12	MS016 .....	69.33	64.71	NC155 .....	64.25	59.97
MN173 .....	63.37	59.14	MS019 .....	64.41	60.11	NC159 .....	71.50	66.74
MN174 .....	63.37	59.14	MS030 .....	64.41	60.11	NC160 .....	64.25	59.97
MN176 .....	63.37	59.14	MS040 .....	67.01	62.54	NC161 .....	64.25	59.97
MN177 .....	63.37	59.14	MS057 .....	64.41	60.11	NC163 .....	67.55	63.04
MN178 .....	66.48	62.04	MS058 .....	79.07	73.79	NC164 .....	81.07	75.66
MN179 .....	63.37	59.14	MS095 .....	64.41	60.11	NC165 .....	64.25	59.97
MN180 .....	63.37	59.14	MS103 .....	79.07	73.79	NC166 .....	70.23	65.56
MN182 .....	63.37	59.14	MS107 .....	64.41	60.11	NC167 .....	65.46	61.09

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
NC173	67.86	63.34	NH016	77.24	72.10	NJ112	114.11	106.51
NC175	67.86	63.34	NH022	121.02	112.96	NJ113	111.43	103.98
NC901	64.25	59.97	NH888	100.56	93.85	NJ114	114.11	106.51
ND001	76.95	71.82	NH901	94.66	88.34	NJ118	93.31	87.09
ND002	76.20	71.12	NJ002	111.43	103.98	NJ204	93.31	87.09
ND003	76.20	71.12	NJ003	111.43	103.98	NJ212	109.48	102.18
ND009	76.20	71.12	NJ004	95.11	88.76	NJ214	111.71	104.26
ND010	76.95	71.82	NJ006	114.11	106.51	NJ880	111.71	104.26
ND011	76.20	71.12	NJ007	111.71	104.26	NJ881	114.11	106.51
ND012	76.95	71.82	NJ008	111.71	104.26	NJ882	111.43	103.98
ND013	76.20	71.12	NJ009	95.11	88.76	NJ912	111.43	103.98
ND014	76.95	71.82	NJ010	93.31	87.09	NM001	80.56	75.19
ND015	76.20	71.12	NJ011	114.11	106.51	NM002	62.05	57.91
ND016	76.20	71.12	NJ012	95.11	88.76	NM003	63.93	59.67
ND017	76.20	71.12	NJ013	114.11	106.51	NM006	80.18	74.83
ND019	76.20	71.12	NJ014	94.22	87.96	NM009	95.34	88.97
ND021	76.95	71.82	NJ015	95.11	88.76	NM020	62.79	58.59
ND022	76.20	71.12	NJ021	114.11	106.51	NM033	62.05	57.91
ND025	76.20	71.12	NJ022	114.11	106.51	NM039	62.05	57.91
ND026	76.20	71.12	NJ023	111.43	103.98	NM050	95.34	88.97
ND030	76.20	71.12	NJ025	111.43	103.98	NM057	80.56	75.19
ND031	76.20	71.12	NJ026	95.11	88.76	NM061	62.05	57.91
ND035	76.20	71.12	NJ030	95.11	88.76	NM063	62.79	58.59
ND036	76.20	71.12	NJ032	111.43	103.98	NM066	79.28	73.99
ND037	76.20	71.12	NJ033	114.11	106.51	NM067	62.05	57.91
ND038	76.20	71.12	NJ035	114.11	106.51	NM077	80.56	75.19
ND039	76.20	71.12	NJ036	95.11	88.76	NM088	66.17	61.76
ND044	76.20	71.12	NJ037	111.43	103.98	NV001	84.09	78.48
ND049	76.20	71.12	NJ039	111.43	103.98	NV018	94.46	88.17
ND052	76.20	71.12	NJ042	114.11	106.51	NV905	84.09	78.48
ND054	76.20	71.12	NJ043	114.11	106.51	NY001	82.33	76.85
ND055	76.20	71.12	NJ044	114.11	106.51	NY002	76.95	71.83
ND070	76.20	71.12	NJ046	111.71	104.26	NY003	128.16	119.62
ND901	76.95	71.82	NJ047	114.11	106.51	NY005	111.40	103.97
NE001	71.25	66.50	NJ048	111.71	104.26	NY006	75.37	70.36
NE002	70.90	66.17	NJ049	90.58	84.54	NY009	89.47	83.51
NE003	70.90	66.17	NJ050	111.43	103.98	NY012	89.47	83.51
NE004	70.90	66.17	NJ051	93.31	87.09	NY015	89.47	83.51
NE010	70.90	66.17	NJ052	111.43	103.98	NY016	78.07	72.86
NE041	70.90	66.17	NJ054	111.71	104.26	NY017	62.96	58.77
NE078	70.90	66.17	NJ055	114.11	106.51	NY018	66.75	62.30
NE083	70.90	66.17	NJ056	111.71	104.26	NY019	75.37	70.36
NE094	70.90	66.17	NJ058	93.31	87.09	NY020	89.47	83.51
NE100	70.90	66.17	NJ059	94.22	87.96	NY021	72.69	67.85
NE104	70.90	66.17	NJ060	111.71	104.26	NY022	89.47	83.51
NE114	70.90	66.17	NJ061	90.58	84.54	NY023	128.16	119.62
NE120	70.90	66.17	NJ063	90.58	84.54	NY025	89.47	83.51
NE123	70.90	66.17	NJ065	111.71	104.26	NY027	82.33	76.85
NE141	70.90	66.17	NJ066	111.43	103.98	NY028	89.47	83.51
NE143	70.90	66.17	NJ067	114.11	106.51	NY033	89.47	83.51
NE150	70.90	66.17	NJ068	111.43	103.98	NY034	75.37	70.36
NE153	71.25	66.50	NJ070	114.11	106.51	NY035	128.16	119.62
NE157	70.90	66.17	NJ071	114.11	106.51	NY038	128.16	119.62
NE174	71.25	66.50	NJ073	93.31	87.09	NY041	94.19	87.91
NE175	70.90	66.17	NJ074	93.31	87.09	NY042	128.16	119.62
NE179	70.90	66.17	NJ075	114.11	106.51	NY044	94.19	87.91
NE180	70.90	66.17	NJ077	95.11	88.76	NY045	100.76	94.04
NE181	70.90	66.17	NJ081	111.71	104.26	NY048	59.72	55.74
NE182	70.90	66.17	NJ083	95.11	88.76	NY049	114.50	106.87
NH001	94.66	88.34	NJ084	114.11	106.51	NY050	128.16	119.62
NH002	100.56	93.85	NJ086	111.43	103.98	NY051	114.50	106.87
NH003	98.01	91.49	NJ088	111.43	103.98	NY054	87.99	82.14
NH004	98.01	91.49	NJ089	114.11	106.51	NY057	128.16	119.62
NH005	107.75	100.56	NJ090	114.11	106.51	NY059	75.37	70.36
NH006	98.01	91.49	NJ092	111.43	103.98	NY060	76.49	71.39
NH007	84.87	79.21	NJ095	111.71	104.26	NY061	68.94	64.35
NH008	98.01	91.49	NJ097	114.11	106.51	NY062	114.50	106.87
NH009	87.61	81.76	NJ099	111.43	103.98	NY065	69.85	65.20
NH010	100.69	93.98	NJ102	111.43	103.98	NY066	70.39	65.70
NH011	77.24	72.10	NJ105	111.43	103.98	NY067	66.62	62.17
NH012	82.28	76.80	NJ106	114.11	106.51	NY068	65.27	60.91
NH013	98.01	91.49	NJ108	111.43	103.98	NY070	76.95	71.83
NH014	98.01	91.49	NJ109	111.43	103.98	NY071	78.04	72.84
NH015	77.24	72.10	NJ110	114.11	106.51	NY077	128.16	119.62



PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
NY079	84.71	79.06	NY532	89.47	83.51	OH069	61.01	56.94
NY084	111.40	103.97	NY534	75.37	70.36	OH070	70.05	65.37
NY085	128.16	119.62	NY535	89.47	83.51	OH071	73.41	68.51
NY086	128.16	119.62	NY538	89.47	83.51	OH072	61.01	56.94
NY087	64.19	59.90	NY541	65.27	60.91	OH073	73.85	68.92
NY088	128.16	119.62	NY552	75.37	70.36	OH074	62.72	58.53
NY089	94.19	87.91	NY557	89.47	83.51	OH075	61.01	56.94
NY091	76.95	71.83	NY561	89.47	83.51	OH076	61.01	56.94
NY094	128.16	119.62	NY562	89.47	83.51	OH077	61.01	56.94
NY098	75.37	70.36	NY564	89.47	83.51	OH078	61.01	56.94
NY102	82.33	76.85	NY630	89.47	83.51	OH079	70.05	65.37
NY103	100.76	94.04	NY888	128.16	119.62	OH080	62.50	58.32
NY107	82.33	76.85	NY889	62.96	58.77	OH081	62.59	58.41
NY109	75.37	70.36	NY891	128.16	119.62	OH082	61.16	57.07
NY110	111.40	103.97	NY892	128.16	119.62	OH083	70.05	65.37
NY113	128.16	119.62	NY895	128.16	119.62	OH085	73.41	68.51
NY114	111.40	103.97	NY904	111.40	103.97	OH086	61.01	56.94
NY117	128.16	119.62	NY912	76.95	71.83	OH882	73.85	68.92
NY120	128.16	119.62	OH001	70.05	65.37	OK002	66.45	62.02
NY121	128.16	119.62	OH002	63.62	59.37	OK005	64.64	60.33
NY123	128.16	119.62	OH003	73.85	68.92	OK006	63.78	59.53
NY125	114.50	106.87	OH004	71.51	66.74	OK024	63.78	59.53
NY127	128.16	119.62	OH005	65.24	60.89	OK027	63.78	59.53
NY128	128.16	119.62	OH006	73.41	68.51	OK032	63.78	59.53
NY130	128.16	119.62	OH007	72.65	67.81	OK033	64.64	60.33
NY132	128.16	119.62	OH008	63.62	59.37	OK044	63.78	59.53
NY134	114.50	106.87	OH009	61.01	56.94	OK062	63.78	59.53
NY137	114.50	106.87	OH010	61.01	56.94	OK067	63.78	59.53
NY138	111.40	103.97	OH012	73.85	68.92	OK073	64.64	60.33
NY141	128.16	119.62	OH014	64.05	59.78	OK095	65.57	61.20
NY146	128.16	119.62	OH015	71.51	66.74	OK096	63.78	59.53
NY147	128.16	119.62	OH016	62.59	58.41	OK099	63.78	59.53
NY148	111.40	103.97	OH018	62.59	58.41	OK111	63.78	59.53
NY149	128.16	119.62	OH019	62.44	58.28	OK118	63.78	59.53
NY151	128.16	119.62	OH020	61.09	57.02	OK139	66.45	62.02
NY152	128.16	119.62	OH021	65.24	60.89	OK142	64.64	60.33
NY154	128.16	119.62	OH022	65.24	60.89	OK146	63.78	59.53
NY158	114.50	106.87	OH024	61.01	56.94	OK148	65.57	61.20
NY159	128.16	119.62	OH025	73.85	68.92	OK901	66.45	62.02
NY160	111.40	103.97	OH026	62.01	57.87	OR001	87.03	81.22
NY165	128.16	119.62	OH027	73.85	68.92	OR002	87.03	81.22
NY402	79.50	74.19	OH028	64.96	60.63	OR003	87.64	81.80
NY403	59.45	55.49	OH029	71.99	67.18	OR005	81.56	76.13
NY404	76.95	71.83	OH030	61.01	56.94	OR006	100.01	93.35
NY405	76.95	71.83	OH031	72.65	67.81	OR007	83.85	78.26
NY406	94.19	87.91	OH032	61.25	57.16	OR008	93.43	87.21
NY408	89.47	83.51	OH033	61.01	56.94	OR011	93.43	87.21
NY409	76.95	71.83	OH034	61.25	57.16	OR014	93.43	87.21
NY413	76.49	71.39	OH035	61.01	56.94	OR015	99.36	92.73
NY416	89.47	83.51	OH036	61.29	57.20	OR016	87.03	81.22
NY417	75.37	70.36	OH037	61.01	56.94	OR017	80.04	74.71
NY421	89.47	83.51	OH038	71.51	66.74	OR019	88.35	82.45
NY422	89.47	83.51	OH039	61.01	56.94	OR020	87.64	81.80
NY424	89.47	83.51	OH040	61.01	56.94	OR022	87.03	81.22
NY427	89.47	83.51	OH041	61.01	56.94	OR026	88.71	82.80
NY428	89.47	83.51	OH042	73.85	68.92	OR027	80.04	74.71
NY430	89.47	83.51	OH043	70.05	65.37	OR028	87.03	81.22
NY431	89.47	83.51	OH044	63.62	59.37	OR031	90.52	84.50
NY433	59.72	55.74	OH045	61.01	56.94	OR032	83.85	78.26
NY443	75.37	70.36	OH046	61.01	56.94	OR034	96.07	89.66
NY447	89.47	83.51	OH047	61.01	56.94	PA001	65.12	60.78
NY449	76.95	71.83	OH049	71.51	66.74	PA002	93.31	87.09
NY501	89.47	83.51	OH050	61.01	56.94	PA003	63.13	58.92
NY503	89.47	83.51	OH053	61.01	56.94	PA004	79.47	74.16
NY504	82.33	76.85	OH054	63.57	59.33	PA005	65.12	60.78
NY505	78.07	72.86	OH056	61.01	56.94	PA006	65.12	60.78
NY512	89.47	83.51	OH058	61.01	56.94	PA007	93.31	87.09
NY513	89.47	83.51	OH059	70.05	65.37	PA008	81.33	75.91
NY516	89.47	83.51	OH060	61.01	56.94	PA009	77.50	72.32
NY519	89.47	83.51	OH061	62.41	58.25	PA010	65.12	60.78
NY521	82.33	76.85	OH062	65.24	60.89	PA011	79.47	74.16
NY527	82.33	76.85	OH063	61.01	56.94	PA012	93.31	87.09
NY529	100.76	94.04	OH066	61.01	56.94	PA013	79.05	73.78
NY530	76.49	71.39	OH067	61.01	56.94	PA014	65.12	60.78

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
PA015	65.12	60.78	RI006	118.28	110.40	RQ059	74.42	69.46
PA016	71.40	66.64	RI007	118.28	110.40	RQ060	74.42	69.46
PA017	65.12	60.78	RI008	102.85	95.99	RQ061	74.42	69.46
PA018	65.12	60.78	RI009	118.28	110.40	RQ062	74.42	69.46
PA019	66.83	62.37	RI010	118.28	110.40	RQ063	79.99	74.65
PA020	73.37	68.47	RI011	118.28	110.40	RQ064	79.99	74.65
PA021	66.83	62.37	RI012	118.28	110.40	RQ065	74.42	69.46
PA022	74.65	69.67	RI014	118.28	110.40	RQ066	74.42	69.46
PA023	93.31	87.09	RI015	118.28	110.40	RQ067	74.42	69.46
PA024	79.47	74.16	RI016	118.28	110.40	RQ068	74.42	69.46
PA026	65.55	61.17	RI017	118.28	110.40	RQ069	74.42	69.46
PA027	62.12	57.97	RI018	118.28	110.40	RQ070	79.99	74.65
PA028	84.75	79.11	RI019	118.28	110.40	RQ071	74.42	69.46
PA029	67.11	62.64	RI020	118.28	110.40	RQ072	79.99	74.65
PA030	63.13	58.92	RI022	118.28	110.40	RQ073	74.42	69.46
PA031	68.82	64.23	RI024	118.28	110.40	RQ074	74.42	69.46
PA032	66.41	61.98	RI026	118.28	110.40	RQ075	79.99	74.65
PA033	65.55	61.17	RI027	118.28	110.40	RQ077	79.99	74.65
PA034	71.00	66.26	RI028	118.28	110.40	RQ080	74.42	69.46
PA035	81.33	75.91	RI029	118.28	110.40	RQ081	79.99	74.65
PA036	82.60	77.10	RI901	118.28	110.40	RQ082	79.99	74.65
PA037	71.40	66.64	RQ005	79.99	74.65	RQ083	79.99	74.65
PA038	63.13	58.92	RQ006	79.99	74.65	SC001	72.44	67.61
PA039	76.49	71.39	RQ007	74.42	69.46	SC002	73.23	68.34
PA041	65.40	61.04	RQ008	79.99	74.65	SC003	66.84	62.39
PA042	63.13	58.92	RQ009	74.42	69.46	SC004	66.84	62.39
PA043	63.13	58.92	RQ010	74.42	69.46	SC005	66.84	62.39
PA044	63.13	58.92	RQ011	79.99	74.65	SC007	70.23	65.55
PA045	66.12	61.71	RQ012	74.42	69.46	SC008	66.84	62.39
PA046	93.31	87.09	RQ013	79.99	74.65	SC015	65.28	60.92
PA047	63.13	58.92	RQ014	79.99	74.65	SC016	66.84	62.39
PA048	76.82	71.70	RQ015	79.99	74.65	SC018	66.84	62.39
PA050	63.82	59.57	RQ016	79.99	74.65	SC019	66.84	62.39
PA051	93.31	87.09	RQ017	74.42	69.46	SC020	66.84	62.39
PA052	81.33	75.91	RQ018	74.42	69.46	SC021	65.28	60.92
PA053	66.12	61.71	RQ019	79.99	74.65	SC022	74.35	69.38
PA054	64.69	60.37	RQ020	81.73	76.28	SC023	66.84	62.39
PA055	66.12	61.71	RQ021	79.99	74.65	SC024	72.44	67.61
PA056	63.27	59.04	RQ022	79.99	74.65	SC025	66.84	62.39
PA057	63.13	58.92	RQ023	79.99	74.65	SC026	68.22	63.66
PA058	65.55	61.17	RQ024	79.99	74.65	SC027	66.84	62.39
PA059	63.27	59.04	RQ025	79.99	74.65	SC028	65.28	60.92
PA060	66.12	61.71	RQ026	74.42	69.46	SC029	66.84	62.39
PA061	66.12	61.71	RQ027	79.99	74.65	SC030	65.28	60.92
PA063	66.12	61.71	RQ028	79.99	74.65	SC031	65.28	60.92
PA064	63.82	59.57	RQ029	74.42	69.46	SC032	66.84	62.39
PA065	66.12	61.71	RQ030	74.42	69.46	SC033	65.28	60.92
PA067	79.47	74.16	RQ031	74.42	69.46	SC034	66.84	62.39
PA068	63.82	59.57	RQ032	79.99	74.65	SC035	65.28	60.92
PA069	68.82	64.23	RQ033	74.42	69.46	SC036	74.35	69.38
PA071	77.50	72.32	RQ034	79.99	74.65	SC037	66.84	62.39
PA073	63.13	58.92	RQ035	74.42	69.46	SC046	74.35	69.38
PA074	63.82	59.57	RQ036	79.99	74.65	SC056	72.44	67.61
PA075	81.33	75.91	RQ037	74.42	69.46	SC057	72.44	67.61
PA076	79.47	74.16	RQ038	79.99	74.65	SC059	65.28	60.92
PA077	64.69	60.37	RQ039	81.73	76.28	SC911	73.23	68.34
PA078	103.02	96.15	RQ040	81.73	76.28	SD010	70.38	65.68
PA079	65.55	61.17	RQ041	74.42	69.46	SD011	68.37	63.81
PA080	64.69	60.37	RQ042	74.42	69.46	SD014	68.37	63.81
PA081	79.47	74.16	RQ043	74.42	69.46	SD016	70.38	65.68
PA082	74.82	69.84	RQ044	79.99	74.65	SD021	68.37	63.81
PA083	63.68	59.43	RQ045	79.99	74.65	SD026	68.37	63.81
PA085	62.12	57.97	RQ046	74.42	69.46	SD034	68.37	63.81
PA086	63.27	59.04	RQ047	79.99	74.65	SD035	74.29	69.33
PA087	79.05	73.78	RQ048	74.42	69.46	SD036	68.37	63.81
PA088	88.59	82.67	RQ049	79.99	74.65	SD037	68.37	63.81
PA090	82.60	77.10	RQ050	79.99	74.65	SD039	70.38	65.68
PA091	75.31	70.28	RQ052	74.42	69.46	SD043	68.37	63.81
PA092	63.97	59.71	RQ053	79.99	74.65	SD045	68.54	63.97
RI001	118.28	110.40	RQ054	79.99	74.65	SD047	68.37	63.81
RI002	118.28	110.40	RQ055	74.42	69.46	SD048	68.37	63.81
RI003	118.28	110.40	RQ056	79.99	74.65	SD055	68.37	63.81
RI004	118.28	110.40	RQ057	74.42	69.46	SD056	68.37	63.81
RI005	112.99	105.45	RQ058	74.42	69.46	SD057	68.37	63.81

PHA num	A rate	B rate	PHA num	A rate	B rate	PHA num	A rate	B rate
SD058	68.37	63.81	TX105	62.40	58.24	TX448	65.59	61.21
SD059	68.37	63.81	TX111	66.96	62.49	TX449	62.40	58.24
TN001	69.33	64.71	TX114	62.40	58.24	TX452	74.83	69.85
TN002	64.29	60.00	TX128	87.28	81.47	TX454	62.40	58.24
TN003	64.67	60.37	TX134	62.40	58.24	TX455	84.08	78.48
TN004	70.28	65.60	TX137	65.43	61.07	TX456	74.60	69.63
TN005	76.84	71.71	TX147	62.40	58.24	TX457	69.98	65.31
TN006	64.29	60.00	TX152	62.40	58.24	TX458	65.43	61.07
TN007	64.29	60.00	TX158	65.43	61.07	TX459	73.38	68.49
TN012	64.67	60.37	TX163	76.29	71.20	TX461	66.38	61.97
TN013	63.68	59.43	TX164	76.29	71.20	TX470	65.43	61.07
TN020	76.84	71.71	TX173	66.35	61.92	TX472	65.43	61.07
TN024	63.68	59.43	TX174	76.29	71.20	TX480	85.12	79.45
TN026	63.68	59.43	TX175	62.40	58.24	TX481	65.43	61.07
TN035	76.84	71.71	TX177	65.59	61.21	TX482	65.43	61.07
TN038	64.29	60.00	TX178	62.40	58.24	TX483	77.21	72.07
TN042	63.68	59.43	TX183	62.40	58.24	TX484	83.39	77.82
TN054	64.29	60.00	TX189	62.40	58.24	TX485	62.40	58.24
TN062	63.68	59.43	TX193	74.83	69.85	TX486	63.43	59.19
TN065	64.67	60.37	TX197	65.43	61.07	TX488	62.40	58.24
TN066	64.29	60.00	TX201	62.40	58.24	TX493	87.28	81.47
TN076	64.29	60.00	TX202	65.59	61.21	TX495	81.33	75.91
TN079	76.84	71.71	TX206	66.35	61.92	TX497	65.59	61.21
TN088	64.67	60.37	TX208	65.43	61.07	TX498	66.96	62.49
TN113	64.67	60.37	TX210	65.43	61.07	TX499	65.43	61.07
TN117	70.28	65.60	TX217	62.40	58.24	TX500	62.40	58.24
TN903	76.84	71.71	TX224	65.59	61.21	TX505	77.21	72.07
TQ901	118.25	110.38	TX236	65.43	61.07	TX509	66.35	61.92
TX001	85.12	79.45	TX242	62.40	58.24	TX511	62.40	58.24
TX003	72.32	67.49	TX257	65.43	61.07	TX512	62.40	58.24
TX004	81.33	75.91	TX259	85.12	79.45	TX514	65.43	61.07
TX005	77.21	72.07	TX263	62.40	58.24	TX516	62.40	58.24
TX006	74.83	69.85	TX264	85.12	79.45	TX519	62.40	58.24
TX007	66.35	61.92	TX266	85.12	79.45	TX522	87.28	81.47
TX008	76.29	71.20	TX272	62.40	58.24	TX523	66.96	62.49
TX009	87.28	81.47	TX284	62.40	58.24	TX526	87.44	81.61
TX010	65.43	61.07	TX298	62.40	58.24	TX533	87.28	81.47
TX011	65.43	61.07	TX300	62.40	58.24	TX534	84.08	78.48
TX012	77.21	72.07	TX302	76.29	71.20	TX535	62.40	58.24
TX014	65.43	61.07	TX303	74.83	69.85	TX537	62.40	58.24
TX016	62.40	58.24	TX309	62.40	58.24	TX542	65.43	61.07
TX017	77.21	72.07	TX313	76.29	71.20	TX546	65.43	61.07
TX018	65.43	61.07	TX322	85.12	79.45	TX559	87.28	81.47
TX019	62.40	58.24	TX327	65.43	61.07	TX560	77.21	72.07
TX021	62.40	58.24	TX330	62.40	58.24	TX901	77.21	72.07
TX023	74.77	69.77	TX332	62.40	58.24	UT002	73.48	68.58
TX025	66.35	61.92	TX335	62.40	58.24	UT003	73.48	68.58
TX027	87.28	81.47	TX341	73.38	68.49	UT004	73.48	68.58
TX028	65.59	61.21	TX343	74.83	69.85	UT006	77.30	72.13
TX029	65.59	61.21	TX349	81.33	75.91	UT007	73.48	68.58
TX030	65.43	61.07	TX350	74.83	69.85	UT009	73.48	68.58
TX031	85.12	79.45	TX358	62.40	58.24	UT011	73.48	68.58
TX032	77.21	72.07	TX372	62.40	58.24	UT014	87.93	82.05
TX034	74.77	69.77	TX376	62.40	58.24	UT015	87.93	82.05
TX035	62.55	58.37	TX377	85.12	79.45	UT016	87.93	82.05
TX037	74.77	69.77	TX378	62.55	58.37	UT020	73.48	68.58
TX039	62.40	58.24	TX381	62.40	58.24	UT021	75.67	70.64
TX042	62.40	58.24	TX392	87.28	81.47	UT022	73.48	68.58
TX044	62.40	58.24	TX395	64.46	60.16	UT025	73.48	68.58
TX046	65.59	61.21	TX396	62.40	58.24	UT026	73.48	68.58
TX048	62.40	58.24	TX397	62.40	58.24	UT028	87.93	82.05
TX049	62.40	58.24	TX421	62.40	58.24	UT029	87.93	82.05
TX051	65.59	61.21	TX431	81.33	75.91	UT030	73.48	68.58
TX062	65.59	61.21	TX432	72.32	67.49	UT031	77.30	72.13
TX064	65.59	61.21	TX433	81.33	75.91	VA001	78.86	73.60
TX065	66.35	61.92	TX434	87.28	81.47	VA002	64.29	60.00
TX072	62.40	58.24	TX435	87.28	81.47	VA003	78.86	73.60
TX073	65.59	61.21	TX436	87.28	81.47	VA004	116.27	108.53
TX075	62.40	58.24	TX439	72.32	67.49	VA005	71.53	66.76
TX079	65.43	61.07	TX440	77.21	72.07	VA006	78.86	73.60
TX085	90.66	84.61	TX441	77.21	72.07	VA007	71.53	66.76
TX087	85.12	79.45	TX444	65.43	61.07	VA010	60.63	56.59
TX095	87.28	81.47	TX445	65.59	61.21	VA011	62.95	58.75
TX096	62.40	58.24	TX447	65.59	61.21	VA012	78.86	73.60

PHA num	A rate	B rate	PHA num	A rate	B rate
VA013	63.66	59.41	WI043	56.16	52.43
VA014	63.66	59.41	WI045	55.80	52.08
VA015	57.04	53.24	WI047	55.80	52.08
VA016	79.98	74.65	WI048	55.80	52.08
VA017	78.86	73.60	WI060	92.99	86.79
VA018	57.04	53.24	WI064	61.89	57.77
VA019	116.27	108.53	WI065	56.16	52.43
VA020	71.53	66.76	WI068	56.72	52.93
VA021	57.04	53.24	WI069	56.72	52.93
VA022	57.87	54.01	WI070	55.80	52.08
VA023	57.87	54.01	WI083	66.70	62.26
VA024	57.04	53.24	WI085	55.80	52.08
VA025	78.86	73.60	WI091	55.80	52.08
VA028	116.27	108.53	WI096	55.80	52.08
VA030	57.04	53.24	WI127	55.80	52.08
VA031	64.29	60.00	WI131	55.80	52.08
VA032	64.29	60.00	WI142	66.70	62.26
VA034	57.04	53.24	WI160	55.80	52.08
VA035	116.27	108.53	WI166	55.80	52.08
VA036	79.98	74.65	WI183	60.94	56.87
VA037	57.18	53.36	WI186	55.91	52.18
VA038	57.04	53.24	WI193	55.80	52.08
VA039	78.86	73.60	WI195	68.98	64.37
VA040	57.04	53.24	WI201	66.70	62.26
VA041	78.86	73.60	WI203	61.89	57.77
VA042	64.29	60.00	WI204	56.72	52.93
VA044	57.84	53.99	WI205	55.80	52.08
VA046	116.27	108.53	WI206	55.80	52.08
VA901	71.53	66.76	WI208	55.80	52.08
VQ901	100.63	93.93	WI213	56.16	52.43
VT001	98.31	91.76	WI214	74.24	69.29
VT002	84.37	78.75	WI218	66.70	62.26
VT003	87.27	81.45	WI219	61.89	57.77
VT004	86.40	80.64	WI221	55.80	52.08
VT005	80.89	75.50	WI222	55.80	52.08
VT006	98.31	91.76	WI231	55.80	52.08
VT008	80.89	75.50	WI233	55.80	52.08
VT009	81.76	76.31	WI237	56.84	53.05
VT901	98.31	91.76	WI241	55.80	52.08
WA001	106.19	99.09	WI244	61.26	57.17
WA002	106.19	99.09	WI245	55.80	52.08
WA003	93.79	87.54	WI246	56.41	52.64
WA004	87.76	81.90	WI248	55.80	52.08
WA005	90.17	84.18	WI256	55.80	52.08
WA006	106.19	99.09	WI901	55.80	52.08
WA007	72.30	67.48	WV001	75.74	70.69
WA008	87.03	81.22	WV003	61.09	57.02
WA011	106.19	99.09	WV004	62.44	58.28
WA012	81.92	76.45	WV005	59.94	55.94
WA013	81.44	76.00	WV006	63.13	58.91
WA014	67.67	63.16	WV009	63.80	59.54
WA017	68.89	64.30	WV010	65.66	61.29
WA018	87.76	81.90	WV015	59.94	55.94
WA020	72.30	67.48	WV016	64.05	59.78
WA021	81.92	76.45	WV017	58.81	54.89
WA024	103.11	96.21	WV018	58.81	54.89
WA025	100.81	94.08	WV027	60.03	56.04
WA036	93.79	87.54	WV034	58.81	54.89
WA039	106.19	99.09	WV035	60.03	56.04
WA042	85.17	79.49	WV037	62.44	58.28
WA049	96.90	90.43	WV039	59.94	55.94
WA054	90.17	84.18	WV042	59.94	55.94
WA055	81.57	76.14	WV045	58.81	54.89
WA057	88.55	82.65	WY002	86.18	80.44
WA061	92.17	86.02	WY003	69.31	64.69
WA064	83.87	78.27	WY004	103.83	96.92
WA071	74.16	69.21	WY013	69.31	64.69
WI001	68.78	64.20			
WI002	66.70	62.26			
WI003	74.24	69.29			
WI006	63.82	59.56			
WI011	56.72	52.93			
WI020	92.99	86.79			
WI031	55.80	52.08			

[FR Doc. 2020-12801 Filed 6-12-20; 8:45 am]

BILLING CODE 4210-67-P

**INTERNATIONAL TRADE COMMISSION**

[Investigation No. 337-TA-1198]

**Certain Spa Pumps, Jet Pump Housings, Pedicure Spas, Components Thereof, and Products Containing the Same; Commission Determination Not To Review an Initial Determination Granting an Unopposed Motion To Terminate the Investigation; Termination of the Investigation****AGENCY:** U.S. International Trade Commission.**ACTION:** Notice.

**SUMMARY:** Notice is hereby given that the U.S. International Trade Commission has determined not to review an initial determination ("ID") (Order No. 5) of the presiding administrative law judge ("ALJ") granting an unopposed motion to terminate the investigation based on withdrawal of the complaint.

**FOR FURTHER INFORMATION CONTACT:** Amanda Pitcher Fisherow, Esq., Office of the General Counsel, U.S. International Trade Commission, 500 E Street SW, Washington, DC 20436, telephone (202) 205-2737. Copies of non-confidential documents filed in connection with this investigation may be viewed on the Commission's electronic docket (EDIS) at <https://edis.usitc.gov>. For help accessing EDIS, please email [EDIS3Help@usitc.gov](mailto:EDIS3Help@usitc.gov). General information concerning the Commission may also be obtained by accessing its internet server at <https://www.usitc.gov>. Hearing-impaired persons are advised that information on this matter can be obtained by contacting the Commission's TDD terminal on (202) 205-1810.

**SUPPLEMENTARY INFORMATION:** The Commission instituted this investigation on May 11, 2020, based on a complaint filed by Luraco Health & Beauty, LLC of Arlington, Texas ("Complainant"). 85 FR 27762 (May 11, 2020). The complaint, as supplemented, alleges violations of section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. 1337, based upon the importation into the United States, the sale for importation, and the sale within the United States after importation of certain spa pumps, jet pump housings, pedicure spas, components thereof, and products containing same by reason of infringement of certain claims in U.S. Patent No. 9,926,933; U.S. Patent No. D622,736; U.S. Patent No. D751,723; and U.S. Patent No. 10,451,071. The complaint, as amended, further alleges that a domestic industry exists. The