

DEPARTMENT OF COMMERCE**International Trade Administration****[A-588-850, A-588-851, A-485-805]****Certain Large Diameter Carbon and Alloy Seamless Standard, Line, and Pressure Pipe from Japan and Certain Small Diameter Carbon and Alloy Seamless Standard, Line, and Pressure Pipe from Japan and Romania: Continuation of Antidumping Duty Orders**

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: As a result of the determinations by the Department of Commerce (the Department) and the International Trade Commission (ITC) that revocation of the antidumping duty orders on certain large diameter carbon and alloy seamless standard, line and pressure pipe from Japan and (Large Diameter SSLPP), and certain small diameter carbon and alloy seamless standard, line and pressure pipe (Small Diameter SSLPP) from Japan and Romania would be likely to lead to continuation or recurrence of dumping and of material injury to an industry in the United States within a reasonably foreseeable time, the Department is publishing notice of the continuation of these antidumping duty orders.

EFFECTIVE DATE: May 8, 2006.

FOR FURTHER INFORMATION CONTACT: Saliha Loucif or Brandon Farlander, Office 1, AD/CVD Operations, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street & Constitution Avenue, NW., Washington, DC 20230; telephone: (202) 482-1779 and (202) 482-0182, respectively.

SUPPLEMENTARY INFORMATION:**Background**

On May 2, 2005, the Department initiated and the ITC instituted a sunset review of the antidumping duty orders on SSLPP from Japan and Romania, pursuant to section 751(c) of the Tariff Act of 1930, as amended (the Act). *See Initiation of Five-year (Sunset) Reviews*, 70 FR 22632 (May 2, 2005); *see also Carbon and Alloy Seamless Standard, Line, and Pressure Pipe From Czech Republic, Japan, Mexico, Romania, and South Africa*, 70 FR 22688, (May 2, 2005).

As a result of its review, the Department found that revocation of the antidumping duty orders would be likely to lead to continuation or recurrence of dumping and notified the ITC of the magnitude of the margins

likely to prevail were the order to be revoked. *See Certain Large Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe from Japan and Mexico; Final Results of the Expedited Sunset Reviews of the Antidumping Duty Orders*, 70 FR 53159 (September 7, 2005); *see also Carbon and Alloy Seamless Standard, Line, and Pressure Pipe (Under 4 1/2 inches) from the Czech Republic, Japan, Romania, and South Africa; Final Results of the Expedited Sunset Reviews of the Antidumping Duty Orders*, 70 FR 53151 (September 7, 2005). On April 24, 2006, the ITC determined pursuant to section 751(c) of the Act, that revocation of the antidumping duty orders on Large Diameter SSLPP from Japan and Small Diameter SSLPP from Japan and Romania would be likely to lead to continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time. *See Carbon and Alloy Seamless Standard, Line, and Pressure Pipe From the Czech Republic, Japan, Mexico, Romania, and South Africa*, 71 FR 24860 (April 27, 2006), and ITC Publication 3850 (April 2006) (First Review), Investigation No. 731-TA-846-850.

Scope of the Order: Large Diameter SSLPP

The products covered by this order are large diameter seamless carbon and alloy (other than stainless) steel standard, line, and pressure pipes produced, or equivalent, to the American Society for Testing and Materials (ASTM) A53, ASTM A106, ASTM A333, ASTM A334, ASTM A589, ASTM A795, and the American Petroleum Institute (API) 5L specifications and meeting the physical parameters described below, regardless of application, with the exception of the exclusions discussed below. The scope of this order also includes all other products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification, with the exception of the exclusions discussed below.

Specifically included within the scope of this order are seamless pipes greater than 4.5 inches (114.3 mm) up to and including 16 inches (406.4 mm) in outside diameter, regardless of wall-thickness, manufacturing process (hot finished or cold-drawn), end finish (plain end, beveled end, upset end, threaded, or threaded and coupled), or surface finish.

The seamless pipes subject to this order are currently classifiable under the subheadings 7304.10.10.30,

7304.10.10.45, 7304.10.10.60, 7304.10.50.50, 7304.31.60.50, 7304.39.00.36, 7304.39.00.40, 7304.39.00.44, 7304.39.00.48, 7304.39.00.52, 7304.39.00.56, 7304.39.00.62, 7304.39.00.68, 7304.39.00.72, 7304.51.50.60, 7304.59.60.00, 7304.59.80.30, 7304.59.80.35, 7304.59.80.40, 7304.59.80.45, 7304.59.80.50, 7304.59.80.55, 7304.59.80.60, 7304.59.80.65, and 7304.59.80.70 of the Harmonized Tariff Schedule of the United States (HTSUS).

Specifications, Characteristics, and Uses: Large diameter seamless pipe is used primarily for line applications such as oil, gas, or water pipeline, or utility distribution systems. Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas, and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the ASTM A106 standard may be used in temperatures of up to 1000 degrees Fahrenheit, at various American Society of Mechanical Engineers (ASME) code stress levels. Alloy pipes made to ASTM A335 standard must be used if temperatures and stress levels exceed those allowed for ASTM A106. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A106 standard.

Seamless standard pipes are most commonly produced to the ASTM A53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. If exceptionally low temperature uses or conditions are anticipated, standard pipe may be manufactured to ASTM A333 or ASTM A334 specifications.

Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification. Seamless water well pipe (ASTM A589) and seamless galvanized pipe for fire protection uses (ASTM A795) are used for the conveyance of water. Seamless pipes are commonly produced and certified to meet ASTM

A106, ASTM A53, API 5L-B, and API 5L-X42 specifications. To avoid maintaining separate production runs and separate inventories, manufacturers typically triple or quadruple certify the pipes by meeting the metallurgical requirements and performing the required tests pursuant to the respective specifications. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers. The primary application of ASTM A106 pressure pipes and triple or quadruple certified pipes in large diameters is for use as oil and gas distribution lines for commercial applications. A more minor application for large diameter seamless pipes is for use in pressure piping systems by refineries, petrochemical plants, and chemical plants, as well as in power generation plants and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. These applications constitute the majority of the market for the subject seamless pipes. However, ASTM A106 pipes may be used in some boiler applications.

The scope of this order includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, with the exception of the exclusions discussed below, whether or not also certified to a non-covered specification. Standard, line, and pressure applications and the above-listed specifications are defining characteristics of the scope of this order. Therefore, seamless pipes meeting the physical description above, but not produced to the ASTM A53, ASTM A106, ASTM A333, ASTM A334, ASTM A589, ASTM A795, and API 5L specifications shall be covered if used in a standard, line, or pressure application, with the exception of the specific exclusions discussed below.

For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in ASTM A106 applications. These specifications generally include ASTM A161, ASTM A192, ASTM A210, ASTM A252, ASTM A501, ASTM A523, ASTM A524, and ASTM A618. When such pipes are used in a standard, line, or pressure pipe application, such products are covered by the scope of this order.

Specifically excluded from the scope of this order are:

A. Boiler tubing and mechanical tubing, if such products are not produced to ASTM A53, ASTM A106, ASTM A333, ASTM A334, ASTM A589, ASTM A795, and API 5L specifications

and are not used in standard, line, or pressure pipe applications.

B. Finished and unfinished oil country tubular goods (OCTG), if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications.

C. Products produced to the A335 specification unless they are used in an application that would normally utilize ASTM A53, ASTM A106, ASTM A333, ASTM A334, ASTM A589, ASTM A795, and API 5L specifications.

D. Line and riser pipe for deepwater application, *i.e.*, line and riser pipe that is (1) used in a deepwater application, which means for use in water depths of 1,500 feet or more; (2) intended for use in and is actually used for a specific deepwater project; (3) rated for a specified minimum yield strength of not less than 60,000 psi; and (4) not identified or certified through the use of a monogram, stencil, or otherwise marked with an API specification (*e.g.*, API 5L). With regard to the excluded products listed above, the Department will not instruct U.S. Customs and Border Protection (CBP) to require end-use certification until such time as petitioner or other interested parties provide to the Department a reasonable basis to believe or suspect that the products are being utilized in a covered application. If such information is provided, the Department will require end-use certification only for the product(s) (or specification(s)) for which evidence is provided that such products are being used in a covered application as described above. For example, if, based on evidence provided by the petitioner, the Department finds a reasonable basis to believe or suspect that seamless pipe produced to the A-335 specification is being used in an A-106 application, it will require end-use certifications for imports of that specification. Normally the Department will require only the importer of record to certify to the end-use of the imported merchandise. If it later proves necessary for adequate implementation, the Department may also require producers who export such products to the United States to provide such certification on invoices accompanying shipments to the United States. Although the HTSUS subheadings are provided for convenience and customs purposes, the written description of the merchandise subject to this order is dispositive.

Scope of the Orders: Small Diameter SSLPP

The products covered by the orders are seamless carbon and alloy (other than stainless) steel standard, line, and pressure pipes and redraw hollows produced, or equivalent, to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and the API 5L specifications and meeting the physical parameters described below, regardless of application. The scope of the orders also includes all products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification. Specifically included within the scope of the orders are seamless pipes and redraw hollows, less than or equal to 4.5 inches (114.3 mm) in outside diameter, regardless of wall-thickness, manufacturing process (hot finished or cold-drawn), end finish (plain end, beveled end, upset end, threaded, or threaded and coupled), or surface finish. The seamless pipes subject to the orders are currently classifiable under the subheadings 7304.10.10.20, 7304.10.50.20, 7304.31.30.00, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25 of the Harmonized Tariff Schedule of the United States (HTSUS).

Specifications, Characteristics, and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gases in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the ASTM A-106 standard may be used in temperatures of up to 1000 degrees Fahrenheit, at various ASME code stress levels. Alloy pipes made to ASTM A-335 standard must be used if temperatures and stress levels exceed those allowed for ASTM A-106. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard.

Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gases in plumbing and heating systems, air conditioning units,

automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. If exceptionally low temperature uses or conditions are anticipated, standard pipe may be manufactured to ASTM A-333 or ASTM A-334 specifications. Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification.

Seamless water well pipe (ASTM A-589) and seamless galvanized pipe for fire protection uses (ASTM A-795) are used for the conveyance of water.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53, API 5L-B, and API 5L-X42 specifications. To avoid maintaining separate production runs and separate inventories, manufacturers typically triple or quadruple certify the pipes by meeting the metallurgical requirements and performing the required tests pursuant to the respective specifications. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers.

The primary application of ASTM A-106 pressure pipes and triple or quadruple certified pipes is use in pressure piping systems by refineries, petrochemical plants, and chemical plants. Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, ASTM A-106 pipes may be used in some boiler applications.

Redraw hollows are any unfinished pipe or "hollow profiles" of carbon or alloy steel transformed by hot rolling or cold drawing/ hydrostatic testing or other methods to enable the material to be sold under ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications.

The scope of the orders includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, with the exception of the specific exclusions discussed below, and whether or not also certified to a non-covered specification. Standard, line, and pressure applications and the

above-listed specifications are defining characteristics of the scope of the orders. Therefore, seamless pipes meeting the physical description above, but not produced to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications shall be covered if used in a standard, line, or pressure application, with the exception of the specific exclusions discussed below. For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in ASTM A-106 applications. These specifications generally include ASTM A-161, ASTM A-192, ASTM A-210, ASTM A-252, ASTM A-501, ASTM A-523, ASTM A-524, and ASTM A-618. When such pipes are used in a standard, line, or pressure pipe application, with the exception of the specific exclusions discussed below, such products are covered by the scope of the orders.

Specifically excluded from the scope of the orders are boiler tubing and mechanical tubing, if such products are not produced to ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications and are not used in standard, line, or pressure pipe applications. In addition, finished and unfinished oil country tubular goods (OCTG) are excluded from the scope of the orders, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications.

With regard to the excluded products listed above, the Department will not instruct U.S. Customs and Border Protection (CBP) to require end-use certification until such time as petitioner or other interested parties provide to the Department a reasonable basis to believe or suspect that the products are being used in a covered application. If such information is provided, we will require end-use certification only for the product(s) (or specification(s)) for which evidence is provided that such products are being used in covered applications as described above. For example, if, based on evidence provided by petitioner, the Department finds a reasonable basis to believe or suspect that seamless pipe produced to the A-161 specification is being used in a standard, line or pressure application, we will require end-use certifications for imports of that specification. Normally we will require only the importer of record to

certify to the end use of the imported merchandise. If it later proves necessary for adequate implementation, we may also require producers who export such products to the United States to provide such certification on invoices accompanying shipments to the United States.

Although the HTSUS subheadings are provided for convenience and customs purposes, our written description of the merchandise subject to this scope is dispositive.

Determination

As a result of the determinations by the Department and ITC that revocation of these antidumping duty orders would be likely to lead to continuation or recurrence of dumping and material injury to an industry in the United States, pursuant to section 751(d)(2) of the Act, the Department hereby orders the continuation of the antidumping duty orders on Large Diameter SSLPP from Japan and Small Diameter SSLPP from Japan and Romania.

U.S. Customs and Border Protection will continue to collect antidumping duty cash deposits at the rates in effect at the time of entry for all imports of subject merchandise.

The effective date of continuation of this order will be the date of publication in the **Federal Register** of this Notice of Continuation. Pursuant to sections 751(c)(2) and 751(c)(6) of the Act, the Department intends to initiate the next five-year review of this order not later than March 2011.

These five-year (sunset) reviews and this notice are in accordance with section 751(c) of the Act.

Dated: May 2, 2006.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E6-6923 Filed 5-5-06; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[A-475-828, A-557-809, A-565-801]

Stainless Steel Butt-Weld Pipe Fittings from Italy, Malaysia, and the Philippines; Final Results of the Expedited Five-year ("Sunset") Reviews of Antidumping Duty Orders

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: On January 3, 2006, the Department of Commerce (the Department) initiated sunset reviews of the antidumping duty orders on