

to the environment were identified. The NRC has identified no other radiological or non-radiological activities in the area that could result in cumulative environmental impacts.

The NRC staff finds that the proposed release of the portion of the Facility described above for unrestricted use is in compliance with 10 CFR 20.1402. Although the Licensee will continue to perform licensed activities at other parts of the Facility, the Licensee must ensure that this decommissioned area does not become recontaminated. Before the license can be terminated, the Licensee will be required to show that the entire Facility, including previously-released areas, complies with the radiological criteria in 10 CFR 20.1402. Based on its review, the staff considered the impact of the residual radioactivity at the Facility and concluded that the proposed action will not have a significant effect on the quality of the human environment.

Environmental Impacts of the Alternatives to the Proposed Action

Due to the largely administrative nature of the proposed action, its environmental impacts are small. Therefore, the only alternative the staff considered is the no-action alternative, under which the staff would leave things as they are by simply denying the amendment request. This no-action alternative is not feasible because it conflicts with 10 CFR 30.36(d), requiring that decommissioning of byproduct material facilities be completed and approved by the NRC after licensed activities cease. The NRC's analysis of the Licensee's final status survey data confirmed that the Rooms EN-302, EN-307, and the Pond Building meet the requirements of 10 CFR 20.1402 for unrestricted release. Additionally, denying the amendment request would result in no change in current environmental impacts. The environmental impacts of the proposed action and the no-action alternative are therefore similar, and the no-action alternative is accordingly not further considered.

Conclusion

The NRC staff has concluded that the proposed action is consistent with the NRC's unrestricted release criteria specified in 10 CFR 20.1402. Because the proposed action will not significantly impact the quality of the human environment, the NRC staff concludes that the proposed action is the preferred alternative.

Agencies and Persons Consulted

NRC provided a draft of this Environmental Assessment to the New Jersey Department of Environmental Protection for review on August 11, 2009. On September 10, 2009, New Jersey Bureau of Environmental Radiation responded by letter. The State agreed with the conclusions of the EA, and otherwise had no comments.

The NRC staff has determined that the proposed action is of a procedural nature, and will not affect listed species or critical habitat. Therefore, no further consultation is required under Section 7 of the Endangered Species Act. The NRC staff has also determined that the proposed action is not the type of activity that has the potential to cause effects on historic properties. Therefore, no further consultation is required under Section 106 of the National Historic Preservation Act.

III. Finding of No Significant Impact

The NRC staff has prepared this EA in support of the proposed action. On the basis of this EA, the NRC finds that there are no significant environmental impacts from the proposed action, and that preparation of an environmental impact statement is not warranted. Accordingly, the NRC has determined that a Finding of No Significant Impact is appropriate.

IV. Further Information

Documents related to this action, including the application for license amendment and supporting documentation, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Documents Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The documents related to this action are listed below, along with their ADAMS accession numbers.

1. NUREG-1757, "Consolidated NMSS Decommissioning Guidance;"

2. Title 10, *Code of Federal Regulations*, Part 20, Subpart E, "Radiological Criteria for License Termination;"

3. Title 10, *Code of Federal Regulations*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions;"

4. NUREG-1496, "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities;"

5. The Sarnoff Corporation Amendment requested dated April 14, 2009 [ML091110218];

6. The Sarnoff Corporation additional information letter dated June 25, 2009 [ML092010369];

7. The Sarnoff Corporation additional information letter dated July 16, 2009 [ML092010261]; and

8. The Sarnoff Corporation additional Information letter dated July 17, 2009 [ML092080374].

If you do not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to PDR.Resource@nrc.gov. These documents may also be viewed electronically on the public computers located at the NRC's PDR, O 1 F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852. The PDR reproduction contractor will copy documents for a fee.

Dated at Region I, 475 Allendale Road, King of Prussia, PA this 23rd day of September 2009.

For the Nuclear Regulatory Commission.

James P. Dwyer,

Chief, Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I.

[FR Doc. E9-23456 Filed 9-28-09; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2009-0431; Docket No. 030-05210]

Notice of Availability of Environmental Assessment and Finding of No Significant Impact for License Amendment to Byproduct Materials License No. 29-00018-02, Unrestricted Release of Building 43 at the Hoffman-La Roche Inc. Facility in Nutley, NJ

AGENCY: Nuclear Regulatory Commission.

ACTION: Issuance of Environmental Assessment and Finding of No Significant Impact for license amendment.

FOR FURTHER INFORMATION CONTACT:

Betsy Ullrich, Senior Health Physicist, Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I, 475 Allendale Road, King of Prussia, Pennsylvania 19406; telephone (610) 337-5040; fax number (610) 337-5269; or by e-mail: elizabeth.ullrich@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) is considering the

issuance of a license amendment to Byproduct Materials License No. 29-00018-02. This license is held by Hoffman-La Roche Inc. (the Licensee), for its Hoffman-La Roche Inc. facilities (the Facility), located at 340 Kingsland Street in Nutley, New Jersey. Issuance of the amendment would authorize release of Building 43, the medical waste incinerator facility, for unrestricted use. The Licensee requested this action in a letter dated July 28, 2009. The NRC has prepared an Environmental Assessment (EA) in support of this proposed action in accordance with the requirements of Title 10, *Code of Federal Regulations* (CFR), Part 51 (10 CFR Part 51). Based on the EA, the NRC has concluded that a Finding of No Significant Impact (FONSI) is appropriate with respect to the proposed action. The amendment will be issued to the Licensee following the publication of this FONSI and EA in the **Federal Register**.

II. Environmental Assessment

Identification of Proposed Action

The proposed action would approve the Licensee's July 28, 2009, license amendment request, resulting in release of Building 43 for unrestricted use. License No. 29-00018-02 was issued on March 10, 1959, pursuant to 10 CFR Part 30, and has been amended periodically since that time. This license authorized the Licensee to use unsealed byproduct material for purposes of conducting research and development activities on laboratory bench tops and in hoods, and incineration of waste.

Building 43, the medical waste incinerator facility, is situated on 5,250 square feet, and consists of a multi-level incinerator room, control room, and support areas. The Facility is located in a mixed residential/commercial area. Licensed materials were used in most areas of Building 43.

On September 27, 2007, the Licensee ceased licensed activities and initiated a survey and decontamination of Building 43. Based on the Licensee's historical knowledge of the site and the conditions of Building 43, the Licensee determined that only routine decontamination activities, in accordance with their NRC-approved, operating radiation safety procedures, were required. The Licensee was not required to submit a decommissioning plan to the NRC because worker cleanup activities and procedures are consistent with those approved for routine operations. The Licensee conducted surveys of Building 43 and provided information to the NRC to demonstrate that it meets the criteria in Subpart E of 10 CFR Part 20 for unrestricted release.

Need for the Proposed Action

The Licensee has ceased conducting licensed activities at Building 43, and seeks the unrestricted use of Building 43.

Environmental Impacts of the Proposed Action

The historical review of licensed activities conducted at Building 43 shows that such activities involved use of the following radionuclides with half-lives greater than 120 days: Hydrogen-3 and carbon-14. Prior to performing the final status survey, the Licensee conducted decontamination activities, as necessary, in the areas of Building 43 affected by these radionuclides.

The Licensee conducted a final status survey on June 8-12, 2009. This survey covered all areas of Building 43. The final status survey report was attached to the Licensee's amendment request dated July 28, 2009. The Licensee elected to demonstrate compliance with the radiological criteria for unrestricted release as specified in 10 CFR 20.1402 by using the screening approach described in NUREG-1757, "Consolidated NMSS Decommissioning Guidance," Volume 2. The Licensee used the radionuclide-specific derived concentration guideline levels (DCGLs), developed there by the NRC, which comply with the dose criterion in 10 CFR 20.1402. These DCGLs define the maximum amount of residual radioactivity on building surfaces, equipment, and materials, and in soils, that will satisfy the NRC requirements in Subpart E of 10 CFR Part 20 for unrestricted release. The Licensee's final status survey results were below these DCGLs and are in compliance with the As Low As Reasonably Achievable (ALARA) requirement of 10 CFR 20.1402. The NRC thus finds that the Licensee's final status survey results are acceptable.

Based on its review, the staff has determined that the affected environment and any environmental impacts associated with the proposed action are bounded by the impacts evaluated by the "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities" (NUREG-1496) Volumes 1-3 (ML042310492, ML042320379, and ML042330385). The staff finds there were no significant environmental impacts from the use of radioactive material in Building 43. The NRC staff reviewed the docket file records and the final status survey report to identify any non-radiological hazards that may have impacted the

environment surrounding Building 43. No such hazards or impacts to the environment were identified. The NRC has identified no other radiological or non-radiological activities in the area that could result in cumulative environmental impacts.

The NRC staff finds that the proposed release of the portion of the Facility described above for unrestricted use is in compliance with 10 CFR 20.1402. Although the Licensee will continue to perform licensed activities at other parts of the Facility, the Licensee must ensure that this decommissioned area does not become recontaminated. Before the license can be terminated, the Licensee will be required to show that the entire Facility, including previously-released areas, complies with the radiological criteria in 10 CFR 20.1402. Based on its review, the staff considered the impact of the residual radioactivity at Building 43 and concluded that the proposed action will not have a significant effect on the quality of the human environment.

Environmental Impacts of the Alternatives to the Proposed Action

Due to the largely administrative nature of the proposed action, its environmental impacts are small. Therefore, the only alternative the staff considered is the no-action alternative, under which the staff would leave things as they are by simply denying the amendment request. This no-action alternative is not feasible because it conflicts with 10 CFR 30.36(d), requiring that decommissioning of byproduct material facilities be completed and approved by the NRC after licensed activities cease. The NRC's analysis of the Licensee's final status survey data confirmed that Building 43 meets the requirements of 10 CFR 20.1402 for unrestricted release. Additionally, denying the amendment request would result in no change in current environmental impacts. The environmental impacts of the proposed action and the no-action alternative are therefore similar, and the no-action alternative is accordingly not further considered.

Conclusion

The NRC staff has concluded that the proposed action is consistent with the NRC's unrestricted release criteria specified in 10 CFR 20.1402. Because the proposed action will not significantly impact the quality of the human environment, the NRC staff concludes that the proposed action is the preferred alternative.

Agencies and Persons Consulted

NRC provided a draft of this Environmental Assessment to the State of New Jersey Department of Environmental Protection (NJDEP) for review on August 3, 2009. On September 4, 2009, NJDEP responded by letter. The State agreed with the conclusions of the EA, and otherwise had no comments.

The NRC staff has determined that the proposed action is of a procedural nature, and will not affect listed species or critical habitat. Therefore, no further consultation is required under Section 7 of the Endangered Species Act. The NRC staff has also determined that the proposed action is not the type of activity that has the potential to cause effects on historic properties. Therefore, no further consultation is required under Section 106 of the National Historic Preservation Act.

III. Finding of No Significant Impact

The NRC staff has prepared this EA in support of the proposed action. On the basis of this EA, the NRC finds that there are no significant environmental impacts from the proposed action, and that preparation of an environmental impact statement is not warranted. Accordingly, the NRC has determined that a Finding of No Significant Impact is appropriate.

IV. Further Information

Documents related to this action, including the application for license amendment and supporting documentation, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The documents related to this action are listed below, along with their ADAMS accession numbers.

[1] NUREG-1757, "Consolidated NMSS Decommissioning Guidance;"

[2] Title 10, *Code of Federal Regulations*, Part 20, Subpart E, "Radiological Criteria for License Termination;"

[3] Title 10, *Code of Federal Regulations*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions;"

[4] NUREG-1496, "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities;" and

[5] Licensee letter dated July 28, 2009, with "Building 43, Medical Waste

Incinerator, Decommissioning Final Status Report" dated July, 2009 [ML092120369].

If you do not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr.resource@nrc.gov. These documents may also be viewed electronically on the public computers located at the NRC's PDR, O 1 F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852. The PDR reproduction contractor will copy documents for a fee.

Dated at Region I, 475 Allendale Road, King of Prussia, PA this 23rd day of September 2009.

For the Nuclear Regulatory Commission.
James Dwyer,
Chief, Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I.
[FR Doc. E9-23457 Filed 9-28-09; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Sunshine Act; Notice of Meeting

DATES: Weeks of September 28, October 5, 12, 19, 26, November 2, 2009.

PLACE: Commissioners' Conference Room, 11555 Rockville Pike, Rockville, Maryland.

STATUS: Public and Closed.

Week of September 28, 2009

Tuesday, September 29, 2009

1:30 p.m. NRC All Employees Meeting (Public Meeting), Marriott Bethesda North Hotel, 5701 Marinelli Road, Rockville, MD 20852.

Wednesday, September 30, 2009

9:30 a.m. Discussion of Management Issues (Closed Ex. 2).

Week of October 5, 2009—Tentative

There are no meetings scheduled for the week of October 5, 2009.

Week of October 12, 2009—Tentative

Tuesday, October 13, 2009

9:30 a.m. Discussion of Security Issues (Closed Ex. 3).

Week of October 19, 2009—Tentative

There are no meetings scheduled for the week of October 19, 2009.

Week of October 26, 2009—Tentative

There are no meetings scheduled for the week of October 26, 2009.

Week of November 2, 2009—Tentative

There are no meetings scheduled for the week of November 2, 2009.

* * * * *

*The schedule for Commission meetings is subject to change on short notice. To verify the status of meetings, call (recording) (301) 415-1292. Contact person for more information: Rochelle Baval, (301) 415-1651.

* * * * *

Additional Information

By a vote of 3-0 on September 22, 2009, the Commission determined pursuant to U.S.C. 552b(e) and § 9.107(a) of the Commission's rules that Affirmation of: a. South Texas Project Nuclear Operating Company (South Texas Project, Units 3 and 4), Request for Extension of Time to File Appeal and b. Pa'ina Hawaii, LLC (Materials License Application) Applicant's Motion to Transfer Case to the Commission) be held on September 23, 2009, with less than one week notice to the public. Both items were affirmed.

* * * * *

The NRC Commission Meeting Schedule can be found on the Internet at: <http://www.nrc.gov/about-nrc/policy-making/schedule.html>

* * * * *

The NRC provides reasonable accommodation to individuals with disabilities where appropriate. If you need a reasonable accommodation to participate in these public meetings, or need this meeting notice or the transcript or other information from the public meetings in another format (e.g. braille, large print), please notify the NRC's Disability Program Coordinator, Rohn Brown, at 301-492-2279, TDD: 301-415-2100, or by e-mail at rohn.brown@nrc.gov. Determinations on requests for reasonable accommodation will be made on a case-by-case basis.

* * * * *

This notice is distributed electronically to subscribers. If you no longer wish to receive it, or would like to be added to the distribution, please contact the Office of the Secretary, Washington, DC 20555 (301-415-1969), or send an e-mail to darlene.wright@nrc.gov.

Dated: September 24, 2009.

Rochelle C. Baval,

Office of the Secretary.

[FR Doc. E9-23560 Filed 9-25-09; 4:15 pm]

BILLING CODE 7590-01-P