

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service****50 CFR Part 10**

[Docket No. FWS-HQ-MB-2018-0047; FXMB 12320900000/201//FF09M29000]

RIN 1018-BC67**General Provisions; Revised List of Migratory Birds****AGENCY:** Fish and Wildlife Service, Interior.**ACTION:** Final rule.

SUMMARY: We, the U.S. Fish and Wildlife Service (Service), revise the List of Migratory Birds protected by the Migratory Bird Treaty Act (MBTA) by both adding and removing species. Reasons for the changes to the list include adding species based on new taxonomy and new evidence of natural occurrence in the United States or U.S. territories, removing species no longer known to occur within the United States or U.S. territories, and changing names to conform to accepted use. The net increase of 67 species (75 added and 8 removed) will bring the total number of species protected by the MBTA to 1,093. We regulate the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for public notification and regulatory purposes.

DATES: This rule is effective May 18, 2020.

FOR FURTHER INFORMATION CONTACT: Eric L. Kershner, Chief of the Branch of Conservation, Permits, and Regulations; Division of Migratory Bird Management; U.S. Fish and Wildlife Service; MS: MB; 5275 Leesburg Pike, Falls Church, VA 22041–3803; (703) 358–2376.

SUPPLEMENTARY INFORMATION:**What statutory authority does the service have for this rulemaking?**

We have statutory authority and responsibility for enforcing the MBTA (16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628), as amended by Protocol between the Government of the

United States and the Government of Canada Amending the 1916 Convention between the United Kingdom and the United States of America for the Protection of Migratory Birds, Sen. Treaty Doc. 104–28 (December 14, 1995);

(2) *Mexico:* Convention between the United States and Mexico for the Protection of Migratory Birds and Game Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912), as amended by Protocol with Mexico amending Convention for Protection of Migratory Birds and Game Mammals, Sen. Treaty Doc. 105–26 (May 5, 1997);

(3) *Japan:* Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) *Russia:* Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment (Russia), November 19, 1976, 29 U.S.T. 4647 (T.I.A.S. No. 9073).

What is the purpose of this rulemaking?

Our purpose is to inform the public of the species protected by the MBTA and its implementing regulations. These regulations are found in Title 50, Code of Federal Regulations (CFR), parts 10, 20, and 21. We regulate the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for notifying the public of regulatory protections.

Why is the amendment of the List of Migratory Birds necessary?

The amendments we are adopting in this final rule are needed to:

(1) Add 16 species that qualify for protection under the MBTA;

(2) Correct the spelling of 3 species names on the alphabetized list;

(3) Correct the spelling of 3 species names on the taxonomic list;

(4) Add 30 species based on new distributional records documenting their natural occurrence in the United States or U.S. territories since 2010;

(5) Add one species moved from a family that was not protected to a family protected under the MBTA as a result of taxonomic changes;

(6) Add 28 species newly recognized as a result of recent taxonomic changes;

(7) Remove 8 species not known to occur within the boundaries of the

United States or U.S. territories as a result of recent taxonomic changes;

(8) Change the common (English) names of 43 species to conform to accepted use; and

(9) Change the scientific names of 135 species to conform to accepted use.

The List of Migratory Birds (50 CFR 10.13) was last revised on November 1, 2013 (78 FR 65844). The amendments in this rule were necessitated by nine published supplements to the 7th (1998) edition of the American Ornithologists' Union (AOU, now recognized as the American Ornithological Society (AOS)) Check-list of North American Birds (AOU 2011, AOU 2012, AOU 2013, AOU 2014, AOU 2015, AOU 2016, AOS 2017, AOS 2018, and AOS 2019) and the 2017 publication of the Clements Checklist of Birds of the World (Clements et al. 2017).

What scientific authorities are used to amend the List of Migratory Birds?

Although bird names (common and scientific) are relatively stable, staying current with standardized use is necessary to avoid confusion in communications. In making our determinations, we primarily relied on the AOS's Checklist of North American birds (AOU 1998), as amended annually (AOU 1999 through 2016, AOS 2017 through 2019), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (Orders, Families, Subfamilies) for species that occur in North America. The AOU (now AOS) Checklist of North American Birds (Checklist), developed by the AOU Committee on Classification and Nomenclature, has been the recognized taxonomic authority for North American birds since publication of the first edition of the Checklist in 1886. The committee compiles the taxonomic foundation for ornithology in North America; evaluating and codifying the latest scientific developments in the systematics, classification, nomenclature, and distribution of North American birds. Thus, the AOS's Checklist represents the best information available for developing the North American component of this List of Migratory Birds. In keeping with the increasing numbers of study areas on which taxonomy relies, the committee incorporates expertise in phylogenetics, genomics, vocalizations, morphology, behavior, and geographical distribution, as well as general ornithological knowledge. The AOS Checklist contains all bird species that have occurred in North America from the Arctic through Panama, including the West Indies and the Hawaiian Islands, and includes

distributional information for each species, which specifies whether the species is known to occur in the United States. The committee also keeps and updates a list of species known to occur in the United States.

For the species that occur outside the geographic area covered by the AOS Checklist, we relied primarily on the Clements Checklist of Birds of the World (Clements Checklist) (Clements et al. 2007), the Clements Checklist 2017 installment of updates and corrections (Clements et al. 2017), and other peer-reviewed literature where appropriate. The Clements Checklist is a list of all known bird species in the world and is maintained and updated annually by the Cornell Laboratory of Ornithology (CLO). The CLO relies on different regional ornithological authorities to compile the list, using the AOS for the western hemisphere. Taxonomy and nomenclature are the primary focus of the Clements Checklist, but range descriptions are maintained and updated based on the best available information and do not include records of vagrancy.

Although the Service primarily relies on the above sources, when informed taxonomic opinion or documented natural distribution is inconsistent or controversial, the Service evaluates available published and unpublished information and comes to its own conclusions regarding the validity of taxa and records of distribution.

What criteria are used to identify individual species protected by the MBTA?

A species qualifies for protection under the MBTA by meeting one or more of the following criteria:

(1) It occurs in the United States or U.S. territories as the result of natural biological or ecological processes and is currently, or was previously listed as, a species or part of a family protected by one of the four international treaties or their amendments. Any species that occurs in the United States or U.S. territories solely as a result of intentional or unintentional human-assisted introduction does not qualify for the MBTA list, regardless of whether the family the species belongs to is listed in any of the treaties, unless:

- It was native to the United States or its territories and extant in 1918;
- It was extirpated after 1918 throughout its range in the United States and its territories; and
- After such extirpation, it was reintroduced in the United States or its territories as part of a program carried out by a Federal agency.

(2) Revised taxonomy results in it being newly split from a species that was previously on the list, and the new species occurs in the United States or U.S. territories as the result of natural biological or ecological processes. If a newly recognized native species is considered extinct (following the classification of the AOS) or, for species not covered by the AOS, the Clements Checklist or peer-reviewed literature), that species will still be included if either of the following criteria apply:

- The species resembles extant species included in the list that may be affected by trade if the species is not included; or
- Not including the species may create difficulties implementing the MBTA and its underlying Conventions.

(3) New evidence exists for its natural occurrence in the United States or U.S. territories resulting from natural distributional changes and the species occurs in a protected family. Records must be documented, accepted, and published by the AOS committee. For the U.S. Pacific territories that fall outside the geographic scope of the AOS and for which there is no identified ornithological authority, new evidence of a species' natural occurrence will be based on the Clements Checklist and then published peer-reviewed literature, in that order.

In accordance with the Migratory Bird Treaty Reform Act of 2004 (MBTRA) (Pub. L. 108–447, 118 Stat. 2809, 3071–72), we only include migratory bird species that are native to the United States or U.S. territories. A native migratory bird species is one that is present as a result of natural biological or ecological processes. The list at 50 CFR 10.13 does not include nonnative species that occur in the United States or U.S. territories solely as a result of intentional or unintentional human-assisted introduction(s). Elsewhere in today's **Federal Register**, we publish a list of nonnative bird species that are not protected under the MBTA.

How do the changes affect the List of Migratory Birds?

Several taxonomic changes were made at the Order and Family level by the AOS since our 2013 publication of the list (78 FR 65844; November 1, 2013). These changes affect the inclusion and taxonomic order of species on this list. Specifically, the Order Cathartiformes (New World vultures) was split from the Accipitriformes (diurnal birds of prey). Cathartiformes now includes the Family Cathartidae (vultures and California Condor, *Gymnogyps californianus*). At the Family level, the Oceanitidae

(southern storm-petrels) was split from the Hydrobatidae (northern storm-petrels), the Tityridae (becards and tityras) was split from the Tyrannidae (tyrant flycatchers), the Passerellidae (towhees, sparrows, and juncos) was split from the Emberizidae (buntings), and the Megaluridae (*Locustella* warblers) was renamed to Locustellidae. The Ptilognatidae (silky-flycatchers) was renamed to the Ptiliognatidae. The Nesospingidae (Puerto Rican Tanager) and the Spindalidae (*Spindalis* genus) were split from the Thraupidae (tanagers). The yellow-breasted chat was split from the Parulidae (wood-warblers) and placed into Icteriidae (chats). Within the Scolopacidae (sandpipers, phalaropes, and allies), new Subfamilies were created: The curlews were moved to Numeniinae; the godwits to Limosinae; and small sandpipers to Arenariinae and larger sandpipers to Tringinae, including phalaropes whose previous Subfamily Phalaropodinae was removed. Within the Accipitridae (hawks, eagles, and kites), new Subfamilies were created: The White-tailed Kite was move to Elaninae, Hook-billed and Swallow-tailed Kite were moved to Gypaetinae, and all other members of the family were moved to Accipitrinae. Within the Icteridae (blackbirds), new Subfamilies were created: Yellow-headed blackbird was moved to Xanthocephalinae; bobolink was moved to Dolichonychinae; meadowlarks were moved to Sturnellinae; orioles were moved to Icterinae; and blackbirds, cowbirds, and grackles were moved to Agelaiinae. In the Falconidae (caracaras and falcons), collared forest-falcon was moved into the new Subfamily Herpetotherinae, and the Subfamily Caracarinae was removed, with crested caracara moved to the Subfamily Falconinae. In the Fringillidae (finches and allies), the Hawaiian fringillids were moved from the Subfamily Drepanidinae to Carduelinae. The Old World flycatchers in the Turdidae (thrushes) were moved to the Muscicapidae (Old World flycatchers). Bananaquit was moved from the Coerebidae (a family not protected by MBTA) to the Thraupidae (tanagers and allies), which is a family protected by the MBTA. All other tanagers were also moved from the Emberizidae (sparrows) to the Thraupidae. Within Thraupidae, the seedeaters were moved into the Subfamily Sporophilinae, and bananaquit, grassquits, and bullfinches were moved into the Subfamily Coerbinae.

All species previously receiving protection under the MBTA that have

been moved to newly created Families continue to be protected under the MBTA.

The amendments affect a total of 252 species; 75 additions, 8 removals, and 178 name changes covering 169 species (9 species had both scientific and common name changes). The result is a net addition of 67 species to the List of Migratory Birds, increasing the number of species on the list from 1,026 to 1,093. Of the 75 species that we add to the list, 28 were previously covered under the MBTA as members of the same species (conspecific) of listed species. These amendments can be logically arranged in the following nine categories:

(1) Add 16 species that qualify for protection by the MBTA but have not been added previously. The addition of these species is the result of either accepting AOS taxonomic updates that were previously excluded or determinations of documented natural occurrence in the United States or U.S. territories. The species and relevant publication(s) are:

Pink-footed Goose, *Anser brachyrhynchus* (AOS 2019);
 Cackling Goose, *Branta hutchinsii* (AOU 2004);
 Long-tailed Koel, *Urodynamis taitensis* (Wiles 2005);
 White-tailed Nightjar, *Hydropsalis cayennensis* (AOU 1983);
 Vervain Hummingbird, *Mellisuga minima* (AOU 1983);
 Kentish Plover, *Charadrius alexandrinus* (Enbring and Owen 1981);
 Common Redshank, *Tringa totanus* (Wiles 2005);
 Nazca Booby, *Sula granti* (AOS 2019);
 Abbott's Booby, *Papasula abbotti* (Pratt et al. 2009);
 Rufous Night-Heron, *Nycticorax caledonicus* (Glass et al. 1990);
 Gray-faced Buzzard, *Butastur indicus* (Stinson et al. 1997);
 Eastern Marsh-Harrier, *Circus spilonotus* (Wiles et al. 2000);
 Amur Falcon, *Falco amurensis* (Stinson et al. 1991);
 Eurasian Jackdaw, *Corvus monedula* (AOU 1998);
 Redwing, *Turdus iliacus* (AOU 1998);
 Common Kingfisher, *Alcedo atthis* (Wiles et al. 1993).

(2) Correct the spelling of three common or scientific names on the alphabetized list:

Eared Quetzl, *Euptilotis neoxenus*, becomes Eared Quetzal
 Red-footed falcon, *Flaco vespertinus*, becomes *Falco vespertinus*
 Piratic Flycatcher, *Legatus leucophalus* becomes *Legatus leucophaius*

(3) Correct the spelling of three common or scientific names on the taxonomic list:

Eared Quetzl, *Euptilotis neoxenus*, becomes Eared Quetzal
 White-crested Eleania, *Elaenia albiceps* becomes White-crested Elaenia
 Piratic Flycatcher, *Legatus leucophalus* becomes *Legatus leucophaius*

(4) Add 30 species based on review and acceptance by the AOS (since 2010) or by other appropriate ornithological authorities of new distributional records documenting their occurrence in the United States or U.S. territories. These species belong to families covered by at least one of the four international conventions, and all are considered to be of accidental or casual occurrence. For each species, we list the State in which it has been recorded plus the relevant publication:

Common Scoter, *Melanitta nigra*—California and Oregon (AOS 2017);
 Amethyst-throated Mountain-gem, *Lampornis amethystinus*—Texas (AOS 2018, AOS 2019);

Rufous-necked Wood-Rail, *Aramides axillaris*—New Mexico (AOU 2016);
 Solitary Snipe, *Gallinago solitaria*—Alaska (AOU 2011);

Chatham Albatross, *Thalassarche eremita*—California (AOS 2017);
 European Storm-Petrel, *Hydrobates pelagicus*—North Carolina and Florida (AOS 2019);

Providence Petrel, *Pterodroma solandri*—Alaska (AOU 2013);

Fea's Petrel, *Pterodroma feae*—North Carolina, Georgia, Virginia (AOU 2013);

Zino's Petrel, *Pterodroma madeira*—North Carolina, (AOU 2015);

White-chinned Petrel, *Procellaria aequinoctialis*—Texas, California, Maine (AOU 2011);

Bryan's Shearwater, *Puffinus bryani*—Hawaii (AOU 2012);

Bare-throated Tiger-Heron, *Tigrisoma mexicanum*—Texas (AOU 2011);

Double-toothed Kite, *Harpagus bidentatus*—Texas (AOU 2013);

Great Black Hawk, *Buteogallus urubitinga*—Texas and Maine (AOS 2019);

Amazon Kingfisher, *Chloroceryle amazona*—Texas (AOU 2011);

Gray-collared Becard, *Pachyramphus major*—Arizona (AOU 2011);

Pine Flycatcher, *Empidonax affinis*—Arizona (AOS 2018);

Cuban Vireo, *Vireo gundlachii*—Florida (AOS 2018);

Common Chiffchaff, *Phylloscopus collybita*—Alaska (AOU 2014);

Thick-billed Warbler, *Arundinicax aedon*—Alaska (AOS 2019);

Blyth's Reed Warbler, *Acrocephalus dumetorum*—Alaska (AOU 2017);

River Warbler, *Locustella fluviatilis*—Alaska (AOS 2019);
 European Robin, *Erithacus rubecula*—Pennsylvania (AOS 2019);

Common Redstart, *Phoenicurus phoenicurus*—Alaska (AOU 2015);
 Pied Wheatear, *Oenanthe pleschanka*—Alaska (AOS 2019);

Brown-backed Solitaire, *Myadestes occidentalis*—Arizona (AOU 2011);
 Pallas's Rosefinch, *Carpodacus roseus*—Alaska (AOS 2019);

Asian Rosy-Finch, *Leucosticte arctoa*—Alaska (AOU 2013);
 Black-backed Oriole, *Icterus abeillei*—Pennsylvania, Massachusetts, Connecticut (AOS 2019);

Red-legged Honeycreeper, *Cyanerpes cyaneus*—Texas (AOS 2017);
 (5) Add one species because of recent taxonomic changes transferring a species in a Family formerly not protected by the MBTA (Coerebidae) into a Family protected under the MBTA (Thraupidae). We reference the AOS publication supporting the change:
 Bananaquit, *Coereba flaveola* (AOU 2015).

(6) Add 28 species because of recent taxonomic changes in which taxa formerly treated as conspecific have been determined to be distinct species. Given that each of these species was formerly treated as conspecific with a listed species, these additions do not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOS or relevant publication supporting the change:

Stejneger's Scoter, *Melanitta stejnegeri*—formerly considered conspecific with Velvet Scoter, *Melanitta fusca* (AOS 2019);

Ridgway's Rail, *Rallus obsoletus*—formerly considered conspecific with Clapper Rail, *Rallus longirostris* (AOU 2014);

Common Gallinule, *Gallinula galeata*—formerly considered conspecific with Common Moorhen, *Gallinula chloropus* (AOU 2011);

Scripp's Murrelet, *Synthliboramphus scrippsi*—formerly considered conspecific with Xantus's Murrelet, *Synthliboramphus hypoleucus* (AOU 2012);

Salvin's Albatross, *Thalassarche salvini*—formerly considered conspecific with Shy Albatross, *Thalassarche cauta* (AOU 2014);

Gray-faced Petrel, *Pterodroma gouldi*—formerly considered conspecific with Great-winged Petrel, *Pterodroma macroptera* (AOS 2019);

Trindade Petrel, *Pterodroma arminjoniana*—formerly considered conspecific with Herald Petrel, *Pterodroma heraldica* (AOU 2015);

Newell's Shearwater, *Puffinus newelli*—formerly considered conspecific with Townsend's Shearwater, *Puffinus auricularis* (AOU 2015);

Barolo Shearwater, *Puffinus baroli*—formerly considered conspecific with Little Shearwater, *Puffinus assimilis* (AOU 2013);

Townsend's Storm-Petrel, *Hydrobates socorroensis*—formerly considered conspecific with Leach's Storm-Petrel, *Oceanodroma leucorhous* (AOU 2016, AOS 2019);

Northern Boobook, *Ninox japonica*—formerly considered conspecific with Brown Hawk-Owl, *Ninox scutulata* (AOU 2014);

Pacific Kingfisher, *Todiramphus sacer*—formerly considered conspecific with Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);

Mariana Kingfisher, *Todiramphus albicilla*—formerly considered conspecific with Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);

Woodhouse's Scrub-Jay, *Aphelocoma woodhouseii*—formerly considered conspecific with Western Scrub-Jay, *Aphelocoma californica* (AOU 2016);

Kamchatka Leaf Warbler, *Phylloscopus examinandus*—formerly considered conspecific with Arctic Warbler, *Phylloscopus borealis* (AOU 2014);

Saipan Reed Warbler, *Acrocephalus hiwae*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);

Aguiguan Reed Warbler, *Acrocephalus nijoi*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);

Pagan Reed Warbler, *Acrocephalus yamashiniae*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);

Laysan Honeycreeper, *Himatione fraithii*—formerly considered conspecific with Apapane, *Himatione sanguinea* (AOU 2015)

Kauai Nukupu'u, *Hemignathus hanapepe*—formerly considered

conspecific with Nukupuu, *Hemignathus lucidus* (AOU 2015); Maui Nukupu'u, *Hemignathus affins*—formerly considered conspecific with Nukupuu, *Hemignathus lucidus* (AOU 2015);

Kauai 'Akialoa, *Akialoa stejnegeri*—formerly considered conspecific with Greater Akialoa, *Hemignathus ellisianus* (AOU 2015);

Maui Nui 'Akialoa, *Akialoa lanaiensis*—formerly considered conspecific with Greater Akialoa, *Hemignathus ellisianus* (AOU 2015);

O'ahu 'Akepa, *Loxops wolstenholmei*—formerly considered conspecific with Akepa, *Loxops coccineus* (AOU 2015);

Maui 'Akepa, *Loxops ochraceus*—formerly considered conspecific with Akepa, *Loxops coccineus* (AOU 2015);

Cassia Crossbill, *Loxia sinesciuris*—formerly considered conspecific with Red Crossbill, *Loxia curvirostra* (AOS 2017);

Sagebrush Sparrow, *Artemisiospiza nevadensis*—formerly considered conspecific with Sage Sparrow, *Amphispiza belli* (AOU 2013);

Morelet's Seedeater, *Sporophila morelleti*—formerly considered conspecific with White-collared Seedeater, *Sporophila torqueola* (AOS 2018).

(7) Remove eight species based on revised taxonomic treatments, either because a species is taxonomically merged with another species, either on or off the list; a species previously on the list is taxonomically split into multiple species and the new species is not known to occur within the United States or U.S. territories; or the species is considered extinct (following the classification of the AOS or, for species not covered by the AOS, the Clements Checklist or peer-reviewed literature) unless any of the following criteria apply: It is protected under the Endangered Species Act of 1973, as amended (ESA; 16 U.S.C. 1531 *et seq.*), or the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES; 27 U.S.T. 1087); it resembles extant species included in the list that may be affected by its removal; or its removal would create difficulties implementing the

MBTA and its underlying Conventions. In each case, we reference the publication supporting these changes:

Thayer's Gull, *Larus thayeri*, now a subspecies of Iceland Gull, *Larus glaucopterus* (AOS 2017);

Great-winged Petrel, *Pterodroma macroptera* (AOS 2019);

Townsend's Shearwater, *Puffinus auricularis* (AOU 2015);

Little Shearwater, *Puffinus assimilis* (AOU 2015);

Brown Hawk-Owl, *Ninox scutulata* (AOU 2014);

Caribbean Coot, *Fulica caribaea* (AOU 2016);

Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);

White-collared Seedeater, *Sporophila torqueola* (AOS 2018).

(8) Revise the common (English) names of 43 species to conform to the most recent nomenclatural treatment as described in AOU publications 2011 through 2017, AOS 2018 and 2019 and Clements et al. (2017). Hawaiian species names are modified to official Hawaiian spelling, following the Pukui-Elbert Hawaiian Dictionary, adding the diacritical marks to the common names where applicable. The Government Publishing Office Style Manual requires the words Hawaii and Kauai to be spelled without the diacritical mark. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, the update is described in the table, below.

(9) Revise the scientific names of 135 species to conform to the most recent nomenclatural treatment as described in AOU publications 2011 through 2017, AOS 2018 and 2019 and Clements et al. (2017). These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, the update is described in the table, below.

Table of name changes, as described in categories 8 and 9, above, follows. Table is organized following AOS (2019) taxonomic order. The relevant AOS publication is provided. Hawaiian common name changes are indicated with a (—).

Publication source and year	Previous common name	Current common name
AOU 2004	Canada Goose (including <i>Branta hutchinsi</i>), <i>Branta canadensis</i> .	Canada Goose, <i>Branta canadensis</i> .
AOS 2019	Common Ground-Dove, <i>Columbina passerina</i>	Common Ground Dove, <i>Columbina passerina</i> .
AOS 2019	Ruddy Ground-Dove, <i>Columbina talpacoti</i>	Ruddy Ground Dove, <i>Columbina talpacoti</i> .
AOU 2016	Green Violetear, <i>Colibri thalassinus</i>	Mexican Violetear, <i>Colibri thalassinus</i> .
AOS 2017	Magnificent hummingbird, <i>Eugenes fulgens</i>	Rivoli's Hummingbird, <i>Eugenes fulgens</i> .
AOS 2019	Blue-throated Hummingbird, <i>Lampornis clemenciae</i>	Blue-throated Mountain-gem, <i>Lampornis clemenciae</i> .
AOU 2012	Xantus's Murrelet, <i>Synthliboramphus hypoleucus</i>	Guadalupe Murrelet, <i>Synthliboramphus hypoleucus</i> .

Publication source and year	Previous common name	Current common name
AOU 2014	Shy Albatross, <i>Thalassarche cauta</i>	White-capped Albatross, <i>Thalassarche cauta</i> .
AOU 2015	Herald Petrel, <i>Pterodroma arminjoniana</i>	Trindade Petrel, <i>Pterodroma arminjoniana</i> .
Clements et al. 2000	Pacific Reef-Egret, <i>Egretta sacra</i>	Pacific Reef-Heron, <i>Egretta sacra</i> .
AOU 2012	Gray Frog-Hawk, <i>Accipiter soloensis</i>	Chinese Sparrowhawk, <i>Accipiter soloensis</i> .
AOU 2014	Common Black-Hawk, <i>Buteogallus anthracinus</i>	Common Black Hawk, <i>Buteogallus anthracinus</i> .
AOS 2018	Gray Jay, <i>Perisoreus canadensis</i>	Canada Jay, <i>Perisoreus canadensis</i> .
AOU 2016	Western Scrub-Jay, <i>Aphelocoma californica</i>	California Scrub-Jay, <i>Aphelocoma californica</i> .
AOU 2016	Eurasian Sky Lark, <i>Alauda arvensis</i>	Eurasian Skylark, <i>Alauda arvensis</i> .
AOU 2014	Pallas's Leaf-Warbler, <i>Phylloscopus proregulus</i>	Pallas's Leaf Warbler, <i>Phylloscopus proregulus</i> .
—	Kamao, <i>Myadestes myadestinus</i>	Kāma'o, <i>Myadestes myadestinus</i> .
—	Olomao, <i>Myadestes lanaiensis</i>	Oloma'o, <i>Myadestes lanaiensis</i> .
—	Omao, <i>Myadestes obscurus</i>	'Omar'o, <i>Myadestes obscurus</i> .
AOS 2017	Le Conte's Thrasher, <i>Toxostoma lecontei</i>	LeConte's Thrasher, <i>Toxostoma lecontei</i> .
AOU 2015	Nukupuu, <i>Hemignathus lucidus</i>	O'ahu Nukupu'u, <i>Hemignathus lucidus</i> .
—	Poo-uli, <i>Melamprosops phaeosoma</i>	Po'ouli, <i>Melamprosops phaeosoma</i> .
—	Akikiki, <i>Oreomystis bairdi</i>	'Akikiki, <i>Oreomystis bairdi</i> .
—	Oahu Alauahio, <i>Paroreomyza maculata</i>	O'ahu 'Alauahio, <i>Paroreomyza maculata</i> .
—	Kakawahie, <i>Paroreomyza flammea</i>	Kākawahie, <i>Paroreomyza flammea</i> .
—	Maui Alauahio, <i>Paroreomyza montana</i>	Maui 'Alauahio, <i>Paroreomyza montana</i> .
—	Akohekohe, <i>Palmeria dolei</i>	'Akohekohe, <i>Palmeria dolei</i> .
—	Apapane, <i>Himatione sanguinea</i>	Apapane, <i>Himatione sanguinea</i> .
—	I'iwi, <i>Drepanis coccinea</i>	I'iwi, <i>Drepanis coccinea</i> .
—	Ou, <i>Psittirostra psittacea</i>	'Oū, <i>Psittirostra psittacea</i> .
—	Anianiau, <i>Magumma parva</i>	Anianiau, <i>Magumma parva</i> .
AOU 2015	Akekee, <i>Loxops caeruleirostris</i>	'Akeke'e, <i>Loxops caeruleirostris</i> .
AOS 2017	Akepa, <i>Loxops coccineus</i>	Hawaii 'Akepa, <i>Loxops coccineus</i> .
AOS 2017	Le Conte's Sparrow, <i>Ammodramus leconteii</i>	LeConte's Sparrow, <i>Ammodramus leconteii</i> .
AOS 2017	Emperor Goose, <i>Chen canagica</i>	Emperor Goose, <i>Anser canagicus</i> .
AOS 2017	Snow Goose, <i>Chen caerulescens</i>	Snow Goose, <i>Anser caerulescens</i> .
AOS 2017	Ross's Goose, <i>Chen rossii</i>	Ross's Goose, <i>Anser rossii</i> .
AOS 2017	Baikal Teal, <i>Anas formosa</i>	Baikal Teal, <i>Sibirionetta formosa</i> .
AOS 2017	Garganey, <i>Anas querquedula</i>	Garganey, <i>Spatula querquedula</i> .
AOS 2017	Blue-winged Teal, <i>Anas discors</i>	Blue-winged Teal, <i>Spatula discors</i> .
AOS 2017	Cinnamon Teal, <i>Anas cyanoptera</i>	Cinnamon Teal, <i>Spatula cyanoptera</i> .
AOS 2017	Northern Shoveler, <i>Anas clypeata</i>	Northern Shoveler, <i>Spatula clypeata</i> .
AOS 2017	Gadwall, <i>Anas strepera</i>	Gadwall, <i>Mareca strepera</i> .
AOS 2017	Falcated Duck, <i>Anas falcata</i>	Falcated Duck, <i>Mareca falcata</i> .
AOS 2017	Eurasian Wigeon, <i>Anas penelope</i>	Eurasian Wigeon, <i>Mareca penelope</i> .
AOS 2017	American Wigeon, <i>Anas americana</i>	American Wigeon, <i>Mareca americana</i> .
AOS 2019	White-winged Scoter, <i>Melanitta fusca</i>	White-winged Scoter, <i>Melanitta deglandi</i> .
Clements et al. 2017	White-throated Ground-Dove, <i>Gallicolumba xanthonura</i>	White-throated Ground-Dove, <i>Alopecoenas xanthonurus</i> .
Clements et al. 2010	Hodgson's Hawk-Cuckoo, <i>Cuculus fugax</i>	Hodgson's Hawk-Cuckoo, <i>Hierococcyx nisicolor</i> .
AOU 2012	Chuck-will's-widow, <i>Caprimulgus carolinensis</i>	Chuck-will's-widow, <i>Antrostomus carolinensis</i> .
AOU 2012	Buff-collared Nightjar, <i>Caprimulgus ridgwayi</i>	Buff-collared Nightjar, <i>Antrostomus ridgwayi</i> .
AOU 2012	Eastern Whip-poor-will, <i>Caprimulgus vociferus</i>	Eastern Whip-poor-will, <i>Antrostomus vociferus</i> .
AOU 2012	Mexican Whip-poor-will, <i>Caprimulgus arizonicus</i>	Mexican Whip-poor-will, <i>Antrostomus arizonae</i> .
AOU 2012	Puerto Rican Nightjar, <i>Caprimulgus noctitherus</i>	Puerto Rican Nightjar, <i>Antrostomus noctitherus</i> .
AOS 2018	Gray Nightjar, <i>Caprimulgus indicus</i>	Gray Nightjar, <i>Caprimulgus jotaka</i> .
AOS 2019	Bahama Woodstar, <i>Calliphlox evelynae</i>	Bahama Woodstar, <i>Nesophlox evelynae</i> .
AOU 2012	Calliope Hummingbird, <i>Stellula calliope</i>	Calliope Hummingbird, <i>Selasphorus calliope</i> .
AOU 2014	Clapper Rail, <i>Rallus longirostris</i>	Clapper Rail, <i>Rallus crepitans</i> .
AOU 2016	Yellow-breasted Crake, <i>Porzana flaviventer</i>	Yellow-breasted Crake, <i>Hapalocrex flaviventer</i> .
AOU 2012	Purple Gallinule, <i>Porphyrio martinica</i>	Purple Gallinule, <i>Porphyrio martinicus</i> .
AOU 2016	Sandhill Crane, <i>Grus canadensis</i>	Sandhill Crane, <i>Antigone canadensis</i> .
AOU 2011	Snowy Plover, <i>Charadrius alexandrinus</i>	Snowy Plover, <i>Charadrius nivosus</i> .
AOU 2013	Surfbird, <i>Aphriza virgata</i>	Surfbird, <i>Calidris virgata</i> .
AOU 2013	Ruff, <i>Philomachus pugnax</i>	Ruff, <i>Calidris pugnax</i> .
AOU 2013	Broad-billed Sandpiper, <i>Limicola falcinellus</i>	Broad-billed Sandpiper, <i>Calidris falcinellus</i> .
AOU 2013	Spoon-billed Sandpiper, <i>Eurynorhynchus pygmeus</i>	Spoon-billed Sandpiper, <i>Calidris pygmea</i> .
AOU 2013	Buff-breasted Sandpiper, <i>Tryngites subruficollis</i>	Buff-breasted Sandpiper, <i>Calidris subruficollis</i> .
AOS 2017	Blue-gray Noddy, <i>Procelsterna cerulea</i>	Blue-gray Noddy, <i>Anous ceruleus</i> .
AOU 2003	Whiskered Tern, <i>Chlidonias hybridus</i>	Whiskered Tern, <i>Chlidonias hybrida</i> .
AOS 2019	Fork-tailed Storm-Petrel, <i>Oceanodroma furcata</i>	Fork-tailed Storm-Petrel, <i>Hydrobates furcatus</i> .
AOS 2019	Ringed Storm-Petrel, <i>Oceanodroma hornbyi</i>	Ringed Storm-Petrel, <i>Hydrobates hornbyi</i> .
AOS 2019	Swinhoe's Storm-Petrel, <i>Oceanodroma monorhis</i>	Swinhoe's Storm-Petrel, <i>Hydrobates monorhis</i> .
AOS 2019	Leach's Storm-Petrel, <i>Oceanodroma leucorhoa</i>	Leach's Storm-Petrel, <i>Hydrobates leucorhous</i> .
AOS 2019	Townsend's Storm-Petrel, <i>Oceanodroma socorroensis</i>	Townsend's Storm-Petrel, <i>Hydrobates socorroensis</i> .
AOS 2019	Ashy Storm-Petrel, <i>Oceanodroma homochroa</i>	Ashy Storm-Petrel, <i>Hydrobates homochroa</i> .
AOS 2019	Band-rumped Storm-Petrel, <i>Oceanodroma castro</i>	Band-rumped Storm-Petrel, <i>Hydrobates castro</i> .
AOS 2019	Wedge-rumped Storm-Petrel, <i>Oceanodroma tethys</i>	Wedge-rumped Storm-Petrel, <i>Hydrobates tethys</i> .
AOS 2019	Black Storm-Petrel, <i>Oceanodroma Melania</i>	Black Storm-Petrel, <i>Hydrobates Melania</i> .
AOS 2019	Tristram's Storm-Petrel, <i>Oceanodroma tristrami</i>	Tristram's Storm-Petrel, <i>Hydrobates tristrami</i> .
AOS 2019	Least Storm-Petrel, <i>Oceanodroma microsoma</i>	Least Storm-Petrel, <i>Hydrobates microsoma</i> .

Publication source and year	Previous common name	Current common name
AOS 2018	Tahiti Petrel, <i>Pterodroma rostrata</i>	Tahiti Petrel, <i>Pseudobulweria rostrata</i> .
AOU 2016	Wedge-tailed Shearwater, <i>Puffinus pacificus</i>	Wedge-tailed Shearwater, <i>Ardenna pacifica</i> .
AOU 2016	Buller's Shearwater, <i>Puffinus bulleri</i>	Buller's Shearwater, <i>Ardenna bulleri</i> .
AOU 2016	Short-tailed Shearwater, <i>Puffinus tenuirostris</i>	Short-tailed Shearwater, <i>Ardenna tenuirostris</i> .
AOU 2016	Sooty Shearwater, <i>Puffinus griseus</i>	Sooty Shearwater, <i>Ardenna grisea</i> .
AOU 2016	Great Shearwater, <i>Puffinus gravis</i>	Great Shearwater, <i>Ardenna gravis</i> .
AOU 2016	Pink-footed Shearwater, <i>Puffinus creatopus</i>	Pink-footed Shearwater, <i>Ardenna creatopus</i> .
AOU 2016	Flesh-footed Shearwater, <i>Puffinus carneipes</i>	Flesh-footed Shearwater, <i>Ardenna carneipes</i> .
AOS 2017	Intermediate Egret, <i>Mesophoyx intermedia</i>	Intermediate Egret, <i>Ardea intermedia</i> .
AOS 2017	Northern Harrier, <i>Circus cyaneus</i>	Northern Harrier, <i>Circus hudsonius</i> .
AOU 2015	Roadside Hawk, <i>Buteo magnirostris</i>	Roadside Hawk, <i>Rupornis magnirostris</i> .
AOU 2015	White-tailed Hawk, <i>Buteo albicaudatus</i>	White-tailed Hawk, <i>Geranoaetus albicaudatus</i> .
AOS 2018	Downy Woodpecker, <i>Picoides pubescens</i>	Downy Woodpecker, <i>Dryobates pubescens</i> .
AOS 2018	Nuttall's Woodpecker, <i>Picoides nuttallii</i>	Nuttall's Woodpecker, <i>Dryobates nuttallii</i> .
AOS 2018	Ladder-backed Woodpecker, <i>Picoides scalaris</i>	Ladder-backed Woodpecker, <i>Dryobates scalaris</i> .
AOS 2018	Red-cockaded Woodpecker, <i>Picoides borealis</i>	Red-cockaded Woodpecker, <i>Dryobates borealis</i> .
AOS 2018	Hairy Woodpecker, <i>Picoides villosus</i>	Hairy Woodpecker, <i>Dryobates villosus</i> .
AOS 2018	White-headed Woodpecker, <i>Picoides albolarvatus</i>	White-headed Woodpecker, <i>Dryobates albolarvatus</i> .
AOS 2018	Arizona Woodpecker, <i>Picoides arizonae</i>	Arizona Woodpecker, <i>Dryobates arizonae</i> .
AOU 2013	Flammulated Owl, <i>Otus flammatus</i>	Flammulated Owl, <i>Psiloscops flammatus</i> .
AOS 2017	Northern Shrike, <i>Lanius excubitor</i>	Northern Shrike, <i>Lanius borealis</i> .
AOU 2011	Mexican Jay, <i>Aphelocoma ultramarina</i>	Mexican Jay, <i>Aphelocoma wollweberi</i> .
AOU 2012	Sinaloa Wren, <i>Thryothorus sinaloae</i>	Sinaloa Wren, <i>Thryophilus sinaloa</i> .
AOS 2018	Siberian Blue Robin, <i>Luscinia cyanus</i>	Siberian Blue Robin, <i>Larvivora cyanus</i> .
AOS 2018	Rufous-tailed Robin, <i>Luscinia sibilans</i>	Rufous-tailed Robin, <i>Larvivora sibilans</i> .
AOS 2018	Bluethroat, <i>Luscinia svecica</i>	Bluethroat, <i>Cyanecula svecica</i> .
AOS 2018	Siberian Rubythroat, <i>Luscinia calliope</i>	Siberian Rubythroat, <i>Calliope calliope</i> .
Clements et al. 2015	Chestnut-cheeked Starling, <i>Sturnus phillippensis</i>	Chestnut-cheeked Starling, <i>Agropsar philippensis</i> .
Clements et al. 2015	White-cheeked Starling, <i>Sturnus cineraceus</i>	White-cheeked Starling, <i>Spodiopsar cineraceus</i> .
AOU 2013	Gray Silky-flycatcher, <i>Ptilogonyx cinereus</i>	Gray Silky-flycatcher, <i>Ptiliogonyx cinereus</i> .
AOU 2012	House Finch, <i>Carpodacus mexicanus</i>	House Finch, <i>Haemorhous mexicanus</i> .
AOU 2012	Purple Finch, <i>Carpodacus purpureus</i>	Purple Finch, <i>Haemorhous purpureus</i> .
AOU 2012	Cassin's Finch, <i>Carpodacus cassini</i>	Cassin's Finch, <i>Haemorhous cassini</i> .
AOU 2015	American Tree Sparrow, <i>Spizella arborea</i>	American Tree Sparrow, <i>Spizelloides arborea</i> .
AOS 2018	LeConte's Sparrow, <i>Ammodramus lecontei</i>	LeConte's Sparrow, <i>Ammospiza lecontei</i> .
AOS 2018	Seaside Sparrow, <i>Ammodramus maritima</i>	Seaside Sparrow, <i>Ammospiza maritima</i> .
AOS 2018	Nelson's Sparrow, <i>Ammodramus nelsoni</i>	Nelson's Sparrow, <i>Ammospiza nelsoni</i> .
AOS 2018	Saltmarsh Sparrow, <i>Ammodramus caudacuta</i>	Saltmarsh Sparrow, <i>Ammospiza caudacuta</i> .
AOS 2018	Baird's Sparrow, <i>Ammodramus bairdii</i>	Baird's Sparrow, <i>Centronyx bairdii</i> .
AOS 2018	Henslow's Sparrow, <i>Ammodramus henslowii</i>	Henslow's Sparrow, <i>Centronyx henslowii</i> .
AOS 2019	Tennessee Warbler, <i>Oreothlypis peregrina</i>	Tennessee Warbler, <i>Leiothlypis peregrina</i> .
AOS 2019	Orange-crowned Warbler, <i>Oreothlypis celata</i>	Orange-crowned Warbler, <i>Leiothlypis celata</i> .
AOS 2019	Colima Warbler, <i>Oreothlypis crissalis</i>	Colima Warbler, <i>Leiothlypis crissalis</i> .
AOS 2019	Lucy's Warbler, <i>Oreothlypis luciae</i>	Lucy's Warbler, <i>Leiothlypis luciae</i> .
AOS 2019	Nashville Warbler, <i>Oreothlypis ruficapilla</i>	Nashville Warbler, <i>Leiothlypis ruficapilla</i> .
AOS 2019	Virginia's Warbler, <i>Oreothlypis virginiae</i>	Virginia's Warbler, <i>Leiothlypis virginiae</i> .
AOU 2011	MacGillivray's Warbler, <i>Oporornis tolmiei</i>	MacGillivray's Warbler, <i>Geothlypis tolmei</i> .
AOU 2011	Mourning Warbler, <i>Oporornis philadelphica</i>	Mourning Warbler, <i>Geothlypis philadelphica</i> .
AOU 2011	Kentucky Warbler, <i>Oporornis formosus</i>	Kentucky Warbler, <i>Geothlypis formosa</i> .
AOU 2011	Elfin-woods Warbler, <i>Dendroica angelae</i>	Elfin-woods Warbler, <i>Setophaga angelae</i> .
AOU 2011	Hooded Warbler, <i>Wilsonia citrina</i>	Hooded Warbler, <i>Setophaga citrina</i> .
AOU 2011	Kirtland's Warbler, <i>Dendroica kirtlandii</i>	Kirtland's Warbler, <i>Setophaga kirtlandii</i> .
AOU 2011	Cape May Warbler, <i>Dendroica tigrina</i>	Cape May Warbler, <i>Setophaga tigrina</i> .
AOU 2011	Cerulean Warbler, <i>Dendroica cerulea</i>	Cerulean Warbler, <i>Setophaga cerulea</i> .
AOU 2011	Northern Parula, <i>Parula americana</i>	Northern Parula, <i>Setophaga americana</i> .
AOU 2011	Tropical Parula, <i>Parula pitayumi</i>	Tropical Parula, <i>Setophaga pitayumi</i> .
AOU 2011	Magnolia Warbler, <i>Dendroica magnolia</i>	Magnolia Warbler, <i>Setophaga magnolia</i> .
AOU 2011	Bay-breasted Warbler, <i>Dendroica castanea</i>	Bay-breasted Warbler, <i>Setophaga castanea</i> .
AOU 2011	Blackburnian Warbler, <i>Dendroica fusca</i>	Blackburnian Warbler, <i>Setophaga fusca</i> .
AOU 2011	Yellow Warbler, <i>Dendroica petechia</i>	Yellow Warbler, <i>Setophaga petechia</i> .
AOU 2011	Chestnut-sided Warbler, <i>Dendroica pensylvanica</i>	Chestnut-sided Warbler, <i>Setophaga pensylvanica</i> .
AOU 2011	Blackpoll Warbler, <i>Dendroica striata</i>	Blackpoll Warbler, <i>Setophaga striata</i> .
AOU 2011	Black-throated Blue Warbler, <i>Dendroica caerulea</i>	Black-throated Blue Warbler, <i>Setophaga caerulea</i> .
AOU 2011	Palm Warbler, <i>Dendroica palmarum</i>	Palm Warbler, <i>Setophaga palmarum</i> .
AOU 2011	Pine Warbler, <i>Dendroica pinus</i>	Pine Warbler, <i>Setophaga pinus</i> .
AOU 2011	Yellow-rumped Warbler, <i>Dendroica coronata</i>	Yellow-rumped Warbler, <i>Setophaga coronata</i> .
AOU 2011	Yellow-throated Warbler, <i>Dendroica dominica</i>	Yellow-throated Warbler, <i>Setophaga dominica</i> .
AOU 2011	Prairie Warbler, <i>Dendroica discolor</i>	Prairie Warbler, <i>Setophaga discolor</i> .
AOU 2011	Adelaide's Warbler, <i>Dendroica adelaidae</i>	Adelaide's Warbler, <i>Setophaga adelaidae</i> .
AOU 2011	Grace's Warbler, <i>Dendroica graciae</i>	Grace's Warbler, <i>Setophaga graciae</i> .
AOU 2011	Black-throated Gray Warbler, <i>Dendroica nigrescens</i>	Black-throated Gray Warbler, <i>Setophaga nigrescens</i> .
AOU 2011	Townsend's Warbler, <i>Dendroica townsendi</i>	Townsend's Warbler, <i>Setophaga townsendi</i> .
AOU 2011	Hermit Warbler, <i>Dendroica occidentalis</i>	Hermit Warbler, <i>Setophaga occidentalis</i> .

Publication source and year	Previous common name	Current common name
AOU 2011	Golden-cheeked Warbler, <i>Dendroica chrysoparia</i>	Golden-cheeked Warbler, <i>Setophaga chrysoparia</i> .
AOU 2011	Black-throated Green Warbler, <i>Dendroica virens</i>	Black-throated Green Warbler, <i>Setophaga virens</i> .
AOU 2011	Fan-tailed Warbler, <i>Euthlypis lachrymosa</i>	Fan-tailed Warbler, <i>Basileuterus lachrymosus</i> .
AOU 2011	Canada Warbler, <i>Wilsonia canadensis</i>	Canada Warbler, <i>Cardellina canadensis</i> .
AOU 2011	Wilson's Warbler, <i>Wilsonia pusilla</i>	Wilson's Warbler, <i>Cardellina pusilla</i> .
AOS 2019	Black-faced Grassquit, <i>Tiaris bicolor</i>	Black-faced Grassquit, <i>Melanospiza bicolor</i> .
AOS 2018	Puerto Rican Bullfinch, <i>Loxigilla portoricensis</i>	Puerto Rican Bullfinch, <i>Melopyrrha portoricensis</i> .
Clements et al. 2017	Friendly Ground-Dove, <i>Gallicolumba steari</i>	Shy Ground-Dove, <i>Alopecoenas steari</i> .
Clements et al. 2006	Micronesian Kingfisher, <i>Todiramphus cinnamominus</i>	Guam Kingfisher, <i>Todiramphus cinnamominus</i> .
Clements et al. 2006, 2017.	Nightingale Reed-Warbler, <i>Acrocephalus luscinius</i>	Nightingale Reed Warbler, <i>Acrocephalus luscinius</i> .
AOU 2015	Akiapolaau, <i>Hemignathus munroi</i>	'Akiapola'au, <i>Hemignathus wilsoni</i> .
AOU 2015	Greater Akialoa, <i>Hemignathus ellisianus</i>	O'ahu 'Akialoa, <i>Akialoa ellisiana</i> .
AOU 2015	Hawaii Amakihi, <i>Hemignathus virens</i>	Hawaii 'Amakihi, <i>Chlorodrepanis virens</i> .
AOU 2015	Oahu Amakihi, <i>Hemignathus flavus</i>	O'ahu 'Amakihi, <i>Chlorodrepanis flava</i> .
AOU 2015	Kauai Amakihi, <i>Hemignathus kauaiensis</i>	Kauai 'Amakihi, <i>Chlorodrepanis stejnegeri</i> .
AOU 2012, 2013	Sage Sparrow, <i>Amphispiza belli</i>	Bell's Sparrow, <i>Artemisiospiza belli</i> .

How do the changes adopted in this rule differ from those described in the proposed rule?

On November 28, 2018, we published in the **Federal Register** (83 FR 61288) a proposed rule to revise the list of migratory birds at 50 CFR 10.13; we accepted public comments on the proposed rule for 60 days, ending January 28, 2019. Subsequently, on November 12, 2019, we published in the **Federal Register** (84 FR 60998) a revised proposed rule, and we accepted comments on our proposed revisions for 30 days, ending December 12, 2019. Taken together, our publications, the November 28, 2018, proposed rule, as revised by the November 12, 2019, revised proposed rule, include all the changes adopted in this rule with one exception: On the taxonomic list, we are correcting the scientific name of the Puerto Rican bullfinch from *Loxigilla portoricensis* to *Melopyrrha portoricensis*.

How is the List of Migratory Birds organized?

The species are listed in two formats to suit the needs of different segments of the public: Alphabetically in 50 CFR 10.13(c)(1) and taxonomically in 50 CFR 10.13(c)(2). In the alphabetical listing, species are listed by common (English) group names, with the scientific name of each species following the English group name. This format, similar to that used in modern telephone directories, is most useful to members of the lay public. In the taxonomic listing, species are listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily. This format follows the sequence adopted by

the AOS (1998, 2019) and is most useful to ornithologists and other scientists.

What species are not protected by the Migratory Bird Treaty Act?

The MBTA does not apply to:

(1) Nonnative species introduced into the United States or U.S. territories by means of intentional or unintentional human assistance that belong to families or groups covered by the Canadian, Mexican, or Russian Conventions. Elsewhere in today's **Federal Register**, we publish the revised list of nonnative bird species that are not protected under the MBTA. Note, though, that native species introduced into parts of the United States where they are not native are still protected under the MBTA regardless of where they occur in the United States or U.S. territories (e.g., cattle egrets in Hawaii).

(2) Species native or nonnative to the United States or U.S. territories that either belong to families or groups not referred to in the Canada, Mexico, and Russia Conventions or are not included by species name in the Japan Convention. This includes the Tinamidae (tinamous), Megapodiidae (megapodes), Cracidae (chachalacas), Odontophoridae (New World quail), Phasianidae (grouse, ptarmigan, and turkeys), Pteroclidae (sandgrouse), Heliornithidae (finfoots), Burhinidae (thick-knees), Glareolidae (pratincoles), Todidae (todies), Psittacidae (parrots), Psittaculidae (Old World parrots), Meliphagidae (honeyeaters), Dicruridae (drongos), Monarchidae (monarchs), Pycnonotidae (bulbuls), Scotocercidae (bush warblers and allies), Zosteropidae (white-eyes), Sturnidae (starlings, except as listed in Japanese treaty), Ploceidae (weavers), Estrildidae (estrildid finches), and Passeridae (Old World sparrows, including house or English sparrow), as well as numerous

other families not represented in the United States or U.S. territories.

Summary of Comments and Responses

On November 28, 2018, we published in the **Federal Register** (83 FR 61288) a proposed rule to revise the list of migratory birds at 50 CFR 10.13; we accepted public comments on the proposed rule for 60 days, ending January 28, 2019. We received eight comments in response to the proposed rule; seven were from private individuals, one was from an organization. Subsequently, on November 12, 2019, we published in the **Federal Register** (84 FR 60998) a revised proposed rule, and we accepted comments on our proposed revisions for 30 days, ending December 12, 2019. We received two comments in response to the revised proposed rule; one was from a private individual, one was from an organization. The following text discusses the substantive comments we received and provides our responses.

Comment (1): One individual requested that the list be available in a more user-friendly format.

Response: As noted above, in the Code of Federal Regulations (CFR), the list is provided in two formats for different needs. One format is ordered alphabetically by group (English) name and the other is in taxonomic order. For informational purposes only, we also provide a downloadable list online at <https://www.fws.gov/birds/management/managed-species/migratory-bird-treaty-act-protected-species.php>, in a spreadsheet format that includes multiple fields to allow for easy sorting and searching for users comfortable working with this format.

Comment (2): One individual requested that we clarify why we are adding to the List the 16 species that we

say qualify for protection by the MBTA but have not been added previously.

Response: For this update, the Service reviewed previously excluded AOS taxonomic updates using contemporary scientific literature to make its determinations. For species that we are adding based on evidence of natural distribution in the United States or U.S. territories, the Service reviewed historical scientific literature prompted by recommendations made by Service staff with ornithological expertise and knowledge of species' natural distribution.

Comment (3): One individual commented on the importance of updating the List of Migratory Birds for the public to be informed of what species are protected and to provide clarification about the taxonomy of species.

Response: The Service agrees that it is important to maintain a current List of Migratory Birds that reflects the best available science and can inform the American public of the species that are protected by the MBTA.

Comment (4): One commenter made the following comments:

- The proposed action of the Service implicates the Just Compensation Clause of the Fifth Amendment; as a result, the action is not in compliance with Executive Order 12630 as it has significant takings implications.
- The Service has provided the public with no meaningful opportunity to comment due to incorrect citations.
- The Service has provided the public with no meaningful opportunity to comment because the correct citations are conclusory summations without details relating to the factual determinations.
- The Service has unlawfully delegated its decision-making authority to a private organization.
- The Service is unlawfully applying the MBTA by misinterpreting the plain language meaning of the term “occurring.”

Response: Regarding the first bullet, there are no takings implications stemming from this rulemaking. Under 50 CFR 21.2, migratory birds that are lawfully acquired prior to the effective date of Federal protection under the MBTA (in this case, their addition to the List of Migratory Birds at 50 CFR 10.13) may continue to be possessed or transported without a permit. However, 50 CFR 21.2 prohibits import, export, purchase, sale, barter, or offer for purchase, sale, or barter of those species. The Supreme Court held in *Andrus v. Allard*, 444 U.S. 51, 65–68 (1979), that the prohibitions in 50 CFR 21.2 do not amount to a regulatory

taking that requires compensation under the Just Compensation Clause of the Fifth Amendment.

Regarding the second bullet, we apologize for the incorrect citations in the November 28, 2018, proposed rule; they were corrected and described individually in the November 12, 2019, revised proposed rule, for which we accepted public comment for 30 days, and they are correct in this final rule.

Regarding the third and fourth bullets, which we combine because they are interrelated with regard to the process the Service follows for determining species protected by the MBTA, the Service must rely on accepted scientific authorities and best available science when feasible. The Service has determined that the checklist published by the AOS is the best available science and a primary resource from which to reference updates in taxonomy and natural distribution for the reasons outlined above under What Scientific Authorities Are Used to Amend the List of Migratory Birds? The Service reviews and makes its own determinations for inclusion and updates to the list of protected migratory bird species, as evidenced by the Service not recognizing ackling Gogose, *Branta hutchinsii*, as a distinct species for protection until this update when the AOU made this determination in its 2004 supplement (see our response to comments in 78 FR 65844, November 1, 2013, at p. 78 FR 65849). Copies of the AOS checklist and supplements are publicly available, and these publications cite published resources used in the committee deliberations that are also considered by the Service for this rulemaking. Persons wishing to obtain more information about deliberations and evidence used by the AOS in their determinations should contact AOS directly. The Service also solicits public comments through a proposed rule when we make revisions to the list of protected species to obtain any additional information the public wishes to provide to aid us in our decision-making.

Regarding the fifth bullet, the use of the word “occurring” is ambiguous in the legislative history, and there is no evidence that Congress was concerned with the number of records documenting a species’ natural occurrence in the United States or U.S. Territories. There is also no established or accepted scientific process to determine a species is occurring in the United States or U.S. Territories based on an undefined threshold number of documented records. A single documented, reviewed, and accepted record of natural occurrence in the

United States or U.S. Territories is thus the threshold to qualify a species for protection by the MBTA.

Required Determinations

Regulatory Planning and Review

Executive Order (E.O.) 12866 provides that the Office of Information and Regulatory Affairs (OIRA) in the Office of Management and Budget will review all significant rules. OIRA has determined that this rule is not significant.

E.O. 13563 reaffirms the principles of E.O. 12866, while calling for improvements in the nation’s regulatory system to promote predictability, to reduce uncertainty, and to use the best, most innovative, and least burdensome tools for achieving regulatory ends. E.O. 13563 directs agencies to consider regulatory approaches that reduce burdens and maintain flexibility and freedom of choice for the public where these approaches are relevant, feasible, and consistent with regulatory objectives. E.O. 13563 emphasizes further that regulations must be based on the best available science and that the rulemaking process must allow for public participation and an open exchange of ideas. We have developed this rule in a manner consistent with these requirements.

Executive Order 13771—Reducing Regulation and Controlling Regulatory Costs

This rule is not an Executive Order (E.O.) 13771 (82 FR 9339, February 3, 2017) regulatory action because this rule is not significant under E.O. 12866.

Regulatory Flexibility Act (5 U.S.C. 601 et seq.)

Under the Regulatory Flexibility Act (5 U.S.C. 601 et seq., as amended by the Small Business Regulatory Enforcement Fairness Act (SBREFA) of 1996 (5 U.S.C. 804(2))), whenever an agency is required to publish a notice of rulemaking for any proposed or final rule, it must prepare and make available for public comment a regulatory flexibility analysis that describes the effect of the rule on small entities (*i.e.*, small businesses, small organizations, and small government jurisdictions). However, no regulatory flexibility analysis is required if the head of an agency certifies the rule will not have a significant economic impact on a substantial number of small entities.

SBREFA amended the Regulatory Flexibility Act to require Federal agencies to provide the statement of the factual basis for certifying that a rule will not have a significant economic

impact on a substantial number of small entities. We have examined this rule's potential effects on small entities as required by the Regulatory Flexibility Act, and have determined that this action will not have a significant economic impact on a substantial number of small entities. This rule is an administrative action to update the list of migratory bird species protected under the Conventions. Consequently, we certify that this rule will not have a significant economic impact on a substantial number of small entities; therefore, a regulatory flexibility analysis is not required.

This rule is not a major rule under SBREFA (5 U.S.C. 804(2)). It will not have a significant impact on a substantial number of small entities.

a. This rule will not have an annual effect on the economy of \$100 million or more.

b. This rule will not cause a major increase in costs or prices for consumers, individual industries, Federal, State, or local government agencies, or geographic regions.

c. This rule will not have significant adverse effects on competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises.

Unfunded Mandates Reform Act

In accordance with the Unfunded Mandates Reform Act (2 U.S.C. 1501 *et seq.*), we have determined the following:

a. This rule will not "significantly or uniquely" affect small governments. A small government agency plan is not required. This rule is an administrative action to update the list of migratory bird species protected under the Conventions; it will not affect small government activities in any significant way.

b. This rule will not produce a Federal mandate of \$100 million or greater in any year; *i.e.*, it is not a "significant regulatory action" under the Unfunded Mandates Reform Act.

Takings

Under Executive Order 12630, this rule does not have significant takings implications. While certain activities that were previously unregulated will now be regulated, possession and transport of migratory bird species acquired prior to being added to the List of Migratory Birds in this rulemaking will remain unregulated under Federal law. Therefore, a takings implication assessment is not required.

Federalism

This rule does not have sufficient Federalism effects to warrant preparation of a federalism summary impact statement under Executive Order 13132. It does not interfere with the States' ability to manage themselves or their funds. No significant economic impacts are expected to result from the updating of the list of migratory bird species.

Civil Justice Reform

In accordance with Executive Order 12988, the Office of the Solicitor has determined that this rule does not unduly burden the judicial system and meets the requirements of sections 3(a) and 3(b)(2) of the Order.

Paperwork Reduction Act

This rule does not contain information collection requirements, and a submission to the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*) is not required. We may not conduct or sponsor and you are not required to respond to a collection of information unless it displays a currently valid OMB control number.

National Environmental Policy Act (NEPA)

Given that the revision of 50 CFR 10.13 is strictly administrative in nature and will have no or minor environmental effects, it is categorically excluded from further NEPA requirements (43 CFR 46.210(i)).

Endangered Species Act (ESA)

Of the species on the List of Migratory Birds, 102 species, subspecies, or distinct population segments are also listed as endangered or threatened under section 4 of the ESA of 1973, as amended (16 U.S.C. 1531 *et seq.*). No legal complications arise from the dual listing as the two lists are developed under separate authorities and for different purposes. Because this rule is strictly administrative in nature, it has no effect on endangered or threatened species. Thus, it does not require consultation under section 7 of the ESA.

Government-to-Government Relationship With Tribes

In accordance with the President's memorandum of April 29, 1994, "Government-to-Government Relations with Native American tribal Governments" (59 FR 22951), Executive Order 13175, and 512 DM 2, we have evaluated potential effects on federally recognized Indian tribes and have determined that there are no potential

effects. The revisions to existing regulations in this rule are purely administrative in nature and do not interfere with the tribes' ability to manage themselves or their funds or to regulate migratory bird activities on tribal lands.

Energy Supply, Distribution, or Use (Executive Order 13211)

On May 18, 2001, the President issued Executive Order 13211 addressing regulations that significantly affect energy supply, distribution, or use. Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions. Because this rule will only affect the listing of protected species in the United States, it is not a significant regulatory action under Executive Order 12866, and does not significantly affect energy supplies, distribution, or use. Therefore, this action is not a significant energy action and no Statement of Energy Effects is required.

References Cited

A complete list of all references cited is available on <http://www.regulations.gov> under Docket No. FWS-HQ-MB-2018-0047, and upon request (see **FOR FURTHER INFORMATION CONTACT**, above).

List of Subjects in Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

Regulation Promulgation

For the reasons discussed in the preamble, we amend title 50, chapter I, subchapter B, part 10 of the Code of Federal Regulations, as follows:

PART 10—GENERAL PROVISIONS

- 1. The authority citation for part 10 continues to read as follows:

Authority: 16 U.S.C. 668a-d, 703–712, 742a–j–l, 1361–1384, 1401–1407, 1531–1543, 3371–3378; 18 U.S.C. 42; 19 U.S.C. 1202.

- 2. Amend § 10.13 by revising paragraph (c) to read as follows:

§ 10.13 List of Migratory Birds.

* * * * *

(c) *What species are protected as migratory birds?* Species protected as migratory birds are listed in two formats to suit the varying needs of the user: Alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's (AOU, now recognized as American Ornithological

Society (AOS)) *Check-list of North American birds* (1998, as amended through 2019). For species not treated by the AOS *Check-list*, we generally follow *Clements Checklist of Birds of the World* (Clements et al. 2017).

(1) *Alphabetical listing.* Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name.

ACCENTOR, Siberian, *Prunella montanella*

'AKEKE'E, *Loxops caeruleirostris*

'AKEPA, Hawaii, *Loxops coccineus*

Maui, *Loxops ochraceus*

O'ahu, *Loxops wolstenholmei*

'AKIALOA, Kauai, *Akialoa stejnegeri*

Maui Nui, *Akialoa lanaiensis*

O'ahu, *Akialoa ellisiana*

'AKIAPOLA'AU, *Hemignathus wilsoni*

'AKIKIKI, *Oreomystis bairdi*

'AKOHEKOHE, *Palmeria dolei*

'ALAUAHIO, Maui, *Paroreomyza montana*

O'ahu, *Paroreomyza maculata*

ALBATROSS, Black-browed,

Thalassarche melanophris

Black-footed, *Phoebastria nigripes*

Chatham, *Thalassarche eremita*

Laysan, *Phoebastria immutabilis*

Light-mantled, *Phoebetria palpebrata*

Salvin's, *Thalassarche salvini*

Short-tailed, *Phoebastria albatrus*

Wandering, *Diomedea exulans*

White-capped, *Thalassarche cauta*

Yellow-nosed, *Thalassarche chlororhynchos*

'AMAKIHI, Hawaii, *Chlorodrepanis virens*

Kauai, *Chlorodrepanis stejnegeri*

O'ahu, *Chlorodrepanis flava*

ANHINGA, *Anhinga anhinga*

ANI, Groove-billed, *Crotophaga sulcirostris*

Smooth-billed, *Crotophaga ani*

'ANIANIAU, *Magumma parva*

'APAPANE, *Himatione sanguinea*

AUKLET, Cassin's, *Ptychoramphus aleuticus*

Crested, *Aethia cristatella*

Least, *Aethia pusilla*

Parakeet, *Aethia psittacula*

Rhinoceros, *Cerorhinca monocerata*

Whiskered, *Aethia pygmaea*

AVOCET, American, *Recurvirostra americana*

BANANAQUIT, *Coereba flaveola*

BEAN-GOOSE, Taiga, *Anser fabalis*

Tundra, *Anser serrirostris*

BEARLESS-TYRANNULET, Northern, *Campstoma imberbe*

BECARD, Gray-collared, *Pachyramphus major*

Rose-throated, *Pachyramphus aglaiae*

BITTERN, American, *Botaurus lentiginosus*

Black, *Ixobrychus flavicollis*

Least, *Ixobrychus exilis*
Schrenck's, *Ixobrychus euryhythmus*
Yellow, *Ixobrychus sinensis*
BLACKBIRD, Brewer's, *Euphagus cyanocephalus*
Red-winged, *Agelaius phoeniceus*
Rusty, *Euphagus carolinus*
Tawny-shouldered, *Agelaius humeralis*
Tricolored, *Agelaius tricolor*
Yellow-headed, *Xanthocephalus xanthocephalus*
Yellow-shouldered, *Agelaius xanthomus*
BLUEBIRD, Eastern, *Sialia sialis*
Mountain, *Sialia currucoides*
Western, *Sialia mexicana*
BLUETAIL, Red-flanked, *Tarsiger cyanurus*
BLUETHROAT, *Cyanecula svecica*
BOBOLINK, *Dolichonyx oryzivorus*
BOOBOOK, Northern, *Ninox japonica*
BOOBY, Abbott's, *Papasula abbotti*
Blue-footed, *Sula nebouxii*
Brown, *Sula leucogaster*
Masked, *Sula dactylatra*
Nazca, *Sula granti*
Red-footed, *Sula sula*
BRAMBLING, *Fringilla montifringilla*
BRANT, *Branta bernicla*
BUFFLEHEAD, *Bucephala albeola*
BULLFINCH, Eurasian, *Pyrrhula pyrrhula*
Puerto Rican, *Melopyrrha portoricensis*
BUNTING, Blue, *Cyanocompsa parellina*
Gray, *Emberiza variabilis*
Indigo, *Passerina cyanea*
Lark, *Calamospiza melanocorys*
Lazuli, *Passerina amoena*
Little, *Emberiza pusilla*
McKay's, *Plectrophenax hyperboreus*
Painted, *Passerina ciris*
Pallas's, *Emberiza pallasi*
Pine, *Emberiza leucocephalos*
Reed, *Emberiza schoeniclus*
Rustic, *Emberiza rustica*
Snow, *Plectrophenax nivalis*
Varied, *Passerina versicolor*
Yellow-breasted, *Emberiza aureola*
Yellow-browed, *Emberiza chrysophrys*
Yellow-throated, *Emberiza elegans*
BUSHTIT, *Psaltriparus minimus*
BUZZARD, Gray-faced, *Butastur indicus*
CANVASBACK, *Aythya valisineria*
CARACARA, Crested, *Caracara cheriway*
CARDINAL, Northern, *Cardinalis cardinalis*
CARIB, Green-throated, *Eulampis holosericeus*
Purple-throated, *Eulampis jugularis*
CATBIRD, Black, *Melanoptila glabrirostris*
Gray, *Dumetella carolinensis*
CHAFFINCH, Common, *Fringilla coelebs*

CHAT, Yellow-breasted, *Icteria virens*
CHICKADEE, Black-capped, *Poecile atricapillus*
Boreal, *Poecile hudsonicus*
Carolina, *Poecile carolinensis*
Chestnut-backed, *Poecile rufescens*
Gray-headed, *Poecile cinctus*
Mexican, *Poecile sclateri*
Mountain, *Poecile gambeli*
CHIFFCHAFF, Common, *Phylloscopus collybita*
CHUCK-WILL'S-WIDOW, *Antrostomus carolinensis*
CONDOR, California, *Gymnogyps californianus*
COOT, American, *Fulica americana*
Eurasian, *Fulica atra*
Hawaiian, *Fulica alai*
CORMORANT, Brandt's, *Phalacrocorax penicillatus*
Double-crested, *Phalacrocorax auritus*
Great, *Phalacrocorax carbo*
Little Pied, *Phalacrocorax melanoleucus*
Neotropic, *Phalacrocorax brasiliensis*
Pelagic, *Phalacrocorax pelagicus*
Red-faced, *Phalacrocorax urile*
COWBIRD, Bronzed, *Molothrus aeneus*
Brown-headed, *Molothrus ater*
Shiny, *Molothrus bonariensis*
CRAKE, Corn, *Crex crex*
Paint-billed, *Neocrex erythrops*
Spotless, *Porzana tabuensis*
Yellow-breasted, *Hapalocrex flaviventer*
CRANE, Common, *Grus grus*
Sandhill, *Antigone canadensis*
Whooping, *Grus americana*
CREEPER, Brown, *Certhia americana*
Hawaii, *Loxops mana*
CROSSBILL, Cassia, *Loxia sinesciurus*
Red, *Loxia curvirostra*
White-winged, *Loxia leucoptera*
CROW, American, *Corvus brachyrhynchos*
Fish, *Corvus ossifragus*
Hawaiian, *Corvus hawaiiensis*
Mariana, *Corvus kubaryi*
Northwestern, *Corvus caurinus*
Tamaulipas, *Corvus imparatus*
White-necked, *Corvus leucognaphalus*
CUCKOO, Black-billed, *Coccyzus erythrophthalmus*
Common, *Cuculus canorus*
Mangrove, *Coccyzus minor*
Oriental, *Cuculus optatus*
Yellow-billed, *Coccyzus americanus*
CURLEW, Bristle-thighed, *Numenius tahitiensis*
Eskimo, *Numenius borealis*
Eurasian, *Numenius arquata*
Far Eastern, *Numenius madagascariensis*
Little, *Numenius minutus*
Long-billed, *Numenius americanus*
DICKCISSEL, *Spiza americana*
DIPPER, American, *Cinclus mexicanus*
DOTTEREL, Eurasian, *Charadrius morinellus*

DOVE, Common Ground, <i>Columbina passerina</i>	Asian Brown, <i>Muscicapa dauurica</i>	GOLDFINCH, American, <i>Spinus tristis</i>
Inca, <i>Columbina inca</i>	Brown-crested, <i>Myiarchus tyrannulus</i>	Lawrence's, <i>Spinus lawrencei</i>
Mourning, <i>Zenaida macroura</i>	Buff-breasted, <i>Empidonax fulvifrons</i>	Lesser, <i>Spinus psaltria</i>
Ruddy Ground, <i>Columbina talpacoti</i>	Cordilleran, <i>Empidonax occidentalis</i>	GOOSE, Barnacle, <i>Branta leucopsis</i>
White-tipped, <i>Leptotila verreauxi</i>	Crowned Slaty, <i>Empidonornis aurantioatrocristatus</i>	Cackling, <i>Branta hutchinsii</i>
White-winged, <i>Zenaida asiatica</i>	Dark-sided, <i>Muscicapa sibirica</i>	Canada, <i>Branta canadensis</i>
Zenaida, <i>Zenaida aurita</i>	Dusky, <i>Empidonax oberholseri</i>	Emperor, <i>Anser canagicus</i>
DOVEKIE, <i>Alle alle</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>	Greater White-fronted, <i>Anser albifrons</i>
DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	Fork-tailed, <i>Tyrannus savana</i>	Hawaiian, <i>Branta sandvicensis</i>
Short-billed, <i>Limnodromus griseus</i>	Gray, <i>Empidonax wrightii</i>	Lesser White-fronted, <i>Anser erythropus</i>
DUCK, American Black, <i>Anas rubripes</i>	Gray-streaked, <i>Muscicapa griseisticta</i>	Pink-footed, <i>Anser brachyrhynchus</i>
Eastern Spot-billed, <i>Anas zonorhyncha</i>	Great Crested, <i>Myiarchus crinitus</i>	Ross's, <i>Anser rossii</i>
Falcated, <i>Mareca falcata</i>	Hammond's, <i>Empidonax hammondi</i>	Snow, <i>Anser caerulescens</i>
Harlequin, <i>Histrionicus histrionicus</i>	La Sagra's, <i>Myiarchus sagrae</i>	GOSHAWK, Northern, <i>Accipiter gentilis</i>
Hawaiian, <i>Anas wyvilliana</i>	Least, <i>Empidonax minimus</i>	GRACKLE, Boat-tailed, <i>Quiscalus major</i>
Laysan, <i>Anas laysanensis</i>	Mugimaki, <i>Ficedula mugimaki</i>	Common, <i>Quiscalus quiscula</i>
Long-tailed, <i>Clangula hyemalis</i>	Narcissus, <i>Ficedula narcissina</i>	Greater Antillean, <i>Quiscalus niger</i>
Masked, <i>Nomonyx dominicus</i>	Nutting's, <i>Myiarchus nuttingi</i>	Great-tailed, <i>Quiscalus mexicanus</i>
Mottled, <i>Anas fulvigula</i>	Olive-sided, <i>Contopus cooperi</i>	GRASSHOPPER-WARBLER,
Muscovy, <i>Cairina moschata</i>	Pacific-slope, <i>Empidonax difficilis</i>	Middendorff's, <i>Locustella ochotensis</i>
Pacific Black, <i>Anas superciliosa</i>	Pine, <i>Empidonax affinis</i>	GRASSQUIT, Black-faced, <i>Melanospiza bicolor</i>
Ring-necked, <i>Aythya collaris</i>	Piratic, <i>Legatus leucophaius</i>	Yellow-faced, <i>Tiaris olivaceus</i>
Ruddy, <i>Oxyura jamaicensis</i>	Puerto Rican, <i>Myiarchus antillarum</i>	GREBE, Clark's, <i>Aechmophorus clarkii</i>
Tufted, <i>Aythya fuligula</i>	Scissor-tailed, <i>Tyrannus forficatus</i>	Eared, <i>Podiceps nigricollis</i>
Wood, <i>Aix sponsa</i>	Social, <i>Myiozetetes similis</i>	Horned, <i>Podiceps auritus</i>
DUNLIN, <i>Calidris alpina</i>	Spotted, <i>Muscicapa striata</i>	Least, <i>Tachybaptus dominicus</i>
EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>	Pied-billed, <i>Podilymbus podiceps</i>
Golden, <i>Aquila chrysaetos</i>	Taiga, <i>Ficedula albicilla</i>	Red-necked, <i>Podiceps grisegena</i>
White-tailed, <i>Haliaeetus albicilla</i>	Tufted, <i>Mitrephanes phaeocercus</i>	Western, <i>Aechmophorus occidentalis</i>
EGRET, Cattle, <i>Bubulcus ibis</i>	Variegated, <i>Empidonous varius</i>	GREENFINCH, Oriental, <i>Chloris sinica</i>
Chinese, <i>Egretta eulophotes</i>	Vermilion, <i>Pyrocephalus rubinus</i>	GREENSHANK, Common, <i>Tringa nebularia</i>
Great, <i>Ardea alba</i>	Willow, <i>Empidonax traillii</i>	Nordmann's, <i>Tringa guttifer</i>
Intermediate, <i>Ardea intermedia</i>	Yellow-bellied, <i>Empidonax flaviventris</i>	GROSBEAK, Black-headed, <i>Pheucticus melanocephalus</i>
Little, <i>Egretta garzetta</i>	FOREST-FALCON, Collared, <i>Micrastur semitorquatus</i>	Blue, <i>Passerina caerulea</i>
Reddish, <i>Egretta rufescens</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>	Crimson-collared, <i>Rhodothraupis celaeno</i>
Snowy, <i>Egretta thula</i>	Lesser, <i>Fregata ariel</i>	Evening, <i>Coccothraustes vespertinus</i>
EIDER, Common, <i>Somateria mollissima</i>	Magnificent, <i>Fregata magnificens</i>	Pine, <i>Pinicola enucleator</i>
King, <i>Somateria spectabilis</i>	FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus porphyraceus</i>	Rose-breasted, <i>Pheucticus ludovicianus</i>
Spectacled, <i>Somateria fischeri</i>	Many-colored, <i>Ptilinopus perousii</i>	Yellow, <i>Pheucticus chrysopaeplus</i>
Steller's, <i>Polysticta stelleri</i>	Mariana, <i>Ptilinopus roseicapilla</i>	GROUND-DOVE, Shy, <i>Alopecoenas stairi</i>
ELAENIA, Caribbean, <i>Elaenia martinica</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>	White-throated, <i>Alopecoenas xanthonurus</i>
Greenish, <i>Myiopagis viridicata</i>	GADWALL, Mareca strepera	GUILLEMOT, Black, <i>Cephus grylle</i>
White-crested, <i>Elaenia albiceps</i>	GALLINULE, Azure, <i>Porphyrio flavirostris</i>	Pigeon, <i>Cephus columba</i>
EMERALD, Puerto Rican, <i>Chlorostilbon maugaeus</i>	Common, <i>Gallinula galeata</i>	GULL, Belcher's, <i>Larus belcheri</i>
EUPHONIA, Antillean, <i>Euphonia musica</i>	Purple, <i>Porphyrio martinicus</i>	Black-headed, <i>Chroicocephalus ridibundus</i>
FALCON, Amur, <i>Falco amurensis</i>	GANNET, Northern, <i>Morus bassanus</i>	Black-tailed, <i>Larus crassirostris</i>
Aplomado, <i>Falco femoralis</i>	GARGANEY, <i>Spatula querquedula</i>	Bonaparte's, <i>Chroicocephalus philadelphia</i>
Peregrine, <i>Falco peregrinus</i>	GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>	California, <i>Larus californicus</i>
Prairie, <i>Falco mexicanus</i>	Black-tailed, <i>Polioptila melanura</i>	Franklin's, <i>Leucophaeus pipixcan</i>
Red-footed, <i>Falco vespertinus</i>	Blue-Gray, <i>Polioptila caerulea</i>	Glaucous, <i>Larus hyperboreus</i>
FIELDFARE, <i>Turdus pilaris</i>	California, <i>Polioptila californica</i>	Glaucous-winged, <i>Larus glaucescens</i>
FINCH, Cassin's, <i>Haemorhous cassinii</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>	Gray-hooded, <i>Chroicocephalus cirrocephalus</i>
House, <i>Haemorhous mexicanus</i>	Black-tailed, <i>Limosa limosa</i>	Great Black-backed, <i>Larus marinus</i>
Laysan, <i>Telespiza cantans</i>	Hudsonian, <i>Limosa haemastica</i>	Heermann's, <i>Larus heermanni</i>
Nihoa, <i>Telespiza ultima</i>	Marbled, <i>Limosa fedoa</i>	Herring, <i>Larus argentatus</i>
Purple, <i>Haemorhous purpureus</i>	GOLDEN-EYE, Barrow's, <i>Bucephala islandica</i>	Iceland, <i>Larus glaucoides</i>
FLAMINGO, American, <i>Phoenicopterus ruber</i>	Common, <i>Bucephala clangula</i>	Ivory, <i>Pagophila eburnea</i>
FLICKER, Gilded, <i>Colaptes chrysoides</i>	GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>	
Northern, <i>Colaptes auratus</i>	European, <i>Pluvialis apricaria</i>	
FLYCATCHER, Acadian, <i>Empidonax virescens</i>	Pacific, <i>Pluvialis fulva</i>	
Alder, <i>Empidonax alnorum</i>		
Ash-throated, <i>Myiarchus cinerascens</i>		

Kelp, <i>Larus dominicanus</i>	Rufous, <i>Selasphorus rufus</i>	LAPWING, Northern, <i>Vanellus vanellus</i>
Laughing, <i>Leucophaeus atricilla</i>	Vervain, <i>Mellisuga minima</i>	LARK, Horned, <i>Eremophila alpestris</i>
Lesser Black-backed, <i>Larus fuscus</i>	Violet-crowned, <i>Amazilia violiceps</i>	LIMPKIN, <i>Aramus guarauna</i>
Little, <i>Hydrocoloeus minutus</i>	White-eared, <i>Hylocharis leucotis</i>	LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>
Mew, <i>Larus canus</i>	Xantus's, <i>Hylocharis xanthusii</i>	LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>
Ring-billed, <i>Larus delawarensis</i>	IBIS, Glossy, <i>Plegadis falcinellus</i>	Lapland, <i>Calcarius lapponicus</i>
Ross's, <i>Rhodostethia rosea</i>	Scarlet, <i>Eudocimus ruber</i>	McCown's, <i>Rhynchophanes mccownii</i>
Sabine's, <i>Xema sabini</i>	White, <i>Eudocimus albus</i>	Smith's, <i>Calcarius pictus</i>
Slaty-backed, <i>Larus schistisagus</i>	White-faced, <i>Plegadis chihi</i>	LOON, Arctic, <i>Gavia arctica</i>
Swallow-tailed, <i>Creagrus furcatus</i>	TIWI, <i>Drepanis coccinea</i>	Common, <i>Gavia immer</i>
Western, <i>Larus occidentalis</i>	IMPERIAL-PIGEON, Pacific, <i>Ducula pacifica</i>	Pacific, <i>Gavia pacifica</i>
Yellow-footed, <i>Larus livens</i>	JABIRU, <i>Jabiru mycteria</i>	Red-throated, <i>Gavia stellata</i>
Yellow-legged, <i>Larus michahellis</i>	JACANA, Northern, <i>Jacana spinosa</i>	Yellow-billed, <i>Gavia adamsii</i>
GYRFALCON, <i>Falco rusticolus</i>	JACKDAW, Eurasian, <i>Corvus monedula</i>	MAGPIE, Black-billed, <i>Pica hudsonia</i>
HARRIER, Northern, <i>Circus hudsonius</i>	JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>	Yellow-billed, <i>Pica nuttalli</i>
HAWFINCH, <i>Coccothraustes coccothraustes</i>	Parasitic, <i>Stercorarius parasiticus</i>	MALLARD, <i>Anas platyrhynchos</i>
HAWK, Broad-winged, <i>Buteo platypterus</i>	Pomarine, <i>Stercorarius pomarinus</i>	MANGO, Antillean, <i>Anthracothorax dominicus</i>
Common Black, <i>Buteogallus anthracinus</i>	JAY, Blue, <i>Cyanocitta cristata</i>	Green, <i>Anthracothorax viridis</i>
Cooper's, <i>Accipiter cooperii</i>	Brown, <i>Psilorhinus morio</i>	Green-breasted, <i>Anthracothorax prevostii</i>
Crane, <i>Geranospiza caerulescens</i>	Canada, <i>Perisoreus canadensis</i>	MARSH-HARRIER, Eastern, <i>Circus spilonotus</i>
Ferruginous, <i>Buteo regalis</i>	Green, <i>Cyanocorax yncas</i>	MARTIN, Brown-chested, <i>Progne tapera</i>
Gray, <i>Buteo plagiatus</i>	Mexican, <i>Aphelocoma wollweberi</i>	Caribbean, <i>Progne dominicensis</i>
Great Black, <i>Buteogallus urubitinga</i>	Pinyon, <i>Gymnorhinus cyanocephalus</i>	Cuban, <i>Progne cryptoleuca</i>
Harris's, <i>Parabuteo unicinctus</i>	Steller's, <i>Cyanocitta stelleri</i>	Gray-breasted, <i>Progne chalybea</i>
Hawaiian, <i>Buteo solitarius</i>	JUNCO, Dark-eyed, <i>Junco hyemalis</i>	Purple, <i>Progne subis</i>
Red-shouldered, <i>Buteo lineatus</i>	Yellow-eyed, <i>Junco phaeonotus</i>	Southern, <i>Progne elegans</i>
Red-tailed, <i>Buteo jamaicensis</i>	KĀKĀWAHIE, <i>Paroreomyza flammea</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>
Roadside, <i>Rupornis magnirostris</i>	KĀMĀ'O, <i>Myadestes myadestinus</i>	Western, <i>Sturnella neglecta</i>
Rough-legged, <i>Buteo lagopus</i>	KESTREL, American, <i>Falco sparverius</i>	MERGANSER, Common, <i>Mergus merganser</i>
Sharp-shinned, <i>Accipiter striatus</i>	Eurasian, <i>Falco tinnunculus</i>	Hooded, <i>Lophodytes cucullatus</i>
Short-tailed, <i>Buteo brachyurus</i>	KILLDEER, <i>Charadrius vociferus</i>	Red-breasted, <i>Mergus serrator</i>
Swainson's, <i>Buteo swainsoni</i>	KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>	MERLIN, <i>Falco columbarius</i>
White-tailed, <i>Geranoaetus albicaudatus</i>	Couch's, <i>Tyrannus couchii</i>	MILLERBIRD, <i>Acrocephalus familiaris</i>
Zone-tailed, <i>Buteo albonotatus</i>	Eastern, <i>Tyrannus tyrannus</i>	MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>
HAWK-CUCKOO, Hodgson's, <i>Hierococcyx nisicolor</i>	Gray, <i>Tyrannus dominicensis</i>	Blue, <i>Melanotis caerulescens</i>
HERON, Gray, <i>Ardea cinerea</i>	Loggerhead, <i>Tyrannus caudifasciatus</i>	Northern, <i>Mimus polyglottos</i>
Great Blue, <i>Ardea herodias</i>	Thick-billed, <i>Tyrannus crassirostris</i>	MOORHEN, Common, <i>Gallinula chloropus</i>
Green, <i>Butorides virescens</i>	Tropical, <i>Tyrannus melancholicus</i>	MOUNTAİN-GEM, Amethyst-throated, <i>Lampornis amethystinus</i>
Little Blue, <i>Egretta caerulea</i>	Western, <i>Tyrannus verticalis</i>	Blue-throated, <i>Lampornis clemenciae</i>
Tricolored, <i>Egretta tricolor</i>	KINGFISHER, Amazon, <i>Chloroceryle amazona</i>	MURRE, Common, <i>Uria aalge</i>
HOBBY, Eurasian, <i>Falco subbuteo</i>	Belted, <i>Megacyrle alcyon</i>	Thick-billed, <i>Uria lomvia</i>
HONEYCREEPER, Laysan, <i>Himatione fraithii</i>	Common, <i>Alcedo atthis</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>
Red-legged, <i>Cyanerpes cyaneus</i>	Green, <i>Chloroceryle americana</i>	Craveri's, <i>Synthliboramphus craveri</i>
HOOPOE, Eurasian, <i>Upupa epops</i>	Guam, <i>Todiramphus cinnamominus</i>	Guadalupe, <i>Synthliboramphus hypoleucus</i>
HOUSE-MARTIN, Common, <i>Delichon urbicum</i>	Mariana, <i>Todiramphus albicilla</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>
HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>	Pacific, <i>Todiramphus sacer</i>	Long-billed, <i>Brachyramphus perdix</i>
Anna's, <i>Calypte anna</i>	Ringed, <i>Megacyrle torquata</i>	Marbled, <i>Brachyramphus marmoratus</i>
Antillean Crested, <i>Orthorhyncus cristatus</i>	KINGLET, Golden-crowned, <i>Regulus satrapa</i>	Scripps's, <i>Synthliboramphus scrippsi</i>
Berylline, <i>Amazilia beryllina</i>	Ruby-crowned, <i>Regulus calendula</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>
Black-chinned, <i>Archilochus alexandri</i>	KISKADEE, Great, <i>Pitangus sulphuratus</i>	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>
Broad-billed, <i>Cynanthus latirostris</i>	KITE, Black, <i>Milvus migrans</i>	Common, <i>Chordeiles minor</i>
Broad-tailed, <i>Selasphorus platycercus</i>	Double-toothed, <i>Harpagus bidentatus</i>	Lesser, <i>Chordeiles acutipennis</i>
Buff-bellied, <i>Amazilia yucatanensis</i>	Hook-billed, <i>Chondrohierax uncinatus</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>
Bumblebee, <i>Atthis heloisa</i>	Mississippi, <i>Ictinia mississippiensis</i>	Japanese, <i>Gorsachius goisagi</i>
Calliope, <i>Selasphorus calliope</i>	Snail, <i>Rostrhamus sociabilis</i>	
Cinnamon, <i>Amazilia rutila</i>	Swallow-tailed, <i>Elanoides forficatus</i>	
Costa's, <i>Calypte costae</i>	White-tailed, <i>Elanus leucurus</i>	
Lucifer, <i>Calothorax lucifer</i>	KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	
Rivoli's, <i>Eugenes fulgens</i>	Red-legged, <i>Rissa brevirostris</i>	
Ruby-throated, <i>Archilochus colubris</i>	KNOT, Great, <i>Calidris tenuirostris</i>	
	Red, <i>Calidris canutus</i>	
	KOEL, Long-tailed, <i>Urodynamis taitensis</i>	

Malayan, <i>Gorsachius melanolophus</i>	PARULA, Northern, <i>Setophaga americana</i>	Mountain, <i>Charadrius montanus</i>
Rufous, <i>Nycticorax caledonicus</i>	Tropical, <i>Setophaga pitiayumi</i>	Piping, <i>Charadrius melanotos</i>
Yellow-crowned, <i>Nyctanassa violacea</i>	PAURAQUE, Common, <i>Nyctidromus albicollis</i>	Semipalmated, <i>Charadrius semipalmatus</i>
NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>	PELICAN, American White, <i>Pelecanus erythrorhynchos</i>	Snowy, <i>Charadrius nivosus</i>
Orange-billed, <i>Catharus aurantiirostris</i>	Brown, <i>Pelecanus occidentalis</i>	Wilson's, <i>Charadrius wilsonia</i>
NIGHTJAR, Buff-collared, <i>Antrostomus ridgwayi</i>	PETREL, Bermuda, <i>Pterodroma cahow</i>	POCHARD, Baer's, <i>Aythya baeri</i>
Gray, <i>Caprimulgus jotaka</i>	Black-capped, <i>Pterodroma hasitata</i>	Common, <i>Aythya ferina</i>
Puerto Rican, <i>Antrostomus noctitherus</i>	Black-winged, <i>Pterodroma nigripennis</i>	POND-HERON, Chinese, <i>Ardeola bacchus</i>
White-tailed, <i>Hydropsalis cayennensis</i>	Bonin, <i>Pterodroma hypoleuca</i>	POORWILL, Common, <i>Phalaenoptilus nuttallii</i>
NODDY, Black, <i>Anous minutus</i>	Bulwer's, <i>Bulweria bulwerii</i>	PO'OU, <i>Melamprosops phaeosoma</i>
Blue-gray, <i>Anous ceruleus</i>	Cook's, <i>Pterodroma cookii</i>	PUAOIHOI, <i>Myadestes palmeri</i>
Brown, <i>Anous stolidus</i>	Fea's, <i>Pterodroma feae</i>	PUFFIN, Atlantic, <i>Fratercula arctica</i>
NUKUPU'U, Kauai, <i>Hemignathus hanapepe</i>	Gould's, <i>Pterodroma leucoptera</i>	Horned, <i>Fratercula corniculata</i>
Maui, <i>Hemignathus affinis</i>	Gray-faced, <i>Pterodroma gouldi</i>	Tufted, <i>Fratercula cirrhata</i>
O'ahu, <i>Hemignathus lucidus</i>	Hawaiian, <i>Pterodroma sandwichensis</i>	PYGMY-OWL, Ferruginous, <i>Glaucidium brasiliandum</i>
NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>	Herald, <i>Pterodroma heraldica</i>	Northern, <i>Glaucidium gnoma</i>
NUTHATCH, Brown-headed, <i>Sitta pusilla</i>	Jouanin's, <i>Bulweria fallax</i>	PYRRHULOXIA, <i>Cardinalis sinuatus</i>
Pygmy, <i>Sitta pygmaea</i>	Juan Fernandez, <i>Pterodroma externa</i>	QUAIL-DOVE, Bridled, <i>Geotrygon mystacea</i>
Red-breasted, <i>Sitta canadensis</i>	Kermadec, <i>Pterodroma neglecta</i>	Key West, <i>Geotrygon chrysia</i>
White-breasted, <i>Sitta carolinensis</i>	Mottled, <i>Pterodroma inexpectata</i>	Ruddy, <i>Geotrygon montana</i>
OLOMA'O, <i>Myadestes laniensis</i>	Murphy's, <i>Pterodroma ultima</i>	QUETZAL, Eared, <i>Euptilotis neoxenus</i>
'OMA'O, <i>Myadestes obscurus</i>	Parkinson's, <i>Procellaria parkinsoni</i>	RAIL, Black, <i>Laterallus jamaicensis</i>
ORIOLE, Altamira, <i>Icterus gularis</i>	Phoenix, <i>Pterodroma alba</i>	Buff-banded, <i>Gallirallus philippensis</i>
Audubon's, <i>Icterus graduacauda</i>	Providence, <i>Pterodroma solandri</i>	Clapper, <i>Rallus crepitans</i>
Baltimore, <i>Icterus galbula</i>	Stejneger's, <i>Pterodroma longirostris</i>	Guam, <i>Gallirallus owstoni</i>
Black-backed, <i>Icterus abeillei</i>	Tahiti, <i>Pseudobulweria rostrata</i>	King, <i>Rallus elegans</i>
Black-vented, <i>Icterus wagleri</i>	Trindade, <i>Pterodroma arminjoniana</i>	Ridgway's, <i>Rallus obsoletus</i>
Bullock's, <i>Icterus bullockii</i>	White-chinned, <i>Procellaria aequinoctialis</i>	Spotted, <i>Pardirallus maculatus</i>
Hooded, <i>Icterus cucullatus</i>	White-necked, <i>Pterodroma cervicalis</i>	Virginia, <i>Rallus limicola</i>
Orchard, <i>Icterus spurius</i>	Zino's, <i>Pterodroma madeira</i>	Yellow, <i>Coturnicops noveboracensis</i>
Puerto Rican, <i>Icterus portoricensis</i>	PEWEE, Cuban, <i>Contopus caribaeus</i>	RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>
Scott's, <i>Icterus parisorum</i>	Greater, <i>Contopus pertinax</i>	Common, <i>Corvus corax</i>
Streak-backed, <i>Icterus pustulatus</i>	Hispaniolan, <i>Contopus hispaniolensis</i>	RAZORBILL, <i>Alca torda</i>
OSPREY, <i>Pandion haliaetus</i>	Lesser Antillean, <i>Contopus latirostris</i>	REDHEAD, <i>Aythya americana</i>
'O'U, <i>Psittirostra psittacea</i>	PHAINOPEPLA, <i>Phainopepla nitens</i>	REDPOLL, Common, <i>Acanthis flammea</i>
OVENBIRD, <i>Seiurus aurocapilla</i>	PHALAROPE, Red, <i>Phalaropus fulicarius</i>	Hoary, <i>Acanthis hornemannii</i>
OWL, Barn, <i>Tyto alba</i>	Red-necked, <i>Phalaropus lobatus</i>	REDSHANK, Common, <i>Tringa totanus</i>
Barred, <i>Strix varia</i>	Wilson's, <i>Phalaropus tricolor</i>	Spotted, <i>Tringa erythropus</i>
Boreal, <i>Aegolius funereus</i>	PHOEBE, Black, <i>Sayornis nigricans</i>	REDSTART, American, <i>Setophaga ruticilla</i>
Burrowing, <i>Athene cunicularia</i>	Eastern, <i>Sayornis phoebe</i>	Common, <i>Phoenicurus phoenicurus</i>
Elf, <i>Micrathene whitneyi</i>	Say's, <i>Sayornis saya</i>	Painted, <i>Myioborus pictus</i>
Flammulated, <i>Psiloscops flammeolus</i>	PIGEON, Band-tailed, <i>Patagioenas fasciata</i>	Slate-throated, <i>Myioborus miniatus</i>
Great Gray, <i>Strix nebulosa</i>	Plain, <i>Patagioenas inornata</i>	REDWING, <i>Turdus iliacus</i>
Great Horned, <i>Bubo virginianus</i>	Red-billed, <i>Patagioenas flavirostris</i>	REEF-HERON, Pacific, <i>Egretta sacra</i>
Long-eared, <i>Asio otus</i>	Scaly-naped, <i>Patagioenas squamosa</i>	Western, <i>Egretta gularis</i>
Mottled, <i>Ciccaba virgata</i>	White-crowned, <i>Patagioenas leucocephala</i>	ROADRUNNER, Greater, <i>Geococcyx californianus</i>
Northern Hawk, <i>Surnia ulula</i>	PINTAIL, Northern, <i>Anas acuta</i>	ROBIN, American, <i>Turdus migratorius</i>
Northern Saw-whet, <i>Aegolius acadicus</i>	White-cheeked, <i>Anas bahamensis</i>	European, <i>Erythacus rubecula</i>
Short-eared, <i>Asio flammeus</i>	PIPIT, American, <i>Anthus rubescens</i>	Rufous-backed, <i>Turdus rufopalliatus</i>
Snowy, <i>Bubo scandiacus</i>	Olive-backed, <i>Anthus hodgsoni</i>	Rufous-tailed, <i>Larvivora sibilans</i>
Spotted, <i>Strix occidentalis</i>	Pechora, <i>Anthus gustavi</i>	Siberian Blue, <i>Larvivora cyane</i>
Stygian, <i>Asio stygius</i>	Red-throated, <i>Anthus cervinus</i>	ROCK-THRUSH, Blue, <i>Monticola solitarius</i>
OYSTERCATCHER, American, <i>Haematopus palliatus</i>	Sprague's, <i>Anthus spragueii</i>	ROSEFINCH, Common, <i>Carpodacus erythrinus</i>
Black, <i>Haematopus bachmani</i>	Tree, <i>Anthus trivialis</i>	Pallas's, <i>Carpodacus roseus</i>
Eurasian, <i>Haematopus ostralegus</i>	PLOVER, Black-bellied, <i>Pluvialis squatarola</i>	ROSY-FINCH, Asian, <i>Leucosticte arctoa</i>
PALILA, <i>Loxioides bailleui</i>	Collared, <i>Charadrius collaris</i>	Black, <i>Leucosticte atrata</i>
PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>	Common Ringed, <i>Charadrius hiaticula</i>	Brown-capped, <i>Leucosticte australis</i>
PARROTBILL, Maui, <i>Pseudonestor xanthophrys</i>	Kentish, <i>Charadrius alexandrinus</i>	Gray-crowned, <i>Leucosticte tephrocotis</i>
	Little Ringed, <i>Charadrius dubius</i>	RUBYTHROAT, Siberian, <i>Calliope calliope</i>

RUFF, <i>Calidris pugnax</i>	Short-tailed, <i>Ardenna tenuirostris</i>	Japanese, <i>Accipiter gularis</i>
SANDERLING, <i>Calidris alba</i>	Sooty, <i>Ardenna grisea</i>	SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>
SANDPIPER, Baird's, <i>Calidris bairdii</i>	Streaked, <i>Calonectris leucomelas</i>	Western, <i>Spindalis zena</i>
Broad-billed, <i>Calidris falcinellus</i>	Wedge-tailed, <i>Ardenna pacifica</i>	SPOONBILL, Roseate, <i>Platalea ajaja</i>
Buff-breasted, <i>Calidris subruficollis</i>	SHOVELER, Northern, <i>Spatula clypeata</i>	STARLING, Chestnut-cheeked,
Common, <i>Actitis hypoleucos</i>	SHRIKE, Brown, <i>Lanius cristatus</i>	<i>Agropsar philippensis</i>
Curlew, <i>Calidris ferruginea</i>	Loggerhead, <i>Lanius ludovicianus</i>	White-cheeked, <i>Spodiopsar cineraceus</i>
Green, <i>Tringa ochropus</i>	Northern, <i>Lanius borealis</i>	STARTHROAT, Plain-capped,
Least, <i>Calidris minutilla</i>	SILKY-FLYCATCHER, Gray, <i>Ptiliogonyx cinereus</i>	<i>Heliomaster constantii</i>
Marsh, <i>Tringa stagnatilis</i>	SISKIN, Eurasian, <i>Spinus spinus</i>	STILT, Black-necked, <i>Himantopus mexicanus</i>
Pectoral, <i>Calidris melanotos</i>	Pine, <i>Spinus pinus</i>	Black-winged, <i>Himantopus himantopus</i>
Purple, <i>Calidris maritima</i>	SKIMMER, Black, <i>Rynchops niger</i>	STINT, Little, <i>Calidris minuta</i>
Rock, <i>Calidris ptilocnemis</i>	SKUA, Great, <i>Stercorarius skua</i>	Long-toed, <i>Calidris subminuta</i>
Semipalmated, <i>Calidris pusilla</i>	South Polar, <i>Stercorarius maccormicki</i>	Red-necked, <i>Calidris ruficollis</i>
Sharp-tailed, <i>Calidris acuminata</i>	SKYLARK, Eurasian, <i>Alauda arvensis</i>	Temminck's, <i>Calidris temminckii</i>
Solitary, <i>Tringa solitaria</i>	SMEW, <i>Mergellus albellus</i>	STONECHAT, <i>Saxicola torquatus</i>
Spoon-billed, <i>Calidris pygmaea</i>	SNIPE, Common, <i>Gallinago gallinago</i>	STORK, Wood, <i>Mycteria americana</i>
Spotted, <i>Actitis macularius</i>	Jack, <i>Lymnocryptes minimus</i>	STORM-PETREL, Ashy, <i>Hydrobates homochroa</i>
Stilt, <i>Calidris himantopus</i>	Pin-tailed, <i>Gallinago stenura</i>	Band-rumped, <i>Hydrobates castro</i>
Terek, <i>Xenus cinereus</i>	Solitary, <i>Gallinago solitaria</i>	Black, <i>Hydrobates melania</i>
Upland, <i>Bartramia longicauda</i>	Swinhoe's, <i>Gallinago megalala</i>	Black-bellied, <i>Fregetta tropica</i>
Western, <i>Calidris mauri</i>	Wilson's, <i>Gallinago delicata</i>	European, <i>Hydrobates pelagicus</i>
White-rumped, <i>Calidris fuscicollis</i>	SOLITAIRE, Brown-backed, <i>Myadestes occidentalis</i>	Fork-tailed, <i>Hydrobates furcatus</i>
Wood, <i>Tringa glareola</i>	Townsend's, <i>Myadestes townsendi</i>	Leach's, <i>Hydrobates leucorhous</i>
SAND-PLOVER, Greater, <i>Charadrius leschenaultii</i>	SORA, <i>Porzana carolina</i>	Least, <i>Hydrobates microsoma</i>
Lesser, <i>Charadrius mongolus</i>	SPARROW, American Tree, <i>Spizelloides arborea</i>	Matsudaira's, <i>Oceanodroma matsudaireae</i>
SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Bachman's, <i>Peucaea aestivalis</i>	Polynesian, <i>Nesofregetta fuliginosa</i>
Red-naped, <i>Sphyrapicus nuchalis</i>	Baird's, <i>Centronyx bairdii</i>	Ringed, <i>Hydrobates hornbyi</i>
Williamson's, <i>Sphyrapicus thyroideus</i>	Bell's, <i>Artemisiospiza belli</i>	Swinhoe's, <i>Hydrobates monorhysis</i>
Yellow-bellied, <i>Sphyrapicus varius</i>	Black-chinned, <i>Spizella atrogularis</i>	Townsend's, <i>Hydrobates socorroensis</i>
SCAUP, Greater, <i>Aythya marila</i>	Black-throated, <i>Amphispiza bilineata</i>	Tristram's, <i>Hydrobates tristrami</i>
Lesser, <i>Aythya affinis</i>	Botteri's, <i>Peucaea botterii</i>	Wedge-rumped, <i>Hydrobates tethys</i>
SCOPS-OWL, Oriental, <i>Otus sunia</i>	Brewer's, <i>Spizella breweri</i>	White-bellied, <i>Fregetta grallaria</i>
SCOTER, Black, <i>Melanitta americana</i>	Cassin's, <i>Peucaea cassini</i>	White-faced, <i>Pelagodroma marina</i>
Common, <i>Melanitta nigra</i>	Chipping, <i>Spizella passerina</i>	Wilson's, <i>Oceanites oceanicus</i>
Stejneger's, <i>Melanitta stejnegeri</i>	Clay-colored, <i>Spizella pallida</i>	SURFBIRD, <i>Calidris virgata</i>
Surf, <i>Melanitta perspicillata</i>	Field, <i>Spizella pusilla</i>	SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>
White-winged, <i>Melanitta deglandi</i>	Five-striped, <i>Amphispiza quinquestrigata</i>	Bank, <i>Riparia riparia</i>
SCREECH-OWL, Eastern, <i>Megascops asio</i>	Fox, <i>Passerella iliaca</i>	Barn, <i>Hirundo rustica</i>
Puerto Rican, <i>Megascops nudipes</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>	Cave, <i>Petrochelidon fulva</i>
Western, <i>Megascops kennicottii</i>	Grasshopper, <i>Ammodramus savannarum</i>	Cliff, <i>Petrochelidon pyrrhonota</i>
Whiskered, <i>Megascops trichopsis</i>	Harris's, <i>Zonotrichia querula</i>	Mangrove, <i>Tachycineta albilinea</i>
SCRUB-JAY, California, <i>Aphelocoma californica</i>	Henslow's, <i>Centronyx henslowii</i>	Northern Rough-winged, <i>Stelgidopteryx serripennis</i>
Florida, <i>Aphelocoma coerulescens</i>	Lark, <i>Chondestes grammacus</i>	Tree, <i>Tachycineta bicolor</i>
Island, <i>Aphelocoma insularis</i>	LeConte's, <i>Ammospiza leconteii</i>	Violet-green, <i>Tachycineta thalassina</i>
Woodhouse's, <i>Aphelocoma woodhouseii</i>	Lincoln's, <i>Melospiza lincolni</i>	SWAMPHEN, Purple, <i>Porphyrio porphyrio</i>
SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Nelson's, <i>Ammospiza nelsoni</i>	SWAN, Trumpeter, <i>Cygnus buccinator</i>
SEEDEATER, Morelet's, <i>Sporophila moreletti</i>	Olive, <i>Arremonops rufivirgatus</i>	Tundra, <i>Cygnus columbianus</i>
SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>	Rufous-crowned, <i>Aimophila ruficeps</i>	Whooper, <i>Cygnus cygnus</i>
Barolo, <i>Puffinus baroli</i>	Rufous-winged, <i>Peucaea carpalis</i>	SWIFT, Alpine, <i>Apus melba</i>
Black-vented, <i>Puffinus opisthomelas</i>	Sagebrush, <i>Artemisiospiza nevadensis</i>	Black, <i>Cypseloides niger</i>
Bryan's, <i>Puffinus bryani</i>	Saltmarsh, <i>Ammospiza caudacuta</i>	Chimney, <i>Chaetura pelasgica</i>
Buller's, <i>Ardenna bulleri</i>	Savannah, <i>Passerculus sandwichensis</i>	Common, <i>Apus apus</i>
Cape Verde, <i>Calonectris edwardsii</i>	Seaside, <i>Ammospiza maritima</i>	Fork-tailed, <i>Apus pacificus</i>
Christmas, <i>Puffinus nativitatis</i>	Song, <i>Melospiza melodia</i>	Short-tailed, <i>Chaetura brachyura</i>
Cory's, <i>Calonectris diomedea</i>	Swamp, <i>Melospiza georgiana</i>	Vaux's, <i>Chaetura vauxi</i>
Flesh-footed, <i>Ardenna carneipes</i>	Vesper, <i>Pooecetes gramineus</i>	White-collared, <i>Streptoprocne zonaris</i>
Great, <i>Ardenna gravis</i>	White-crowned, <i>Zonotrichia leucophrys</i>	White-throated, <i>Aeronautus saxatalis</i>
Manx, <i>Puffinus puffinus</i>	White-throated, <i>Zonotrichia albicollis</i>	SWIFTLET, Mariana, <i>Aerodramus bartschi</i>
Newell's, <i>Puffinus newelli</i>	Worthen's, <i>Spizella wortheni</i>	
Pink-footed, <i>Ardenna creatopus</i>	SPARROWHAWK, Chinese, <i>Accipiter soloensis</i>	

White-rumped, <i>Aerodramus spodiopygius</i>	TITYRA, Masked, <i>Tityra semifasciata</i>	Colima, <i>Leiothlypis crissalis</i>
TANAGER, Flame-colored, <i>Piranga bidentata</i>	TOWHEE, Abert's, <i>Melozone aberti</i>	Connecticut, <i>Oporornis agilis</i>
Hepatic, <i>Piranga flava</i>	California, <i>Melozone crissalis</i>	Crescent-chested, <i>Oreothlypis superciliosa</i>
Puerto Rican, <i>Nesospingus speculiferus</i>	Canyon, <i>Melozone fusca</i>	Dusky, <i>Phylloscopus fuscatus</i>
Scarlet, <i>Piranga olivacea</i>	Eastern, <i>Pipilo erythrorththalmus</i>	Elfin-woods, <i>Setophaga angelae</i>
Summer, <i>Piranga rubra</i>	Green-tailed, <i>Pipilo chlorurus</i>	Fan-tailed, <i>Basileuterus lachrymosus</i>
Western, <i>Piranga ludoviciana</i>	Spotted, <i>Pipilo maculatus</i>	Golden-cheeked, <i>Setophaga chrysoparia</i>
TATTLER, Gray-tailed, <i>Tringa brevipes</i>	TRÔGON, Elegant, <i>Trogon elegans</i>	Golden-crowned, <i>Basileuterus culicivorus</i>
Wandering, <i>Tringa incana</i>	TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	Golden-winged, <i>Vermivora chrysoptera</i>
TEAL, Baikal, <i>Sibirionetta formosa</i>	Red-tailed, <i>Phaethon rubricauda</i>	Grace's, <i>Setophaga graciae</i>
Blue-winged, <i>Spatula discors</i>	White-tailed, <i>Phaethon lepturus</i>	Hermit, <i>Setophaga occidentalis</i>
Cinnamon, <i>Spatula cyanoptera</i>	TURNSTONE, Black, <i>Arenaria melanocephala</i>	Hooded, <i>Setophaga citrina</i>
Green-winged, <i>Anas crecca</i>	Ruddy, <i>Arenaria interpres</i>	Kamchatka Leaf, <i>Phylloscopus examinandus</i>
TERN, Aleutian, <i>Onychoprion aleuticus</i>	TURTLE-DOVE, Oriental, <i>Streptopelia orientalis</i>	Kentucky, <i>Geothlypis formosa</i>
Arctic, <i>Sterna paradisaea</i>	VEERY, <i>Catharus fuscescens</i>	Kirtland's, <i>Setophaga kirtlandii</i>
Black, <i>Chlidonias niger</i>	VERDIN, <i>Auriparus flaviceps</i>	Lanceolated, <i>Locustella lanceolata</i>
Black-naped, <i>Sterna sumatrana</i>	VIOLETEAR, Mexican, <i>Colibri thalassinus</i>	Lucy's, <i>Leiothlypis luciae</i>
Bridled, <i>Onychoprion anaethetus</i>	VIREO, Bell's, <i>Vireo bellii</i>	MacGillivray's, <i>Geothlypis tolmiei</i>
Caspian, <i>Hydroprogne caspia</i>	Black-capped, <i>Vireo atricapilla</i>	Magnolia, <i>Setophaga magnolia</i>
Common, <i>Sterna hirundo</i>	Black-whiskered, <i>Vireo altiloquus</i>	Mourning, <i>Geothlypis philadelphia</i>
Elegant, <i>Thalasseus elegans</i>	Blue-headed, <i>Vireo solitarius</i>	Nashville, <i>Leiothlypis ruficapilla</i>
Forster's, <i>Sterna forsteri</i>	Cassin's, <i>Vireo cassini</i>	Nightingale Reed, <i>Acrocephalus luscinus</i>
Gray-backed, <i>Onychoprion lunatus</i>	Cuban, <i>Vireo gundlachii</i>	Olive, <i>Peucedramus taeniatus</i>
Great Crested, <i>Thalasseus bergii</i>	Gray, <i>Vireo vicinior</i>	Orange-crowned, <i>Leiothlypis celata</i>
Gull-billed, <i>Gelochelidon nilotica</i>	Hutton's, <i>Vireo huttoni</i>	Pagan Reed, <i>Acrocephalus yamashinae</i>
Large-billed, <i>Phaetusa simplex</i>	Philadelphia, <i>Vireo philadelphicus</i>	Pallas's Leaf, <i>Phylloscopus proregulus</i>
Least, <i>Sternula antillarum</i>	Plumbeous, <i>Vireo plumbeus</i>	Palm, <i>Setophaga palmarum</i>
Little, <i>Sternula albifrons</i>	Puerto Rican, <i>Vireo latimeri</i>	Pine, <i>Setophaga pinus</i>
Roseate, <i>Sterna dougallii</i>	Red-eyed, <i>Vireo olivaceus</i>	Prairie, <i>Setophaga discolor</i>
Royal, <i>Thalasseus maximus</i>	Thick-billed, <i>Vireo crassirostris</i>	Prothonotary, <i>Protonotaria citrea</i>
Sandwich, <i>Thalasseus sandvicensis</i>	Warbling, <i>Vireo gilvus</i>	Red-faced, <i>Cardellina rubrifrons</i>
Sooty, <i>Onychoprion fuscatus</i>	White-eyed, <i>Vireo griseus</i>	River, <i>Locustella fluviatilis</i>
Whiskered, <i>Chlidonias hybrida</i>	Yellow-green, <i>Vireo flavoviridis</i>	Rufous-capped, <i>Basileuterus rufifrons</i>
White, <i>Gygis alba</i>	Yellow-throated, <i>Vireo flavifrons</i>	Saipan Reed, <i>Acrocephalus hiwae</i>
White-winged, <i>Chlidonias leucopterus</i>	Yucatan, <i>Vireo magister</i>	Sedge, <i>Acrocephalus schoenobaenus</i>
THRASHER, Bendire's, <i>Toxostoma bendirei</i>	VULTURE, Black, <i>Coragyps atratus</i>	Swainson's, <i>Limnothlypis swainsonii</i>
Brown, <i>Toxostoma rufum</i>	Turkey, <i>Cathartes aura</i>	Tennessee, <i>Leiothlypis peregrina</i>
California, <i>Toxostoma redivivum</i>	WAGTAIL, Citrine, <i>Motacilla citreola</i>	Thick-billed, <i>Arundinax aedon</i>
Crissal, <i>Toxostoma crissale</i>	Eastern Yellow, <i>Motacilla tschutschensis</i>	Townsend's, <i>Setophaga townsendi</i>
Curve-billed, <i>Toxostoma curvirostre</i>	Gray, <i>Motacilla cinerea</i>	Virginia's, <i>Leiothlypis virginiae</i>
LeConte's, <i>Toxostoma lecontei</i>	White, <i>Motacilla alba</i>	Willow, <i>Phylloscopus trochilus</i>
Long-billed, <i>Toxostoma longirostre</i>	WARBLER, Adelaide's, <i>Setophaga adelaidae</i>	Wilson's, <i>Cardellina pusilla</i>
Pearly-eyed, <i>Margarops fuscatus</i>	Aguiguan Reed, <i>Acrocephalus nijoi</i>	Wood, <i>Phylloscopus sibilatrix</i>
Sage, <i>Oreoscoptes montanus</i>	Arctic, <i>Phylloscopus borealis</i>	Worm-eating, <i>Helminthorus vermicivorus</i>
THRUSH, Aztec, <i>Ridgwayia pinicola</i>	Bachman's, <i>Vermivora bachmanii</i>	Yellow, <i>Setophaga petechia</i>
Bicknell's, <i>Catharus bicknelli</i>	Bay-breasted, <i>Setophaga castanea</i>	Yellow-browed, <i>Phylloscopus inornatus</i>
Clay-colored, <i>Turdus grayi</i>	Black-and-white, <i>Mniotilla varia</i>	Yellow-rumped, <i>Setophaga coronata</i>
Dusky, <i>Turdus naumanni</i>	Blackburnian, <i>Setophaga fusca</i>	Yellow-throated, <i>Setophaga dominica</i>
Eyebrowed, <i>Turdus obscurus</i>	Blackpoll, <i>Setophaga striata</i>	WATERTHRUSH, Louisiana, <i>Parkesia motacilla</i>
Gray-cheeked, <i>Catharus minimus</i>	Black-throated Blue, <i>Setophaga caerulescens</i>	Northern, <i>Parkesia noveboracensis</i>
Hermit, <i>Catharus guttatus</i>	Black-throated Gray, <i>Setophaga nigrescens</i>	WAXWING, Bohemian, <i>Bombycilla garrulus</i>
Red-legged, <i>Turdus plumbeus</i>	Black-throated Green, <i>Setophaga virens</i>	Cedar, <i>Bombycilla cedrorum</i>
Swainson's, <i>Catharus ustulatus</i>	Blue-winged, <i>Vermivora cyanoptera</i>	WHEATEAR, Northern, <i>Oenanthe oenanthe</i>
Varied, <i>Ixoreus naevius</i>	Blyth's Reed, <i>Acrocephalus dumetorum</i>	Pied, <i>Oenanthe pleschanka</i>
White-throated, <i>Turdus assimilis</i>	Canada, <i>Cardellina canadensis</i>	WHIMBREL, <i>Numenius phaeopus</i>
Wood, <i>Hylocichla mustelina</i>	Cape May, <i>Setophaga tigrina</i>	WHIP-POOR-WILL, Eastern, <i>Antrostomus vociferus</i>
TIGER-HERON, Bare-throated, <i>Tigrisoma mexicanum</i>	Cerulean, <i>Setophaga cerulea</i>	
BITTOMEUSE, Black-crested, <i>Baeolophus atricristatus</i>	Chestnut-sided, <i>Setophaga pensylvanica</i>	
Bridled, <i>Baeolophus wollweberi</i>		
Juniper, <i>Baeolophus ridgwayi</i>		
Oak, <i>Baeolophus inornatus</i>		
Tufted, <i>Baeolophus bicolor</i>		

Mexican, *Antrostomus arizonae*
WHISTLING-DUCK, Black-bellied,
Dendrocygna autumnalis
 Fulvous, *Dendrocygna bicolor*
 West Indian, *Dendrocygna arborea*
WHITETHROAT, Lesser, *Sylvia curruca*
WIGEON, American, *Mareca americana*
 Eurasian, *Mareca penelope*
WILLET, *Tringa semipalmata*
WOODCOCK, American, *Scolopax minor*
 Eurasian, *Scolopax rusticola*
WOODPECKER, Acorn, *Melanerpes formicivorus*
 American Three-toed, *Picoides dorsalis*
 Arizona, *Dryobates arizonae*
 Black-backed, *Picoides arcticus*
 Downy, *Dryobates pubescens*
 Gila, *Melanerpes uropygialis*
 Golden-fronted, *Melanerpes aurifrons*
 Great Spotted, *Dendrocopos major*
 Hairy, *Dryobates villosus*
 Ivory-billed, *Campetherus principalis*
 Ladder-backed, *Dryobates scalaris*
 Lewis's, *Melanerpes lewis*
 Nuttall's, *Dryobates nuttallii*
 Pileated, *Dryocopus pileatus*
 Puerto Rican, *Melanerpes portoricensis*
 Red-bellied, *Melanerpes carolinus*
 Red-cockaded, *Dryobates borealis*
 Red-headed, *Melanerpes erythrocephalus*
 White-headed, *Dryobates albolarvatus*
WOOD-PEWEE, Eastern, *Contopus virens*
 Western, *Contopus sordidulus*
WOOD-RAIL, Rufous-necked, *Aramides axillaris*
WOODSTAR, Bahama, *Nesophlox evelynae*
WREN, Bewick's, *Thryomanes bewickii*
 Cactus, *Campylorhynchus brunneicapillus*
 Canyon, *Catherpes mexicanus*
 Carolina, *Thryothorus ludovicianus*
 House, *Troglodytes aedon*
 Marsh, *Cistothorus palustris*
 Pacific, *Troglodytes pacificus*
 Rock, *Salpinctes obsoletus*
 Sedge, *Cistothorus platensis*
 Sinaloa, *Thryophilus sinaloa*
 Winter, *Troglodytes hiemalis*
WRENTIT, *Chamaea fasciata*
WRYNECK, Eurasian, *Jynx torquilla*
YELLOWLEGS, Greater, *Tringa melanoleuca*
 Lesser, *Tringa flavipes*
YELLOWTHROAT, Common,
Geothlypis trichas
 Gray-crowned, *Geothlypis poliocephala*

(2) *Taxonomic listing.* Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species

relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.
Order ANSERIFORMES
Family ANATIDAE
Subfamily DENDROCYGNINAE
Dendrocygna autumnalis, Black-bellied Whistling-Duck
Dendrocygna arborea, West Indian Whistling-Duck
Dendrocygna bicolor, Fulvous Whistling-Duck
Subfamily ANSERINAE
Anser canagicus, Emperor Goose
Anser caerulescens, Snow Goose
Anser rossii, Ross's Goose
Anser albifrons, Greater White-fronted Goose
Anser erythropus, Lesser White-fronted Goose
Anser fabalis, Taiga Bean-Goose
Anser serrirostris, Tundra Bean-Goose
Anser brachyrhynchus, Pink-footed Goose
Branta bernicla, Brant
Branta leucopsis, Barnacle Goose
Branta hutchinsii, Cackling Goose
Branta canadensis, Canada Goose
Branta sandvicensis, Hawaiian Goose
Cygnus buccinator, Trumpeter Swan
Cygnus columbianus, Tundra Swan
Cygnus cygnus, Whooper Swan
Subfamily ANATINAE
Cairina moschata, Muscovy Duck
Aix sponsa, Wood Duck
Sibirionetta formosa, Baikal Teal
Spatula querquedula, Garganey
Spatula discors, Blue-winged Teal
Spatula cyanoptera, Cinnamon Teal
Spatula clypeata, Northern Shoveler
Mareca strepera, Gadwall
Mareca falcata, Falcated Duck
Mareca penelope, Eurasian Wigeon
Mareca americana, American Wigeon
Anas laysanensis, Laysan Duck
Anas wyvilliana, Hawaiian Duck
Anas zonorhyncha, Eastern Spot-billed Duck
Anas platyrhynchos, Mallard
Anas rubripes, American Black Duck
Anas fulvigula, Mottled Duck
Anas superciliosa, Pacific Black Duck
Anas bahamensis, White-cheeked Pintail
Anas acuta, Northern Pintail
Anas crecca, Green-winged Teal
Aythya valisineria, Canvasback
Aythya americana, Redhead
Aythya ferina, Common Pochard
Aythya baeri, Baer's Pochard
Aythya collaris, Ring-necked Duck
Aythya fuligula, Tufted Duck
Aythya marila, Greater Scaup
Aythya affinis, Lesser Scaup
Polysticta stelleri, Steller's Eider
Somateria fischeri, Spectacled Eider
Somateria spectabilis, King Eider
Somateria mollissima, Common Eider

Histrionicus histrionicus, Harlequin Duck
Melanitta perspicillata, Surf Scoter
Melanitta deglandi, White-winged Scoter
Melanitta stejnegeri, Stejneger's Scoter
Melanitta nigra, Common Scoter
Melanitta americana, Black Scoter
Clangula hyemalis, Long-tailed Duck
Bucephala albeola, Bufflehead
Bucephala clangula, Common Goldeneye
Bucephala islandica, Barrow's Goldeneye
Mergellus albellus, Smew
Lophodytes cucullatus, Hooded Merganser
Mergus merganser, Common Merganser
Mergus serrator, Red-breasted Merganser
Nomonyx dominicus, Masked Duck
Oxyura jamaicensis, Ruddy Duck
Order PHOENICOPTERIFORMES
Family PHOENICOPTERIDAE
Phoenicopterus ruber, American Flamingo
Order PODICIPEDIFORMES
Family PODICIPEDIDAE
Tachybaptus dominicus, Least Grebe
Podilymbus podiceps, Pied-billed Grebe
Podiceps auritus, Horned Grebe
Podiceps grisegena, Red-necked Grebe
Podiceps nigricollis, Eared Grebe
Aechmophorus occidentalis, Western Grebe
Aechmophorus clarkii, Clark's Grebe
Order COLUMBIFORMES
Family COLUMBIDAE
Patagioenas squamosa, Scaly-naped Pigeon
Patagioenas leucocephala, White-crowned Pigeon
Patagioenas flavirostris, Red-billed Pigeon
Patagioenas inornata, Plain Pigeon
Patagioenas fasciata, Band-tailed Pigeon
Streptopelia orientalis, Oriental Turtle-Dove
Alopecoenas xanthonurus, White-throated Ground-Dove
Alopecoenas stauri, Shy Ground-Dove
Columbina inca, Inca Dove
Columbina passerina, Common Ground Dove
Columbina talpacoti, Ruddy Ground Dove
Geotrygon montana, Ruddy Quail-Dove
Geotrygon chrysia, Key West Quail-Dove
Geotrygon mystacea, Bridled Quail-Dove
Leptotila verreauxi, White-tipped Dove
Zenaida asiatica, White-winged Dove

Zenaida aurita, Zenaida Dove	<i>Chaetura brachyura</i> , Short-tailed Swift	Hummingbird
Zenaida macroura, Mourning Dove	<i>Hirundapus caudacutus</i> , White-throated Needletail	<i>Amazilia violiceps</i> , Violet-crowned Hummingbird
<i>Ptilinopus perousii</i> , Many-colored Fruit-Dove	<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet	<i>Hylocharis leucotis</i> , White-eared Hummingbird
<i>Ptilinopus porphyraceus</i> , Crimson-crowned Fruit-Dove	<i>Aerodramus bartschi</i> , Mariana Swiftlet	<i>Hylocharis xanthusii</i> , Xantus's Hummingbird
<i>Ptilinopus roseicapilla</i> , Mariana Fruit-Dove	Subfamily APODINAE	Order GRUIFORMES
<i>Ducula pacifica</i> , Pacific Imperial-Pigeon	<i>Apus apus</i> , Common Swift	Family RALLIDAE
Order CUCULIFORMES	<i>Apus pacificus</i> , Fork-tailed Swift	<i>Coturnicops noveboracensis</i> , Yellow Rail
Family CUCULIDAE	<i>Apus melba</i> , Alpine Swift	<i>Laterallus jamaicensis</i> , Black Rail
Subfamily CROTOPHAGINAE	<i>Aeronautes saxatalis</i> , White-throated Swift	<i>Gallirallus philippensis</i> , Buff-banded Rail
<i>Crotaphaga ani</i> , Smooth-billed Ani	<i>Tachornis phoenicobia</i> , Antillean Palm-Swift	<i>Gallirallus owstoni</i> , Guam Rail
<i>Crotaphaga sulcirostris</i> , Groove-billed Ani	Family TROCHILIDAE	<i>Crex crex</i> , Corn Crake
Subfamily NEOMORPHINAE	Subfamily TROCHILINAE	<i>Rallus obsoletus</i> , Ridgway's Rail
<i>Geococcyx californianus</i> , Greater Roadrunner	<i>Colibri thalassinus</i> , Mexican Violetear	<i>Rallus crepitans</i> , Clapper Rail
Subfamily CUCULINAE	<i>Anthracothorax prevostii</i> , Green-breasted Mango	<i>Rallus elegans</i> , King Rail
<i>Urodynamis taitensis</i> , Long-tailed Koel	<i>Anthracothorax dominicus</i> , Antillean Mango	<i>Rallus limicola</i> , Virginia Rail
<i>Hierococcyx nisicolor</i> , Hodgson's Hawk-Cuckoo	<i>Anthracothorax viridis</i> , Green Mango	<i>Aramides axillaris</i> , Rufous-necked Wood-Rail
<i>Cuculus canorus</i> , Common Cuckoo	<i>Eulampis jugularis</i> , Purple-throated Carib	<i>Porzana carolina</i> , Sora
<i>Cuculus optatus</i> , Oriental Cuckoo	<i>Eulampis holosericeus</i> , Green-throated Carib	<i>Porzana tabuensis</i> , Spotless Crake
<i>Coccycus americanus</i> , Yellow-billed Cuckoo	<i>Eugenes fulgens</i> , Rivoli's Hummingbird	<i>Hapalocrex flaviventer</i> , Yellow-breasted Crake
<i>Coccycus minor</i> , Mangrove Cuckoo	<i>Heliodoxa constantii</i> , Plain-capped Starthroat	<i>Neocrex erythrops</i> , Paint-billed Crake
<i>Coccycus erythrophthalmus</i> , Black-billed Cuckoo	<i>Lampornis amethystinus</i> , Amethyst-throated Mountain-gem	<i>Pardirallus maculatus</i> , Spotted Rail
<i>Coccycus vieilloti</i> , Puerto Rican Lizard-Cuckoo	<i>Lampornis clemenciae</i> , Blue-throated Mountain-gem	<i>Porphyrio martinicus</i> , Purple Gallinule
Order CAPRIMULGIFORMES	<i>Calothorax lucifer</i> , Lucifer Hummingbird	<i>Porphyrio flavirostris</i> , Azure Gallinule
Family CAPRIMULGIDAE	<i>Archilochus colubris</i> , Ruby-throated Hummingbird	<i>Porphyrio porphyrio</i> , Purple Swamphen
Subfamily CHORDEILINAE	<i>Archilochus alexandri</i> , Black-chinned Hummingbird	<i>Gallinula galeata</i> , Common Gallinule
<i>Chordeiles acutipennis</i> , Lesser Nighthawk	<i>Mellisuga minima</i> , Vervain Hummingbird	<i>Gallinula chloropus</i> , Common Moorhen
<i>Chordeiles minor</i> , Common Nighthawk	<i>Nesophlox evelynae</i> , Bahama Woodstar	<i>Fulica atra</i> , Eurasian Coot
<i>Chordeiles gundlachii</i> , Antillean Nighthawk	<i>Calypte anna</i> , Anna's Hummingbird	<i>Fulica alai</i> , Hawaiian Coot
Subfamily CAPRIMULGINAE	<i>Calypte costae</i> , Costa's Hummingbird	<i>Fulica americana</i> , American Coot
<i>Nyctidromus albicollis</i> , Common Pauraque	<i>Atthis heloisa</i> , Bumblebee Hummingbird	Family ARAMIDAE
<i>Phalaenoptilus nuttallii</i> , Common Poorwill	<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird	<i>Aramus guarauna</i> , Limpkin
<i>Antrostomus carolinensis</i> , Chuck-will's-widow	<i>Selasphorus rufus</i> , Rufous Hummingbird	Family GRUIDAE
<i>Antrostomus ridgwayi</i> , Buff-collared Nightjar	<i>Selasphorus sasin</i> , Allen's Hummingbird	Subfamily GRUINAE
<i>Antrostomus vociferus</i> , Eastern Whip-poor-will	<i>Selasphorus calliope</i> , Calliope Hummingbird	<i>Antigone canadensis</i> , Sandhill Crane
<i>Antrostomus arizonae</i> , Mexican Whip-poor-will	<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald	<i>Grus grus</i> , Common Crane
<i>Antrostomus noctitherus</i> , Puerto Rican Nightjar	<i>Cynanthus latirostris</i> , Broad-billed Hummingbird	<i>Grus americana</i> , Whooping Crane
<i>Hydropsalis cayennensis</i> , White-tailed Nightjar	<i>Orthorhyncus cristatus</i> , Antillean Crested Hummingbird	Order CHARADRIIFORMES
<i>Caprimulgus jotaka</i> , Gray Nightjar	<i>Amazilia beryllina</i> , Berylline Hummingbird	Family RECURVIROSTRIDAE
Order APODIFORMES	<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird	<i>Himantopus himantopus</i> , Black-winged Stilt
Family APODIDAE	<i>Amazilia rutila</i> , Cinnamon Hummingbird	<i>Himantopus mexicanus</i> , Black-necked Stilt
Subfamily CYPSELOIDINAE		<i>Recurvirostra americana</i> , American Avocet
<i>Cypseloides niger</i> , Black Swift		Family HAEMATOPODIDAE
<i>Streptoprocne zonaris</i> , White-collared Swift		<i>Haematopus ostralegus</i> , Eurasian Oystercatcher
Subfamily CHAETURINAE		<i>Haematopus palliatus</i> , American Oystercatcher
<i>Chaetura pelasgica</i> , Chimney Swift		<i>Haematopus bachmani</i> , Black Oystercatcher
<i>Chaetura vauxi</i> , Vaux's Swift		Family CHARADRIIDAE
		Subfamily VANELLINAE
		<i>Vanellus vanellus</i> , Northern Lapwing
		Subfamily CHARADRIINAE
		<i>Pluvialis squatarola</i> , Black-bellied Plover
		<i>Pluvialis apricaria</i> , European Golden-Plover

<i>Pluvialis dominica</i> , American Golden-Plover	<i>Calidris maritima</i> , Purple Sandpiper	<i>Cephus columba</i> , Pigeon Guillemot
<i>Pluvialis fulva</i> , Pacific Golden-Plover	<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Brachyramphus perdix</i> , Long-billed Murrelet
<i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Calidris minuta</i> , Little Stint	<i>Brachyramphus marmoratus</i> , Marbled Murrelet
<i>Charadrius vociferus</i> , Killdeer	<i>Calidris minutilla</i> , Least Sandpiper	<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet
<i>Charadrius hiaticula</i> , Common Ringed Plover	<i>Calidris fuscicollis</i> , White-rumped Sandpiper	<i>Synthliboramphus scrippsi</i> , Scripp's Murrelet
<i>Charadrius semipalmatus</i> , Semipalmated Plover	<i>Calidris subruficollis</i> , Buff-breasted Sandpiper	<i>Synthliboramphus hypoleucus</i> , Guadalupe Murrelet
<i>Charadrius melanotos</i> , Piping Plover	<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Synthliboramphus craveri</i> , Craveri's Murrelet
<i>Charadrius dubius</i> , Little Ringed Plover	<i>Calidris pusilla</i> , Semipalmated Sandpiper	<i>Synthliboramphus antiquus</i> , Ancient Murrelet
<i>Charadrius mongolus</i> , Lesser Sand-Plover	<i>Calidris mauri</i> , Western Sandpiper	<i>Ptychoramphus aleuticus</i> , Cassin's Auklet
<i>Charadrius leschenaultii</i> , Greater Sand-Plover	Subfamily SCOLOPACINAE	<i>Aethia psittacula</i> , Parakeet Auklet
<i>Charadrius wilsonia</i> , Wilson's Plover	<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Aethia pusilla</i> , Least Auklet
<i>Charadrius collaris</i> , Collared Plover	<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	<i>Aethia pygmaea</i> , Whiskered Auklet
<i>Charadrius montanus</i> , Mountain Plover	<i>Lymnocryptes minimus</i> , Jack Snipe	<i>Aethia cristatella</i> , Crested Auklet
<i>Charadrius alexandrinus</i> , Kentish Plover	<i>Scopopax rusticola</i> , Eurasian Woodcock	<i>Cerorhinca monocerata</i> , Rhinoceros Auklet
<i>Charadrius nivosus</i> , Snowy Plover	<i>Scopopax minor</i> , American Woodcock	<i>Fratercula arctica</i> , Atlantic Puffin
Family JACANIDAE	<i>Gallinago solitaria</i> , Solitary Snipe	<i>Fratercula corniculata</i> , Horned Puffin
<i>Jacana spinosa</i> , Northern Jacana	<i>Gallinago stenura</i> , Pin-tailed Snipe	<i>Fratercula cirrhata</i> , Tufted Puffin
Family SCOLOPACIDAE	<i>Gallinago megala</i> , Swinhoe's Snipe	Family LARIDAE
Subfamily NUMENIINAE	<i>Gallinago gallinago</i> , Common Snipe	Subfamily LARINAE
<i>Bartramia longicauda</i> , Upland Sandpiper	<i>Gallinago delicata</i> , Wilson's Snipe	<i>Creagrus furcatus</i> , Swallow-tailed Gull
<i>Numenius tahitiensis</i> , Bristle-thighed Curlew	Subfamily TRINGINAE	<i>Rissa tridactyla</i> , Black-legged Kittiwake
<i>Numenius phaeopus</i> , Whimbrel	<i>Xenus cinereus</i> , Terek Sandpiper	<i>Rissa brevirostris</i> , Red-legged Kittiwake
<i>Numenius minutus</i> , Little Curlew	<i>Actitis hypoleucos</i> , Common Sandpiper	<i>Pagophila eburnea</i> , Ivory Gull
<i>Numenius borealis</i> , Eskimo Curlew	<i>Actitis macularius</i> , Spotted Sandpiper	<i>Xema sabini</i> , Sabine's Gull
<i>Numenius americanus</i> , Long-billed Curlew	<i>Tringa ochropus</i> , Green Sandpiper	<i>Chroicocephalus philadelphia</i> , Bonaparte's Gull
<i>Numenius madagascariensis</i> , Far Eastern Curlew	<i>Tringa solitaria</i> , Solitary Sandpiper	<i>Chroicocephalus cirrocephalus</i> , Gray-hooded Gull
<i>Numenius arquata</i> , Eurasian Curlew	<i>Tringa brevipes</i> , Gray-tailed Tattler	<i>Chroicocephalus ridibundus</i> , Black-headed Gull
Subfamily LIMOSINAE	<i>Tringa incana</i> , Wandering Tattler	<i>Hydrocoloeus minutus</i> , Little Gull
<i>Limosa lapponica</i> , Bar-tailed Godwit	<i>Tringa flavipes</i> , Lesser Yellowlegs	<i>Rhodostethia rosea</i> , Ross's Gull
<i>Limosa limosa</i> , Black-tailed Godwit	<i>Tringa semipalmata</i> , Willet	<i>Leucophaeus atricilla</i> , Laughing Gull
<i>Limosa haemastica</i> , Hudsonian Godwit	<i>Tringa erythropus</i> , Spotted Redshank	<i>Leucophaeus pipixcan</i> , Franklin's Gull
<i>Limosa fedoa</i> , Marbled Godwit	<i>Tringa nebularia</i> , Common Greenshank	<i>Larus belcheri</i> , Belcher's Gull
Subfamily ARENARIINAE	<i>Tringa guttifer</i> , Nordmann's Greenshank	<i>Larus crassirostris</i> , Black-tailed Gull
<i>Arenaria interpres</i> , Ruddy Turnstone	<i>Tringa melanoleuca</i> , Greater Yellowlegs	<i>Larus heermanni</i> , Heermann's Gull
<i>Arenaria melanocephala</i> , Black Turnstone	<i>Tringa totanus</i> , Common Redshank	<i>Larus canus</i> , Mew Gull
<i>Calidris tenuirostris</i> , Great Knot	<i>Tringa glareola</i> , Wood Sandpiper	<i>Larus delawarensis</i> , Ring-billed Gull
<i>Calidris canutus</i> , Red Knot	<i>Tringa stagnatilis</i> , Marsh Sandpiper	<i>Larus occidentalis</i> , Western Gull
<i>Calidris virgata</i> , Surfbird	<i>Phalaropus tricolor</i> , Wilson's Phalarope	<i>Larus livens</i> , Yellow-footed Gull
<i>Calidris pugnax</i> , Ruff	Family STERCORARIIDAE	<i>Larus californicus</i> , California Gull
<i>Calidris falcinellus</i> , Broad-billed Sandpiper	<i>Stercorarius skua</i> , Great Skua	<i>Larus argentatus</i> , Herring Gull
<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Stercorarius maccormicki</i> , South Polar Skua	<i>Larus michahellis</i> , Yellow-legged Gull
<i>Calidris himantopus</i> , Stilt Sandpiper	<i>Stercorarius pomarinus</i> , Pomarine Jaeger	<i>Larus glaucopterus</i> , Iceland Gull
<i>Calidris ferruginea</i> , Curlew Sandpiper	<i>Stercorarius parasiticus</i> , Parasitic Jaeger	<i>Larus fuscus</i> , Lesser Black-backed Gull
<i>Calidris temminckii</i> , Temminck's Stint	<i>Stercorarius longicaudus</i> , Long-tailed Jaeger	<i>Larus schistisagus</i> , Slaty-backed Gull
<i>Calidris subminuta</i> , Long-toed Stint	Family ALCIDAE	<i>Larus glaucescens</i> , Glaucous-winged Gull
<i>Calidris pygmea</i> , Spoon-billed Sandpiper	<i>Alle alle</i> , Dovekie	<i>Larus hyperboreus</i> , Glaucous Gull
<i>Calidris ruficollis</i> , Red-necked Stint	<i>Uria aalge</i> , Common Murre	<i>Larus marinus</i> , Great Black-backed Gull
<i>Calidris alba</i> , Sanderling	<i>Uria lomvia</i> , Thick-billed Murre	<i>Larus dominicanus</i> , Kelp Gull
<i>Calidris alpina</i> , Dunlin	<i>Alca torda</i> , Razorbill	Subfamily STERNINAE
<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Cephus grylle</i> , Black Guillemot	<i>Anous stolidus</i> , Brown Noddy

<i>Anous minutus</i> , Black Noddy	<i>Oceanites oceanicus</i> , Wilson's Storm-Petrel	<i>Bulweria bulwerii</i> , Bulwer's Petrel
<i>Anous ceruleus</i> , Blue-gray Noddy	<i>Pelagodroma marina</i> , White-faced Storm-Petrel	<i>Bulweria fallax</i> , Jouanin's Petrel
<i>Gygis alba</i> , White Tern	<i>Fregetta tropica</i> , Black-bellied Storm-Petrel	<i>Procellaria aequinoctialis</i> , White-chinned Petrel
<i>Onychoprion fuscatus</i> , Sooty Tern	Family HYDROBATIDAE	
<i>Onychoprion lunatus</i> , Gray-backed Tern	<i>Hydrobates pelagicus</i> , European Storm-Petrel	<i>Procellaria parkinsoni</i> , Parkinson's Petrel
<i>Onychoprion anaethetus</i> , Bridled Tern	<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	<i>Calonectris leucomelas</i> , Streaked Shearwater
<i>Onychoprion aleuticus</i> , Aleutian Tern	<i>Nesofregetta fuliginosa</i> , Polynesian Storm-Petrel	<i>Calonectris diomedea</i> , Cory's Shearwater
<i>Sternula albifrons</i> , Little Tern	<i>Hydrobates furcatus</i> , Fork-tailed Storm-Petrel	<i>Calonectris edwardsii</i> , Cape Verde Shearwater
<i>Sternula antillarum</i> , Least Tern	<i>Hydrobates hornbyi</i> , Ringed Storm-Petrel	<i>Ardenna pacifica</i> , Wedge-tailed Shearwater
<i>Phaetusa simplex</i> , Large-billed Tern	<i>Hydrobates monorhis</i> , Swinhoe's Storm-Petrel	<i>Ardenna bulleri</i> , Buller's Shearwater
<i>Gelochelidon nilotica</i> , Gull-billed Tern	<i>Hydrobates leucorhous</i> , Leach's Storm-Petrel	<i>Ardenna tenuirostris</i> , Short-tailed Shearwater
<i>Hydroprogne caspia</i> , Caspian Tern	<i>Hydrobates socorroensis</i> , Townsend's Storm-Petrel	<i>Ardenna grisea</i> , Sooty Shearwater
<i>Chlidonias niger</i> , Black Tern	<i>Hydrobates homochroa</i> , Ashy Storm-Petrel	<i>Ardenna gravis</i> , Great Shearwater
<i>Chlidonias leucopterus</i> , White-winged Tern	<i>Hydrobates castro</i> , Band-rumped Storm-Petrel	<i>Ardenna creatopus</i> , Pink-footed Shearwater
<i>Chlidonias hybrida</i> , Whiskered Tern	<i>Hydrobates tethys</i> , Wedge-rumped Storm-Petrel	<i>Ardenna carneipes</i> , Flesh-footed Shearwater
<i>Sterna dougallii</i> , Roseate Tern	<i>Oceanodroma matsudaireae</i> , Matsudaira's Storm-Petrel	<i>Puffinus nativitatis</i> , Christmas Shearwater
<i>Sterna sumatrana</i> , Black-naped Tern	<i>Hydrobates melania</i> , Black Storm-Petrel	<i>Puffinus puffinus</i> , Manx Shearwater
<i>Sterna hirundo</i> , Common Tern	<i>Hydrobates tristrami</i> , Tristram's Storm-Petrel	<i>Puffinus newelli</i> , Newell's Shearwater
<i>Sterna paradisaea</i> , Arctic Tern	<i>Hydrobates microsoma</i> , Least Storm-Petrel	<i>Puffinus bryani</i> , Bryan's Shearwater
<i>Sterna forsteri</i> , Forster's Tern	Family PROCELLARIIDAE	
<i>Thalasseus maximus</i> , Royal Tern	<i>Fulmarus glacialis</i> , Northern Fulmar	<i>Puffinus opisthomelas</i> , Black-vented Shearwater
<i>Thalasseus bergii</i> , Great Crested Tern	<i>Pterodroma gouldi</i> , Gray-faced Petrel	<i>Puffinus lherminieri</i> , Audubon's Shearwater
<i>Thalasseus sandvicensis</i> , Sandwich Tern	<i>Pterodroma solandri</i> , Providence Petrel	<i>Puffinus baroli</i> , Barolo Shearwater
<i>Thalasseus elegans</i> , Elegant Tern	<i>Pterodroma neglecta</i> , Kermadec Petrel	Order CICONIIFORMES
Subfamily RYNCHOPINAE	<i>Pterodroma arminjoniana</i> , Trindade Petrel	Family CICONIIDAE
<i>Rynchops niger</i> , Black Skimmer	<i>Pterodroma heraldica</i> , Herald Petrel	<i>Jabiru mycteria</i> , Jabiru
Order PHAETHONTIFORMES	<i>Pterodroma ultima</i> , Murphy's Petrel	<i>Mycteria americana</i> , Wood Stork
Family PHAETHONTIDAE	<i>Pterodroma inexpectata</i> , Mottled Petrel	Order SULIFORMES
<i>Phaethon lepturus</i> , White-tailed Tropicbird	<i>Pterodroma cahow</i> , Bermuda Petrel	Family FREGATIDAE
<i>Phaethon aethereus</i> , Red-billed Tropicbird	<i>Pterodroma hasitata</i> , Black-capped Petrel	<i>Fregata ariel</i> , Lesser Frigatebird
<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	<i>Pterodroma externa</i> , Juan Fernandez Petrel	<i>Fregata magnificens</i> , Magnificent Frigatebird
Order GAVIIFORMES	<i>Pterodroma sandwichensis</i> , Hawaiian Petrel	<i>Fregata minor</i> , Great Frigatebird
Family GAVIIDAE	<i>Pterodroma cervicalis</i> , White-necked Petrel	Family SULIDAE
<i>Gavia stellata</i> , Red-throated Loon	<i>Pterodroma hypoleuca</i> , Bonin Petrel	<i>Sula dactylatra</i> , Masked Booby
<i>Gavia arctica</i> , Arctic Loon	<i>Pterodroma nigripennis</i> , Black-winged Petrel	<i>Sula granti</i> , Nazca Booby
<i>Gavia pacifica</i> , Pacific Loon	<i>Pterodroma feae</i> , Fea's Petrel	<i>Sula nebouxii</i> , Blue-footed Booby
<i>Gavia immer</i> , Common Loon	<i>Pterodroma madeira</i> , Zino's Petrel	<i>Sula leucogaster</i> , Brown Booby
<i>Gavia adamsii</i> , Yellow-billed Loon	<i>Pterodroma cookii</i> , Cook's Petrel	<i>Sula sula</i> , Red-footed Booby
Order PROCELLARIIFORMES	<i>Pterodroma longirostris</i> , Stejneger's Petrel	<i>Papasula abbotti</i> , Abbott's Booby
Family DIOMEDEIDAE	<i>Pterodroma alba</i> , Phoenix Petrel	<i>Morus bassanus</i> , Northern Gannet
<i>Thalassarche chlororhynchos</i> , Yellow-nosed Albatross	<i>Pterodroma leucoptera</i> , Gould's Petrel	Family PHALACROCORACIDAE
<i>Thalassarche cauta</i> , White-capped Albatross	<i>Pseudobulweria rostrata</i> , Tahiti Petrel	<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant
<i>Thalassarche eremita</i> , Chatham Albatross		<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant
<i>Thalassarche salvini</i> , Salvin's Albatross		<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant
<i>Thalassarche melanophrys</i> , Black-browed Albatross		<i>Phalacrocorax auritus</i> , Double-crested Cormorant
<i>Phoebetria palpebrata</i> , Light-mantled Albatross		<i>Phalacrocorax carbo</i> , Great Cormorant
<i>Diomedea exulans</i> , Wandering Albatross		<i>Phalacrocorax urile</i> , Red-faced Cormorant
<i>Phoebastria immutabilis</i> , Laysan Albatross		<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant
<i>Phoebastria nigripes</i> , Black-footed Albatross		Family ANHINGIDAE
<i>Phoebastria albatrus</i> , Short-tailed Albatross		<i>Anhinga anhinga</i> , Anhinga
Family OCEANITIDAE		Order PELECANIFORMES

<i>Pelecanus erythrorhynchos</i> , American White Pelican	<i>Circus spilonotus</i> , Eastern Marsh-Harrier	<i>Strix nebulosa</i> , Great Gray Owl
<i>Pelecanus occidentalis</i> , Brown Pelican	<i>Circus hudsonius</i> , Northern Harrier	<i>Asio otus</i> , Long-eared Owl
Family ARDEIDAE	<i>Accipiter soloensis</i> , Chinese Sparrowhawk	<i>Asio stygius</i> , Stygian Owl
<i>Botaurus lentiginosus</i> , American Bittern	<i>Accipiter gularis</i> , Japanese Sparrowhawk	<i>Asio flammeus</i> , Short-eared Owl
<i>Ixobrychus sinensis</i> , Yellow Bittern	<i>Accipiter striatus</i> , Sharp-shinned Hawk	<i>Aegolius funereus</i> , Boreal Owl
<i>Ixobrychus exilis</i> , Least Bittern	<i>Accipiter cooperii</i> , Cooper's Hawk	<i>Aegolius acadicus</i> , Northern Saw-whet Owl
<i>Ixobrychus eurhythmus</i> , Schrenck's Bittern	<i>Accipiter gentilis</i> , Northern Goshawk	<i>Ninox japonica</i> , Northern Boobook
<i>Ixobrychus flavicollis</i> , Black Bittern	<i>Milvus migrans</i> , Black Kite	Order TROGONIFORMES
<i>Tigrisoma mexicanum</i> , Bare-throated Tiger-Heron	<i>Haliaeetus leucocephalus</i> , Bald Eagle	Family TROGONIDAE
<i>Ardea herodias</i> , Great Blue Heron	<i>Haliaeetus albicilla</i> , White-tailed Eagle	Subfamily TROGONINAE
<i>Ardea cinerea</i> , Gray Heron	<i>Haliaeetus pelagicus</i> , Steller's Sea-Eagle	<i>Trogon elegans</i> , Elegant Trogon
<i>Ardea alba</i> , Great Egret	<i>Ictinia mississippiensis</i> , Mississippi Kite	<i>Euptilotis neoxenus</i> , Eared Quetzal
<i>Ardea intermedia</i> , Intermediate Egret	<i>Butastur indicus</i> , Gray-faced Buzzard	Order UPUPIFORMES
<i>Egretta euphophotes</i> , Chinese Egret	<i>Geranospiza caerulescens</i> , Crane	Family UPUPIDAE
<i>Egretta garzetta</i> , Little Egret	<i>Rupornis magnirostris</i> , Roadside Hawk	<i>Upupa epops</i> , Eurasian Hoopoe
<i>Egretta sacra</i> , Pacific Reef-Heron	<i>Parabuteo unicinctus</i> , Harris's Hawk	Order CORACIFORMES
<i>Egretta gularis</i> , Western Reef-Heron	<i>Geranoaetus albicaudatus</i> , White-tailed Hawk	Family ALCEDINIDAE
<i>Egretta thula</i> , Snowy Egret	<i>Buteogallus anthracinus</i> , Common Black Hawk	Subfamily ALCEDININAE
<i>Egretta caerulea</i> , Little Blue Heron	<i>Buteogallus urubitinga</i> , Great Black Hawk	<i>Alcedo atthis</i> , Common Kingfisher
<i>Egretta tricolor</i> , Tricolored Heron	<i>Rupornis magnirostris</i> , Roadside Hawk	Subfamily HALCYONINAE
<i>Egretta rufescens</i> , Reddish Egret	<i>Parabuteo unicinctus</i> , Harris's Hawk	<i>Todiramphus sacer</i> , Pacific Kingfisher
<i>Bubulcus ibis</i> , Cattle Egret	<i>Geranoaetus albicaudatus</i> , White-tailed Hawk	<i>Todiramphus cinnamominus</i> , Guam Kingfisher
<i>Ardeola bacchus</i> , Chinese Pond-Heron	<i>Buteo plagiatus</i> , Gray Hawk	<i>Todiramphus albicilla</i> , Mariana Kingfisher
<i>Butorides virescens</i> , Green Heron	<i>Buteo lineatus</i> , Red-shouldered Hawk	Subfamily CERYLINAE
<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron	<i>Buteo platypterus</i> , Broad-winged Hawk	<i>Megaceryle torquata</i> , Ringed Kingfisher
<i>Nycticorax caledonicus</i> , Rufous Night-Heron	<i>Buteo solitarius</i> , Hawaiian Hawk	<i>Megaceryle alcyon</i> , Belted Kingfisher
<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron	<i>Buteo brachyurus</i> , Short-tailed Hawk	<i>Chloroceryle amazona</i> , Amazon Kingfisher
<i>Gorsachius goisagi</i> , Japanese Night-Heron	<i>Buteo swainsoni</i> , Swainson's Hawk	<i>Chloroceryle americana</i> , Green Kingfisher
<i>Gorsachius melanolophus</i> , Malayan Night-Heron	<i>Buteo albonotatus</i> , Zone-tailed Hawk	Order PICIFORMES
Family THRESKIORNITHIDAE	<i>Buteo jamaicensis</i> , Red-tailed Hawk	Family PICIDAE
Subfamily THRESKIORNITHINAE	<i>Buteo lagopus</i> , Rough-legged Hawk	Subfamily JYNGINAE
<i>Eudocimus albus</i> , White Ibis	<i>Buteo regalis</i> , Ferruginous Hawk	<i>Jynx torquilla</i> , Eurasian Wryneck
<i>Eudocimus ruber</i> , Scarlet Ibis	Order STRIGIFORMES	Subfamily PICINAE
<i>Plegadis falcinellus</i> , Glossy Ibis	Family TYTONIDAE	<i>Melanerpes lewis</i> , Lewis's Woodpecker
<i>Plegadis chihi</i> , White-faced Ibis	<i>Tyto alba</i> , Barn Owl	<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker
Subfamily PLATALEINAE	Family STRIGIDAE	<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker
<i>Platalea ajaja</i> , Roseate Spoonbill	<i>Otus sunia</i> , Oriental Scops-Owl	<i>Melanerpes formicivorus</i> , Acorn Woodpecker
Order CATHARTIFORMES	<i>Psiloscoops flammeolus</i> , Flammulated Owl	<i>Melanerpes uropygialis</i> , Gila Woodpecker
Family CATHARTIDAE	<i>Megascops kennicottii</i> , Western Screech-Owl	<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker
<i>Coragyps atratus</i> , Black Vulture	<i>Megascops asio</i> , Eastern Screech-Owl	<i>Melanerpes carolinus</i> , Red-bellied Woodpecker
<i>Cathartes aura</i> , Turkey Vulture	<i>Megascops trichopsis</i> , Whiskered Screech-Owl	<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker
<i>Gymnogyps californianus</i> , California Condor	<i>Megascops nudipes</i> , Puerto Rican Screech-Owl	<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker
Order ACCIPITRIFORMES	<i>Bubo virginianus</i> , Great Horned Owl	<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker
Family PANDIONIDAE	<i>Bubo scandiacus</i> , Snowy Owl	<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker
<i>Pandion haliaetus</i> , Osprey	<i>Surnia ulula</i> , Northern Hawk Owl	<i>Picoides dorsalis</i> , American Three-toed Woodpecker
Family ACCIPITRIDAE	<i>Glauucidium gnoma</i> , Northern Pygmy-Owl	<i>Picoides arcticus</i> , Black-backed Woodpecker
Subfamily ELANINAE	<i>Glauucidium brasiliandum</i> , Ferruginous Pygmy-Owl	<i>Dendrocopos major</i> , Great Spotted Woodpecker
<i>Elanus leucurus</i> , White-tailed Kite	<i>Micrathene whitneyi</i> , Elf Owl	<i>Dryobates pubescens</i> , Downy Woodpecker
Subfamily GYPAETINAE	<i>Athene cunicularia</i> , Burrowing Owl	
<i>Chondrohierax uncinatus</i> , Hook-billed Kite	<i>Ciccaba virgata</i> , Mottled Owl	
<i>Elanoides forficatus</i> , Swallow-tailed Kite	<i>Strix occidentalis</i> , Spotted Owl	
Subfamily ACCIPITRINAE	<i>Strix varia</i> , Barred Owl	
<i>Aquila chrysaetos</i> , Golden Eagle		
<i>Harpagus bidentatus</i> , Double-toothed Kite		

<i>Dryobates nuttallii</i> , Nuttall's Woodpecker	Flycatcher	<i>Vireo atricapilla</i> , Black-capped Vireo
<i>Dryobates scalaris</i> , Ladder-backed Woodpecker	<i>Empidonax traillii</i> , Willow Flycatcher	<i>Vireo griseus</i> , White-eyed Vireo
<i>Dryobates borealis</i> , Red-cockaded Woodpecker	<i>Empidonax minimus</i> , Least Flycatcher	<i>Vireo crassirostris</i> , Thick-billed Vireo
<i>Dryobates villosus</i> , Hairy Woodpecker	<i>Empidonax hammondii</i> , Hammond's Flycatcher	<i>Vireo latimeri</i> , Puerto Rican Vireo
<i>Dryobates albolarvatus</i> , White-headed Woodpecker	<i>Empidonax wrightii</i> , Gray Flycatcher	<i>Vireo gundlachii</i> , Cuban Vireo
<i>Dryobates arizonae</i> , Arizona Woodpecker	<i>Empidonax oberholseri</i> , Dusky Flycatcher	<i>Vireo bellii</i> , Bell's Vireo
<i>Colaptes auratus</i> , Northern Flicker	<i>Empidonax affinis</i> , Pine Flycatcher	<i>Vireo vicinior</i> , Gray Vireo
<i>Colaptes chrysoides</i> , Gilded Flicker	<i>Empidonax difficilis</i> , Pacific-slope Flycatcher	<i>Vireo huttoni</i> , Hutton's Vireo
<i>Dryocopus pileatus</i> , Pileated Woodpecker	<i>Empidonax occidentalis</i> , Cordilleran Flycatcher	<i>Vireo flavifrons</i> , Yellow-throated Vireo
<i>Campephilus principalis</i> , Ivory-billed Woodpecker	<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher	<i>Vireo cassini</i> , Cassin's Vireo
Order FALCONIFORMES	<i>Sayornis nigricans</i> , Black Phoebe	<i>Vireo solitarius</i> , Blue-headed Vireo
Family FALCONIDAE	<i>Sayornis phoebe</i> , Eastern Phoebe	<i>Vireo plumbeus</i> , Plumbeous Vireo
Subfamily HERPETOTHERINAE	<i>Sayornis saya</i> , Say's Phoebe	<i>Vireo philadelphicus</i> , Philadelphia Vireo
<i>Micrastur semitorquatus</i> , Collared Forest-Falcon	<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher	<i>Vireo gilvus</i> , Warbling Vireo
Subfamily FALCONINAE	Subfamily TYRANNINAE	<i>Vireo olivaceus</i> , Red-eyed Vireo
<i>Caracara cheriway</i> , Crested Caracara	<i>Myiarchus tuberculifer</i> , Dusky-capped Flycatcher	<i>Vireo flavoviridis</i> , Yellow-green Vireo
<i>Falco tinnunculus</i> , Eurasian Kestrel	<i>Myiarchus cinerascens</i> , Ash-throated Flycatcher	<i>Vireo altiloquus</i> , Black-whiskered Vireo
<i>Falco sparverius</i> , American Kestrel	<i>Myiarchus nuttingi</i> , Nutting's Flycatcher	<i>Vireo magister</i> , Yucatan Vireo
<i>Falco vespertinus</i> , Red-footed Falcon	<i>Myiarchus crinitus</i> , Great Crested Flycatcher	Family CORVIDAE
<i>Falco amurensis</i> , Amur Falcon	<i>Myiarchus tyrannulus</i> , Brown-crested Flycatcher	<i>Perisoreus canadensis</i> , Canada Jay
<i>Falco columbarius</i> , Merlin	<i>Myiarchus sagrae</i> , La Sagra's Flycatcher	<i>Psilorhinus morio</i> , Brown Jay
<i>Falco subbuteo</i> , Eurasian Hobby	<i>Myiarchus antillarum</i> , Puerto Rican Flycatcher	<i>Cyanocorax yncas</i> , Green Jay
<i>Falco femoralis</i> , Aplomado Falcon	<i>Pitangus sulphuratus</i> , Great Kiskadee	<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay
<i>Falco rusticolus</i> , Gyrfalcon	<i>Myiozetetes similis</i> , Social Flycatcher	<i>Cyanocitta stelleri</i> , Steller's Jay
<i>Falco peregrinus</i> , Peregrine Falcon	<i>Myiodynastes luteiventris</i> , Sulphur-bellied Flycatcher	<i>Cyanocitta cristata</i> , Blue Jay
<i>Falco mexicanus</i> , Prairie Falcon	<i>Legatus leucophaius</i> , Piratic Flycatcher	<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay
Order PASSERIFORMES	<i>Empidonotus varius</i> , Variegated Flycatcher	<i>Aphelocoma insularis</i> , Island Scrub-Jay
Family TITYRIDAE	<i>Empidonotus aurantioatrocristatus</i> , Crowned Slaty Flycatcher	<i>Aphelocoma californica</i> , California Scrub-Jay
<i>Tityra semifasciata</i> , Masked Tityra	<i>Tyrannus melancholicus</i> , Tropical Kingbird	<i>Aphelocoma woodhouseii</i> , Woodhouse's Scrub-Jay
<i>Pachyramphus major</i> , Gray-collared Becard	<i>Tyrannus couchii</i> , Couch's Kingbird	<i>Aphelocoma wollweberi</i> , Mexican Jay
<i>Pachyramphus aglaiae</i> , Rose-throated Becard	<i>Tyrannus vociferans</i> , Cassin's Kingbird	<i>Nucifraga columbiana</i> , Clark's Nutcracker
Family TYRANNIDAE	<i>Tyrannus crassirostris</i> , Thick-billed Kingbird	<i>Pica hudsonia</i> , Black-billed Magpie
Subfamily ELAENIINAE	<i>Tyrannus verticalis</i> , Western Kingbird	<i>Pica nuttalli</i> , Yellow-billed Magpie
<i>Camptostoma imberbe</i> , Northern Beardless-Tyrannulet	<i>Tyrannus tyrannus</i> , Eastern Kingbird	<i>Corvus monedula</i> , Eurasian Jackdaw
<i>Myiopagis viridicata</i> , Greenish Elaenia	<i>Tyrannus dominicensis</i> , Gray Kingbird	<i>Corvus kubaryi</i> , Mariana Crow
<i>Elaenia martinica</i> , Caribbean Elaenia	<i>Tyrannus caudifasciatus</i> , Loggerhead Kingbird	<i>Corvus brachyrhynchos</i> , American Crow
<i>Elaenia albiceps</i> , White-crested Elaenia	<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher	<i>Corvus caurinus</i> , Northwestern Crow
Subfamily FLUVICOLINAE	<i>Tyrannus savana</i> , Fork-tailed Flycatcher	<i>Corvus leucognaphalus</i> , White-necked Crow
<i>Mitrephanes phaeocercus</i> , Tufted Flycatcher	Family LANIIDAE	<i>Corvus imparatus</i> , Tamaulipas Crow
<i>Contopus cooperi</i> , Olive-sided Flycatcher	<i>Lanius cristatus</i> , Brown Shrike	<i>Corvus ossifragus</i> , Fish Crow
<i>Contopus pertinax</i> , Greater Pewee	<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Corvus hawaiiensis</i> , Hawaiian Crow
<i>Contopus sordidulus</i> , Western Wood-Pewee	<i>Lanius borealis</i> , Northern Shrike	<i>Corvus cryptoleucus</i> , Chihuahuan Raven
<i>Contopus virens</i> , Eastern Wood-Pewee	Family ALAUDIDAE	<i>Corvus corax</i> , Common Raven
<i>Contopus caribaeus</i> , Cuban Pewee	<i>Ralauda arvensis</i> , Eurasian Skylark	
<i>Contopus hispaniolensis</i> , Hispaniolan Pewee	<i>Eremophila alpestris</i> , Horned Lark	
<i>Contopus latirostris</i> , Lesser Antillean Pewee	Family HIRUNDINIDAE	
<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher	Subfamily HIRUNDININAE	
<i>Empidonax virescens</i> , Acadian Flycatcher	<i>Riparia riparia</i> , Bank Swallow	
<i>Empidonax alnorum</i> , Alder	<i>Tachycineta bicolor</i> , Tree Swallow	
	<i>Tachycineta cyaneoviridis</i> , Bahama Swallow	
	<i>Tachycineta thalassina</i> , Violet-green Swallow	
	<i>Tachycineta albilinea</i> , Mangrove Swallow	
	<i>Stelgidopteryx serripennis</i> , Northern	

Rough-winged Swallow	<i>Polioptila melanura</i> , Black-tailed Gnatcatcher	<i>Ficedula mugimaki</i> , Mugimaki Flycatcher
<i>Progne tapera</i> , Brown-chested Martin	<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher	<i>Ficedula albicilla</i> , Taiga Flycatcher
<i>Progne dominicensis</i> , Caribbean Martin	Family CINCLIDAE <i>Cinclus mexicanus</i> , American Dipper	<i>Phoenicurus phoenicurus</i> , Common Redstart
<i>Progne subis</i> , Purple Martin	Family REGULIDAE <i>Regulus satrapa</i> , Golden-crowned Kinglet	<i>Saxicola torquatus</i> , Stonechat
<i>Progne cryptoleuca</i> , Cuban Martin	<i>Regulus calendula</i> , Ruby-crowned Kinglet	<i>Oenanthe oenanthe</i> , Northern Wheatear
<i>Progne chalybea</i> , Gray-breasted Martin	Family PHYLLOSCOPIDAE <i>Phylloscopus trochilus</i> , Willow Warbler	<i>Oenanthe pleschanka</i> , Pied Wheatear
<i>Progne elegans</i> , Southern Martin	<i>Phylloscopus collybita</i> , Common Chiffchaff	Family TURDIDAE <i>Monticola solitarius</i> , Blue Rock-Thrush
<i>Hirundo rustica</i> , Barn Swallow	<i>Phylloscopus sibilatrix</i> , Wood Warbler	<i>Sialia sialis</i> , Eastern Bluebird
<i>Delichon urbicum</i> , Common House-Martin	<i>Phylloscopus fuscatus</i> , Dusky Warbler	<i>Sialia mexicana</i> , Western Bluebird
<i>Petrochelidon pyrrhonota</i> , Cliff Swallow	<i>Phylloscopus proregulus</i> , Pallas's Leaf Warbler	<i>Sialia currucooides</i> , Mountain Bluebird
<i>Petrochelidon fulva</i> , Cave Swallow	Family SYLVIIDAE <i>Phylloscopus inornatus</i> , Yellow-browed Warbler	<i>Myadestes townsendi</i> , Townsend's Solitaire
Family PARIDAE	<i>Phylloscopus borealis</i> , Arctic Warbler	<i>Myadestes occidentalis</i> , Brown-backed Solitaire
<i>Poecile carolinensis</i> , Carolina Chickadee	<i>Phylloscopus examinandus</i> , Kamchatka Leaf Warbler	<i>Myadestes myadestinus</i> , Kāma'o
<i>Poecile atricapillus</i> , Black-capped Chickadee	Family ACROCEPHALIDAE <i>Arundinax aedon</i> , Thick-billed Warbler	<i>Myadestes lanaiensis</i> , Olomao
<i>Poecile gambeli</i> , Mountain Chickadee	<i>Acrocephalus luscinius</i> , Nightingale Reed Warbler	<i>Myadestes obscurus</i> , Ōma'o
<i>Poecile sclateri</i> , Mexican Chickadee	<i>Acrocephalus hiwae</i> , Saipan Reed Warbler	<i>Myadestes palmeri</i> , Puaiohi
<i>Poecile rufescens</i> , Chestnut-backed Chickadee	<i>Acrocephalus nijoi</i> , Aguiguan Reed Warbler	<i>Catharus aurantiirostris</i> , Orange-billed Nightingale-Thrush
<i>Poecile hudsonicus</i> , Boreal Chickadee	<i>Acrocephalus yamashinae</i> , Pagan Reed Warbler	<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush
<i>Poecile cinctus</i> , Gray-headed Chickadee	<i>Acrocephalus familiaris</i> , Millerbird	<i>Catharus fuscescens</i> , Veery
<i>Baeolophus wollweberi</i> , Bridled Titmouse	<i>Acrocephalus schoenobaenus</i> , Sedge Warbler	<i>Catharus minimus</i> , Gray-cheeked Thrush
<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Acrocephalus dumetorum</i> , Blyth's Reed Warbler	<i>Catharus bicknelli</i> , Bicknell's Thrush
<i>Baeolophus ridgwayi</i> , Juniper Titmouse	Family LOCUSTELLIDAE <i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler	<i>Catharus ustulatus</i> , Swainson's Thrush
<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Locustella fluviatilis</i> , River Warbler	<i>Catharus guttatus</i> , Hermit Thrush
<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Locustella lanceolata</i> , Lanceolated Warbler	<i>Hylocichla mustelina</i> , Wood Thrush
Family REMIZIDAE	Family MUSCICAPIDAE <i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher	<i>Turdus obscurus</i> , Eyebrowed Thrush
<i>Auriparus flaviceps</i> , Verdin	<i>Muscicapa dauurica</i> , Asian Brown Flycatcher	<i>Turdus naumannni</i> , Dusky Thrush
Family AEGITHALIDAE	<i>Muscicapa striata</i> , Spotted Flycatcher	<i>Turdus pilaris</i> , Fieldfare
<i>Psaltriparus minimus</i> , Bushtit	<i>Muscicapa sibirica</i> , Dark-sided Flycatcher	<i>Turdus iliacus</i> , Redwing
Family SITTIDAE	<i>Erithacus rubecula</i> , European Robin	<i>Turdus grayi</i> , Clay-colored Thrush
Subfamily SITTINAE	<i>Larvivora cyane</i> , Siberian Blue Robin	<i>Turdus assimilis</i> , White-throated Thrush
<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Larvivora sibilans</i> , Rufous-tailed Robin	<i>Turdus rufopalliatus</i> , Rufous-backed Robin
<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Cyanecula svecica</i> , Bluethroat	<i>Turdus migratorius</i> , American Robin
<i>Sitta pygmaea</i> , Pygmy Nuthatch	<i>Calliope calliope</i> , Siberian Rubythroat	<i>Turdus plumbeus</i> , Red-legged Thrush
<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Tarsiger cyanurus</i> , Red-flanked Bluetail	<i>Ixoreus naevius</i> , Varied Thrush
Family CERTHIIDAE	<i>Ficedula narcissina</i> , Narcissus Flycatcher	<i>Ridgwayia pinicola</i> , Aztec Thrush
Subfamily CERTHINAE		Family MIMIDAE
<i>Certhia americana</i> , Brown Creeper		<i>Melanotis caerulescens</i> , Blue Mockingbird
Family TROGLODYTIDAE		<i>Melanoptila glabrirostris</i> , Black Catbird
<i>Salpinctes obsoletus</i> , Rock Wren		<i>Dumetella carolinensis</i> , Gray Catbird
<i>Catherpes mexicanus</i> , Canyon Wren		<i>Margarops fuscatus</i> , Pearly-eyed Thrasher
<i>Troglodytes aedon</i> , House Wren		<i>Toxostoma curvirostre</i> , Curve-billed Thrasher
<i>Troglodytes pacificus</i> , Pacific Wren		<i>Toxostoma rufum</i> , Brown Thrasher
<i>Troglodytes hiemalis</i> , Winter Wren		<i>Toxostoma longirostre</i> , Long-billed Thrasher
<i>Cistothorus platensis</i> , Sedge Wren		<i>Toxostoma bendirei</i> , Bendire's Thrasher
<i>Cistothorus palustris</i> , Marsh Wren		<i>Toxostoma redivivum</i> , California Thrasher
<i>Thryothorus ludovicianus</i> , Carolina Wren		<i>Toxostoma lecontei</i> , LeConte's Thrasher
<i>Thryomanes bewickii</i> , Bewick's Wren		<i>Toxostoma crissale</i> , Crissal Thrasher
<i>Campylorhynchus brunneicapillus</i> , Cactus Wren		
<i>Thryophilus sinaloa</i> , Sinaloa Wren		
Family POLIOPTILIDAE		
<i>Polioptila caerulea</i> , Blue-Gray Gnatcatcher		
<i>Polioptila californica</i> , California Gnatcatcher		

<i>Oreoscoptes montanus</i> , Sage Thrasher	<i>Hemignathus hanapepe</i> , Kauai	Family PASSERELLIDAE
<i>Mimus gundlachii</i> , Bahama Mockingbird	Nukupu'u	<i>Peucaea carpalis</i> , Rufous-winged Sparrow
<i>Mimus polyglottos</i> , Northern Mockingbird	<i>Hemignathus lucidus</i> , O'ahu	<i>Peucaea botterii</i> , Botteri's Sparrow
Family STURNIDAE	Nukupu'u	<i>Peucaea cassinii</i> , Cassin's Sparrow
<i>Agropsar philippensis</i> , Chestnut-cheeked Starling	<i>Hemignathus affinis</i> , Maui Nukupu'u	<i>Peucaea aestivalis</i> , Bachman's Sparrow
<i>Spodiopsar cineraceus</i> , White-cheeked Starling	<i>Akialoa stejnegeri</i> , Kauai 'Akialoa	<i>Ammodramus savannarum</i> , Grasshopper Sparrow
Family BOMBYCILLIDAE	<i>Akialoa ellisiana</i> , O'ahu 'Akialoa	<i>Arremonops rufivirgatus</i> , Olive Sparrow
<i>Bombycilla garrulus</i> , Bohemian Waxwing	<i>Akialoa lanaiensis</i> , Maui Nui 'Akialoa	<i>Amphispiza quinquestrigata</i> , Five-striped Sparrow
<i>Bombycilla cedrorum</i> , Cedar Waxwing	<i>Magumma parva</i> , 'Anianiau	<i>Amphispiza bilineata</i> , Black-throated Sparrow
Family PTILIOGONATIDAE	<i>Chlorodrepanis virens</i> , Hawaii 'Amakihi	<i>Chondestes grammacus</i> , Lark Sparrow
<i>Ptiliogonyx cinereus</i> , Gray Silky-flycatcher	<i>Chlorodrepanis flava</i> , O'ahu 'Amakihi	<i>Calamospiza melanocorys</i> , Lark Bunting
<i>Phainopepla nitens</i> , Phainopepla	<i>Chlorodrepanis stejnegeri</i> , Kauai 'Amakihi	<i>Spizella passerina</i> , Chipping Sparrow
Family PEUCEDRAMIDAE	<i>Loxops mana</i> , Hawaii Creeper	<i>Spizella pallida</i> , Clay-colored Sparrow
<i>Peucedramus taeniatus</i> , Olive Warbler	<i>Loxops caeruleirostris</i> , 'Akeke'e	<i>Spizella atrogularis</i> , Black-chinned Sparrow
Family PRUNELLIDAE	<i>Loxops wolstenholmei</i> , O'ahu 'Akepa	<i>Spizella pusilla</i> , Field Sparrow
<i>Prunella montanella</i> , Siberian Accentor	<i>Loxops ochraceus</i> , Maui 'Akepa	<i>Spizella breweri</i> , Brewer's Sparrow
Family MOTACILLIDAE	<i>Loxops coccineus</i> , Hawaii 'Akepa	<i>Spizella wortheni</i> , Worthen's Sparrow
<i>Motacilla tschutschensis</i> , Eastern Yellow Wagtail	<i>Pinicola enucleator</i> , Pine Grosbeak	<i>Passerella iliaca</i> , Fox Sparrow
<i>Motacilla citreola</i> , Citrine Wagtail	<i>Pyrrhula pyrrhula</i> , Eurasian Bullfinch	<i>Spizelloides arborea</i> , American Tree Sparrow
<i>Motacilla cinerea</i> , Gray Wagtail	<i>Leucosticte arctoa</i> , Asian Rosy-Finch	<i>Juncos hyemalis</i> , Dark-eyed Junco
<i>Motacilla alba</i> , White Wagtail	<i>Leucosticte tephrocotis</i> , Gray-crowned Rosy-Finch	<i>Juncos phaeonotus</i> , Yellow-eyed Junco
<i>Anthus trivialis</i> , Tree Pipit	<i>Leucosticte atrata</i> , Black Rosy-Finch	<i>Zonotrichia leucophrys</i> , White-crowned Sparrow
<i>Anthus hodgsoni</i> , Olive-backed Pipit	<i>Leucosticte australis</i> , Brown-capped Rosy-Finch	<i>Zonotrichia atricapilla</i> , Golden-crowned Sparrow
<i>Anthus gustavi</i> , Pechora Pipit	<i>Haemorhous mexicanus</i> , House Finch	<i>Zonotrichia querula</i> , Harris's Sparrow
<i>Anthus cervinus</i> , Red-throated Pipit	<i>Haemorhous purpureus</i> , Purple Finch	<i>Zonotrichia albicollis</i> , White-throated Sparrow
<i>Anthus rubescens</i> , American Pipit	<i>Haemorhous cassinii</i> , Cassin's Finch	<i>Artemisiospiza nevadensis</i> , Sagebrush Sparrow
<i>Anthus spragueii</i> , Sprague's Pipit	<i>Chloris sinica</i> , Oriental Greenfinch	<i>Artemisiospiza belli</i> , Bell's Sparrow
Family FRINGILLIDAE	<i>Acanthis flammea</i> , Common Redpoll	<i>Pooecetes gramineus</i> , Vesper Sparrow
Subfamily FRINGILLINAE	<i>Acanthis hornemanni</i> , Hoary Redpoll	<i>Ammospiza leconteii</i> , LeConte's Sparrow
<i>Fringilla coelebs</i> , Common Chaffinch	<i>Loxia curvirostra</i> , Red Crossbill	<i>Ammospiza maritima</i> , Seaside Sparrow
<i>Fringilla montifringilla</i> , Brambling	<i>Loxia sinesciurus</i> , Cassia Crossbill	<i>Ammospiza nelsoni</i> , Nelson's Sparrow
Subfamily EUPHONIINAE	<i>Loxia leucoptera</i> , White-winged Crossbill	<i>Ammospiza caudacuta</i> , Saltmarsh Sparrow
<i>Euphonia musica</i> , Antillean Euphonia	<i>Spinus spinus</i> , Eurasian Siskin	<i>Centronyx bairdii</i> , Baird's Sparrow
Subfamily CARDUELINAE	<i>Spinus pinus</i> , Pine Siskin	<i>Centronyx henslowii</i> , Henslow's Sparrow
<i>Coccothraustes vespertinus</i> , Evening Grosbeak	<i>Spinus psaltria</i> , Lesser Goldfinch	<i>Passerculus sandwichensis</i> , Savannah Sparrow
<i>Coccothraustes coccothraustes</i> , Hawfinch	<i>Spinus lawrencei</i> , Lawrence's Goldfinch	<i>Melospiza melodia</i> , Song Sparrow
<i>Carpodacus erythrinus</i> , Common Rosefinch	<i>Spinus tristis</i> , American Goldfinch	<i>Melospiza lincolni</i> , Lincoln's Sparrow
<i>Carpodacus roseus</i> , Pallas's Rosefinch	Family CALCARIIDAE	<i>Melospiza georgiana</i> , Swamp Sparrow
<i>Melamprosops phaeosoma</i> , Po'ouli	<i>Calcarius lapponicus</i> , Lapland Longspur	<i>Melozone fusca</i> , Canyon Towhee
<i>Oreomystis bairdi</i> , 'Akikiki	<i>Calcarius ornatus</i> , Chestnut-collared Longspur	<i>Melozone aberti</i> , Abert's Towhee
<i>Paroreomyza maculata</i> , O'ahu 'Alauahio	<i>Calcarius pictus</i> , Smith's Longspur	<i>Melozone crissalis</i> , California Towhee
<i>Paroreomyza flammea</i> , Kākāwahie	<i>Rhynchophanes mccownii</i> , McCown's Longspur	<i>Aimophila ruficeps</i> , Rufous-crowned Sparrow
<i>Paroreomyza montana</i> , Maui 'Alauahio	<i>Plectrophenax nivalis</i> , Snow Bunting	<i>Pipilo chlorurus</i> , Green-tailed Towhee
<i>Loxioides bailleui</i> , Palila	<i>Plectrophenax hyperboreus</i> , McKay's Bunting	<i>Pipilo maculatus</i> , Spotted Towhee
<i>Telespiza cantans</i> , Laysan Finch	Family EMBERIZIDAE	<i>Pipilo erythrorthalmus</i> , Eastern Towhee
<i>Telespiza ultima</i> , Nihoa Finch	<i>Emberiza leucocephala</i> , Pine Bunting	Family NESOSPINGIDAE
<i>Palmeria dolei</i> , 'Akohekohe	<i>Emberiza chrysophrys</i> , Yellow-browed Bunting	
<i>Himatione fraithii</i> , Laysan Honeycreeper	<i>Emberiza pusilla</i> , Little Bunting	
<i>Himatione sanguinea</i> , 'Apapane	<i>Emberiza rustica</i> , Rustic Bunting	
<i>Drepanis coccinea</i> , 'Tiwi	<i>Emberiza elegans</i> , Yellow-throated Bunting	
<i>Psittirostra psittacea</i> , 'O'u	<i>Emberiza aureola</i> , Yellow-breasted Bunting	
<i>Pseudonestor xanthophrys</i> , Maui Parrotbill	<i>Emberiza variabilis</i> , Gray Bunting	
	<i>Emberiza pallasi</i> , Pallas's Bunting	
	<i>Emberiza schoeniclus</i> , Reed Bunting	

<i>Nesospingus speculiferus</i> , Puerto Rican Tanager	Warbler	Warbler
Family SPINDALIDAE	<i>Mniotilla varia</i> , Black-and-white Warbler	<i>Setophaga chrysoparia</i> , Golden-cheeked Warbler
<i>Spindalis zena</i> , Western Spindalis	<i>Protonotaria citrea</i> , Prothonotary Warbler	<i>Setophaga virens</i> , Black-throated Green Warbler
<i>Spindalis portoricensis</i> , Puerto Rican Spindalis	<i>Limnothlypis swainsonii</i> , Swainson's Warbler	<i>Basileuterus lachrymosus</i> , Fan-tailed Warbler
Family ICTERIIDAE	<i>Oreothlypis superciliosa</i> , Crescent-chested Warbler	<i>Basileuterus rufifrons</i> , Rufous-capped Warbler
<i>Icteria virens</i> , Yellow-breasted Chat	<i>Leiothlypis peregrina</i> , Tennessee Warbler	<i>Basileuterus culicivorus</i> , Golden-crowned Warbler
Family ICTERIDAE	<i>Leiothlypis celata</i> , Orange-crowned Warbler	<i>Cardellina canadensis</i> , Canada Warbler
Subfamily XANTHOCEPHALINAE	<i>Leiothlypis crissalis</i> , Colima Warbler	<i>Cardellina pusilla</i> , Wilson's Warbler
<i>Xanthocephalus xanthocephalus</i> , Yellow-headed Blackbird	<i>Leiothlypis luciae</i> , Lucy's Warbler	<i>Cardellina rubrifrons</i> , Red-faced Warbler
Subfamily DOLICHONYCHINAE	<i>Leiothlypis ruficapilla</i> , Nashville Warbler	<i>Myioborus pictus</i> , Painted Redstart
<i>Dolichonyx oryzivorus</i> , Bobolink	<i>Leiothlypis virginiae</i> , Virginia's Warbler	<i>Myioborus miniatus</i> , Slate-throated Redstart
Subfamily STURNELLINAE	<i>Oporornis agilis</i> , Connecticut Warbler	Family CARDINALIDAE
<i>Sturnella magna</i> , Eastern Meadowlark	<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat	<i>Piranga flava</i> , Hepatic Tanager
<i>Sturnella neglecta</i> , Western Meadowlark	<i>Geothlypis tolmiei</i> , MacGillivray's Warbler	<i>Piranga rubra</i> , Summer Tanager
Subfamily ICTERINAE	<i>Geothlypis philadelphia</i> , Mourning Warbler	<i>Piranga olivacea</i> , Scarlet Tanager
<i>Icterus portoricensis</i> , Puerto Rican Oriole	<i>Geothlypis formosa</i> , Kentucky Warbler	<i>Piranga ludoviciana</i> , Western Tanager
<i>Icterus wagleri</i> , Black-vented Oriole	<i>Geothlypis trichas</i> , Common Yellowthroat	<i>Piranga bidentata</i> , Flame-colored Tanager
<i>Icterus spurius</i> , Orchard Oriole	<i>Setophaga angelae</i> , Elfin-woods Warbler	<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak
<i>Icterus cucullatus</i> , Hooded Oriole	<i>Setophaga citrina</i> , Hooded Warbler	<i>Cardinalis cardinalis</i> , Northern Cardinal
<i>Icterus pustulatus</i> , Streak-backed Oriole	<i>Setophaga ruticilla</i> , American Redstart	<i>Cardinalis sinuatus</i> , Pyrrhuloxia
<i>Icterus bullockii</i> , Bullock's Oriole	<i>Setophaga kirtlandii</i> , Kirtland's Warbler	<i>Pheucticus chrysopaeplus</i> , Yellow Grosbeak
<i>Icterus gularis</i> , Altamira Oriole	<i>Setophaga tigrina</i> , Cape May Warbler	<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak
<i>Icterus graduacauda</i> , Audubon's Oriole	<i>Setophaga cerulea</i> , Cerulean Warbler	<i>Pheucticus melanocephalus</i> , Black-headed Grosbeak
<i>Icterus galbula</i> , Baltimore Oriole	<i>Setophaga americana</i> , Northern Parula	<i>Cyanocompsa parellina</i> , Blue Bunting
<i>Icterus abeillei</i> , Black-backed Oriole	<i>Setophaga pitiayumi</i> , Tropical Parula	<i>Passerina caerulea</i> , Blue Grosbeak
<i>Icterus parisorum</i> , Scott's Oriole	<i>Setophaga magnolia</i> , Magnolia Warbler	<i>Passerina amoena</i> , Lazuli Bunting
Subfamily AGELAINAE	<i>Setophaga castanea</i> , Bay-breasted Warbler	<i>Passerina cyanea</i> , Indigo Bunting
<i>Agelaius phoeniceus</i> , Red-winged Blackbird	<i>Setophaga fusca</i> , Blackburnian Warbler	<i>Passerina versicolor</i> , Varied Bunting
<i>Agelaius tricolor</i> , Tricolored Blackbird	<i>Setophaga petechia</i> , Yellow Warbler	<i>Passerina ciris</i> , Painted Bunting
<i>Agelaius humeralis</i> , Tawny-shouldered Blackbird	<i>Setophaga pensylvanica</i> , Chestnut-sided Warbler	<i>Spiza americana</i> , Dickcissel
<i>Agelaius xanthomus</i> , Yellow-shouldered Blackbird	<i>Setophaga striata</i> , Blackpoll Warbler	Family THRAUPIDAE
<i>Molothrus bonariensis</i> , Shiny Cowbird	<i>Setophaga caerulescens</i> , Black-throated Blue Warbler	Subfamily DACNINAE
<i>Molothrus aeneus</i> , Bronzed Cowbird	<i>Setophaga palmarum</i> , Palm Warbler	<i>Cyanerpes cyaneus</i> , Red-legged Honeycreeper
<i>Molothrus ater</i> , Brown-headed Cowbird	<i>Setophaga pinus</i> , Pine Warbler	Subfamily COEREBINAE
<i>Euphagus carolinus</i> , Rusty Blackbird	<i>Setophaga coronata</i> , Yellow-rumped Warbler	<i>Coereba flaveola</i> , Bananaquit
<i>Euphagus cyanocephalus</i> , Brewer's Blackbird	<i>Setophaga dominica</i> , Yellow-throated Warbler	<i>Tiaris olivaceus</i> , Yellow-faced Grassquit
<i>Quiscalus quiscula</i> , Common Grackle	<i>Setophaga discolor</i> , Prairie Warbler	<i>Melanospiza bicolor</i> , Black-faced Grassquit
<i>Quiscalus major</i> , Boat-tailed Grackle	<i>Setophaga adelaidae</i> , Adelaide's Warbler	<i>Melopyrrha portoricensis</i> , Puerto Rican Bullfinch
<i>Quiscalus mexicanus</i> , Great-tailed Grackle	<i>Setophaga graciae</i> , Grace's Warbler	Subfamily SPOROPHILINAE
<i>Quiscalus niger</i> , Greater Antillean Grackle	<i>Setophaga nigrescens</i> , Black-throated Gray Warbler	<i>Sporophila moreletti</i> , Morelet's Seedeater
Family PARULIDAE	<i>Setophaga townsendi</i> , Townsend's Warbler	* * * * *
<i>Seiurus aurocapilla</i> , Ovenbird	<i>Setophaga occidentalis</i> , Hermit	George Wallace, Assistant Secretary for Fish and Wildlife and Parks.
<i>Helmitheros vermivorum</i> , Worm-eating Warbler		[FR Doc. 2020-06779 Filed 4-15-20; 8:45 am]
<i>Parkesia motacilla</i> , Louisiana Waterthrush		BILLING CODE 4333-15-P
<i>Parkesia noveboracensis</i> , Northern Waterthrush		
<i>Vermivora bachmanii</i> , Bachman's Warbler		
<i>Vermivora chrysoptera</i> , Golden-winged Warbler		
<i>Vermivora cyanoptera</i> , Blue-winged Warbler		