Rule 505 Breakdown Conditions Sections A.,B.1,. and D. only (Adopted 10/23/78) Rule 603 Emergency Episode Plans (Adopted 06/15/81)

Rule 702 General Conformity (Adopted 10/ 20/94)

Rule 801 New Source Review (Adopted 04/17/97)

Rule 802 Nonattainment Review (Adopted 04/17/97)

Rule 803 Prevention of Significant
Deterioration (Adopted 04/17/97)
Rule 804 Emission Offsets (Adopted 04/17/97)

Rule 805 Air Quality Impact Analysis and Modeling (Adopted 04/17/97)

Rule 808 New Source Review for Major Sources of Hazardous Air Pollutants (Adopted 05/20/99)

Rule 1301 Part 70 Operating Permits—
General Information (Adopted 06/19/03)
Rule 1302 Part 70 Operating Permits—
Permit Application (Adopted 11/09/93)
Rule 1303 Part 70 Operating Permits—

Permits (Adopted 11/09/93)
Rule 1304 Part 70 Operating Permits—
Issuance, Renewal, Modification and
Reopening (Adopted 11/09/93)

Rule 1305 Part 70 Operating Permits— Enforcement (Adopted 11/09/93)

[FR Doc. E8–18735 Filed 8–12–08; 8:45 am] $\tt BILLING\ CODE\ 6560–50–P$

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 60

[EPA-HQ-OAR-2008-0260; FRL-8703-2] RIN 2060-AO42

Standards of Performance for Portland Cement Plants

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule; extension of public comment period.

SUMMARY: EPA is extending the public comment period on the proposed amendments to the current Standards of Performance for Portland Cement Plants. EPA originally requested comments on the proposed rule by August 15, 2008. EPA is extending the deadline to September 30, 2008, and is now requesting written comments by that date. EPA received a request for this extension to the comment period from the Portland Cement Association. The reason given for the request for the extension was the need for additional time to gather data and review the proposed amendments. Given the fact that the proposed amendments are regulating two pollutants that are not regulated by the current NSPS, and the need by the Portland Cement Association to obtain additional

information from control equipment vendors, EPA finds this request to be reasonable.

DATES: Comments. The comment period for the proposed rule published June 16, 2008 (73 FR 34072), is extended. Comments must be received on or before September 30, 2008.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-HQ-OAR-2007-0877, by one of the following methods:

- http://www.regulations.gov: Follow the on-line instructions for submitting comments.
 - E-mail: a-and-r-docket@epa.gov.
 - Fax: (202) 566–9744.
- Mail: U.S. Postal Service, send comments to: EPA Docket Center (6102T), Standards of Performance (NSPS) for Portland Cement Plants Docket, Docket ID No. EPA-HQ-OAR-2007-0877, 1200 Pennsylvania Ave., NW., Washington, DC 20460. Please include a total of two copies.
- Hand Delivery: In person or by courier, deliver comments to: EPA Docket Center (6102T), Standards of Performance (NSPS) for Portland Cement Plants Docket, Docket ID No. EPA-HQ-OAR-2007-0877, EPA West, Room 3334, 1301 Constitution Avenue, NW., Washington, DC 20004. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information. Please include a total of two copies.

Instructions: Direct your comments to Docket ID No. EPA-HQ-OAR-2007-0877. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at www.regulations.gov, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through www.regulations.gov or e-mail. The www.regulations.gov Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through www.regulations.gov, your email address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact

information in the body of your comment and with any disk or CD–ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses.

Docket: All documents in the docket are listed in the www.regulations.gov index. Although listed in the index, some information is not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in www.regulations.gov or in hard copy at the EPA Docket Center, Standards of Performance (NSPS) for Portland Cement Plants Docket, EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744, and the telephone number for the Docket Center is (202) 566-1742.

FOR FURTHER INFORMATION CONTACT: Mr. Keith Barnett, Office of Air Quality Planning and Standards, Sector Policies and Programs Division, Metals and Minerals Group (D243–02), Environmental Protection Agency, Research Triangle Park, NC 27711, telephone number: (919) 541–5605; fax number: (919) 541–5450; e-mail address: barnett.keith@epa.gov.

List of Subjects in 40 CFR Part 60

Environmental protection, Administrative practice and procedure, Air pollution control, Incorporation by reference, Intergovernmental relations, Reporting and recordkeeping requirements.

Dated: August 5, 2008.

Robert J. Meyers,

Principal Deputy Assistant Administrator, Office of Air and Radiation.

[FR Doc. E8–18627 Filed 8–12–08; 8:45 am]

BILLING CODE 6560-50-P