

**FOR FURTHER INFORMATION CONTACT:**

Lisette Voyatzis, Committee Management Officer, 400 7th Street SW., Room 4060, Washington, DC 20506; (202) 606-8322; [evoyatzis@neh.gov](mailto:evoyatzis@neh.gov). Hearing-impaired individuals who prefer to contact us by phone may use NEH's TDD terminal at (202) 606-8282.

**SUPPLEMENTARY INFORMATION:** The purpose of the meetings is for panel review, discussion, evaluation, and recommendation on applications for Certificates of Indemnity submitted to the Federal Council on the Arts and the Humanities, for exhibitions beginning on or after July 1, 2015. The meeting held May 21, 2015, will discuss applications for Certificates for domestic exhibitions and the meeting held May 28, 2015, will discuss applications for Certificates for international exhibitions. Because the meeting will consider proprietary financial and commercial data provided in confidence by indemnity applicants, and material that is likely to disclose trade secrets or other privileged or confidential information, and because it is important to keep the values of objects to be indemnified, and the methods of transportation and security measures confidential, I have determined that that the meeting will be closed to the public pursuant to subsection (c)(4) of section 552b of Title 5, United States Code. I have made this determination under the authority granted me by the Chairman's Delegation of Authority to Close Advisory Committee Meetings, dated July 19, 1993.

Dated: April 27, 2015.

**Lisette Voyatzis,**  
Committee Management Officer.

[FR Doc. 2015-10137 Filed 4-30-15; 8:45 am]

**BILLING CODE 7536-01-P**

**NATIONAL SCIENCE FOUNDATION****Advisory Committee for Environmental Research and Education; Notice of Meeting**

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

**Name:** Advisory Committee for Environmental Research and Education.  
**Dates:** June 19, 2015; 1:00 p.m.-2:30 p.m.  
**Place:** Teleconference: (203) 607-6048 (participant code 6083852).

**Type of Meeting:** Open Teleconference.  
**Contact Person:** Diane Pataki, National Science Foundation, Suite 655, 4201 Wilson Blvd., Arlington, Virginia 22230. Email: [dpataki@nsf.gov](mailto:dpataki@nsf.gov).

**Minutes:** May be obtained from the contact person listed above.

**Purpose of Meeting:** To discuss finalization of draft Decadal Vision for Environmental Research and Education document the group is currently working on and how it will be rolled out.

**Agenda**

Friday, June 19, 2015

Discuss and refine draft of the Decadal Vision for Environmental Research and Education document.

Dated: April 28, 2015.

**Suzanne Plimpton,**  
Acting, Committee Management Officer.

[FR Doc. 2015-10182 Filed 4-30-15; 8:45 am]

**BILLING CODE 7555-01-P**

**NUCLEAR REGULATORY COMMISSION**

[NRC-2015-0060]

**Heat Release Rates of Electrical Enclosure Fires (HELEN-FIRE)**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Draft NUREG; request for comment.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing for public comment a draft NUREG, NUREG/CR-7197, "Heat Release Rates of Electrical Enclosure Fires (HELEN-FIRE)."

**DATES:** Submit comments by June 15, 2015. Comments received after this date will be considered if it is practical to do so, but the Commission is able to ensure consideration only for comments received before this date.

**ADDRESSES:** You may submit comments by any of the following methods (unless this document describes a different method for submitting comments on a specific subject):

- **Federal Rulemaking Web site:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2015-0060. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **Mail comments to:** Cindy Bladley, Office of Administration, Mail Stop: OWFN-12-H08, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

For additional direction on obtaining information and submitting comments, see "Obtaining Information and Submitting Comments" in the **SUPPLEMENTARY INFORMATION** section of this document.

**FOR FURTHER INFORMATION CONTACT:**

David Stroup, Office of Nuclear Regulatory Research; telephone: 301-251-7609; email: [David.Stroup@nrc.gov](mailto:David.Stroup@nrc.gov); U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

**SUPPLEMENTARY INFORMATION:****I. Obtaining Information and Submitting Comments****A. Obtaining Information**

Please refer to Docket ID NRC-2015-0060 when contacting the NRC about the availability of information for this action. You may obtain publicly-available information related to this action by any of the following methods:

- **Federal Rulemaking Web site:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2015-0060.
- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in the **SUPPLEMENTARY INFORMATION** section. Draft NUREG/CR-7197, "Heat Release Rates of Electrical Enclosure Fires (HELEN-FIRE)" is available in ADAMS under Accession No. ML15075A495.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**B. Submitting Comments**

Please include Docket ID NRC-2015-0060 in the subject line of your comment submission.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <http://www.regulations.gov> as well as enter the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include

identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment into ADAMS.

## II. Discussion

Electrical enclosures are a potential source of fire in nuclear power plants because they contain both combustible materials and live electrical circuits. These fires have the potential to disrupt power, instrumentation, and control in the plant. Key parameters affecting fire in an electrical enclosure include its size, openings, electrical voltage, and combustible load. This report documents the results from 112 full-scale experiments conducted by the National Institute of Standards and Technology at the Chesapeake Bay Detachment of the Naval Research Laboratory to better quantify the heat release rate (HRR) and burning behavior of electrical enclosures. Eight electrical enclosures were acquired from Bellefonte Nuclear Generating Station, a plant owned by the Tennessee Valley Authority located in Hollywood, Alabama. The enclosures were originally low voltage control cabinets, but in the experiments they were reconfigured with various amounts and types of electrical cable to represent other kinds of enclosures that would be found in a typical plant. An oxygen consumption calorimeter was built on site to measure the HRR of the fire as a function of time. The peak HRR varied from 0.3 kW to 576 kW.

Dated at Rockville, Maryland, this 21st day of April 2015.

For the Nuclear Regulatory Commission.

**Mark Henry Salley,**  
*Chief, Fire Research Branch, Division of Risk Analysis, Office of Nuclear Regulatory Research.*

[FR Doc. 2015-10128 Filed 4-30-15; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-282, 50-306, and 72-10; NRC-2014-0236]

**Northern States Power Company;  
Prairie Island Nuclear Generating Plant  
Independent Spent Fuel Storage  
Installation**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing an exemption in response to a May 16, 2013, request from Northern States Power Company (NSPM or the licensee), a Minnesota corporation doing business as Xcel Energy, for its specific license to operate an independent spent fuel storage installation (ISFSI) at the Prairie Island (PI) Nuclear Generating Plant. The licensee seeks relief from a regulatory provision with regard to the location of the primary alarm station.

**DATES:** Notice of issuance of exemption is given on May 1, 2015.

**ADDRESSES:** Please refer to Docket ID NRC-2014-0236 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- **Federal Rulemaking Web site:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2014-0236. Address question about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's PDC:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Pamela Longmire, Ph.D., Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-7000; email: [Pamela.Longmire@nrc.gov](mailto:Pamela.Longmire@nrc.gov).

## SUPPLEMENTARY INFORMATION:

### I. Background

The licensee possesses a specific license under part 72 of Title 10 of the *Code of Federal Regulations* (10 CFR) for the storage of spent fuel in an ISFSI at the PI Nuclear Generating Plant. Section 72.180, "Physical protection plan," requires the licensee to comply with the physical protection requirements in 10 CFR 73.51, "Requirements for the physical protection of stored spent nuclear fuel and high-level radioactive waste." The licensee is subject to the requirements of 10 CFR 73.51(d)(3), which specifies the location, components, and requirements for the primary alarm station for the ISFSI.

### II. Request/Action

By letter dated May 16, 2013, NSPM submitted a request for an exemption

from a specific portion of the requirements of 10 CFR 73.51(d), "Physical protection systems, components, and procedures." Specifically, the licensee seeks relief from a regulatory provision of 10 CFR 73.51(d)(3) with regard to the location of the primary alarm station.

The NRC has the authority under 10 CFR 73.5 to grant a specific exemption from these requirements if the exemption is authorized by law and will not endanger life or property or the common defense and security, and the exemption is otherwise in the public interest.

## III. Discussion

In accordance with the provisions of 10 CFR 73.21, physical protection plans for the storage of spent fuel and high-level radioactive waste are protected as Safeguards Information. This exemption request pertains to the location of the primary alarm station. The NRC evaluated the exemption request in greater detail in the safety evaluation report (SER). The SER is withheld from public disclosure in accordance with 10 CFR 2.390 because it contains security information.

### A. Regulatory Evaluation

In the final rule, "Physical Protection for Spent Nuclear Fuel and High-Level Radioactive Waste" (63 FR 26955; May 15, 1998), the introductory text of 10 CFR 73.51(d) was revised to more clearly indicate the Commission's intent that alternative measures may also be acceptable for meeting the performance objectives of 10 CFR 73.51(d).

### B. Technical Evaluation

Pursuant to 10 CFR 73.5, the Commission may, upon application by any interested person or upon its own initiative, grant such exemptions from the requirements of the regulations in 10 CFR part 73 as it determines are authorized by law, will not endanger life or property or the common defense and security, and are otherwise in the public interest. The NRC reviewed this request to determine whether the exemption should be granted. The NRC's evaluation of this exemption request is set forth in the SER.

The NRC has found that the NSPM meets the criteria for an exemption in 10 CFR 73.5. The NRC has determined that granting the exemption will not result in a violation of the Atomic Energy Act of 1954, as amended, or otherwise violate the Commission's regulations. Therefore, the exemption is authorized by law. This exemption would not reduce the safeguards effectiveness of the physical security plan, and would