

endorser types and in a different promotional setting.

For Study B, we will recruit 698 (266 pretest; 432 main study) followers of an internet influencer who maintains an Instagram page with more than 500,000 followers and has posted about endometriosis. As in the first study, we are not revealing the influencer's identity to maintain the integrity of the study.

In both studies, we are interested in the role of endorsement and payment status on participants' recall, benefit and risk perceptions, and behavioral intentions. Participants will view one promotional piece and answer questions via the internet. The study is expected to take less than 20 minutes to complete. Dependent variables will include attention to disclosure statement and risk/benefit information;

retention of risk/benefit information; recognition of piece as promotion and endorser as paid; perceived benefits and risks, attitudes toward the product, endorser, and ad; and behavioral intentions such as asking a doctor about the drug.

FDA estimates the burden of this collection of information as follows:

TABLE 3—ESTIMATED ANNUAL REPORTING BURDEN ¹

Activity	Number of respondents	Number of responses per respondent	Total annual respondents	Average burden per response	Total hours
Study 1 Screener	933	1	933	0.08 (5 minutes)	74.64
Study 1 Pretest	249	1	249	0.33 (20 minutes)	82.17
Study 1 Main test	405	1	405	0.33 (20 minutes)	133.65
Study 2 Screener	1,417	1	1,417	0.08 (5 minutes)	113.36
Study 2 Pretest	266	1	266	0.33 (20 minutes)	87.78
Study 2 Main test	432	1	432	0.33 (20 minutes)	142.56
Total					634.16

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

II. References

The following references are on display with the Dockets Management Staff (see **ADDRESSES**) and are available for viewing by interested persons between 9 a.m. and 4 p.m., Monday through Friday; these are not available electronically at <https://www.regulations.gov> as these references are copyright protected. Some may be available at the website address, if listed. FDA has verified the website addresses, as of the date this document publishes in the **Federal Register**, but websites are subject to change over time.

1. LaTour, C. and M. Smith, (1986). "A Study of Expert Endorsement of OTC Pharmaceutical Products." *Journal of Pharmaceutical Marketing & Management*, 1(2), pp. 117–128.
2. Bhutada, N.S. and B.L. Rollins (2015). "Disease-Specific Direct-to-Consumer Advertising of Pharmaceuticals: An Examination of Endorser Type and Gender Effects on Consumers' Attitudes and Behaviors." *Research in Social & Administrative Pharmacy*, 11(6), pp. 891–910.
3. Boerman, S.C., L.M. Willemsen, and E.P. Van Der Aa (2017). "This post is sponsored' Effects of Sponsorship Disclosure on Persuasion Knowledge and Electronic Word of Mouth in the Context of Facebook." *Journal of Interactive Marketing*, 38, pp. 82–92.

Dated: January 21, 2020.

Lowell J. Schiller,

Principal Associate Commissioner for Policy.

[FR Doc. 2020-01408 Filed 1-27-20; 8:45 am]

BILLING CODE 4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2019-D-5606]

Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions; Draft Guidance for Industry and Food and Drug Administration Staff; Availability

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice of availability.

SUMMARY: The Food and Drug Administration (FDA or Agency) is announcing the availability of the draft guidance entitled "Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions." FDA has developed this draft guidance document to assist in the preparation of premarket notification submissions (510(k)) for arthroscopy pump tubing sets intended for multiple patient use. This draft guidance outlines the device design considerations, risk mitigation strategies, and testing recommendations for arthroscopy pump tubing sets intended for multiple patient use. This draft guidance document also clarifies the terminology used to describe arthroscopy pump tubing sets intended for multiple patient use. This draft guidance is not final nor is it in effect at this time.

DATES: Submit either electronic or written comments on the draft guidance by March 30, 2020 to ensure that the Agency considers your comment on this draft guidance before it begins work on the final version of the guidance.

ADDRESSES: You may submit comments on any guidance at any time as follows:

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

Written/Paper Submissions

Submit written/paper submissions as follows:

- *Mail/Hand delivery/Courier (for written/paper submissions):* Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

Instructions: All submissions received must include the Docket No. FDA-2019-D-5606 for “Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions.” Received comments will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday.

- **Confidential Submissions—**To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.govinfo.gov/content/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://>

www.regulations.gov and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

You may submit comments on any guidance at any time (see 21 CFR 10.115(g)(5)).

An electronic copy of the guidance document is available for download from the internet. See the **SUPPLEMENTARY INFORMATION** section for information on electronic access to the guidance. Submit written requests for a single hard copy of the draft guidance document entitled “Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions” to the Office of Policy, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5431, Silver Spring, MD 20993-0002. Send one self-addressed adhesive label to assist that office in processing your request.

FOR FURTHER INFORMATION CONTACT: Cal Rabang, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 4633, Silver Spring, MD 20993-0002, 301-796-6412.

SUPPLEMENTARY INFORMATION:

I. Background

FDA is announcing the availability of a draft guidance for industry and FDA staff entitled “Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions.” FDA has developed this draft guidance document to assist in the preparation of premarket notification submissions (510(k)) for arthroscopy pump tubing sets intended for multiple patient use. These devices are designed to deliver irrigation fluid to the surgical site, such as knee, shoulder, hip, elbow, ankle, and wrist joint cavities, during arthroscopic procedures. In arthroscopic procedures, clinicians often use a single source of irrigation fluid for multiple patients without replacing the source of irrigation fluid or replacing/reprocessing the irrigation tubing system between patients. This practice may increase the risk of cross-contamination between patients and subsequent iatrogenic infection because the irrigation system can become contaminated with patient fluids that travel back through the irrigation tubing (“backflow”). FDA has received reports of backflow of patient fluids, which

raises the question of potential for disease transmission when using irrigation and tubing systems in such a manner on multiple patients.

When finalized, this guidance is intended to provide recommendations for information to include in premarket notifications (510(k)s) for arthroscopy pump tubing sets intended for multiple patient use. This guidance will outline device design considerations, risk mitigation strategies, and testing recommendations for these devices, and will also clarify the terminology used to describe arthroscopy pump tubing sets intended for multiple patient use.

II. Significance of Guidance

This draft guidance is being issued consistent with FDA’s good guidance practices regulation (21 CFR 10.115). The draft guidance, when finalized, will represent the current thinking of FDA on “Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions.” It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations.

III. Electronic Access

Persons interested in obtaining a copy of the draft guidance may do so by downloading an electronic copy from the internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at <https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/guidance-documents-medical-devices-and-radiation-emitting-products>. This guidance document is also available at <https://www.regulations.gov>. Persons unable to download an electronic copy of “Arthroscopy Pump Tubing Sets Intended for Multiple Patient Use—Premarket Notification (510(k)) Submissions” may send an email request to CDRH-Guidance@fda.hhs.gov to receive an electronic copy of the document. Please use the document number 1500066 to identify the guidance you are requesting.

IV. Paperwork Reduction Act of 1995

This draft guidance refers to previously approved collections of information found in FDA regulations. These collections of information are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3521). The collections of information in the following FDA

regulations have been approved by OMB as listed in the following table:

21 CFR part	Topic	OMB control No.
807, subpart E	Premarket Notification	0910-0120
801	Medical Device Labeling Regulations	0910-0485
820	Current Good Manufacturing Practice (CGMP); Quality System (QS) Regulation	0910-0073

Dated: January 22, 2020.

Lowell J. Schiller,

Principal Associate Commissioner for Policy.

[FR Doc. 2020-01342 Filed 1-27-20; 8:45 am]

BILLING CODE 4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Institute of Allergy and Infectious Diseases; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended, notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The contract proposals and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the contract proposals, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Institute of Allergy and Infectious Diseases Special Emphasis Panel; HHS-NIH-CDC-SBIR PHS 2020-1: Co-Delivery and Formulation of Adjuvants for HIV Vaccine Development (Topic 76) and Particle-based Co-delivery of HIV Immunogens as Next-generation HIV Vaccines (Topic 77).

Date: February 19–21, 2020.

Time: 11:00 a.m. to 6:00 p.m.

Agenda: To review and evaluate contract proposals.

Place: National Institutes of Health, 5601 Fishers Lane, Rockville, MD 20892 (Telephone Conference Call).

Contact Person: Mario Cerritelli, Ph.D., Scientific Review Officer, Scientific Review Program, Division of Extramural Activities, National Institute of Allergy and Infectious Diseases, National Institutes of Health, 5601 Fishers Lane, MSC-9823, Rockville, MD 20852, 240-669-5199, cerritem@mail.nih.gov.

Name of Committee: National Institute of Allergy and Infectious Diseases Special Emphasis Panel; HHS-NIH-CDC SBIR PHS 2020-1 Topic 84: Antiviral Drugs to Cure Chronic Hepatitis B Virus Infection.

Date: February 20–21, 2020.

Time: 11:00 a.m. to 4:00 p.m.

Agenda: To review and evaluate contract proposals.

Place: National Institutes of Health, 5601 Fishers Lane, Rockville, MD 20892 (Telephone Conference Call).

Contact Person: Yong Gao, Ph.D., Scientific Review Officer, Scientific Review Program, Division of Extramural Activities, National Institute of Allergy and Infectious Diseases, National Institutes of Health, 5601 Fishers Lane, Room #3G13B, MSC 9823, Rockville, MD 20892-7616, (240) 669-5048, gaoL2@niaid.nih.gov.

Name of Committee: National Institute of Allergy and Infectious Diseases Special Emphasis Panel; HHS-NIH-CDC SBIR PHS 2020-1 Topic 82: Production of Adjuvants.

Date: February 21, 2020.

Time: 12:00 p.m. to 4:00 p.m.

Agenda: To review and evaluate contract proposals.

Place: National Institutes of Health, 5601 Fishers Lane, Rockville, MD 20892 (Telephone Conference Call).

Contact Person: Yong Gao, Ph.D., Scientific Review Officer, Scientific Review Program, Division of Extramural Activities, National Institute of Allergy and Infectious Diseases, National Institutes of Health, 5601 Fishers Lane, Room #3G13B, MSC 9823, Rockville, MD 20892-7616, (240) 669-5048, gaoL2@niaid.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.855, Allergy, Immunology, and Transplantation Research; 93.856, Microbiology and Infectious Diseases Research, National Institutes of Health, HHS)

Dated: January 22, 2020.

Tyeshia M. Roberson,

Program Analyst, Office of Federal Advisory Committee Policy.

[FR Doc. 2020-01384 Filed 1-27-20; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Cancer Institute; Amended Notice of Meeting

Notice is hereby given of a change in the meeting of the National Cancer Institute Special Emphasis Panel, February 26, 2020, 11:00 a.m. to February 26, 2020, 05:30 p.m., National Cancer Institute Shady Grove, 9609 Medical Center Drive, Rockville, MD

20850 which was published in the **Federal Register** on December 30, 2019, 84 FR 71964.

This meeting notice is amended to change the meeting end time. The meeting will be now held on February 26, 2020 from 11:00 a.m. to 6:00 p.m. at the National Cancer Institute Shady Grove, Room 7W032, 9609 Medical Center Drive, Rockville, MD 20850. The meeting is closed to the public.

Dated: January 21, 2020.

Melanie J. Pantoja,

Program Analyst, Office of Federal Advisory Committee Policy.

[FR Doc. 2020-01377 Filed 1-27-20; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Cancer Institute; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended, notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The contract proposals and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the contract proposals, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Cancer Institute Special Emphasis Panel; TEP-11: SBIR Contract Review.

Date: February 14, 2020.

Time: 10:00 a.m. to 3:00 p.m.

Agenda: To review and evaluate contract proposals.

Place: National Cancer Institute Shady Grove, 9609 Medical Center Drive, Room 7W122, Rockville, MD 20850 (Telephone Conference Call).

Contact Person: Anita T. Tandle, Ph.D., Scientific Review Officer, Research Programs Review Branch, Division of Extramural Activities, National Cancer Institute, NIH, 9609 Medical Center Drive, Room 7W122,