

lumber during the POI.² Furthermore, pursuant to 19 CFR 351.214 (b)(2)(ii)(B), Terrace certified that it did not export certain softwood lumber to the United States during the period of investigation (POI). Pursuant to 19 CFR 351.214(b)(2)(iv), the company submitted documentation establishing the date on which it first shipped the subject merchandise to the United States, the date of entry of that first shipment, the volume of that and subsequent shipments and, the date of the first sale to an unaffiliated customer in the United States. In the context of this review, the Department intends to solicit and carefully examine information concerning the first party in the chain of distribution with knowledge of U.S. destination and IFP Corps.' role as the exporter of the shipment(s) under review. Our findings may result in the rescission of this review if we find the party requesting the review was not eligible to make the request.

Initiation of Review

In accordance with section 751(a)(2)(B) of the Act and 19 CFR 351.214(b), and based on information on the record, we are initiating an AD new shipper review for IFP. We intend to issue the preliminary results of this new shipper review not later than 180 days after initiation of this review. We intend to issue final results of this review no later than 90 days after the date on which the preliminary results are issued. See 19 CFR 351.214(i).

New Shipper Review Proceeding	Period to be Reviewed
International Forest Products Corporation Ltd.	05/01/05 - 10/31/05

We will instruct U.S. Customs and Border Protection to allow, at the option of the importer, the posting, until the completion of the review, of a bond or security in lieu of a cash deposit for each entry of the subject merchandise from the above-listed company in accordance with section 751(a)(2)(B)(iii) of the Act and 19 CFR 351.214(e). Because IFP Corp., certified that it exports the subject merchandise produced by Terrace, the sale of which is the basis for these new shipper review request, we will permit the bonding privilege only with respect to entries of subject merchandise produced by Terrace and exported by IFP Corp.

Interested parties that need access to proprietary information in this new shipper review should submit applications for disclosure under administrative protective orders in accordance with 19 CFR 351.305 and 351.306.

This initiation and notice are in accordance with section 751(a)(2)(B) of the Act, 19 CFR 351.214(d) and 19 CFR 351.221(c)(i).

Dated: December 21, 2005.

Stephen J. Claeys,

Deputy Assistant Secretary for Import Administration.

[FR Doc. E5-7979 Filed 12-27-05; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[A-475-824]

Notice of Rescission of Antidumping Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from Italy

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: In response to a request by Allegheny Ludlum Corporation, North American Stainless, United Auto Workers Local 3303, Zanesville Armco Independent Organization, Inc. and the United Steelworkers (collectively, petitioners), the U.S. Department of Commerce (the Department) initiated an administrative review of the antidumping duty order on stainless steel sheet and strip in coils (SSSS in coils) from Italy with respect to ThyssenKrupp Acciai Speciali Terni S.p.A. (TKAST), and its affiliates. No other interested party requested a review. The period of review (POR) is July 1, 2004, through June 30, 2005. On December 6, 2005, all of the petitioners withdrew their request for an administrative review of TKAST. Accordingly, the Department is now rescinding the administrative review of TKAST.

EFFECTIVE DATE: December 28, 2005.

FOR FURTHER INFORMATION CONTACT: Angelica Mendoza or Judy Lao, AD/CVD Operations, Office 7, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-3019 and (202) 482-7924, respectively.

SUPPLEMENTARY INFORMATION:

Background

On July 27, 1999, the Department published an antidumping duty order on SSSS in coils from Italy. See *Amended Final Determination of Sales at Less than Fair Value and Antidumping Order; Stainless Steel Sheet and Strip in Coils from Italy*, 64 FR 40567 (July 27, 1999). On July 1, 2005, the Department published a notice of opportunity to request an administrative review of the antidumping duty order on SSSS in coils from Italy. See *Antidumping or Countervailing Duty Order, Finding, or Suspended Investigation; Opportunity to Request Administrative Review*, 70 FR 38099 (July 1, 2005). On July 29, 2005, the Department received a timely request for an administrative review from petitioners of the antidumping duty order on SSSS in coils from Italy with respect to TKAST and its affiliates for the period July 1, 2004, through June 30, 2005. On August 29, 2005, the Department published the initiation of an administrative review of SSSS in coils from Italy covering the period of July 1, 2004, through June 30, 2005. See *Initiation of Antidumping and Countervailing Duty Administrative Reviews and Requests for Revocation In Part*, 70 FR 51009 (August 29, 2005). This review covers imports of SSSS in coils from one producer/exporter, TKAST.

On November 28, 2005, three of the five original petitioners withdrew their request for review (i.e., Allegheny Ludlum Corporation, North American Stainless, and the United Steelworkers). On December 1, 2005, the Department informed petitioners' counsel that it would not rescind the review unless all five petitioners withdraw their request. See Memorandum to the File from Richard O. Weible, Office Director, Regarding "Phone Conversation with David Hartquist," dated December 6, 2005. On December 6, 2005, all five of the petitioners withdrew their request that the Department conduct an administrative review of TKAST.

Scope of the Order

The products covered by the order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be

² See Submission from IFP Corp. to the Department regarding Request for New Shipper Review, dated November 18, 2005.

further processed (*e.g.*, cold-rolled, polished, aluminized, coated, *etc.*) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) at subheadings:

7219.13.0031, 7219.13.0051,
7219.13.0071, 7219.13.0081,¹
7219.14.0030, 7219.14.0065,
7219.14.0090, 7219.32.0005,
7219.32.0020, 7219.32.0025,
7219.32.0035, 7219.32.0036,
7219.32.0038, 7219.32.0042,
7219.32.0044, 7219.33.0005,
7219.33.0020, 7219.33.0025,
7219.33.0035, 7219.33.0036,
7219.33.0038, 7219.33.0042,
7219.33.0044, 7219.34.0005,
7219.34.0020, 7219.34.0025,
7219.34.0030, 7219.34.0035,
7219.35.0005, 7219.35.0015,
7219.35.0030, 7219.35.0035,
7219.90.0010, 7219.90.0020,
7219.90.0025, 7219.90.0060,
7219.90.0080, 7220.12.1000,
7220.12.5000, 7220.20.1010,
7220.20.1015, 7220.20.1060,
7220.20.1080, 7220.20.6005,
7220.20.6010, 7220.20.6015,
7220.20.6060, 7220.20.6080,
7220.20.7005, 7220.20.7010,
7220.20.7015, 7220.20.7060,
7220.20.7080, 7220.20.8000,
7220.20.9030, 7220.20.9060,
7220.90.0010, 7220.90.0015,
7220.90.0060, and 7220.90.0080.

Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise is dispositive.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. *See*

Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

Flapper valve steel is also excluded from the scope of this order. This product is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this review. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip

contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."²

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."³

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."⁴

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the

¹ Due to changes to the HTSUS numbers in 2001, 7219.13.0030, 7219.13.0050, 7219.13.0070, and 7219.13.0080 are now 7219.13.0031, 7219.13.0051, 7219.13.0071, and 7219.13.0081, respectively.

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

⁴ "Durphynox 17" is a trademark of Imphy, S.A.

scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to American Iron and Steel Institute (AISI) grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo."⁶ The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5"⁷ steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."⁸

Rescission of Review

The applicable regulation, 19 CFR 351.213(d)(1), states that if a party that requested an administrative review withdraws the request within 90 days of the publication of the notice of the initiation of the requested review, the Secretary will rescind the review. It further states that the Secretary may extend this time limit if the Secretary finds it reasonable to do so. As noted above, three of the five petitioners that requested this review timely withdrew their request for review. On December 1, 2005, the Department informed counsel to petitioners that the instant review cannot be rescinded unless all five petitioners withdraw their request. *See* Memorandum to the File from Richard O. Weible, Office Director, Regarding

"Phone Conversation with David Hartquist," dated December 6, 2005. By December 6, 2005, one week after the 90-day deadline, all five petitioners (Allegheny Ludlum Corporation, North American Stainless, United Auto Workers Local 3303, Zanesville Armco Independent Organization, Inc., and the United Steelworkers), withdrew their request for review.

The Department finds it reasonable to extend the time limit by which a party may withdraw its request for review in the instant proceeding. The Department has not yet devoted considerable time and resources to this review, all five petitioners have withdrawn their request, and no other party requested the review. Therefore, we are rescinding this review of the antidumping duty order on SSSS in coils from Italy covering the period July 1, 2004, through June 30, 2005. The Department will issue appropriate assessment instructions directly to U.S. Customs and Border Protection within 15 days of publication of this notice.

Notification to Importers

This notice serves as a final reminder to importers of their responsibility under 19 CFR 351.402(f) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's assumption that reimbursement of antidumping duties occurred and subsequent assessment of double antidumping duties.

Notification of Administrative Protective Order

This notice also serves as a reminder to parties subject to administrative protective order (APO) of their responsibility concerning the return on destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305, which continues to govern business proprietary information in this segment of the proceeding. Timely written notification of the return/destruction of APO materials or conversation to judicial protective order is hereby requested. Failure to comply with the regulations and terms of an APO is a violation that is subject to sanction.

This notice is issued and published in accordance with sections 751 and 777(i) of the Act and 19 CFR 351.213(d)(4).

Dated: December 21, 2005.

Stephen J. Claeys,

Deputy Assistant Secretary for Import Administration.

[FR Doc. E5-7984 Filed 12-27-05; 8:45 am]

BILLING CODE 3510-05-S

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[I.D. 120805B]

Notice of Intent to Conduct Public Scoping Meetings and Prepare an Environmental Impact Statement on the Activities of the National Marine Mammal Health and Stranding Response Program

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of Intent to prepare environmental impact statement; request for comments.

SUMMARY: The National Marine Fisheries Service (NMFS) announces its intent to prepare an Environmental Impact Statement (EIS) to analyze the environmental impacts of the national administration of the Marine Mammal Health and Stranding Response Program (MMHSRP).

Publication of this notice begins the official scoping process that will help identify alternatives and determine the scope of environmental issues to be addressed in the EIS. This notice requests public participation in the scoping process, provides information on how to participate, and identifies a set of preliminary alternatives to serve as a starting point for discussions.

ADDRESSES: See **SUPPLEMENTARY INFORMATION** for specific dates, times, and locations of public scoping meetings for this issue.

FOR FURTHER INFORMATION CONTACT: All comments, written statements and questions regarding the scoping process, NEPA process, and preparation of the EIS must be postmarked by February 28, 2006, and should be mailed to: P. Michael Payne, Chief, Marine Mammal and Sea Turtle Division, Office of Protected Resources, National Marine Fisheries Service, 1315 East-West Highway, Room 13635, Silver Spring, MD 20910-3226, Fax: 301-427-2584 ATTN: MMHSRP EIS or e-mail at mmhsrpeis.comments@noaa.gov with the subject line MMHSRP EIS.

SUPPLEMENTARY INFORMATION:

⁵ This list of uses is illustrative and provided for descriptive purposes only.

⁶ "GIN4 Mo" is the proprietary grade of Hitachi Metals America, Ltd.

⁷ "GIN5" is the proprietary grade of Hitachi Metals America, Ltd.

⁸ "GIN6" is the proprietary grade of Hitachi Metals America, Ltd.