

DEPARTMENT OF HOMELAND SECURITY**Coast Guard****33 CFR Part 117**

[CGD01-06-078]

Drawbridge Operation Regulations; Long Island, New York Inland Waterway From East Rockaway Inlet to Shinnecock Canal, Jones Beach, NY**AGENCY:** Coast Guard, DHS.**ACTION:** Notice of temporary deviation from regulations; request for comments.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Loop Parkway Bridge, across Long Creek at mile 0.7, at Jones Beach, New York. This deviation will test a change to the drawbridge operation schedule to determine whether a permanent change to the schedule is needed. This deviation will allow the bridge to open on signal for all marine traffic, Monday through Friday twice an hour at twenty and fifty minutes after the hour, from 6:20 a.m. to 7:20 p.m., except that, between 9:50 a.m. and 3:20 p.m., the bridge shall open on signal for all commercial vessels. On Saturday, Sunday, and Federal Holidays, the bridge shall open on signal once an hour, at twenty minutes after the hour, between 7:20 a.m. and 8:20 p.m., except that, the bridge shall open on signal for all commercial vessels. At all other times the bridge shall open on signal for all vessel traffic.

DATES: This deviation is effective from June 30, 2006 through September 4, 2006. Comments must reach the Coast Guard on or before November 3, 2006.

ADDRESSES: You may mail comments and related material to Commander (dpg), First Coast Guard District Bridge Branch, One South Street, Battery Park Building, New York, New York 10004, or deliver them to the same address between 7 a.m. and 3 p.m., Monday through Friday, except, Federal holidays. The First Coast Guard District, Bridge Branch, maintains the public docket for this deviation. Comments and material received from the public, as well as documents indicated in this notice as being available in the docket, will become part of this docket and will be available for inspection or copying at the First Coast Guard District, Bridge Branch, 7 a.m. to 3 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Judy Leung-Yee, Project Officer, First Coast Guard District, at (212) 668-7195.

SUPPLEMENTARY INFORMATION:**Request for Comments**

We encourage you to participate in evaluating this test schedule by submitting comments or related material. If you do so, please include your name and address, identify the docket number for this deviation (CGD01-06-078), indicate the specific section of this document to which each comment applies, and give the reason for each comment. Please submit all comments and related material in an unbound format, no larger than 8½ by 11 inches, suitable for copying. If you would like to know if they reached us, please enclose a stamped, self-addressed postcard or envelope. We will consider all comments and material received during the comment period. Comments must be received by November 3, 2006.

Background and Purpose

The Loop Parkway Bridge has a vertical clearance in the closed position of 21 feet at mean high water and 25 feet at mean low water. The existing drawbridge operation regulations are listed at 33 CFR 117.799(f).

The bridge owner, New York State Department of Transportation, requested a temporary deviation from the drawbridge operation regulations to test an alternate drawbridge operation schedule to help better balance the needs between vehicular land traffic and marine vessel traffic.

Under this temporary deviation, in effect from June 30, 2006 through September 4, 2006, the Loop Parkway Bridge at mile 0.7, across Long Creek, shall operate as follows:

The bridge shall open on signal for all marine traffic, Monday through Friday twice an hour, at twenty and fifty minutes after the hour, from 6:20 a.m. to 7:20 p.m., except that, between 9:50 a.m. and 3:20 p.m., the bridge shall open on signal for all commercial vessels. On Saturday, Sunday, and Federal Holidays, the bridge shall open on signal once an hour, at twenty minutes after the hour, between 7:20 a.m. and 8:20 p.m., except that, the bridge shall open on signal for all commercial vessels. At all other times the bridge shall open on signal for all vessel traffic.

This deviation from the operating regulations is authorized under 33 CFR 117.43.

Dated: June 26, 2006.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. E6-10758 Filed 7-10-06; 8:45 am]

BILLING CODE 4910-15-P

ENVIRONMENTAL PROTECTION AGENCY**40 CFR Part 52**

[EPA-R04-OAR-2004-KY-0004-200610; FRL-8191-5]

Approval and Promulgation of Implementation Plans; Kentucky Prevention of Significant Deterioration and Nonattainment New Source Review**AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Final rule.

SUMMARY: EPA is taking final action to approve revisions to the Kentucky State Implementation Plan (SIP) submitted by the Commonwealth of Kentucky on September 2, 2004, and amended by request dated August 23, 2005. The SIP revisions modify Kentucky's Prevention of Significant Deterioration (PSD) and Nonattainment New Source Review (NNSR) regulations in the SIP to address changes to the federal new source review (NSR) regulations, which were promulgated by EPA on December 31, 2002 (67 FR 80186) and November 7, 2003 (68 FR 63021) (commonly referred to as the "2002 NSR reform rules"). The September 2004 SIP revisions being approved today also include a rule setting a significance level of 100 tons per year (tpy) for ozone depleting substances.

EFFECTIVE DATE: This rule will be effective August 10, 2006.

ADDRESSES: EPA has established a docket for this action under Docket Identification No. EPA-R04-OAR-2004-KY-0004. All documents in the docket are listed on the www.regulations.gov website. Although listed in the index, some information is not publicly available, i.e., Confidential Business Information or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically through www.regulations.gov or in hard copy at the Regulatory Development Section, Air Planning Branch, Air, Pesticides and Toxics Management Division, U.S. Environmental Protection Agency, Region 4, 61 Forsyth Street, SW., Atlanta, Georgia 30303-8960. EPA requests that if at all possible, you contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section to schedule your inspection. The Regional