

public. Those who wish to attend must register by May 8, 2020. Comments must be received by May 8, 2020 to be considered by the subcommittee. Requests for the draft agenda or making a presentation at the meeting will be accepted until May 8, 2020.

ADDRESSES: Instructions on how to connect to the videoconference will be provided upon registration at <https://www.eventbrite.com/e/us-epa-bosc-chemical-safety-for-sustainability-and-health-and-environmental-risk-assessment-tickets-93157311025>. Attendees should register no later than May 8, 2020.

Submit your comments to Docket ID No. EPA-HQ-ORD-2015-0635 by one of the following methods:

- www.regulations.gov: Follow the online instructions for submitting comments.
 - *Note:* comments submitted to the www.regulations.gov website are anonymous unless identifying information is included in the body of the comment.

- *Email:* Send comments by electronic mail (email) to: ORD.Docket@epa.gov, Attention Docket ID No. EPA-HQ-ORD-2015-0635.

- *Note:* comments submitted via email are not anonymous. The sender's email will be included in the body of the comment and placed in the public docket which is made available on the internet.

Instructions: All comments received, including any personal information provided, will be included in the public docket without change and may be made available online at www.regulations.gov. Information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute will not be included in the public docket, and should not be submitted through www.regulations.gov or email. For additional information about the EPA's public docket visit the EPA Docket Center homepage at <http://www.epa.gov/dockets/>.

Public Docket: Publicly available docket materials may be accessed *Online* at www.regulations.gov.

Copyrighted materials in the docket are only available via hard copy. The telephone number for the ORD Docket Center is (202) 566-1752.

FOR FURTHER INFORMATION CONTACT: The Designated Federal Officer (DFO), Tom Tracy, via phone/voice mail at: (202) 564-6518; or via email at: tracy.tom@epa.gov.

Any member of the public interested in receiving a draft agenda, attending the meeting, or making a presentation at the meeting should contact Tom Tracy.

SUPPLEMENTARY INFORMATION: The Board of Scientific Counselors (BOSC) is a federal advisory committee that provides advice and recommendations to EPA's Office of Research and Development on technical and management issues of its research programs. Meeting agenda and materials will be posted to <https://www.epa.gov/bosc>.

Proposed agenda items for the meeting include but are not limited to the following: review of the HERA 2019-22 draft StRAP.

Information on Services Available: For information on translation services, access, or services for individuals with disabilities, please contact Tom Tracy at (202) 564-6518 or tracy.tom@epa.gov. To request accommodation of a disability, please contact Tom Tracy at least ten days prior to the meeting to give the EPA adequate time to process your request.

Authority: Pub. L. 92-463, 1, Oct. 6, 1972, 86 Stat. 770.

Dated: April 17, 2020.

Mary Ross,
Director, Office of Science Advisor, Policy, and Engagement.

[FR Doc. 2020-09032 Filed 4-28-20; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2013-0321; FRL-10009-00-OMS]

Information Collection Request Submitted to OMB for Review and Approval; Comment Request; NSPS for Sewage Sludge Incineration Units (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency has submitted an information collection request (ICR), NSPS for Sewage Sludge Incineration Units (EPA ICR Number 2369.05, OMB Control Number 2060-0658), to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through June 30, 2020. Public comments were previously requested via the **Federal Register** on May 6, 2019 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may

neither conduct nor sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before May 29, 2020.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2013-0321, to: (1) EPA online using www.regulations.gov (our preferred method), or by email to docket.oeca@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460. EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT:

Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: yellin.patrick@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov, or in person at the EPA Docket Center, EPA West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

Abstract: The New Source Performance Standards (NSPS) for Sewage Sludge Incineration Units (40 CFR part 60, subpart LLLL) were proposed on October 14, 2010, and promulgated on March 21, 2011. These regulations apply to new and existing facilities with one or more sewage sludge incineration (SSI) units. New facilities are those that commenced construction after October 14, 2010 or commenced modification after September 21, 2011. Physical or operational changes made to the SSI unit to comply with the SSI Emission Guidelines at 40 CFR part 60, subpart MMMM do not qualify as a modification under this NSPS. This information is

being collected to assure compliance with 40 CFR part 60, subpart LLLL.

In general, all NSPS standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all affected facilities subject to NSPS.

Form Numbers: None.

Respondents/affected entities:

Owners or operators of sewage sludge incineration units.

Respondent's obligation to respond: Mandatory (40 CFR part 60, subpart LLLL).

Estimated number of respondents: 8 (total).

Frequency of response: Occasionally, semiannually, and annually.

Total estimated burden: 1,560 hours (per year). Burden is defined at 5 CFR 1320.3(b).

Total estimated cost: \$1,070,000 (per year), which includes \$998,000 in annualized capital/startup and/or operation & maintenance costs.

Changes in the Estimates: There is an increase in burden from the most recently-approved ICR as currently identified in the OMB Inventory of Approved Burdens due to an increase in the number of respondents subject to the rule. While the per respondent costs of annual performance testing and CEMS/CPMS monitoring have remained the same, but the total O&M costs have increased from the previous ICR renewal due to the increase in the number of existing respondents complying with the requirements of the rule.

Several revisions were made to the calculation of respondent burden. The labor burden for facilities to familiarize with regulation requirements was revised from 40 hours per existing source per year to 40 hours for a new source and 4 hours for an existing source. This change more accurately reflects the burden that new and existing sources require to familiarize and re-familiarize with the rule. The Number of Respondents that will complete the annual refresher course was revised from 1 to 7 to reflect that this is an annual requirement for

operators at existing sources, per 40 CFR 60.4825.

Courtney Kerwin,

Director, Regulatory Support Division.

[FR Doc. 2020-09024 Filed 4-28-20; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2013-0319; FRL-10008-95-OMS]

Information Collection Request Submitted to OMB for Review and Approval; Comment Request; NSPS for VOC Emissions From Petroleum Refinery Wastewater Systems (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), NSPS for VOC Emissions from Petroleum Refinery Wastewater Systems (EPA ICR Number 1136.13, OMB Control Number 2060-0172), to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through June 30, 2020. Public comments were previously requested via the **Federal Register** on May 6, 2019 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may neither conduct nor sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before May 29, 2020.

ADDRESSES: Submit your comments to EPA, referencing Docket ID Number EPA-HQ-OECA-2013-0319, online using www.regulations.gov (our preferred method), or by email to docket.oeca@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460. EPA's policy is that all comments received will be included in the public docket without change including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other

information whose disclosure is restricted by statute.

Submit written comments and recommendations to OMB for the proposed information collection within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain. Find this particular information collection by selecting "Currently under 30-day Review—Open for Public Comments" or by using the search function.

FOR FURTHER INFORMATION CONTACT:

Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: yellin.patrick@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov, or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

Abstract: The New Source Performance Standards (NSPS) for VOC Emissions from Petroleum Refinery Wastewater Systems (40 CFR part 60, subpart QQQ) were proposed on May 4, 1987, and promulgated on November 23, 1988. These regulations apply to existing facilities and new wastewater systems at petroleum refineries, and cover individual drain systems, oil-water separators, and aggregate facilities. An individual drain system consists of all process drains connected to the first downstream junction box. An oil-water separator is the wastewater treatment equipment used to separate oil from water. An aggregate facility is an individual drain system together with ancillary downstream sewer lines and oil-water separators, down to and including the secondary oil-water separator, as applicable. Aggregate facilities are intended to capture any potential VOC emissions within the petroleum refinery wastewater system during expansions of and additions to the system. New facilities include those that commenced construction, modification, or reconstruction after the date of proposal. This information is being collected to assure compliance with 40 CFR part 60, subpart QQQ.