

locked and will have permanent, legible labels. Each label will identify the circuit breaker as being suitable for protecting No. 2 AWG cables. This label will be maintained legible.

(9) Replacement instantaneous trip units used to protect No. 2 AWG trailing cables exceeding 500 feet in length will be calibrated to trip at 150 amperes. This setting will be sealed or locked.

(10) Permanent warning labels will be installed and maintained on the cover(s) of the power center to identify the location of each sealed or locked short-circuit protection device. These labels will warn miners not to change or alter the sealed short-circuit settings.

(11) The alternative method will not be implemented until all miners designated to examine the integrity of the seals or locks, verify the short-circuit settings, and proper procedures for examining trailing cables for defects and damage have received training.

(12) Within 60 days after this proposed decision and order becomes final, the proposed revisions for the petitioner's approved 30 CFR part 48 training plan will be submitted to the District Manager. The training plan will include the following:

(a) Mining methods and operating procedures for protecting the trailing cables against damage.

(b) Proper procedures for examining the trailing cables to ensure safe operating condition.

(c) The hazards of setting the instantaneous circuit breakers too high to adequately protect the trailing cables.

(d) How to verify the circuit interrupting device(s) protecting the trailing cable(s) are properly set and maintained.

The petitioner further states that procedures specified in 30 CFR 48.3 for proposed revisions to approved training plans will apply.

The petitioner asserts that the alternative method will guarantee no less than the same measure of protection for all miners than that of the existing standard.

Docket Number: M-2013-007-M.

Petitioner: McMurtry Ready Mix Company, P.O. Box 2488, Casper, Wyoming 82602.

Mine: Crusher #2, MSHA I.D. No. 48-01363 and Crusher #3, MSHA I.D. No. 48-01518, located in Carbon County, Wyoming; Crusher #7, MSHA I.D. No. 48-01598, located in Converse County, Wyoming; and Crusher #4, MSHA I.D. No. 48-01569 and Crusher #6, MSHA I.D. No. 48-01597, located in Natrona County, Wyoming.

Regulation Affected: 30 CFR 56.14205 (Machinery, equipment and tools).

Modification Request: The petitioner requests a modification of the existing standard to permit the use of a chain attached material dislodging implement to facilitate the removal of oversize material stuck between the jaw plates of an aggregate jaw crusher. The following procedures will be used if material is lodged in the jaw crusher:

1. The jaw will be shut down and locked/tagged out.

2. Competent personnel will place a material dislodging implement attached to a chain in position next to the material stuck in the jaw. This will be done from a secure platform above the jaw plate opening. Fall protection will be used if necessary. The free end of the chain will be attached to the jaw crusher chassis.

3. All personnel will exit off the jaw and relocate to a safe distance away from the jaw crusher.

4. Lockouts will be removed by the applicable person(s) who will relocate to the designated safe area.

5. The jaw is started from a safe distance to allow the implement to free the material stuck in the jaw. If unsuccessful, steps 1 through 5 will be repeated.

6. Upon successfully clearing the material, the jaw will be shut down to retrieve the implement and chain.

The petitioner proposes to install cameras to allow observation of the jaw plates from the button house location. The button house is located at such distance from the jaw crusher as to not place occupants in the way of hazards associated with the material dislodging process. The dislodging implement itself will be stored in a locked cabinet when not in use. A designated competent person will have the only key to the cabinet ensuring non-authorized employees will not use the implement.

The typical procedure to remove material from between the jaw plates of a jaw crusher involves shutting down the crusher, locking out the energizing circuits, and having personnel enter the jaw opening to place hoisting devices around the material for vertical movement or extraction. The personnel's entrance into the jaw exposes them to the additional hazard of a possible shift of the material which could pin the person against the interior of the jaw or cause injuries due to trying to maneuver in a tight space.

The petitioner asserts that the intent of this proposed modification is to remove mine personnel from the hazard area thereby eliminating the chance of injury to mine personnel.

Dated: April 12, 2013.

George F. Triebsch,

Director, Office of Standards, Regulations and Variances.

[FR Doc. 2013-09081 Filed 4-17-13; 8:45 am]

BILLING CODE 4510-43-P

NATIONAL FOUNDATION ON THE ARTS AND THE HUMANITIES

Institute of Museum and Library Services

Sunshine Act Meeting of the National Museum and Library Services Board

AGENCY: Institute of Museum and Library Services (IMLS), NFAH.

ACTION: Notice of Meeting.

SUMMARY: The National Museum and Library Services Board, which advises the Director of the Institute of Museum and Library Services on general policies with respect to the duties, powers, and authority of the Institute relating to museum, library and information services, will meet on May 9, 2013.

DATE AND TIME: Thursday, May 9, 2013, from 9:00 a.m. to 2:00 p.m.

PLACE: The meeting will be held at the Institute of Museum and Library Services, 1800 M Street NW., Suite 900, Washington, DC, 20036. Telephone: (202) 653-4798.

STATUS: Part of this meeting will be open to the public. The rest of the meeting will be closed pursuant to subsections (c)(4) and (c)(9) of section 552b of Title 5, United States Code because the Board will consider information that may disclose: Trade secrets and commercial or financial information obtained from a person and privileged or confidential; and information the premature disclosure of which would be likely to significantly frustrate implementation of a proposed agency action.

AGENDA: Twenty-Seventh Meeting of the National Museum and Library Service Board Meeting: 9:00 a.m.-12:00 p.m. Twenty-Seventh National Museum and Library Services Board Meeting:

- I. Welcome
- II. Financial Update
- III. Legislative Update
- IV. Program Updates
- V. Board Program
- VI. Adjournment

(Open to the Public)

12:00 p.m.-2:00 p.m. Executive Session

(Closed to the Public)

FOR FURTHER INFORMATION CONTACT: Katherine Maas, Program Specialist,

Institute of Museum and Library Services, 1800 M Street NW., 9th Floor, Washington, DC 20036. Telephone: (202) 653-4676.

Dated: April 11, 2013.

Nancy Weiss,
General Counsel.

[FR Doc. 2013-08995 Filed 4-17-13; 8:45 am]

BILLING CODE 7036-01-M

NATIONAL SCIENCE FOUNDATION

National Science Board; Sunshine Act Meetings; Notice

The National Science Board's Task Force on Administrative Burdens, pursuant to NSF regulations (45 CFR part 614), the National Science Foundation Act, as amended (42 U.S.C. 1862n-5), and the Government in the Sunshine Act (5 U.S.C. 552b), hereby gives notice in regard to the scheduling of a teleconference for the transaction of National Science Board business and other matters specified, as follows:

DATE & TIME: Monday, April 22, 2013, 2:30 p.m.-3:30 p.m. EDT.

SUBJECT MATTER: The meeting will include a discussion of the Task Force's Request for Information and ongoing roundtable discussions as well as discussion related to IACUCs and IRBs, the Emerging Frontiers in Research and Innovation (EFRI) Program, and the Office of Management and Budget's recent Proposed Guidance for Federal awards.

STATUS: Open.

LOCATION: This meeting will be held by teleconference at the National Science Board Office, National Science Foundation, 4201 Wilson Blvd., Arlington, VA 22230. A public listening room will be available for this teleconference meeting. All visitors must contact the Board Office [call 703-292-7000 or email to nationalsciencebrd@nsf.gov] at least 24 hours prior to the teleconference for the public room number. All visitors must report to the NSF visitor desk located in the lobby at the 9th and N. Stuart Streets entrance on the day of the

teleconference to be directed to the public listening room.

UPDATES & POINT OF CONTACT: Please refer to the National Science Board Web site for additional information and schedule updates. This information which may be found at <http://www.nsf.gov/nsb/notices/>. Point of contact for the meeting is John Veysey, who can be reached at the telephone number or email listed above.

Ann Bushmiller,

Senior Counsel to the National Science Board.

[FR Doc. 2013-09244 Filed 4-16-13; 4:15 pm]

BILLING CODE 7555-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 70-3103; NRC-2010-0264]

Uranium Enrichment Fuel Cycle Inspection Reports Regarding Louisiana Energy Services, National Enrichment Facility, Eunice, New Mexico, Prior to the Commencement of Operations

AGENCY: Nuclear Regulatory Commission.

ACTION: Notice of availability.

FOR FURTHER INFORMATION CONTACT:

Michael Raddatz, Project Manager, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Rockville, Maryland 20852; telephone: 301-492-3108; email: Michael.Raddatz@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) staff has conducted inspections of the Louisiana Energy Services (LES), LLC, National Enrichment Facility in Eunice, New Mexico, and has authorized the introduction of uranium hexafluoride (UF₆) into cascades numbered 2.9, 2.10, 2.11, 2.12, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, and 3.9. In addition, the NRC verified that the Phase 2a and Chemistry Laboratory of the Cylinder Receipt and Dispatch Building (CRDB) of the facility have been constructed in accordance

with the requirements of the approved license. Phase 2a included the CRDB Civil Structure and CRDB shell operations such as: movement of cylinders; fire walls; transient combustible inspections; cylinder movers; and worker evacuation. The NRC staff has prepared inspection reports documenting its findings in accordance with the requirements of the NRC Inspection Manual, and these reports are available for review as specified in Section II of this notice. The publication of this notice satisfies the requirements of Section 70.32(k) of Title 10 of the *Code of Federal Regulations* (10 CFR), and section 193(c) of the Atomic Energy Act of 1954, as amended.

The introduction of UF₆ into any module of the National Enrichment Facility is not permitted until the NRC completes an operational readiness and management measures verification review to verify that management measures that ensure compliance with the performance requirements of 10 CFR 70.61 have been implemented and confirms that the facility has been constructed in accordance with the license and will be operated safely. Subsequent operational readiness and management measures verification reviews will continue throughout the various phases of plant construction and, upon completion of these subsequent phases, additional notices of the operation approval letters will be published in the **Federal Register** in accordance with 10 CFR 70.32(k).

II. Further Information

Documents related to this action, including the application for amendment and supporting documentation, are available online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC's public documents. Inspection reports associated with the approval letters are referenced in the letters and are also available electronically in ADAMS. Accession numbers for the approval letters are being noticed here as follows:

NRC CASCADES AUTHORIZATION LETTERS

Authorization letters	Date	ADAMS accession No.
Cascade numbered 2.9	September 28, 2012	ML12272A189
Cascade numbered 2.10	September 14, 2012	ML12261A040
Cascade numbered 2.11	August 24, 2012	ML12237A190
Cascade numbered 2.12	July 16, 2012	ML12198A121
Cascade numbered 3.1	August 14, 2012	ML12227A401
Cascade numbered 3.2	September 25, 2012	ML12269A155