

400 7th Street, SW., Washington, DC 20590. All written communications concerning these proceedings are available for examination during regular business hours (9 a.m.–5 p.m.) at the above facility. All documents in the public docket are also available for inspection and copying on the Internet at the docket facility's Web site at <http://dms.dot.gov>.

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477–78). The Statement may also be found at <http://dms.dot.gov>.

Issued in Washington, DC on September 15, 2004.

Grady C. Cothen, Jr.,

Acting Associate Administrator for Safety.

[FR Doc. 04–21242 Filed 9–21–04; 8:45 am]

BILLING CODE 4910–06–P

DEPARTMENT OF TRANSPORTATION

Federal Railroad Administration

Notice of Application for Approval of Discontinuance or Modification of a Railroad Signal System or Relief From the Requirements of Title 49 Code of Federal Regulations Part 236

Pursuant to Title 49 Code of Federal Regulations (CFR) Part 235 and 49 U.S.C. 20502(a), the following railroad has petitioned the Federal Railroad Administration (FRA) seeking approval for the discontinuance or modification of the signal system or relief from the requirements of 49 CFR Part 236 as detailed below.

Docket Number FRA–2004–18962

Applicant: Burlington Northern and Santa Fe Railway, Mr. William G. Peterson, Director Signal Engineering, 4515 Kansas Avenue, Kansas City, Kansas 66106.

Burlington Northern and Santa Fe Railway seeks approval of the proposed modification of the traffic control system, on the two main tracks at Albia, Iowa, milepost 303.7, on the Nebraska Division, Ottumwa Subdivision. The proposed changes consist of the conversion of the Appanoose County Railroad power-operated switch lead to hand operation, equipped with an electric lock; relocation of westward absolute signal 1WA–1WB to the west of

the electric lock and railroad bridge; and removal of absolute signal 5WA–5WB and its associated approach signal. The electric lock and its unlock circuit will be located outside of the remaining OS circuit.

The reason given for the proposed changes is that train crews always take power-operated switch on hand when switching with the Appanoose, and by removing the power switch and installing an electric lock in its place, it will create a more efficient operation.

Any interested party desiring to protest the granting of an application shall set forth specifically the grounds upon which the protest is made, and include a concise statement of the interest of the party in the proceeding. Additionally, one copy of the protest shall be furnished to the applicant at the address listed above.

All communications concerning this proceeding should be identified by the docket number and must be submitted to the Docket Clerk, DOT Central Docket Management Facility, Room PL–401 (Plaza Level), 400 7th Street, SW., Washington, DC 20590–0001. Communications received within 45 days of the date of this notice will be considered by the FRA before final action is taken. Comments received after that date will be considered as far as practicable. All written communications concerning these proceedings are available for examination during regular business hours (9 a.m.–5 p.m.) at the above facility. All documents in the public docket are also available for inspection and copying on the internet at the docket facility's Web site at <http://dms.dot.gov>.

FRA wishes to inform all potential commenters that anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477–78) or you may visit <http://dms.dot.gov>.

FRA expects to be able to determine these matters without an oral hearing. However, if a specific request for an oral hearing is accompanied by a showing that the party is unable to adequately present his or her position by written statements, an application may be set for public hearing.

Issued in Washington, DC, on September 15, 2004.

Grady C. Cothen, Jr.,

Acting Associate Administrator for Safety.

[FR Doc. 04–21241 Filed 9–21–04; 8:45 am]

BILLING CODE 4910–06–P

DEPARTMENT OF THE TREASURY

Fiscal Service

Surety Companies Acceptable on Federal Bonds: Correction—National Union Fire Insurance Company of Pittsburgh, PA and the Insurance Company of the State of Pennsylvania

AGENCY: Financial Management Service, Fiscal Service, Department of the Treasury.

ACTION: Notice.

SUMMARY: This is Supplement No. 1 to the Treasury Department Circular 570; 2004 Revision, published July 1, 2004, at 69 FR 30224.

FOR FURTHER INFORMATION CONTACT: Surety Bond Branch at (202) 874–1033.

SUPPLEMENTARY INFORMATION: The underwriting limitation for National Union Fire Insurance Company of Pittsburgh, PA and The Insurance Company of the State of Pennsylvania which were last listed in Treasury Department Circular 6570, July 1, 2004, revision, at 69 FR 40248 and 69 FR 40243 as \$541,777,000 and \$40,094,000 respectively, are hereby corrected to read \$551,428,000 and \$42,851,000 respectively, effective today.

Federal bond-approving officers should annotate their reference copies of the Treasury Circular 570, 2004 Revision, to reflect this change.

The Circular may be viewed and downloaded through the Internet at <http://www.fms.treas.gov/c570>. A hard copy may be purchased from the Government Printing Office (GPO) Subscription Service, Washington, DC, Telephone (202) 512–1800. When ordering the Circular from GPO, use the following stock number: 769–004–04926–1.

Questions concerning this Notice may be directed to the U.S. Department of the Treasury, Financial Management Service, Financial Accounting and Services Division, Surety Bond Branch, 3700 East-West Highway, Room 6F07, Hyattsville, MD 20782.

Dated: September 14, 2004.

Vivian L. Cooper,

Director, Financial Accounting and Services Division, Financial Management Service.

[FR Doc. 04–21227 Filed 9–21–04; 8:45 am]

BILLING CODE 4810–35–M