

Technologies Office, EE-5B, 1000 Independence Avenue SW, Washington, DC 20585-0121. Telephone: (202) 586-9870. Email: ApplianceStandardsQuestions@ee.doe.gov.

Mr. Michael Kido, U.S. Department of Energy, Office of the General Counsel, GC-33, 1000 Independence Avenue SW, Washington, DC 20585-0121. Telephone: (202) 586-8145. Email: Michael.Kido@hq.doe.gov.

For further information on how to submit a comment or review other public comments and the docket contact the Appliance and Equipment Standards Program staff at (202) 287-1445 or by email: ApplianceStandardsQuestions@ee.doe.gov.

SUPPLEMENTARY INFORMATION: On December 17, 2021, DOE published a NOPR proposing to amend the existing scope of the DOE test procedures for electric motors consistent with related industry changes for nomenclature and test procedure developments (*i.e.*, for air-over electric motors, submersible electric motors, electric motors greater than 500 horsepower, electric motors considered small, inverter-only electric motors, and synchronous electric motors); add test procedures, metric, and supporting definitions for additional electric motors covered under the proposed scope; and update references to industry standards to reference current versions. (86 FR 71710) Furthermore, DOE proposed to adopt industry provisions related to the prescribed test conditions to further ensure the comparability of testing. In addition, DOE proposed to update certain testing instructions to reduce manufacturer burden. Further, DOE proposed to amend the provisions pertaining to certification testing and determination of represented values for electric motors other than dedicated-purpose pool pump motors, apply these provisions to the additional electric motors proposed for inclusion in the scope of the test procedure, and to move both provisions consistent with the location of other certification requirements for other covered products and equipment. Finally, DOE proposed to add provisions pertaining to certification testing and determination of represented values for dedicated-purpose pool pump motors. DOE is seeking comment from interested parties on these proposals.

Interested parties in the matter, NEMA (on January 25, 2022) and the Hydraulic Institute (on January 26, 2022) requested an extension of the public comment period for 30

additional days (NEMA, No. 9 at p. 1; HI, No. 11 at p.1).¹ NEMA commented that the extension is necessary due to delays in developing their responses given the proposed scope of products along with the extent of information to be gathered. HI commented more time is needed for the pump industry to review and provide comment relating to the testing of submersible motors.

DOE has reviewed the requests and is extending the comment period to allow additional time for interested parties to submit comments. The proposed rule was published in the **Federal Register** on December 17, 2021, and a 60-day comment period was provided from the date of publication. In light of the submitted requests, DOE believes that additional time is warranted, and that extending the comment period until the end of the month of February is sufficient. Therefore, DOE is extending the comment period until February 28, 2022.

Signing Authority

This document of the Department of Energy was signed on January 28, 2022, by Kelly J. Speakes-Backman, Principal Deputy Assistant Secretary for Energy Efficiency and Renewable Energy, pursuant to delegated authority from the Secretary of Energy. That document with the original signature and date is maintained by DOE. For administrative purposes only, and in compliance with requirements of the Office of the Federal Register, the undersigned DOE Federal Register Liaison Officer has been authorized to sign and submit the document in electronic format for publication, as an official document of the Department of Energy. This administrative process in no way alters the legal effect of this document upon publication in the **Federal Register**.

Signed in Washington, DC, on January 31, 2022.

Treena V. Garrett,

Federal Register Liaison Officer, U.S. Department of Energy.

[FR Doc. 2022-02281 Filed 2-3-22; 8:45 am]

BILLING CODE 6450-01-P

¹ The parenthetical reference provides a reference for information located in DOE's rulemaking docket. (Docket No. EERE-2020-BT-TP-0011, which is maintained at www.regulations.gov/#/docketDetail;D=EERE-2020-BT-TP-0011). The references are arranged as follows: (Commenter name, comment docket ID number, page of that document).

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 27

[Docket No. FAA-2021-0943; Special Conditions No. 27-21-01-SC]

Special Conditions: Robinson Helicopter Company Model R66 Helicopter; Pressure Refueling Provisions

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed special conditions.

SUMMARY: This action proposes special conditions for the Robinson Helicopter Company (RHC) Model R66 helicopter. This helicopter will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for normal category helicopters. This design feature is a pressure refueling system. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These proposed special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: Send comments on or before March 7, 2022.

ADDRESSES: Send comments identified by Docket No. FAA-2021-0943 using any of the following methods:

- **Federal eRegulations Portal:** Go to <http://www.regulations.gov/> and follow the online instructions for sending your comments electronically.

- **Mail:** Send comments to Docket Operations, M-30, U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC, 20590-0001.

- **Hand Delivery or Courier:** Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

- **Fax:** Fax comments to Docket Operations at 202-493-2251.

Privacy: Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in title 14, Code of Federal Regulations (14 CFR) 11.35, the FAA will post all comments received without change to <http://www.regulations.gov/>, including any personal information you provide. The

FAA will also post a report summarizing each substantive verbal contact received about these special conditions.

Confidential Business Information: CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to these special conditions contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to these special conditions, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and the indicated comments will not be placed in the public docket of these special conditions. Submissions containing CBI should be sent to Monica Abboud, Propulsion Section, AIR-794, Los Angeles ACO Branch, Aircraft Certification Service, Federal Aviation Administration, 3960 Paramount Boulevard, Lakewood, California 90712; telephone (562) 627-5223; email monica.m.abboud@faa.gov. Comments the FAA receives, which are not specifically designated as CBI, will be placed in the public docket for these special conditions.

Docket: Background documents or comments received may be read at <http://www.regulations.gov/> at any time. Follow the online instructions for accessing the docket or go to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Monica Abboud, Propulsion Section, AIR-794, Los Angeles ACO Branch, Aircraft Certification Service, Federal Aviation Administration, 3960 Paramount Boulevard, Lakewood, California 90712; telephone (562) 627-5223; email monica.m.abboud@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites interested people to take part in this rulemaking by sending written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data.

The FAA will consider all comments received by the closing date for

comments. The FAA may change these special conditions based on the comments received.

Background

On July 15, 2021, RHC applied for a change to Type Certificate No. R00015LA for the Model R66 helicopter. This change incorporated a pressure fueling system in the Model R66 helicopter. The RHC Model R66 helicopter, which is a derivative of the earlier models of the Model R66 helicopter currently approved under Type Certificate No. R00015LA, is a part 27 normal category helicopter. It is a single turbine engine helicopter with a four-passenger maximum passenger capacity and has a maximum gross weight, with no external load, of up to 2,700 pounds depending on the model configuration.

Type Certification Basis

Under the provisions of 14 CFR 21.101, RHC must show that the Model R66 helicopter, as changed, continues to meet the applicable provisions of the regulations listed in Type Certificate No. R00015LA or the applicable regulations in effect on the date of application for the change, except for earlier amendments as agreed upon by the FAA.

If the Administrator finds that the applicable airworthiness regulations (e.g., 14 CFR part 27) do not contain adequate or appropriate safety standards for the RHC Model R66 helicopter because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, or should any other model already included on the same type certificate be modified to incorporate the same novel or unusual design feature, these special conditions would also apply to the other model under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, the RHC Model R66 helicopter must comply with the noise certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in 14 CFR 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.101.

Novel or Unusual Design Feature

The RHC Model R66 helicopter will incorporate the following novel or unusual design feature:

A pressure refueling system, which will allow for optional pressure fueling.

Discussion

RHC proposes to modify the Model R66 helicopter by incorporating a pressure refueling system that would allow for optional pressure fueling from a fueling port on the right side of the fuselage and the existing gravity system via the fuel filler cap on top of the main fuel tank. This modification would provide faster, easier, and safer refueling when the engines are running and rotors turning compared to the existing fueling system located on the top of the main fuel tank. The pressure refueling system cannot be used for defueling and would include a crash-resistant fuel hose that runs from the fueling port on the right side to an inlet at the top of the fuel tank on the left side of the helicopter.

Part 27 does not contain requirements for pressure refueling for normal category helicopters. However, 14 CFR 29.979, amendment 29-12, effective February 1, 1977, provides these requirements for transport category helicopters. Accordingly, these proposed special conditions are based on § 29.979 to provide requirements for the inclusion of the optional pressure refueling system on the Model R66 helicopters. 14 CFR 29.979 includes standards for pressure refueling and fueling provisions below fuel level on transport category rotorcraft.

This regulation is intended to prevent hazards to ground crew, flight crew, and occupants by reducing the probability of exposure to hazardous quantities of fuel due to spillage and ensuring the pressure refueling/defueling system is designed to prevent overfilling the fuel tank and to withstand an ultimate load overpressure event without failure.

Section 29.979(a) requires each fueling connection below the fuel level in each tank have a means to prevent the escape of hazardous quantities of fuel from that tank in case of malfunction of the fuel entry valve.

Section 29.979(b) requires systems intended for pressure refueling have a means in addition to the normal means for limiting the tank content to prevent damage to the tank in case of failure of the normal means.

Section 29.979(c) requires the rotorcraft pressure fueling system (not fuel tanks and fuel tank vents) to withstand an ultimate load that is 2.0 times the load arising from the maximum pressure, including surge,

that is likely to occur during fueling. The maximum surge pressure must be established with any combination of tank valves being either intentionally or inadvertently closed.

Section 29.979(d) requires the rotorcraft defueling system (not including fuel tanks and fuel tank vents) to withstand an ultimate load that is 2.0 times the load arising from the maximum permissible defueling pressure (positive or negative) at the rotorcraft fueling connection. The design proposed by RHC does not include defueling capability.

The proposed special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

Applicability

These special conditions are applicable to the RHC Model R66 helicopter. Should RHC apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, these special conditions would apply to that model as well.

Conclusion

This action affects only a certain novel or unusual design feature on one model of helicopter. It is not a rule of general applicability.

List of Subjects in 14 CFR Part 27

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

Authority Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(f), 106(g), 40113, 44701, 44702, 44704.

The Proposed Special Conditions

Accordingly, the Federal Aviation Administration (FAA) proposes the following special conditions as part of the type certification basis for Robinson Helicopter Company Model R66 helicopters.

The pressure refueling system must be designed and installed as follows:

(a) Each fueling connection below the fuel level in each tank must have the means to prevent the escape of hazardous quantities of fuel from that tank in case of malfunction of the fuel entry valve.

(b) For systems intended for pressure refueling, a means in addition to the normal means for limiting the tank content must be installed to prevent damage to the fuel tank in case of failure of the normal means.

(c) The rotorcraft pressure fueling system (not fuel tanks and fuel tank vents) must withstand an ultimate load that is 2.0 times the load arising from maximum pressure, including a surge, that is likely to occur during fueling. The maximum surge pressure must be established with any combination of tank valves being either intentionally or inadvertently closed.

Issued in Kansas City, Missouri, on February 1, 2022.

Patrick R. Mullen,

Manager, Technical Innovation Policy Branch, Policy and Innovation Division, Aircraft Certification Service.

[FR Doc. 2022-02387 Filed 2-3-22; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2021-0028; **Airspace**
Docket No. 21-ASO-41]

RIN 2120-AA66

Proposed Amendment of Class E Airspace; Dyersburg, TN

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This action proposes to amend Class E surface airspace in Dyersburg, TN, as the Nally Dunston non-directional beacon (NDB) has been decommissioned, and associated approaches cancelled for Dyersburg Regional Airport. This action would update the airport name and geographic coordinates. In addition, this action would also make an editorial change replacing the term Airport/Facility Directory with the term Chart Supplement in the legal description of associated Class E airspace. Controlled airspace is necessary for the safety and management of instrument flight rules (IFR) operations in the area.

DATES: Comments must be received on or before March 21, 2022.

ADDRESSES: Send comments on this proposal to: The United States Department of Transportation, Docket Operations, 1200 New Jersey Avenue SE, West Building Ground Floor, Room W12-140, Washington, DC 20590-0001; Telephone: (800) 647-5527, or (202) 366-9826. You must identify the Docket No. FAA-2021-0028; Airspace Docket No. 21-ASO-41 at the beginning of your comments. You may also submit

comments through the internet at <https://www.regulations.gov>.

FAA Order JO 7400.11F Airspace Designations and Reporting Points and subsequent amendments can be viewed online at https://www.faa.gov/air_traffic/publications/. For further information, you can contact the Airspace Policy Group, Federal Aviation Administration, 800 Independence Avenue SW, Washington, DC 20591; Telephone: (202) 267-8783. FAA Order JO 7400.11F is also available for inspection at the National Archives and Records Administration (NARA). For information on the availability of FAA Order JO 7400.11F at NARA, email fr.inspection@nara.gov or go to <https://www.archives.gov/federal-register/cfr/ibr-locations.html>.

FOR FURTHER INFORMATION CONTACT: John Fornito, Operations Support Group, Eastern Service Center, Federal Aviation Administration, 1701 Columbia Avenue, College Park, GA 30337; Telephone (404) 305-6364.

SUPPLEMENTARY INFORMATION:

Authority for This Rulemaking

The FAA's authority to issue rules regarding aviation safety is found in Title 49 of the United States Code. Subtitle I, Section 106, describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency's authority. This rulemaking is promulgated under the authority described in Subtitle VII, Part A, Subpart I, Section 40103. Under that section, the FAA is charged with prescribing regulations to assign the use of airspace necessary to ensure the safety of aircraft and the efficient use of airspace. This regulation is within the scope of that authority, as it would amend airspace in Dyersburg, TN, to support IFR operations in the area.

Comments Invited

Interested persons are invited to comment on this proposed rulemaking by submitting such written data, views, or arguments, as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal.

Communications should identify both docket numbers (Docket No. FAA-2021-0028 and Airspace Docket No. 21-ASO-41) and be submitted in triplicate to DOT Docket Operations (see