

DEPARTMENT OF JUSTICE**Drug Enforcement Administration****[Docket No. DEA-372]****Exempt Chemical Preparations Under the Controlled Substances Act****AGENCY:** Drug Enforcement Administration, Department of Justice.**ACTION:** Order with opportunity for comment.

SUMMARY: The applications for exempt chemical preparations received by the Drug Enforcement Administration (DEA) between July 1, 2018, and December 31, 2020, as listed below, were accepted for filing and have been approved or denied as indicated.

DATES: Interested persons may file written comments on this order in accordance with 21 CFR 1308.23(e). Electronic comments must be submitted, and written comments must be postmarked, on or before June 22, 2021. Commenters should be aware that the electronic Federal Docket Management System will not accept comments after 11:59 p.m. Eastern Time on the last day of the comment period.

ADDRESSES: To ensure proper handling of comments, please reference "Docket No. DEA-372" on all correspondence, including any attachments.

Electronic comments: DEA encourages that all comments be submitted through the Federal eRulemaking Portal, which provides the ability to type short comments directly into the comment field on the web page or to attach a file for lengthier comments. Please go to <http://www.regulations.gov> and follow the online instructions at that site for submitting comments. Upon completion of your submission you will receive a Comment Tracking Number for your comment. Please be aware that submitted comments are not instantaneously available for public view on *Regulations.gov*. If you have received a comment tracking number, your comment has been successfully submitted and there is no need to resubmit the same comment.

Paper comments: Paper comments that duplicate the electronic submission are not necessary and are discouraged. Should you wish to mail a comment *in lieu of* an electronic comment, it should be sent via regular or express mail to: Drug Enforcement Administration, Attention: DEA Federal Register Representative/DRW, 8701 Morrisette Drive, Springfield, Virginia 22152.

FOR FURTHER INFORMATION CONTACT: Terrence L. Boos, Ph.D., Diversion Control Division, Drug Enforcement

Administration; Telephone: (571) 362-8201.

SUPPLEMENTARY INFORMATION:**Posting of Public Comments**

Please note that all comments received are considered part of the public record and made available for public inspection online at <http://www.regulations.gov> and in the DEA's public docket. Such information includes personal identifying information (such as your name, address, etc.) voluntarily submitted by the commenter. The Freedom of Information Act applies to all comments received.

If you want to submit personal identifying information (such as your name, address, etc.) as part of your comment, but do not want it to be posted online or made available in the public docket, you must include the phrase "PERSONAL IDENTIFYING INFORMATION" in the first paragraph of your comment. You must also place all the personal identifying information you do not want posted online or made available in the public docket in the first paragraph of your comment and identify what information you want redacted.

If you want to submit confidential business information as part of your comment, but do not want it to be posted online or made available in the public docket, you must include the phrase "CONFIDENTIAL BUSINESS INFORMATION" in the first paragraph of your comment. You must also prominently identify confidential business information to be redacted within the comment.

Comments containing personal identifying information and confidential business information identified as directed above will generally be made publicly available in redacted form. If a comment has so much confidential business information that it cannot be effectively redacted, all or part of that comment may not be made publicly available. Comments posted to <http://www.regulations.gov> may include any personal identifying information (such as name, address, and phone number) included in the text of your electronic submission that is not identified as directed above as confidential.

An electronic copy of this document is available at <http://www.regulations.gov> for easy reference.

Legal Authority

Section 201 of the Controlled Substances Act (CSA) (21 U.S.C. 811) authorizes the Attorney General, by regulation, to exempt from certain provisions of the CSA certain

compounds, mixtures, or preparations containing a controlled substance, if he finds that such compounds, mixtures, or preparations meet the requirements detailed in 21 U.S.C. 811(g)(3)(B).¹ The DEA regulations at 21 CFR 1308.23 and 1308.24 further detail the criteria by which the DEA Assistant Administrator may exempt a chemical preparation or mixture from certain provisions of the CSA. The Assistant Administrator may, pursuant to 21 CFR 1308.23(f), modify or revoke the criteria by which exemptions are granted and modify the scope of exemptions at any time.

Exempt Chemical Preparation Applications Submitted Between July 1, 2018, and December 31, 2020

The Assistant Administrator received applications between July 1, 2018, and December 31, 2020, requesting exempt chemical preparation status detailed in 21 CFR 1308.23. Pursuant to the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23, the Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart I below is intended for laboratory, industrial, educational, or special research purposes and not for general administration to a human being or animal and either: (1) Contains no narcotic controlled substance and is packaged in such a form or concentration that the packaged quantity does not present any significant potential for abuse; or (2) contains either a narcotic or non-narcotic controlled substance and one or more adulterating or denaturing agents in such a manner, combination, quantity, proportion, or concentration that the preparation or mixture does not present any potential for abuse and, if the preparation or mixture contains a narcotic controlled substance, is formulated in such a manner that it incorporates methods of denaturing or other means so that the preparation or mixture is not liable to be abused or have ill effects, if abused, and so that the narcotic substance cannot in practice be removed.

Accordingly, pursuant to 21 U.S.C. 811(g)(3)(B), 21 CFR 1308.23, and 21 CFR 1308.24, the Assistant Administrator has determined that each of the chemical preparations or mixtures generally described in Chart I below and specifically described in the application materials received by DEA is exempt, to the extent described in 21 CFR 1308.24,

¹ This authority has been delegated from the Attorney General to the Administrator of the DEA by 28 CFR 0.100, and subsequently redelegated to the Deputy Assistant Administrator pursuant to 28 CFR 0.104 and Section 7 of the appendix to subpart R of part 0.

from application of sections 302, 303, 305, 306, 307, 308, 309, 1002, 1003, and 1004 (21 U.S.C. 822–823, 825–829, and 952–954) of the CSA, and 21 CFR 1301.74, as of the date that was provided in the approval letters to the individual requesters.

Scope of Approval

The exemptions are applicable only to the precise preparation or mixture described in the application submitted to DEA in the form(s) listed in this order and only for those above mentioned sections of the CSA and the CFR. In accordance with 21 CFR 1308.24(h), any change in the quantitative or qualitative composition of the preparation or mixture, or change in the trade name or other designation of the preparation or

mixture after the date of application requires a new application. The requirements set forth in 21 CFR 1308.24(b)–(e) apply to the exempted materials. In accordance with 21 CFR 1308.24(g), DEA may prescribe requirements other than those set forth in 21 CFR 1308.24(b)–(e) on a case-by-case basis for materials exempted in bulk quantities. Accordingly, in order to limit opportunity for diversion from the larger bulk quantities, DEA has determined that each of the exempted bulk products listed in this order may only be used in-house by the manufacturer, and may not be distributed for any purpose, or transported to other facilities.

Additional exempt chemical preparation requests received between

July 1, 2018, and December 31, 2020, and not otherwise referenced in this order, may remain under consideration until DEA receives additional information required, pursuant to 21 CFR 1308.23(d), as detailed in separate correspondence to individual requesters. DEA's order on such requests will be communicated to the public in a future **Federal Register** publication.

DEA also notes that these exemptions are limited to exemption from only those sections of the CSA and the CFR that are specifically identified in 21 CFR 1308.24(a). All other requirements of the CSA and the CFR apply, including registration as an importer as required by 21 U.S.C. 957.

BILLING CODE 4410–09–P

Chart I

Supplier	Product Name	Form	Application Date
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	Abbott FLQ TDM Base	Glass or plastic bottle or flask: 500-1000mL	4/22/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS	Kit: 4 vials, 3 mL each	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1-250 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level	Glass vial, bottle, or flask: 1-250 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 1mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and	Glass vial, bottle, or	6/29/2020

	Toxicology for LC-MS Bulk Level 3	flask: 1.5 L	
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 3	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 250 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 300 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 500 mL	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 1.5 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 3	Glass vial, bottle, or flask: 2 L	6/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 1	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 2	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse and Toxicology for LC-MS Level 3	Amber vial: 3 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 1	Glass Vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 2	Glass vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Beckman AU Level 3	Glass vial: 3 mL	4/15/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 1	Glass vial, bottle, or flask: 1-500 mL	5/8/2019

Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 2	Glass vial, bottle, or flask: 1-500 mL	5/8/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse Bulk AU Level 3	Glass vial, bottle, or flask: 1-500 mL	5/8/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU	1 kit; 4 vials x 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level 1	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Beckman AU Level 3	Glass Vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 1 (3000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 2 (5000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS II Level 3 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 1 (3000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 2 (5000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for LC-MS Level 3 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems	Kit: 4 vials; 3 mL each	6/10/2019
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems	1 kit; 4 vials x 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 1	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 2	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver FLQ Drugs of Abuse for Roche Systems Level 3	Glass vial: 3 mL	1/29/2020
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 1	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 2	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse BULK Level 3	Glass container: 1 mL – 500 mL	6/12/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019

Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 2	Glass bottle, flask or carboy: 3L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 3	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Bulk Level 4	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 2	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 3	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse LC/MS Level 4	Amber vial: 3 mL	11/29/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 2L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 1L	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 2	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 3	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Bulk Level 4	Glass bottle, flask or carboy: 500 mL	1/3/2019
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 2	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 3	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Cal Ver LQ Drugs of Abuse RS Level 4	Amber vial: 3 mL	9/20/2018
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS	Kit: 6 vials, 3 mL each	6/12/2019
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 1	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and	Glass vial, bottle, or	7/14/2020

	Toxicology for LC-MS Bulk Level 2	flask: 300 mL	
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Bulk Level 2	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 1	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 5 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 250 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 300 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 500 mL	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 1.5 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Bulk Level 2	Glass vial, bottle, or flask: 2 L	7/14/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Level 1	Amber vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS II Level 2	Amber vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Level 1 (4000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Control FLQ Drugs of Abuse and Toxicology for LC-MS Level 2 (6000 ng/mL per substance)	Glass vial: 3 mL	3/30/2020
Aalto Scientific, Ltd.	Endocrine: Steroids	Amber vial: 5 mL	11/15/2018
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 1	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 2	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	FLQ Audit General Chemistry Control Level 3	Glass Vial: 4 mL	8/22/2019
Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 1	Amber vial: 3 mL	10/23/2019

Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 2	Amber vial: 3 mL	10/23/2019
Aalto Scientific, Ltd.	LC-MS FLQ Drugs of Abuse II Level 3	Amber vial: 3 mL	10/23/2019
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Abbott Architect	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Abbott Systems	Kit: 5 Plastic bottles; 2 mL each	10/23/2019
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Roche Systems	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	Linearity FLQ Fertility for Siemens Centaur	Kit: 10 bottles, 3 mL each	8/13/2018
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	LN3 Base	Glass or plastic bottle or flask: 500-750 mL	4/22/2020
Aalto Scientific, Ltd.	Phenobarbital in-house Solution	Glass bottle: 100 mL	7/18/2018
Aalto Scientific, Ltd.	Phenobarbital in-house Solution 1 mg/mL	Glass bottle: 5 mL, 50 mL, 100 mL	8/22/2018
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 1-100 mL	4/22/2020
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 100-500 mL	4/22/2020
Aalto Scientific, Ltd.	Roche FLQ TDM Base	Glass or plastic bottle or flask: 500-1000 mL	4/22/2020
Aalto Scientific, Ltd.	Testosterone Stock Solution	Glass bottle: 1 mL - 100 mL	8/13/2018
Abaxis North America	Abaxis Universal Final Test Pool	Amber vial: 3 mL	9/17/2018
Abaxis North America	FTP with CRP	Amber vial: 3 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 1	Amber vial: 1 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 2	Amber vial: 1 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 3	Amber vial: 1 mL	9/17/2018
Abaxis North America	VetScan Chemistry Control Level 4	Amber vial: 1 mL	9/17/2018
Agilent Technologies	(-)-delta9-Tetrahydrocannabinol-D3 (delta9-THC-D3) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/28/2018
Agilent Technologies	(±)-Cannabicyclol (CBL) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	CA/CP Required Cannabinoids Kit	Kit: 7 ampules, 1 mL each	8/1/2018
Agilent Technologies	Cannabichromenic Acid (CBCA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabicyclolic Acid (CBLA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabicyclolic Acid (CBLA) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabidivarinic Acid (CBDVA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabidivarinic Acid (CBDVA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018

Agilent Technologies	Cannabinoid Mix C	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabinoid Potency Kit	Kit: 4 ampules, 1 mL each	8/1/2018
Agilent Technologies	Cannabinoid Standards Mix D	Amber ampule: 1 mL	8/1/2018
Agilent Technologies	Cannabinol-D3 (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Cannabinolic Acid (CBNA) (1 mg/mL in Acetonitrile)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	Delta-9-Tetrahydrocannabinolic acid (THCA-A) isomer A	Amber ampule: 1 mL	11/15/2018
Agilent Technologies	exo-Tetrahydrocannabinol (exo-THC) (1 mg/mL in Methanol)	Amber ampule: 1 mL	8/5/2018
Agilent Technologies	QCK-914A	Kit: Glass ampule: 1 mL	2/6/2020
Agilent Technologies	QuickProbe ICO Mix	Amber ampule: 1 mL	9/5/2018
Arbor Assays	Androstenedione 5-Plate Enzyme Immunoassay Kit	1 kit: 1 x 0.150 mL vial	3/29/2019
Arbor Assays	Androstenedione Enzyme Immunoassay Kit	1 kit: 1 x 0.70 mL mL	3/29/2019
Arbor Assays	Androstenedione Standard - 24 ng/mL	Vial: 0.150 mL	3/29/2019
Arbor Assays	Androstenedione Standard - 24 ng/mL	Vial: 0.70 mL	3/29/2019
ARK Diagnostics, Inc.	ARK HS Benzodiazepine 100 Cutoff Calibrator	Kit: 4 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine 200 Cutoff Calibrator	Kit: 4 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Calibrator	Kit: 5 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Control (150/250)	Kit: 2 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK HS Benzodiazepine Control (75/125)	Kit: 2 Dropper vials, 10 mL each	1/8/2020
ARK Diagnostics, Inc.	ARK Ketamine Calibrator	Kit: 5 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Ketamine Control	Kit: 4 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Ketamine Cutoff Calibrator	Kit: 2 Dropper vials, 10 mL each	6/24/2019
ARK Diagnostics, Inc.	ARK Lacosamide Calibrator (Kit Reference Number 5033-0002-00)	Kit: 5 Dropper vials, 2 mL each	4/18/2019
ARK Diagnostics, Inc.	ARK Lacosamide Control (Kit Reference Number 5033-0003-00)	Kit: 3 Dropper vials, 4 mL each	4/18/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Calibrator (Kit Reference Number 5059-0002-00)	Kit: 5 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Calibrator (Kit Reference Number 5059-0005-00)	Kit: 5 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Control (Kit Reference Number 5059-0003-00)	Kit: 6 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin II Control (Kit Reference Number 5059-0006-00)	Kit: 6 Dropper vials, 4 mL each	5/13/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Calibrator (Kit Reference Number 5035-0002-00)	Kit: 4 Dropper vials, 4 mL each	4/16/2019
ARK Diagnostics, Inc.	ARK Pregabalin Urine Control (Kit Reference Number 5035-0003-00)	Kit: 6 Dropper vials, 4 mL each	4/16/2019
Audit MicroControls	Linearity FLQ TDM for Abbott Systems Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Abbott Systems Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Abbott Systems Level B	Plastic bottle: 4 mL	8/16/2019

Audit MicroControls	Linearity FLQ TDM for Abbott Systems Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Abbott Systems Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Abbott Systems Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Beckman AU Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Roche Systems Level E	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Kit	Kit: 5 Plastic bottles; 4 mL each	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Level A	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Level B	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Level C	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Level D	Plastic bottle: 4 mL	8/16/2019
Audit MicroControls	Linearity FLQ TDM for Siemens Centaur Level E	Plastic bottle: 4 mL	8/16/2019
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC266	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC267	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC268	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC269	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC270	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC271	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018

Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC272	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC273	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC274	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC275	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC276	Glass vials: 1mL, 5 mL, 10 mL, 20 mL, 50 mL, 100 mL	8/23/2018
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC280	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC281	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC282	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	2/19/2020
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC283	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL, 60 mL	2/19/2020
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 1	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 2	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Level 3	Plastic tube: 3 mL; Box: 12 tubes	12/10/2018
Bio-Rad Laboratories	InteliQ Assayed Multiqual Control, Trilevel MiniPak	Box: 3 tubes, 3 mL each	12/10/2018
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 1	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 2	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Level 3	Plastic tube: 4 mL; Box: 12 tubes	9/15/2020
Bio-Rad Laboratories	InteliQ Immunoassay Plus Control, Trilevel MiniPak	Box: 3 tubes, 4 mL each	9/15/2020
Cambridge Isotope Laboratories, Inc.	(+/-) -Cannabidiol Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	(±)-Cannabicyclol (CBL) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	4-ANPP Unlabeled 100 µg/mL in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Acryl Fentanyl HCl Unlabeled 100 µg/mL in Methanol (as free base)	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Cannabichromene (CBC) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabichromenic Acid (CBCA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabicyclollic Acid (CBLA) Unlabeled 0.5 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabidiol (D3, 98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope	Cannabidiolic Acid (CBDA) Unlabeled 1	Glass vial: 1 mL	2/21/2019

Laboratories, Inc.	mg/mL in Acetonitrile		
Cambridge Isotope Laboratories, Inc.	Cannabidivarin (CBDV) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabidivarinic Acid (CBDVA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabigerol (CBG) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabigerolic Acid (CBGA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinol (D3, 98%) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinol Unlabeled 1000 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Cannabinolic Acid (CBNA) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Carfentanil Oxalate (D5, 98%) 100 µg/mL in Methanol (as free base)	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Clobazam (Ring-[C]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Clonazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Delta-9-Tetrahydrocannabinolic Acid A (THC-A) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Diazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	DLM-10401-1.2	Glass Ampule: 1.2 mL	8/1/2019
Cambridge Isotope Laboratories, Inc.	Furanyl Fentanyl HCl (as free base) Unlabeled 100 µg/mL in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	HU-210 (Spice Cannabinoid) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	JWH-018 (Spice Cannabinoid) 100 µg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	JWH-073 (Spice Cannabinoid) 100 µg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Labeled Steroid CAH Set S NSK-S-CAH-1	Glass ampule: 4 mL	7/25/2018
Cambridge Isotope Laboratories, Inc.	Lorazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	m-Hydroxycocaine Unlabeled 1.0 mg/mL in Acetonitrile	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Midazolam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	N,N-Dimethyltryptamine (DMT) Unlabeled 1.0 mg/mL in Methanol	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	N-Ethylpentylone HCl Unlabeled 1.0 mg/mL in Methanol (as free base)	Glass vial: 1 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Nordiazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	NSK-S-C1-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	NSK-S-CAH-OP-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	NSK-S-PE3-1	Glass Vial: 4 mL	4/30/2019
Cambridge Isotope Laboratories, Inc.	Oxazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope	para-Fluorobutyl Fentanyl (PFBF)	Glass vial: 0.5 mL	10/19/2018

Laboratories, Inc.	Unlabeled 100 µg/mL in Methanol		
Cambridge Isotope Laboratories, Inc.	Prazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Temazepam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	Tetrahydrocannabidiol (THCV) Unlabeled 1 mg/mL in Methanol	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Tetrahydrocannabidiol (THCV) Unlabeled 1 mg/mL in Acetonitrile	Glass vial: 1 mL	2/21/2019
Cambridge Isotope Laboratories, Inc.	Triazolam (Ring-[A]-13C6, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
Cambridge Isotope Laboratories, Inc.	ULM-10972-1.2	Glass Ampule: 1.2 mL	8/1/2019
Cambridge Isotope Laboratories, Inc.	Valeryl Fentanyl HCl Unlabeled 100 µg/mL (as free base) in Methanol	Glass vial: 0.5 mL	10/19/2018
Cambridge Isotope Laboratories, Inc.	Zolpidem (Carbonyl-1,2-13C2, 98%; Amide-15N, 98%) 50 µg/mL in Methanol, CP 95%+	Glass vial: 1 mL	10/16/2018
CAP	CAP (BMV2)	Amber vial: 5 mL	12/5/2019
CAP	CAP (CHM)	Amber vial: 5 mL	12/5/2019
CAP	CAP (CZQ)	Amber vial: 5 mL	12/5/2019
Cayman Chemical Company	(±)-cis-3-methyl-Butyryl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	(±)-cis-3-methyl-Butyryl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	(6aR,9R)-delta10-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9R)-delta10-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9S)-delta10-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	(6aR,9S)-delta10-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	2,2,3,3-tetramethyl-Cyclopropyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	2,2,3,3-tetramethyl-Cyclopropyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	3,4-Methylenedioxy Pyrovalerone (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	3,4-Methylenedioxy Pyrovalerone (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	9(R)-delta6a,10a-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(R)-delta6a,10a-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(S)-delta6a,10a-THC (1 mg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	9(S)-delta6a,10a-THC (100 µg/mL) (CRM)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Benzodioxole fentanyl (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Benzodioxole fentanyl (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019

Cayman Chemical Company	bk-DMBDB (hydrochloride) (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-DMBDB (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-MDEA (hydrochloride) (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	bk-MDEA (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Butorphanol (tartrate) (CRM) (1 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Butorphanol (tartrate) (CRM) (100 µg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (1.0 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (1.0 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (2.0 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	Carisoprodol/Meprobamate Mixture (CRM) (2.0 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Crotonyl fentanyl (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Crotonyl fentanyl (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.1 mg/mL d9-THC 0.5 mL	Glass Ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.1 mg/mL d9-THC 1 mL	Glass Ampule: 1 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.2 mg/mL d9-THC 0.5 mL	Glass Ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	D9-THC Metabolite Mixture (CRM) 0.2 mg/mL d9-THC 1 mL	Glass Ampule: 1 mL	10/26/2020
Cayman Chemical Company	DUID Blood Analysis Mixture 1 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 1 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 2 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 2 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (1.3 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (1.3 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (2.6 mg/mL)	Glass Ampule: 1.0 mL	8/16/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 3 (CRM) (2.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (0.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (0.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (1.2 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Blood Analysis Mixture 4 (CRM) (1.2 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 1 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 2 (CRM)	Glass Ampule: 1.0 mL	8/26/2019

Cayman Chemical Company	DUID Urine Analysis Mixture 2 (CRM)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (0.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (0.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (1.2 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (1.2 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (2.4 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 3 (CRM) (2.4 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.4 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.4 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.8 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (0.8 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (1.6 mg/mL)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	DUID Urine Analysis Mixture 4 (CRM) (1.6 mg/mL)	Glass Ampule: 0.5 mL	8/26/2019
Cayman Chemical Company	Eutylone (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Eutylone (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Furanyl fentanyl 3-furancarboxamide isomer (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Furanyl fentanyl 3-furancarboxamide isomer (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	LSD (D-tartrate) (solution) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (50 µg in 0.5 mL acetonitrile)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (50 µg in 0.5 mL methanol)	Glass ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	MT-45 (hydrochloride) (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	MT-45 (hydrochloride) (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Nimetazepam (CRM) (1 mg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Nimetazepam (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Norfentanyl (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	Norfentanyl (CRM) (100 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	para-Methoxyfentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	para-Methoxyfentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Phenyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019

Cayman Chemical Company	Phenyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.1 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.25 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 0.5 mg/mL 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 1 mL	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 5 (CRM) 1 mg/mL 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020

Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.25 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL, 1 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 0.5 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL 0.5 mL in 40:60 acetonitrile/triethylamine w/ 0.15% ascorbic acid	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Acids Mixture 8 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10 (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10-A (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 10-A (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 11 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 15 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (1.6 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019

Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (4.0 mg/mL)	Glass ampule: 0.5 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (500 µg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (2.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (3.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 3A (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (1.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (2.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (3.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Mixture 4A (CRM) (4.0 mg/mL)	Glass ampule: 1.0 mL	8/29/2019
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.1 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.25 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.25 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.5 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 0.5 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 1 mg/mL, 0.5 mL in acetonitrile	Glass ampule: 0.5 mL	10/26/2020
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 8 (CRM) 1 mg/mL, 1 mL in acetonitrile	Glass ampule: 1 mL	10/26/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (10 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (10 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (20 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (20 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (5 µg/mL)	Glass ampule: 1.0 mL	8/11/2020
Cayman Chemical Company	System Suitability Mixture - Thermo Fisher (5 µg/mL)	Glass ampule: 0.5 mL	8/11/2020
Cayman Chemical Company	β-Methyl fentanyl (hydrochloride) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	β-Methyl fentanyl (hydrochloride) (CRM) (50 µg in 0.5 mL methanol)	Glass Ampule: 0.5 mL	7/5/2019
Cayman Chemical Company	Δ9-THC (CRM) (5.0 mg/mL in acetonitrile)	Glass ampule: 0.5 mL	5/27/2020
Cayman Chemical	Δ9-THC (CRM) (5.0 mg/mL in methanol)	Glass ampule: 0.5 mL	5/27/2020

Company			
Cerilliant Corporation	(-)-exoTHC-D3 (0.1 mg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	(±)-beta-Hydroxythiofentanyl -13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	2'-Fluoro-o-fluorofentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	2'-Fluoro-o-fluorofentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	2-Thiofuranyl fentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	2-Thiofuranyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	3-Methyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	4-ANPP-13C6	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chlorofuranyl fentanyl HCl	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	4-Chlorofuranyl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chloroisobutyryl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Chloroisobutyryl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4-Cl-alpha-PVP HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	4-Fluoroisobutyryl fentanyl-13C6	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	4'-Methylacetyl fentanyl - 13C6 HCl	Glass Ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	4-Methyl-N-ethyl-pentedrone HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	5F-AMB	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	5F-EDMB-PINACA (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	5F-EMB-PINACA	Glass ampule: 1.0 mL	11/5/2019
Cerilliant Corporation	5F-MDMB-PICA (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	Acryl fentanyl- 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	ADB-PINACA	Glass Ampule: 1 mL	7/17/2019
Cerilliant Corporation	alpha-Methylfentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	alpha-Pyrrolidinohexanophenone HCl (alpha-PHP HCl)	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	alpha-Pyrrolidinoisohexanophenone HCl (alpha-PiHP HCl) (1.0 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	Benzoyl fentanyl – 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Benzoyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Beta'-Phenyl fentanyl 13C6 HCl (0.1 mg/ml)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Beta'-Phenyl fentanyl HCl (0.1 mg/ml)	Glass ampule: 0.5 mL	8/14/2020

Cerilliant Corporation	Butyryl Fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Cannabinoid Mixture – 14 Component (0.2 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture – 6 Component (0.5 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture (Acids) – 6 Component (0.5 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture (Neutrals) – 8 component	Glass ampule: 1 mL	11/5/2019
Cerilliant Corporation	Cannabinoid Mixture (Neutrals) – 8 Component (0.3 mg/mL)	Glass ampule: 1 mL	9/27/2018
Cerilliant Corporation	Cannabinoid Mixture- 3 component	Glass ampule: 1 mL	3/10/2020
Cerilliant Corporation	Carfentanil - 13C6 oxalate	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Clorazepate- 13C6 dipotassium	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Crotonyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Crotonyl fentanyl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	Crotonyl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	Cyclohexyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Cyclohexyl fentanyl HCl	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	Cyclopentyl Fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Cyclopentyl fentanyl HCl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	Cyclopropyl fentanyl - 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	delta9-Tetrahydrocannabinolic acid A-D3 (THCA-A-D3)	Glass ampule: 1.0 mL	3/29/2019
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 1, 2 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 2, 2.7 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 3, 3.4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	delta9-THC, Hemp Compliance Curve (Point 4, 4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	Dimethylone HCl (1 mg/mL)	Glass ampule: 1 mL	1/15/2019
Cerilliant Corporation	Ethylmorphine-D5	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	FUB-144 (0.1 mg/mL)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	FUB-APINACA	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Furanyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Hemp Compliance Mix	Glass ampule: 1 mL	3/10/2020
Cerilliant Corporation	Isobutyryl Fentanyl -13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019

Cerilliant Corporation	Isotonitazene HCl (1.0 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Isotonitazene-13C6 HCl (0.1 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Isotonitazene-13C6 HCl (1.0 mg/mL)	Glass ampule: 1 mL	11/4/2020
Cerilliant Corporation	Methoxyacetyl fentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	m-Hydroxybenzoylecgonine-D3	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	MMB-CHMICA (0.1 mg/mL)	Glass ampule: 1 mL	8/23/2018
Cerilliant Corporation	MT-45-D5 diHCl (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	N,N-Dimethylpentylone HCl	Glass ampule: 1.0 mL	3/29/2019
Cerilliant Corporation	Nalbuphine -3-beta-D-glucuronide	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Nalbuphine-D3-3-beta-D-glucuronide	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	N-Ethylbuphedrone HCl	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	N-ethylhexedrone HCl	Glass ampule: 1 mL	8/29/2019
Cerilliant Corporation	N-Ethylpentylone HCl (1 mg/mL)	Glass ampule: 1 mL	9/12/2018
Cerilliant Corporation	N-Ethylpentylone-D5 HCl (0.1 mg/mL)	Glass ampule: 1 mL	9/12/2018
Cerilliant Corporation	Nimetazepam-D3 (0.1 mg/mL)	Glass ampule: 1 mL	1/15/2019
Cerilliant Corporation	NM-2201 (0.1mg/ml)	Glass ampule: 1 mL	8/14/2020
Cerilliant Corporation	Norfentanyl oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-13C6 oxalate (0.1 mg/mL)	Glass ampule: 0.5 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-13C6 oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-D5 oxalate (1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norfentanyl-D5 oxalate (0.1 mg/mL)	Glass ampule: 1 mL	5/21/2020
Cerilliant Corporation	Norhydrocodone - D3 HCl	Glass Ampule: 1 mL	7/17/2019
Cerilliant Corporation	Ocfentanil - 13C6 HCl (0.1 mg/ mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Ocfentanil-D5 (0.1 mg/mL)	Glass ampule: 0.5 mL	1/15/2019
Cerilliant Corporation	o-Fluorofentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	o-Methylacetyl fentanyl 13C6 HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	o-Methylacetyl fentanyl HCl (0.1 mg/mL)	Glass ampule: 0.5 mL	8/14/2020
Cerilliant Corporation	Para-Fluorobutyryl fentanyl - 13C6	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	para-Fluorofentanyl-13C6	Glass ampule: 0.5 mL	7/17/2019
Cerilliant Corporation	para-Methoxybutyryl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019

Cerilliant Corporation	Para-Methoxybutyryl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	para-Methylacetyl fentanyl HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	para-Methylacetyl fentanyl-13C6 HCl	Glass ampule: 0.5 mL	5/21/2019
Cerilliant Corporation	Remifentanyl – 13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Cerilliant Corporation	Tetrahydrofuranyl fentanyl - 13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Tetrahydrofuranyl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	Tetramethylcyclopropyl fentanyl -13C6 HCl (0.1 mg/mL as free base)	Glass ampule: 0.5 mL	3/11/2019
Cerilliant Corporation	Tetramethylcyclopropyl Fentanyl HCl	Glass ampule: 0.5 mL	11/5/2019
Cerilliant Corporation	Tetrazepam-13C2, 15N (0.1 mg/mL)	Glass vial: 0.5 mL	10/25/2018
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 1, 2 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 2, 2.7 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 3, 3.4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THCA-A, Hemp Compliance Curve (Point 4, 4 µg/mL)	Glass ampule: 1 mL	4/8/2020
Cerilliant Corporation	THC-O-Acetate Solution	Glass ampule: 1 mL	7/17/2019
Cerilliant Corporation	U-47700-13C3, 15N2 U-47700-13C3, 15N2	Glass ampule: 1 mL	5/21/2019
Cerilliant Corporation	Valeryl fentanyl -13C6 HCl	Glass ampule: 0.5 mL	3/29/2019
Chemtos, LLC	(R,S)-2,2-diphenyl-4-dimethylaminopentanenitrile (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Benzylpiperazine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Benzylpiperazine-d7 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Benzylpiperazine-d7 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	1-Phenylcyclohexylamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	1-Phenylcyclohexylamine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	2C-C HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-C-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-C-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-D-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-E-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-H-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-I HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020

Chemtos, LLC	2C-I-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-I-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-N-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-P-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-2-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-4-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	2C-T-7-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3,4,5-TMA-d9 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-FMC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-FMC-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-FMC-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	3-MEC HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	3-MEC-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-FMC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-FMC-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-FMC-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEAP HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEAP-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEAP-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MEC-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	4-MePPP HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-Methylaminorex (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-Methylaminorex-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	4-Methyl-N,N-Dimethylcathinone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AB-PINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AB-PINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020

Chemtos, LLC	5F-ADB, 5F-MDMB-PINACA, 5F-ADB-PINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-ADB, 5F-MDMB-PINACA, 5F-ADB-PINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AMB (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-AMB (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-APINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-APINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5F-PB-22 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	5-MeO-DiPT HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DiPT-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DMT (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	5-MeO-DMT-d6 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	ADB-FUBINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	ADB-FUBINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AH-7921-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-methyltryptamine (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-methyltryptamine (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP-d8 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Alpha-PBP-d8 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AM2201 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	AM2201-d5 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Aminorex (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Aminorex-d5 (CRM) (0.1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	BK-DMBDB HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	BK-DMBDB-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Buphedrone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Butylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Butylone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Butylone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol-d9 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cannabidiol-d9 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Cathinone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Clortermine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020

Chemtos, LLC	Clortermine-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Clortermine-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	D-Amphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Amphetamine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Desmethyprodine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Desmethyprodine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Diphenoxin (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Diphenoxylate HCl (CRM) (1 mg/mL in acetonitrile)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DMC HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DMC-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Methamphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	D-Methamphetamine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	DOB HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOB HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOB-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOET-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM-d6 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	DOM-d6 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Eutylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Eutylone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Eutylone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Fenethylamine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	FUB-144 (FUB-UR-144) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	FUB-APINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	FUB-APINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Isomethadone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-018 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-018 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-018-d9 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-019 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-081 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-122 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-122 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-122-d4 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	JWH-200 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-203 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-250 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	JWH-398 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020

Chemtos, LLC	L-Amphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	L-Methamphetamine (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	L-Methamphetamine-d3 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	MDMB-FUBINACA (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MDMB-FUBINACA (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mecloqualone (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mecloqualone-d4 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mecloqualone-d4 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline-d9 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Mescaline-d9 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methadone Intermediate (4-(Dimethylamino)-2,2-diphenylpentanenitrile) (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methadone Intermediate (4-(Dimethylamino)-2,2-diphenylpentanenitrile) (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methaqualone (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methaqualone-d7 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methaqualone-d7 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Methcathinone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MMB-FUBINACA (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	MMB-FUBINACA (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	MT-45 diHCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MT-45-d6 diHCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	MT-45-d6 diHCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	N-Ethyl-1-phenylcyclohexylamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	N-Ethyl-1-phenylcyclohexylamine-d5 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	N-Ethylpentylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	N-Ethylpentylone-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	N-Ethylpentylone-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Nor-Mephedrone HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PB-22 (QUPIC) (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PB-22 (QUPIC) (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCPy (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCPy-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PCPy-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Pentedrone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020

Chemtos, LLC	Pentedrone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentedrone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentobarbital (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Pentylone HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentylone-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Pentylone-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PEPAP HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Phendimetrazine Tartrate (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	Phenmetrazine HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Phenmetrazine-d5 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Phenmetrazine-d5 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	Piritramide (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	PMA HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PMA-d3 HCl (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	PMA-d3 HCl (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	RCS-8, SR-18 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	SR-19, RCS-4 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	sR-19-d3, RCS-4-d3 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	TCPy (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	TCPy-d5 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	TCPy-d5 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	U-47700 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	U-47700-d6 (0.1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	U-47700-d6 (1 mg/mL)	Amber ampule: 1 mL	5/22/2020
Chemtos, LLC	XLR11 (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	XLR11 (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	α -Ethyltryptamine HCl (CRM) (1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chemtos, LLC	α -Ethyltryptamine-d4 HCl (CRM) (0.1 mg/mL in methanol)	Amber vial: 1 mL	10/19/2020
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level I	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level II	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Control Set Level III	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassCheck® Drugs of Abuse Testing Urine Hydrolysis Control Set	Vials: 1 mL x4, 4.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassTox Drugs of Abuse Testing in Urine	Vials: 1 mL x4, 2.5 mL x2, 5.5 mL x1	9/18/2019
Chromsystems Instruments and Chemicals GmbH	MassTox Drugs of Abuse Testing in Urine - 6PLUS1 ® Multilevel Urine Calibrator Set	Vials: 8 mL x1, 1 mL x7, 8.5 mL x1	9/18/2019

College of American Pathologists	2018 DFC-04	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 DFC-05	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 DFC-06	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 OFD-11	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-12	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-13	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2018 OFD-14	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2018 OFD-15	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 DFC-01	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-02	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DFC-03	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-04	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DFC-05	Bottle: 25 mL	10/8/2018
College of American Pathologists	2019 DFC-06	HDPE bottle: 25 mL	1/14/2019
College of American Pathologists	2019 DMPM-01	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-02	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-03	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-05	Bottle: 40 mL	10/8/2018
College of American Pathologists	2019 DMPM-06	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 DMPM-07	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 FTC-01	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-02	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-03	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-04	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-05	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 FTC-06	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 FTC-07	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 NOB-01	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-02	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-03	Amber vial: 15 mL	1/14/2019

College of American Pathologists	2019 NOB-04	Amber vial: 15 mL	10/8/2018
College of American Pathologists	2019 NOB-05	Amber vial: 15 mL	1/14/2019
College of American Pathologists	2019 NOB-06	Amber vial: 15 mL	10/8/2018
College of American Pathologists	2019 OFD-01	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-02	HDPE bottle: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-03	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-04	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-05	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-06	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-07	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-08	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-10	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-11	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-12	Amber vial: 25 mL	1/14/2019
College of American Pathologists	2019 OFD-13	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-14	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-15	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-16	Amber vial: 2 mL	10/8/2018
College of American Pathologists	2019 OFD-17	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-18	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-19	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 OFD-20	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2019 SCDD-01	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-02	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-03	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-04	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-05	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 SCDD-06	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 T-01	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-02	HDPE bottle: 50 mL	1/14/2019

College of American Pathologists	2019 T-03	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 T-05	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-06	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-07	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 T-08	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-10	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-11	HDPE bottle: 20 mL	1/14/2019
College of American Pathologists	2019 T-12	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 T-15	Bottle: 20 mL	10/8/2018
College of American Pathologists	2019 THCB-01	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-02	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-03	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-04	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-05	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 THCB-06	Amber vial: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-01	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-02	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-03	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-04	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-05	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-06	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-07	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-08	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-09	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-10	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-11	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-12	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-13	Bottle: 10 mL	10/8/2018
College of American Pathologists	2019 UDS-14	HDPE bottle: 10 mL	1/14/2019
College of American Pathologists	2019 UDS-15	HDPE bottle: 10 mL	1/14/2019

College of American Pathologists	2019 UT-01	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-02	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-03	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-04	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-05	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-06	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-07	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-08	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-09	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-11	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UT-12	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-13	Bottle: 50 mL	10/8/2018
College of American Pathologists	2019 UT-14	HDPE bottle: 50 mL	1/14/2019
College of American Pathologists	2019 UTCO-01	HDPE bottle: 40 mL	1/14/2019
College of American Pathologists	2019 ZE-01	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-02	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-03	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-04	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-05	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019 ZE-06	Amber vial: 5 mL	10/8/2018
College of American Pathologists	2019-OFD-09	Amber vial: 2 mL	1/14/2019
College of American Pathologists	2020 DFC-02	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-03	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-04	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-05	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DFC-06	HDPE Bottle: 25 mL	10/23/2019
College of American Pathologists	2020 DMPM-01	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-02	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-05	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 DMPM-06	HDPE Bottle: 40 mL	10/23/2019

College of American Pathologists	2020 DMPM-07	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 FTC-01	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-02	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-03	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-05	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-06	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-07	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 FTC-08	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 NOB-01	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-02	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-03	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-04	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-05	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 NOB-06	Amber Vial: 15 mL	10/7/2019
College of American Pathologists	2020 OFD-01	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-02	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-03	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-04	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-07	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-08	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-10	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-11	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-12	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-14	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-15	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-16	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-17	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-18	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-19	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2020 OFD-20	Amber Vial: 2 mL	10/23/2019

College of American Pathologists	2020 SCDD-03	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 SCDD-06	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 T-01	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-03	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-04	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-07	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-08	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-09	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-10	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-11	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-12	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 T-13	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-14	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 T-15	HDPE Bottle: 20 mL	10/23/2019
College of American Pathologists	2020 THCB-01	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-02	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-03	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-04	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-05	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 THCB-06	Amber Vial: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-01	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-02	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-03	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-04	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-05	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-06	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-07	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-08	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-10	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-11	HDPE Bottle: 10 mL	10/23/2019

College of American Pathologists	2020 UDS-12	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-14	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UDS-15	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 UT-01	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-02	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-03	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-04	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-05	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-06	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-07	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-09	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-10	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-11	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-13	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-14	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UT-15	HDPE Bottle: 50 mL	10/23/2019
College of American Pathologists	2020 UTCO-01	HDPE Bottle: 40 mL	10/23/2019
College of American Pathologists	2020 ZE-01	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-02	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-03	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-04	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-05	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020 ZE-06	Amber vial: 5 mL	10/23/2019
College of American Pathologists	2020-OFD-09	Amber Vial: 2 mL	10/23/2019
College of American Pathologists	2021 DFC-01	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-02	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-04	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-05	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DFC-06	HDPE Bottle: 25 mL	4/13/2020
College of American Pathologists	2021 DMPM-01	HDPE Bottle: 40 mL	4/13/2020

College of American Pathologists	2021 DMPM-02	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-03	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-05	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-06	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 DMPM-07	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 OFD-01	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-02	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-03	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-04	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-05	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-06	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-07	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-08	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-09	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-10	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-11	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-12	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-13	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-14	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-15	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-16	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-17	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-18	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-19	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 OFD-20	HDPE vial: 2 mL	4/13/2020
College of American Pathologists	2021 T-01	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-02	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-03	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 T-05	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-06	HDPE Bottle: 20 mL	4/13/2020

College of American Pathologists	2021 T-07	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 T-09	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-12	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-13	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-14	HDPE Bottle: 20 mL	4/13/2020
College of American Pathologists	2021 T-15	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 THCB-01	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-02	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-03	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-04	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-05	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 THCB-06	Amber Vial: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-01	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-02	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-03	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-04	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-05	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-06	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-07	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-08	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-09	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-10	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-11	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-12	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-13	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-14	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UDS-15	HDPE Bottle: 10 mL	4/13/2020
College of American Pathologists	2021 UT-01	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-02	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-03	HDPE Bottle: 50 mL	4/13/2020

College of American Pathologists	2021 UT-05	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-06	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-08	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-09	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-10	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-11	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-12	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-13	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-14	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UT-15	HDPE Bottle: 50 mL	4/13/2020
College of American Pathologists	2021 UTCO-01	HDPE Bottle: 40 mL	4/13/2020
College of American Pathologists	2021 ZE-01	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-02	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-03	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-04	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-05	Amber vial: 5 mL	4/13/2020
College of American Pathologists	2021 ZE-06	Amber vial: 5 mL	4/13/2020
College of American Pathologists	LN3	Glass Vial: 4 mL	2/3/2020
CPI International	(-)-Cannabidiol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-d8-Tetrahydrocannabinol (d8-THC) 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
CPI International	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
CPI International	(-)-Delta 8-THC Solution, 1,000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-Delta 8-THC Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-delta 9-THC, 1000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)-trans-11-Nor-9-carboxy-Δ9-Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019

CPI International	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	($\pm$)-Cannabichromene Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	($\pm$)-Cannabichromene Solution, 1000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	($\pm$)-Methadone Solution, 50 mg/L in P/T Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Cannabidiol Solution, 1000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabidiolic Acid (CBDA) Solution, 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabidiolic Acid (CBDA) Solution, 1000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabigerol Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabigerol Solution, 1000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabinoids Solution, 1000 mg/L, 1 mL in Oral Fluid Solvent	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabinol Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	Cannabinol Solution, 1000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
CPI International	cis-Testosterone Solution, 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	4/27/2019
CPI International	D9-tetrahydrocannabivarin 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
CPI International	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020

CPI International	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL methanol	Amber ampule: 1 mL	10/5/2020
CPI International	D9-Tetrahydrocannabivarinic acid 100 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
CPI International	D9-Tetrahydrocannabivarinic acid 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
CPI International	Meprobamate solution 1,000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	7/30/2020
CPI International	Meprobamate Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	trans-Testosterone Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
CPI International	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019

CPI International	Δ^9 -Tetrahydrocannabinolic Acid a (THCA-A) Solution, 1000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator Cut-off 1000 ng/mL L3	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator High 2000 ng/mL L5	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	Uni Cal AMP 1000 Calibrator Low 500 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Cutoff 10 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator High 40 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Intermediate 20 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal 6-AM Calibrator Low 5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Cutoff 500 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator High 2000 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Intermediate 1000 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Calibrator Low 250 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Control High 625 ng/mL	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP 500 Control Low 375 ng/mL L1	Plastic vial: 5 mL	8/5/2019
DiaSystem Scandinavia AB	UniCal AMP Calibrator Intermediate 1500 ng/mL L4	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator L4/Control II 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator 1000 ng/mL L5	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR 200 Calibrator/Control 200 ng/mL L3	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator L4/Control II 300 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BAR Calibrator/Control 200 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Cut-off 5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator High 40 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Intermediate 10 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP Calibrator Intermediate 20 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BUP High 7.5 ng/mL L6	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BZO Calibrator L2/Control I 100 ng/mL	Plastic vial: 5 mL	11/8/2019

DiaSystem Scandinavia AB	UniCal BZO Calibrator L3/ Control II 200 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal BZO Calibrator L4/Control III 300 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Cutoff 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Intermediate 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Calibrator Low 75 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Control High 187.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 150 Control Low 112.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal COC 300 Control Low 225 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Intermediate 600 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal EDDP 300 Control Low 225 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Cut-off 500 ng/mL L3	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator High 2000 ng/mL L5	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Intermediate 1000 ng/mL L4	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MAMP Calibrator Low 250 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Cutoff 500 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator High 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Intermediate 750 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MDMA Calibrator Low 100 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator Cutoff 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator High 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Calibrator Intermediate 600 ng/mL	Plastic vial: 5 mL	9/30/2019

DiaSystem Scandinavia AB	UniCal MTD 300 Control High 375 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal MTD 300 Control Low 225 ng/mL L1	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Cutoff 2000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator High 6000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Interim. 4000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Calibrator Low 1000 ng/mL Calibrator Low 1000 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Control High 2500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 2000 Control Low 1500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Cutoff 300 ng/mL L3	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator High 1000 ng/mL L5	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Intermediate 800 ng/mL L4	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OPI 300 Calibrator Low 150 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Cut-off 300 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Cutoff 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator High 800 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Intermediate 500 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Calibrator Low 50 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Control High 125 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal OXY 100 Control Low 75 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Cutoff 25 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Intermediate 50 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator Low 12.5 ng/mL UniCal PCP 25 Calibrator Low 12.5 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Control High 32 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Calibrator High 100 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal PCP 25 Control Low 18 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab AMP 500	Box: 6 vials, 5 mL each	8/5/2019
DiaSystem Scandinavia AB	UniCal/UniLab BAR 200	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab COC 150	Box: 6 vials, 5 mL each	9/30/2019

DiaSystem Scandinavia AB	UniCal/UniLab COC 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab EDDP 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab MTD 300	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab MTD 300 Calibrator Low 150 ng/mL	Plastic vial: 5 mL	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab OPI 2000	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab OXY 100	Box: 7 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniCal/UniLab PCP 25	Box: 6 vials, 5 mL each	9/30/2019
DiaSystem Scandinavia AB	UniLab 6-AM Control High 12.5 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab 6-AM Control Low 7.5 ng/mL L1	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab AMP 1000 Control Low 750 ng/mL L1	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab AMP Control High 1250 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab BAR Control III 400 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 13 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 3 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BUP Control 7 ng/mL	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BZO Calibrator 1000 ng/mL LS	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab BZO Control 400 ng/mL III	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab MAMP Control High 625 ng/mL L2	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab MAMP Control Low 375 ng/mL L1	Plastic vial: 5 mL	11/11/2019
DiaSystem Scandinavia AB	UniLab MDMA Control High 625 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab MDMA Control Low 375 ng/mL L1	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab OPI 300 Control High 375 ng/mL L2	Plastic vial: 5 mL	11/8/2019
DiaSystem Scandinavia AB	UniLab OPI 300 Control Low 225 ng/mL L1	Plastic vial: 5 mL	11/8/2019
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 1.0 mg/L, 1 mL	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 1.0 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 20 mg/L, 1 mL	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 20 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 5 mg/L, 1 mL	Amber ampule: 1 mL	12/10/2018
Enertech Solutions Inc.	Custom Volatile Mix, 13-529, 5 mg/L, 5 x 1 mL	Amber ampule: 1 mL x 5	12/10/2018
Immunalysis Corporation	Fentanyl Calibrator Level 1 (2 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018

Immunalysis Corporation	Fentanyl Calibrator Level 2 (4 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Level 3 (8 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Calibrator Level 4 (16 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl High Control (4 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Low Control (1 ng/mL) in synthetic urine	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 1 (1 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 2 (2 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Calibrator Level 3 (4 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Control High (1.5 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	Fentanyl Urine Control Low (0.5 ng/mL) in synthetic urine	Dropper Bottle: 5 mL	8/20/2018
Immunalysis Corporation	MD OF Calibrator 1	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 2	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 3	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Calibrator 4	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Control HIGH	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MD OF Control LOW	Amber vial: 10 mL	7/1/2020
Immunalysis Corporation	MDC Calibrator 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 3	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Calibrator 4	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control HIGH Set 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control HIGH Set 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control LOW Set 1	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	MDC Control LOW Set 2	Dropper Bottle: 15 mL, 25 mL	8/20/2018
Immunalysis Corporation	Oral Fluid Cutoff Calibrator	Amber vial: 4 mL, 40 mL	8/20/2018
Immunalysis Corporation	Oral Fluid Cutoff Calibrator Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Oral Fluid High Positive Control	Amber vial: 4 mL, 40 mL	8/20/2018
Immunalysis Corporation	Oral Fluid High Positive Control Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
Immunalysis Corporation	Oral Fluid Low Positive Control	Amber vial: 4 mL, 40 mL	8/20/2018

Immunalysis Corporation	Oral Fluid Low Positive Control Pain Management Prediluted in Extraction Buffer	Amber vial: 10 mL	8/20/2018
IQMH	Endocrinology Special Program	Glass Vial: 5 mL	6/19/2019
IQMH	Endocrinology Special Program	Glass vial: 3 mL	6/1/2020
IQMH	Endocrinology Steroids	Amber vial: 5 mL	11/15/2018
IQMH	General Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
IsoSciences, LLC	Allopregnanolone in methanol	Ampule: 1 mL	1/31/2020
IsoSciences, LLC	Allopregnanolone-[2H5] in methanol	Ampule: 1 mL	1/31/2020
IsoSciences, LLC	Brivaracetam-[2H5] in methanol	Ampule: 1 mL	1/31/2020
LGC	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 100 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 1000 $\mu\text{g/mL}$ in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018

LGC	Custom Drug Standard, MDL Level, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Custom Drug Standard, Screening Level, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Custom Drug Standard, Various Concentrations, 10 x 1 mL	Pack: 10 amber ampules, 1 mL each	11/9/2018
LGC	Toxicology QC Test Mix, for use with Thermo Scientific Tox Explorer Collection, 200-2000ng/mL, 1mL (ISO-17034)	Amber ampule: 1 mL	10/19/2020
LGC	Toxicology QC Test Mix, for use with Thermo Scientific Tox Explorer Collection, 200-2000ng/mL, 300µL (ISO-17034)	Amber ampule: 300 µL	10/19/2020
LGC	trans-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol D3 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol D3 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D3 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 100 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC	Δ ⁹ -Tetrahydrocannabinolic Acid A (THCA-A) 1000 µg/mL in Methanol	Amber ampule: 1 mL	4/1/2019
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 201 1000 µg/mL in acetonitrile	Amber ampule: 0.4 mL	8/24/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Mixture 213 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	10/21/2020
LGC - Dr. Ehrenstorfer	EPA Method 8270 LCS Mixture 50-500 µg/mL in Acetone	Bottle: 25 mL	11/3/2020
LGC - Dr. Ehrenstorfer	Trenbolone 100 µg/mL in Acetonitrile, 1 mL	Amber ampule: 1 mL	7/30/2020
LGC - Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 202 Kit 250 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020

LGC – Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 203 Kit 500 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 204 Kit 1000 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 205 Kit 250 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 206 Kit 500 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acid/Neutrals Mixture 207 Kit 1000 µg/mL in Acetonitrile	1 kit (2 amber ampules x 0.4 mL)	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 184 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 185 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 186 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 194 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 195 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 196 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Acids Mixture 200 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 187 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 188 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 189 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 190 50 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 191 100 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 192 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 193 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 197 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Mixture 198 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 181 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 182 500 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 183 250 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Cannabinoids Neutrals Mixture 199 1000 µg/mL in Acetonitrile	Amber ampule: 0.4 mL	9/4/2020
LGC – Dr. Ehrenstorfer	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC – Dr. Ehrenstorfer	Custom Drug Standard, MDL level, Various Concentrations, 10 x 1mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC – Dr. Ehrenstorfer	Custom Drug Standard, Various Concentrations, 10 x 1 mL (ISO17034)	Package: 10 amber ampule; 1 mL each	11/20/2020
LGC GmbH	Carisopridol 1.0 mg/ml in Methanol	Glass vial: 1 mL	7/31/2020

LGC GmbH	Metharbital 1 mg/mL in Methanol	Glass vial: 1 mL	12/7/2018
LGC-Dr. Ehrenstorfer	(-)-D8-Tetrahydrocannabinol (d8-THC) 100 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	(-)-D8-Tetrahydrocannabinol (d8-THC) 1000 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	Custom D9-Tetrahydrocannabivarinic acid (THCVA) 1000 µg/mL in acetonitrile	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	D9-Tetrahydrocannabivarin (THCV) 100 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	D9-Tetrahydrocannabivarin 1000 µg/mL in methanol	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	D9-Tetrahydrocannabivarinic acid (THCVA) 100 µg/mL in acetonitrile	Amber ampule: 1 mL	10/5/2020
LGC-Dr. Ehrenstorfer	Prazepam 1000 µg/mL in methanol	Amber ampule: 1 mL	10/19/2020
Lin-Zhi International	LZI Hydrocodone 300 Semi-Quantitative Calibrator Set	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Level 1 Control (75 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Level 2 Control (125 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Qualitative Calibrator (100 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 100 Semi-Quantitative Calibrator Set	Kit: 4 dropper bottles; 15 mL each	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Level 1 Control (225 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Level 2 Control (375 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lin-Zhi International	LZI Hydrocodone 300 Qualitative Calibrator (300 ng/mL)	Dropper bottle: 5 mL	9/25/2020
Lipomed Inc.	17α-Methyltestosterone (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	25B-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25C-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe-D9 HCl (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	25I-NB2OMe-D9 HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	3,4-Methylenedioxypropylvalerone-D8.HCl (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	3,4-Methylenedioxypropylvalerone-D8.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	3-Methylmethcathinone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/1/2019
Lipomed Inc.	3-Methylmethcathinone.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	5α-Dihydrotestosterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	5F-AB-Pinaca (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	5F-AB-Pinaca (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	5F-Apinaca solution (1.0 mg/1 mL	Glass ampule: 1 mL	3/31/2020

	methanol)		
Lipomed Inc.	6-Acetylmorphine-D6 HCl solution (1.0 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	6- β -Hydroxytestosterone (1 mg/1mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	6 β -Naltrexol (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	AB-CHMINACA (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-CHMINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-CHMINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-FUBINACA (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-FUBINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-FUBINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-PINACA (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AB-PINACA (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AB-PINACA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Acetylfentanyl.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Acetylfentanyl-D5 (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AH-7921 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AKB-48 (APINACA) (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	AKB-48 (APINACA) (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	AKB-48 (APINACA) (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Androstenedione (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buphedrone.HCl (MABP.HCl) (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Buprenorphine-3- β -D-glucuronide (0.1 mg/1ml acetonitrile/water)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-3- β -D-glucuronide (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-D4.HCl (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Buprenorphine-D4.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Butylone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Butylone-D3 HCl (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone-D3 HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Butylone-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Butylone-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018

Lipomed Inc.	Butyrylfentanyl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Carisoprodol-D7	Glass Ampule: 1 mL	11/6/2019
Lipomed Inc.	Chlorodehydromethyltestosterone (1 mg /1 mL acetonitrile)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Chlorodehydromethyltestosterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Clotiazepam (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	d,l-2,4,5-Trimethoxyamphetamine HCl (1.0 mg free base/1 mL (1:1 ACN/ H ₂ O))	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	d,l-4-Ethylmethcathinone.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	d,l-Fenfluramine.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	d,l-Fenproporex HCl (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	3/7/2019
Lipomed Inc.	d,l-Metamfetramine.HCl	Glass ampule: 1 mL	6/4/2019
Lipomed Inc.	Delorazepam solution (1.0 mg free base /1 mL acetonitrile)	Glass ampule: 1 mL	9/27/2019
Lipomed Inc.	Diazepam-D3 (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Ethcathinone.HCl (1 mg free base/1 mL acetonitrile)	Glass ampule: 1 mL	3/1/2019
Lipomed Inc.	Ethylone HCl (1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	5/19/2019
Lipomed Inc.	Flunitrazepam-D7 solution (0.1 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	Flunitrazepam-D7 solution (1.0 mg free base /1 mL methanol)	Glass ampule: 1 mL	9/14/2019
Lipomed Inc.	Fluoxymesterone (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Fluoxymesterone (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Furanylfentanyl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	GHB-D6.Na solution (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	1/30/2020
Lipomed Inc.	GHB-D6.Na solution (1.0 mg/1 mL methanol)	Glass ampule: 1 mL	1/30/2020
Lipomed Inc.	Lormetazepam-D3 (0.1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	MDMB-CHMICA (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	MDMB-CHMICA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	MDMB-CHMICA (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Metenolone acetate	Glass ampule: 1 mL	11/6/2019
Lipomed Inc.	Metenolone acetate (1 mg/1 mL isopropanol)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Metenolone acetate (1.0 mg/1ml isopropanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Metenolone enanthate (1 mg/1 mL isopropanol)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	Metenolone enanthate (1.0 mg/1ml isopropanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Metenolone ethanoate	Glass ampule: 1 mL	11/6/2019
Lipomed Inc.	Methyltestosterone (1 mg /1 mL	Glass ampule: 1 mL	7/25/2018

	methanol)		
Lipomed Inc.	Midazolam-D4.maleate (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Midazolam-D4.maleate (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	N,N-Dimethyltryptamine (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	N,N-Dimethyltryptamine (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	N-Ethylnorpentylone HCl solution (1 mg /1 mL methanol)	Glass ampule: 1 mL	3/31/2020
Lipomed Inc.	Nitrazepam-D5 (1.0 mg/1ml acetonitrile)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Norfentanyl.HCl	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norfentanyl-D5.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norfentanyl-D5.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	6/17/2020
Lipomed Inc.	Norhydrocodone-D3.HCl (0.1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Norhydrocodone-D3.HCl (1 mg/1 mL acetonitrile/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Noroxymorphone.HCl (1 mg/1 mL methanol/water)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Pentcdrone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Pentylone HCl (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Phenmetrazine (1.0 mg/1 mL methanol)	Glass ampule: 1 mL	2/4/2020
Lipomed Inc.	Phenobarbital-D5 (0.1 mg free acid /1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phenobarbital-D5 (1.0 mg free acid 1 ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phentermine-D6.HCl (0.1 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Phentermine-D6.HCl (1.0 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Remifentanyl.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Tapentadol-D3.HCl (0.1 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Tapentadol-D3.HCl (1.0 mg free base/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	THCA-A ((-)-trans-delta-9-THC carboxylic acid A)	Glass ampule: 1 mL	7/2/2019
Lipomed Inc.	THCV (1 mg /1 mL methanol)	Glass ampule: 1 mL	3/27/2020
Lipomed Inc.	Tramadol.HCl (1 mg/1 mL methanol)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	Tramadol-OCD3.HCl (0.1 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	Tramadol-OCD3.HCl (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed Inc.	U-47700 (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	U-47700 (1.0 mg free base/1 mL methanol)	Glass ampule: 1 mL	2/4/2020
Lipomed Inc.	UR-144 (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	UR-144 (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	UR-144 (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019

Lipomed Inc.	UR-144 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	XLR-11 (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	XLR-11 (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	XLR-11 (0.1 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	XLR-11 (1.0 mg free base/ 1 mL methanol)	Glass ampule: 1 mL	11/26/2019
Lipomed Inc.	Zolpidem hemitartrate (1.0 mg/1ml methanol)	Glass ampule: 1 mL	2/15/2019
Lipomed, Inc.	Carisoprodol D7 (0.1 mg /1 mL methanol)	Glass ampule: 1 mL	7/17/2020
Lipomed, Inc.	Carisoprodol D7 (1 mg /1 mL methanol)	Glass ampule: 1 mL	7/17/2020
Maine Standards Company, LLC	Validate Fertility Calibration Verification Test Set	Kit: 5 Bottles, 4.1 mL each	5/14/2019
Microgenics Corporation	DRI Bath Salts I Calibrator 100 ng/mL	Vial: 10 mL	2/5/2019
Microgenics Corporation	DRI Bath Salts I Control Set	Box: 2 vials, 10 mL each	2/5/2019
Microgenics Corporation	DRI Hydromorphone Control	Vial: 25.0 mL	5/1/2019
Microgenics Corporation	DRI Hydromorphone Control	Carton: 1 vial, 25.0 mL each	5/1/2019
National Laboratory Certification Program, Research Triangle Institute	000241a, 044875a, 074740a, 094675a, 115435a, 118743a, 136166a, 150596a, 162768a, 208187a, 239139a, 264945a, 298940a, 328505a, 334194a, 347403a, 371088a, 440547a, 459672a, 468652a, 474880a, 483492a, 534744a, 582786a, 608056a, 699787a, 706815a, 740647a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	001868a, 030698a, 062862a, 076524a, 115994a, 133832a, 144825a, 176470a, 179018a, 191902a, 232389a, 239467a, 292383a, 320022a, 337845a, 381893a, 418531a, 433874a, 450323a, 461379a, 544842a, 562994a, 579790a, 581308a, 617118a, 622837a, 648142a, 689828a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	002941a, 007992a, 010113a, 050126a, 064755a, 076337a, 083665a, 090555a, 092397a, 114152a, 130888a, 146131a, 157971a, 158128a, 192973a, 203670a, 207482a, 252687a, 276661a, 355951a, 364111a, 420589a, 459745a, 461211a, 559811a, 582646a, 591048a, 653845a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	004834a, 008452a, 025378a, 073262a, 131406a, 215939a, 227641a, 257409a, 264688a, 280274a, 286555a, 292194a, 303136a, 305622a, 339596a, 371008a, 393476a, 395848a, 400317a, 403831a, 430590a, 438398a, 439741a, 445752a, 542866a, 626821a, 645201a, 674015a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	005091A, 019831A, 055181A, 055608A, 120579A, 141623A, 154629A, 223303A, 223432A, 224988A, 281367A, 328115A, 354187A, 486783A, 501257A, 502577A, 506177A, 557401A, 595716A, 596314A, 625455A, 700469A, 758651A, 782172A, 793745A, 798811A, 843482A, 849545A, 856	HDPE bottle: 35 mL	12/3/2018

National Laboratory Certification Program, Research Triangle Institute	006862a, 029843a, 040868a, 059053a, 144445a, 150170a, 228174a, 234613a, 241790a, 297275a, 300224a, 311447a, 320102a, 341326a, 353951a, 356202a, 363968a, 367389a, 464624a, 471437a, 503070a, 567491a, 606600a, 724572a, 750164a, 759460a, 773848a, 775893a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	007457a, 026004a, 051933a, 055103a, 060866a, 084049a, 121667a, 142441a, 147638a, 152507a, 155748a, 252721a, 270281a, 301475a, 319514a, 330124a, 344774a, 430870a, 455082a, 456689a, 515851a, 562642a, 631564a, 651151a, 657665a, 677559a, 710488a, 729601a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	008935a, 048071a, 147482a, 151414a, 177058a, 217585a, 262002a, 290949a, 344470a, 376512a, 418421a, 426504a, 452627a, 501747a, 545126a, 653218a, 662137a, 686604a, 705662a, 717158a, 718877a, 730476a, 749003a, 786731a, 804421a, 813543a, 819983a, 852245a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	008983a, 078290a, 086583a, 093727a, 094131a, 115194a, 134193a, 143785a, 145380a, 166662a, 195215a, 197627a, 200313a, 286311a, 302403a, 337452a, 399124a, 428369a, 550931a, 568069a, 645636a, 704344a, 772130a, 786903a, 806444a, 818454a, 844056a, 845062a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	009793a, 014698a, 030377a, 062393a, 100763a, 174565a, 206931a, 208868a, 252587a, 256124a, 276883a, 277600a, 344513a, 361324a, 380780a, 463125a, 472102a, 501490a, 522876a, 566011a, 569999a, 578977a, 582652a, 630923a, 649609a, 662116a, 739029a, 781968a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	010699a, 070723a, 078023a, 098199a, 108460a, 137709a, 142426a, 237063a, 285815a, 329298a, 344612a, 397497a, 405712a, 410142a, 508574a, 511436a, 541000a, 554584a, 591606a, 600754a, 619476a, 637555a, 640371a, 700387a, 712039a, 754763a, 904257a, 924681a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	010816a, 010931a, 025089a, 036186a, 070299a, 084289a, 104803a, 117478a, 155308a, 186514a, 208433a, 278839a, 330464a, 342629a, 361407a, 389370a, 476743a, 504592a, 553786a, 603951a, 635975a, 645766a, 651496a, 701658a, 710470a, 726824a, 753797a, 813250a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	012298a, 070037a, 117526a, 129073a, 171637a, 212777a, 258379a, 279267a, 297305a, 313379a, 346338a, 361049a, 385071a, 425462a, 499541a, 556454a, 580973a, 642991a, 658860a, 664103a, 665097a, 733946a, 763792a, 785718a, 854492a, 859998a, 862149a, 886139a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	013661a, 017014a, 088454a, 152042a, 159391a, 159880a, 212123a, 233201a, 261649a, 263833a, 374388a, 375628a, 398489a, 439659a, 447565a, 487074a, 535275a, 582746a, 586608a, 587689a, 632348a, 667197a, 676055a, 677729a, 702904a, 751281a, 769081a, 820080a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	014201a, 027572a, 028950a, 101223a, 122951a, 155597a, 166487a, 172369a, 206416a, 219453a, 226327a, 230312a, 291188a, 322450a, 360274a, 374631a, 377342a, 431161a, 468135a, 477861a, 491625a, 503312a, 521004a, 527933a, 557256a, 716236a, 735186a, 744269a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	017197a, 031770a, 054632a, 124416a, 125503a, 194090a, 206969a, 243365a, 259252a, 270672a, 293649a, 307111a, 322274a, 334116a, 392388a, 398153a, 444840a, 478434a, 489870a, 493461a, 497566a, 497944a, 552182a, 552254a, 601096a, 666212a, 682479a, 738305a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	018301a, 025979a, 041811a, 042993a, 108594a, 123987a, 136659a, 179056a, 206560a, 266403a, 296835a, 305428a, 348054a, 363079a, 442479a, 477362a, 498427a, 518040a, 590175a, 600973a	HDPE bottle: 35 mL	12/17/2019
National Laboratory Certification Program, Research Triangle Institute	020799a, 068273a, 072816a, 085744a, 088836a, 095490a, 108475a, 143538a, 145326a, 196243a, 277303a, 318983a, 328472a, 354922a, 357288a, 406127a, 433979a, 469353a, 479314a, 480303a, 486278a, 527514a, 534214a, 558601a, 562988a, 564592a, 635130a, 646859a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	022921a, 049397a, 052020a, 115148a, 178449a, 281513a, 308084a, 312564a, 318471a, 353882a, 380016a, 387904a, 410804a, 416623a, 448310a, 458366a, 508969a, 614246a, 648821a, 703622a, 710761a, 727575a, 736423a, 754817a, 780231a, 782089a, 828462a, 874306a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	026149a, 067578a, 068334a, 082073a, 089035a, 100992a, 125462a, 133031a, 160471a, 191924a, 240108a, 324652a, 326910a, 367236a, 373176a, 376758a, 377323a, 385436a, 430968a, 511802a, 539132a, 549736a, 619310a, 623281a, 652307a, 716710a, 735716a, 817871a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	029939a, 051333a, 138001a, 139013a, 172203a, 277435a, 301622a, 309639a, 348570a, 360790a, 371232a, 372862a, 417372a, 441064a, 443789a, 444409a, 452592a, 501404a, 509698a, 578940a, 624751a, 641914a, 668492a, 670232a, 733387a, 735023a, 738237a, 750756a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	030256a, 076414a, 081066a, 095934a, 114735a, 170108a, 170690a, 173909a, 174880a, 179837a, 215973a, 224509a, 274551a, 278959a, 295923a, 308134a, 310452a, 408398a, 417417a, 435207a, 469616a, 518763a, 533426a, 538460a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	030295a, 031674a, 041114a, 067856a, 084370a, 109237a, 122803a, 135543a, 143042a, 198816a, 206980a, 322397a, 326897a, 372331a, 381567a, 383202a, 423162a, 464949a, 473153a, 475305a, 533902a, 594938a, 634342a, 637539a, 737148a, 768419a, 794041a, 819157a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	033319a, 033587a, 034385a, 041849a, 077743a, 081293a, 181815a, 241439a, 241570a, 262586a, 283541a, 308175a, 322814a, 327798a, 369274a, 395197a, 400237a, 425960a, 441351a, 529158a, 553300a, 557055a, 567797a, 602850a, 640237a, 738750a, 762662a, 808423a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	034097a, 213665a, 315012a, 666501a, 832235a, 913581A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	035920a, 035947a, 062860a, 163377a, 165462a, 186469a, 194005a, 267363a, 308376a, 350027a, 419938a, 430261a, 442440a, 445925a, 476025a, 493804a, 552489a, 563552a, 583562a, 639145a, 703136a, 706613a, 734995a, 787074a, 821038a, 832594a, 889682a, 925637a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	036835a, 069197a, 079558a, 089558a, 092411a, 131817a, 161277a, 220997a, 255697a, 331103a, 344590a, 347126a, 360100a, 364520a, 382891a, 425318a, 425373a, 469652a, 507346a, 516333a, 552755a, 581722a, 590950a, 660081a, 708165a, 773800a, 821830a, 841043a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	036863a, 048432a, 092203a, 102653a, 106280a, 163130a, 188978a, 198404a, 206070a, 255944a, 290812a, 406037a, 416517a, 433726a, 444011a, 461458a, 530606a, 547769a, 573831a, 574187a, 615411a, 615809a, 653975a, 658442a, 688636a, 744904a, 805238a, 837859a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	046638a, 093832a, 104353a, 136497a, 152249a, 194582a, 234158a, 234943a, 256594a, 268272a, 272876a, 278055a, 330627a, 358397a, 375983a, 380148a, 388898a, 434621a, 469992a, 504420a, 508327a, 532850a, 553922a, 562221a, 692025a, 700693a, 705102a, 718077a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	047416a, 143338a, 150049a, 167537a, 179041a, 216969a, 235029a, 245053a, 320265a, 343852a, 372316a, 390898a, 419332a, 479921a, 531361a, 581833a, 585559a, 662186a, 665566a, 682534a, 699759a, 704367a, 710066a, 752238a, 782225a, 808253a, 808958a, 817690a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	050882a, 054882a, 088120a, 099068a, 106060a, 106067a, 109413a, 131979a, 146719a, 190633a, 191204a, 268967a, 345522a, 353085a, 379118a, 394730a, 418954a, 434852a, 440305a, 457523a, 473068a, 484513a, 503438a, 508038a, 510689a, 549013a, 645944a, 652739a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	055092a, 068262a, 074505a, 109133a, 125613a, 148636a, 162491a, 183736a, 235550a, 260976a, 396741a, 398941a, 401731a, 417514a, 419733a, 460436a, 483520a, 494301a, 494376a, 506176a, 545672a, 545971a, 547064a, 608942a, 629080a, 676169a, 695409a, 768824a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	057138a, 067529a, 096689a, 150694a, 166700a, 211616a, 248361a, 271864a, 282957a, 293970a, 323398a, 380386a, 391454a, 401723a, 427701a, 470437a, 499387a, 513086a, 547875a, 551215a, 641143a, 645292a, 682356a, 738567a, 740933a, 757532a, 767637a, 839421a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	057872a, 085162a, 086702a, 124118a, 145283a, 199865a, 326175a, 397890a, 403665a, 405791a, 436904a, 470735a, 506896a, 510223a, 511793a, 614284a, 652655a, 684201a, 710837a, 729802a, 735432a, 770290a, 783467a, 806198a, 813231a, 853097a, 854061a, 855492a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	060898a, 332263a, 616666a, 752734a, 762571a, 918784A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	067000a, 078838a, 081240a, 093214a, 093513a, 145980a, 159823a, 183530a, 187319a, 210584a, 238749a, 266518a, 270039a, 292738a, 309483a, 310956a, 362699a, 383408a, 394882a, 396557a, 440337a, 630189a, 630710a, 648316a, 654108a, 688412a, 690002a, 746153a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	068595a, 116416a, 128065a, 171066a, 172453a, 185150a, 189989a, 191751a, 204891a, 211197a, 224807a, 331171a, 348748a, 348823a, 351880a, 359321a, 390532a, 462093a, 465741a, 489098a, 572690a, 621104a, 699948a, 724373a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	081537a, 096672a, 097310a, 200980a, 237084a, 252041a, 255696a, 279139a, 280830a, 313583a, 348479a, 373299a, 381582a, 387465a, 395711a, 511150a, 522246a, 522397a, 522457a, 529041a, 586491a, 615962a, 695878a, 698139a, 707897a, 735975a, 791434a, 828411a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	092381a, 621883a, 721437a, 791918a, 882099a, 925401A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	104285a, 112258a, 116213a, 234587a, 257579a, 326888a, 334839a, 351972a, 358776a, 416164a, 438035a, 465097a, 475783a, 481795a, 503675a, 542703a, 557021a, 581450a, 595658a, 623614a, 625727a, 660717a, 668964a, 669599a, 709004a, 717143a, 742966a, 792595a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	11929A, 34120A, 41981A, 43987A, 49859A, 65292A, 91910A, 127612A, 149617A, 161935A, 191090A, 226134A, 240480A, 305230A, 327349A, 409881A, 414661A, 528066A, 564977A, 582433A, 598400A, 612337A, 651053A, 703284A, 734570A, 800095A, 804427A, 837720A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	138826a, 146430a, 376212a, 604949a, 755319a, 931982A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	288686B, 288712B, 288972B, 289379B, 289831B, 290102B, 290255B, 290268B, 290746B, 290837B, 290847B, 297207B, 297738B, 297841B, 297862B, 297875B, 298312B, 298676B, 298746B, 299099B, 501394B, 501489B, 501500B, 501613B, 501640B, 502068B, 502503B, 502541B, 502	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	292098B, 292139B, 292150B, 292201B, 292412B, 292593B, 292600B, 293130B, 293677B, 293806B, 294115B, 294183B, 294222B, 294466B, 294497B, 294654B, 294825B, 294901B, 295060B, 295651B, 295984B, 296204B, 296804B, 299189B, 299514B, 299704B, 299962B, 300283B, 300	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	314182a, 361910a, 741460a, 742664a, 752640a, 812201A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	318395A, 376443A, 402404A, 407369A, 417065A, 431091A, 432457A, 493664A, 526578A, 542836A, 548682A, 548954A, 555284A, 571625A, 645362A, 647146A, 657042A, 702088A, 791232A, 795445A, 837905A, 880935A, 901630A, 906029A, 975424A, 016028A, 029480A, 052644A, 064	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	324604A, 333513A, 372004A, 378670A, 417799A, 419450A, 473156A, 477173A, 557726A, 575409A, 596153A, 625937A, 669662A, 675483A, 688380A, 712824A, 731063A, 772988A, 777609A, 787677A, 885689A, 891611A, 939723A, 969395A, 982100A, 006482A, 010366A, 036006A, 042	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	326878B, 327355B, 327492B, 327710B, 327862B, 328104B, 328272B, 328513B, 329046B, 329271B, 329538B, 329660B, 329744B, 329892B, 330133B, 330292B, 330314B, 330362B, 330641B, 331159B, 017046A, 048718A, 122438A, 145812A, 150000A, 176846A, 180876A, 192836A, 201	HDPE bottle: 35 mL	12/3/2018

National Laboratory Certification Program, Research Triangle Institute	355156B, 355257B, 355755B, 356271B, 356588B, 356725B, 025366A, 040496A, 045297A, 051408A, 068933A, 076469A, 111953A, 136852A, 162204A, 178466A, 189756A, 247427A, 395885A, 418669A, 426133A, 438585A, 451064A, 477563A, 523288A, 569990A, 579062A, 596722A, 597	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	429142B, 429232B, 429932B, 432275B, 432761B, 433032B, 436026B, 436196B, 436236B, 436377B, 436527B, 436842B, 436948B, 437609B, 437977B, 438010B, 438184B, 440633B, 440764B, 441405B, 441459B, 441881B, 441909B, 442043B, 442405B, 314645B, 314649B, 314791B, 314	HDPE bottle: 35 mL	12/3/2018
National Laboratory Certification Program, Research Triangle Institute	485131a, 775388a, 786466a, 792853a, 800755a, 991495A	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	550592a, 550889a, 551138a, 551582a, 552037a, 552307a, 552335a, 552403a, 552749a, 552973a, 553676a, 554890a, 555082a, 555181a, 555568a, 555676a, 555999a, 556205a, 556865a, 556892a, 557184a, 557343a, 557577a, 557716a, 557842a, 557848a, 558226a, 558363a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	561049a, 561092a, 561273a, 561535a, 561658a, 561845a, 562164a, 562440a, 562553a, 562576a, 562629a, 562641a, 563083a, 563563a, 563848a, 563872a, 564239a, 564391a, 564538a, 564621a, 564729a, 564858a, 565401a, 565409a, 565849a, 566040a, 566204a, 566462a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	568268a, 568276a, 568449a, 568828a, 569010a, 569282a, 569288a, 569306a, 569425a, 569449a, 569533a, 569678a, 570023a, 570095a, 570097a, 570161a, 570186a, 570533a, 570698a, 571572a, 571655a, 572049a, 572114a, 572130a, 572349a, 572500a, 572522a, 572552a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	574289a, 574371a, 574392a, 574440a, 574520a, 574747a, 574758a, 575068a, 575258a, 575284a, 575362a, 575387a, 575493a, 575506a, 575536a, 575559a, 575975a, 575985a, 576046a, 576357a, 576562a, 576744a, 576882a, 577054a, 577754a, 577930a, 577940a, 578096a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	580092a, 580346a, 580438a, 580464a, 580493a, 580506a, 581477a, 581995a, 582524a, 582606a, 582733a, 582848a, 582919a, 582981a, 583080a, 583206a, 583256a, 583291a, 583416a, 583473a, 583501a, 583552a, 583753a, 584025a, 584267a, 584352a, 584424a, 584609a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	586214a, 586709a, 587154a, 587398a, 587756a, 587988a, 588275a, 588352a, 588637a, 589701a, 589984a, 590177a, 590224a, 590339a, 590430a, 590710a, 590990a, 591079a, 592229a, 592341a,	HDPE bottles: 35 mL	10/8/2019

	592630a, 592827a, 592915a, 593017a, 593818a, 593893a, 594100a, 594240a		
National Laboratory Certification Program, Research Triangle Institute	596171a, 596237a, 596396a, 596905a, 597184a, 597769a, 597986a, 598006a, 598365a, 598439a, 598676a, 598791a, 598896a, 599644a, 599782a, 599919a, 600004a, 600175a, 600235a, 600496a, 600521a, 600715a, 600954a, 601011a, 601110a, 601342a, 601384a, 601934a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	603960a, 604072a, 604259a, 605152a, 605304a, 605416a, 605578a, 605812a, 605815a, 605867a, 605980a, 606138a, 606475a, 607194a, 607274a, 607423a, 608251a, 608400a, 609291a, 609450a, 609607a, 609631a, 609775a, 609954a, 610404a, 610626a, 610648a, 611361a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	613859a, 614424a, 614499a, 614509a, 614527a, 614866a, 615115a, 615148a, 615468a, 615552a, 615826a, 616121a, 616212a, 616313a, 616637a, 616685a, 616896a, 617035a, 617045a, 617147a, 617589a, 617669a, 617700a, 617973a, 618085a, 618683a, 618720a, 618763a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	618232a, 623805a, 685018a, 725217a, 726429a, 734265a, 737113a, 781394a, 835639a, 838962a, 853009a, 897214a, 905676a, 910717a, 924643A	HDPE bottle: 35 mL	12/17/2019
National Laboratory Certification Program, Research Triangle Institute	619972a, 620102a, 620442a, 620587a, 620599a, 620610a, 620732a, 620750a, 620876a, 621077a, 621088a, 621442a, 621574a, 621609a, 621702a, 621780a, 622849a, 623453a, 623638a, 623816a, 623985a, 625228a, 625930a, 626281a, 626408a, 627282a, 627336a, 627427a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	629647a, 629709a, 629753a, 630273a, 630558a, 630739a, 631335a, 631347a, 631479a, 631815a, 632183a, 632213a, 632539a, 632577a, 632631a, 632935a, 633038a, 633278a, 633594a, 634746a, 634804a, 634894a, 634970a, 635060a, 635282a, 635455a, 635697a, 635705a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	636504a, 636780a, 636855a, 637879a, 638387a, 638417a, 638842a, 638977a, 639413a, 640086a, 640092a, 640139a, 640190a, 640195a, 640318a, 640827a, 640868a, 641449a, 641638a, 642674a, 643473a, 644688a, 644816a, 644868a, 645490a, 645704a, 646030a, 646095a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	649328a, 650181a, 650281a, 650432a, 650440a, 650737a, 650810a, 650905a, 650938a, 651332a, 652054a, 652384a, 652677a, 652806a, 653192a, 653366a, 653550a, 653613a, 653900a, 654019a, 654268a, 654495a, 654734a, 654745a, 655079a, 655164a, 655189a, 655318a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	656537a, 656895a, 656907a, 656937a, 657095a, 657118a, 657129a, 657250a, 657687a, 657937a, 658078a, 658107a, 658112a, 658410a, 658459a, 658666a, 658720a, 658852a, 658965a, 659448a, 659618a, 660107a, 660434a, 660495a, 660561a, 660857a, 661266a, 661279a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	663276a, 663489a, 663530a, 663864a, 664020a, 664089a, 664149a, 665137a, 665200a, 665327a, 665711a, 665751a, 665796a, 665947a, 666171a, 666500a, 666942a, 667259a, 667686a, 667935a, 668002a, 668341a, 668493a, 669014a, 669027a, 669255a, 669467a, 669706a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	672231a, 672607a, 672825a, 672933a, 673852a, 674231a, 674563a, 674597a, 674922a, 675064a, 675082a, 675229a, 675491a, 675559a, 676061a, 676162a, 676289a, 676377a, 676760a, 676860a, 677221a, 677386a, 677700a, 677800a, 678041a, 678044a, 678140a, 678262a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	681034a, 681128a, 681249a, 681392a, 682583a, 682597a, 682652a, 682673a, 682779a, 682962a, 682986a, 683183a, 683201a, 683996a, 684197a, 684680a, 684922a, 685272a, 685525a, 685573a, 685681a, 686071a, 686197a, 686198a, 686244a, 686596a, 686911a, 686931a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	688923a, 689237a, 689382a, 689454a, 689693a, 689777a, 689956a, 690280a, 690322a, 690425a, 691078a, 691485a, 691534a, 691556a, 691683a, 691857a, 691871a, 692036a, 692042a, 692354a, 692459a, 692832a, 693020a, 693142a, 693255a, 693268a, 693466a, 693544a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	696890a, 696916a, 697344a, 697439a, 697457a, 697536a, 698018a, 698032a, 698216a, 698278a, 698469a, 698601a, 698637a, 699060a, 699181a, 699308a, 699506a, 700681a, 700724a, 700836a, 700936a, 701118a, 701578a, 701606a, 702112a, 702311a, 702611a, 702701a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	714425a, 714631a, 714861a, 714998a, 715230a, 715251a, 715431a, 715728a, 715765a, 715776a, 715858a, 715886a, 716063a, 716095a, 716150a, 716400a, 716754a, 717128a, 717760a, 717770a, 717883a, 718137a, 718145a, 718811a, 719237a, 719456a, 719459a, 719478a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	721121a, 721529a, 721778a, 722066a, 722200a, 722319a, 722359a, 722515a, 723424a, 723440a, 723586a, 723677a, 723772a, 723892a, 724029a, 724477a, 725030a, 725822a, 725919a, 725992a, 726199a, 726247a, 727067a, 727145a, 727389a, 727456a, 727865a, 728076a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	729241a, 729514a, 729873a, 730184a, 730675a, 730751a, 730752a, 731425a, 731495a, 731676a, 732025a, 732207a, 732312a, 732322a, 732395a, 732421a, 732918a, 733433a, 734071a, 734201a, 734470a, 734575a, 734674a, 734976a, 734989a, 735225a, 736316a, 736357a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	738779a, 738868a, 738900a, 738965a, 739026a, 739160a, 739299a, 739584a, 739710a, 740185a, 740373a, 740863a, 741439a, 741559a, 741778a, 742149a, 742938a, 742970a, 743015a, 743035a, 743180a, 743686a, 743726a, 743810a, 744132a, 744175a, 744272a, 744469a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	746840a, 746911a, 746983a, 746984a, 747052a, 747158a, 747258a, 747304a, 747551a, 748354a, 748368a, 748399a, 748423a, 748482a, 748834a, 748871a, 749061a, 749078a, 749132a, 749425a, 749503a, 749953a, 750021a, 750058a, 750297a, 750637a, 750838a, 750886a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	753202a, 753619a, 753761a, 753870a, 754347a, 754855a, 755230a, 755299a, 755806a, 755905a, 756173a, 756614a, 756763a, 756998a, 757048a, 757052a, 757187a, 757252a, 757280a, 757725a, 757896a, 758582a, 758994a, 759061a, 759435a, 759479a, 759542a, 760074a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	761217a, 762303a, 762422a, 762539a, 762738a, 762952a, 763370a, 763373a, 763385a, 763478a, 763586a, 764016a, 764125a, 764629a, 764804a, 765181a, 765810a, 765910a, 765923a, 766708a, 766895a, 767201a, 767220a, 768101a, 768111a, 768212a, 768228a, 768472a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	770671a, 771108a, 771489a, 772018a, 772653a, 772798a, 772889a, 772896a, 773035a, 773172a, 773293a, 773332a, 773457a, 773633a, 773965a, 774133a, 774138a, 774514a, 774845a, 774948a, 775044a, 775484a, 775601a, 776010a, 776030a, 776444a, 776475a, 776938a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	778450a, 778580a, 778590a, 778598a, 779124a, 779452a, 779527a, 779552a, 779683a, 779726a, 779866a, 779952a, 780210a, 780362a, 780535a, 780752a, 780779a, 781063a, 781854a, 781994a, 782160a, 782560a, 782703a, 782733a, 782799a, 782870a, 783061a, 783233a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	785974a, 786017a, 786026a, 786650a, 786683a, 787091a, 787576a, 788373a, 788461a, 788773a, 789068a, 789155a, 789304a, 789553a, 789783a, 789830a, 790024a, 790220a, 790280a, 790559a, 790992a, 791003a, 791112a, 791208a, 791446a, 792367a, 792508a, 793305a	HDPE bottles: 35 mL	10/8/2019

National Laboratory Certification Program, Research Triangle Institute	794406a, 794564a, 794619a, 794830a, 794898a, 794971a, 795072a, 795748a, 795779a, 796307a, 796630a, 796885a, 797457a, 797988a, 798372a, 798440a, 798689a, 798781a, 798917a, 799093a, 799595a, 799784a, 799861a, 800121a, 800129a, 800387a, 800511a, 801065a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	803418a, 803848a, 804291a, 804306a, 804372a, 805358a, 805398a, 805503a, 805529a, 805579a, 805694a, 805751a, 805826a, 805910a, 805923a, 806195a, 806197a, 806480a, 806668a, 806679a, 807163a, 807461a, 807821a, 807841a, 807899a, 808125a, 808481a, 808819a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	810539a, 810638a, 810668a, 810716a, 810741a, 811180a, 811354a, 811981a, 812107a, 812222a, 812322a, 812388a, 812655a, 812753a, 813487a, 813525a, 813535a, 814118a, 814220a, 814388a, 814639a, 814796a, 815064a, 815238a, 815391a, 815854a, 816023a, 816161a	HDPE bottles: 35 mL	10/8/2019
National Laboratory Certification Program, Research Triangle Institute	817625a, 817714a, 817734a, 817770a, 817786a, 817854a, 818395a, 818471a, 818475a, 818875a, 819014a, 819228a, 819707a, 819762a, 820025a, 820285a, 820331a, 820359a, 820566a, 820641a, 820707a, 820853a, 820935a, 820953a, 820955a, 821059a, 821150a, 821438a	HDPE bottles: 35 mL	10/8/2019
Noramco, Inc.	(-)-D9-Tetrahydrocannabinol in methanol solution	Glass ampule: 1 mL	11/29/2019
Noramco, Inc.	D8-Tetrahydrocannabinol (>0.3% D-9 THC) in methanol solution	Glass ampule: 1 mL	5/11/2020
Noramco, Inc.	D9-Tetrahydrocannabinolic acid in methanol solution	Glass ampule: 1 mL	11/29/2019
Noramco, Inc.	delta9-THC in Methanol Solution	Glass ampule: 1 mL	5/24/2019
Noramco, Inc.	Exo-Tetrahydrocannabinol in methanol solution	Glass ampule: 1 mL	11/29/2019
o2si	Custom Pharmaceutical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020

o2si	Custom Pharmaceutical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si	Custom Pharmaceutical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	9/29/2020
o2si smart solutions	(-)-11-nor-9-Carboxy-Δ ⁹ -THC Solution, 1000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-Cannabidiol Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L in methanol	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d8-Tetrahydrocannabinol (d8-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-d9-tetrahydrocannabinol (d9-THC) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	(-)-Delta 8-THC Solution, 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-Delta 8-THC Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 1,000 mg/L, 1mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(-)-Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC) 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019

o2si smart solutions	(±)-11-Hydroxy-Δ ⁹ -Tetrahydrocannabinol 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	(±)-Cannabichromene Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(±)-Cannabichromene Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	(±)-Methadone Solution, 50 mg/L in P/T Methanol	Amber ampule: 1 mL	12/6/2018
o2si smart solutions	11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D9 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	11-Nor-9-carboxy-Δ ⁹ -Tetrahydrocannabinol D9 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 2,000 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Cannabidiol Solution, 1000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabidiol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerol Solution, 1000 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Cannabigerolic Acid (CBGA), 1000	Amber ampule: 1 mL	12/19/2018

	mg/L, 1 mL in Methanol		
o2si smart solutions	Cannabinol Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom (scheduled) PPCP Mix, 4 compounds, 5 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom (scheduled) PPCP Mix, 4 compounds, 5 mg/L, 10 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Mix, 30-0094, Various Concentration, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Mixture, 34-0092, Various Concentrations, 1 mL in Acetonitrile w/ 0.1% Formic Acid	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Standard, MDL level, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, High Calibration, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, Screening Level, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Drug Standard, Various Concentrations, 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drug Standard, Various Concentrations, 10 x 1 ml in Oral Fluid Solvent	Amber ampule: 1 mL x 10	12/19/2018
o2si smart solutions	Custom Intermediate (SCH Cpd) Part 1 Mix, 11 components, 40 mg/L, 1 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Intermediate (SCH Cpd) Part 2 Mix, 3 components, 40 mg/L, 1 mL in MeOH:DMSO:Acetonitrile:Chloroform 75:15:5:5	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Intermediate Part 1 Mix, 40 components, 40 mg/L, 1 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Intermediate Part 1 Mix, 40 components, 40 mg/L, 2 x 5 mL in Methanol:Acetonitrile 95:5	Amber ampule: 1 mL x 2	12/19/2018
o2si smart solutions	Custom Internal Standards Part 1 Mix, 11 components, 80 ug/L, 1 mL in Methanol:Acetonitrile 99:1	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Internal Standards Part 1 Mix, 11 components, 80 ug/L, 5 x 5 mL in Methanol:Acetonitrile 99:1	Amber ampule: 5 mL x 5	12/19/2018
o2si smart solutions	Custom Internal Standards Part 2 Mix, 10 components, 80 mg/L, 1 mL in Methanol:Acetonitrile 99:1	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Internal Standards Part 2 Mix, 10 components, 80 mg/L, 5 x 5 mL in Methanol:Acetonitrile 99:1	Amber ampule: 5 mL x 5	12/19/2018
o2si smart solutions	Custom Mix, 14-0096, Various Concentrations, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Pesticide 4434 Mix 2, 7-6419, Various Concentrations, 1 mL in Ethyl Acetate	Amber ampule: 1 mL	4/27/2019

o2si smart solutions	Custom Pesticide 4434 Mix 3, 6-6421, Various Concentrations, 1 mL in Ethyl Acetate	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Custom Pesticide Mix, 8-6843, 1000 mg/L, 1 mL in Acetone	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Custom Pharmaceutical Mixture CCV 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture ICV (second source), 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #1, 16-0260, 0.3 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #2, 16-0260, 1.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #3, 16-0260, 5.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #4, 16-0260, 10.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #5, 16-0260, 25.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #6, 16-0260, 50.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #7, 16-0260, 100.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Level #8, 16-0260, 250.0 µg/mL, 300 µL with a 2 mL silanized vial (ISO17034)	Amber ampule: 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Kit 16-0260, (2 x G34-140260-98)	1 kit; 26 amber ampules x 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture Calibration Pack 16-0260, 13 x 1 mL	1 pack; 13 amber ampules x 300 µL	12/7/2020
o2si smart solutions	Custom Pharmaceutical Mixture LCS, 16-0260, 10.0 µg/mL, 1 mL with a 2 mL Silanized Vial (ISO17034)	Amber ampule: 1 mL	12/7/2020
o2si smart solutions	Custom Semivolatile Mix, 29-5511, 20/50/200 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Steroids and Mixed Pharmaceuticals Mix, 10 components, 200 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Steroids and Mixed Pharmaceuticals Mix, 10 components, 200 mg/L, 5 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	D9-tetrahydrocannabivarin (THCV) 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-tetrahydrocannabivarin 100 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-tetrahydrocannabivarin 1000 mg/L, 1 mL	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	D9-Tetrahydrocannabivarinic acid 100 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020

o2si smart solutions	D9-Tetrahydrocannabivarinic acid 1000 mg/L, 1 mL acetonitrile	Amber ampule: 1 mL	10/5/2020
o2si smart solutions	Delta-8-Tetrahydrocannabinol Acid (D8THC) Solution, 1000 mg/L, 1 mL in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A1 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A10 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A11 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A2 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A3 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A4 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A5 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A6 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A7 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A8 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Calibration Solution A9 in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint Internal Standard Solution A in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - High in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - Low in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Fingerprint QC Solution A - Medium in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock Calibration Solution, 1 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock High QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock Low QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	IFP Drug Panel #1 Stock Medium QC, Various Concentrations, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018

o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in Methylene Chloride	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 1 ml in M-t-BE	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 3 x 1 ml in M-t-BE	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 100 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	ISO 17034 Phentermine Solution, 400	Amber ampule: 1 mL x	12/19/2018

	mg/L, 5 x 1 ml in Methanol	5	
o2si smart solutions	Meprobamate solution 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	7/30/2020
o2si smart solutions	Meprobamate Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
o2si smart solutions	Paraldehyde Solution (Second Source), 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	PCP Mix, 6-0087, 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	PCP Mix, 6-0087, 100 mg/L, 2 x 1 mL in Acetonitrile	Amber ampule: 1 mL x 2	12/19/2018
o2si smart solutions	Phentermine Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 1,000 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 100 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 3 x 1 ml in Methanol	Amber ampule: 1 mL x 3	12/19/2018
o2si smart solutions	Phentermine Solution, 400 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Hydroxy- Δ^9 -Tetrahydrocannabinol D3 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D3 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	trans-Testosterone Solution, 1,000 mg/L in Methanol	Amber ampule: 1 mL	12/6/2018
o2si smart solutions	Trenbolone 100 µg/mL in Acetonitrile, 1 ml	Amber ampule: 1 mL	7/30/2020
o2si smart solutions	Trichloroacetaldehyde Hydrate Solution, 1,000 mg/L, 1 ml in Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Water Disinfection Contaminant Mix, 8-6843, 50 mg/L, 1 ml in Acetone	Amber ampule: 1 mL	4/27/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019

o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 1,000 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid A (THCA-A) 100 mg/L, 1 mL in Acetonitrile	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid a (THCA-A) Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid a (THCA-A) Solution, 100 mg/L, 1 mL in P/T Methanol	Amber ampule: 1 mL	4/1/2019
o2si smart solutions	Δ^9 -Tetrahydrocannabinolic Acid a (THCA-A) Solution, 1000 mg/L, 1 ml in Acetonitrile	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Cannabinoids Solution, 3-3994, 1000 µg/mL, 0.4 mL	Amber ampule: 0.4 mL	8/24/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix - CCV	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix - ICV	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix CRM Calibration Standards and QC Reagent Pack, 13 vials	Pack: 13 vials x 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix CRM Calibration Standards and QC Reagent Kit, 26 vials	1 kit: 26 vials x 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix Laboratory Control Spike (LCS) CRM, 1 vials	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L1	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L2	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L3	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L4	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L5	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L6	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L7	Amber ampule: 300 µL	12/15/2020
Perkin Elmer	ONE Potency420 16-Cannabinoid Mix-L8	Amber ampule: 300 µL	12/15/2020
Purdue Pharma Manufacturing, L.P.	2,2-Bisnalmefene (0.10 mg/mL in 70% Acetonitrile/30% Water)	Screw top vial: 2 mL	9/16/2019
Quidel Corporation	Triage TOX Drug Screen Control 2	Box: 5 vials, 0.25 mL each	7/3/2018
Quidel Corporation	Triage TOX Drug Screen, 94600 Control 2	Box: 5 vials, 0.25 mL each	5/1/2019
RCPAQAP	Compact Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019

RCPAQAP	Condensed Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
RCPAQAP	Endocrine: Special Program	Glass Vial: 5 mL	6/19/2019
RCPAQAP	Endocrine: Special Program	Glass Vial: 3 mL	6/1/2020
RCPAQAP	General Serum Chemistry Program	Glass Vial: 5 mL	6/19/2019
Research Triangle Institute	000189A, 102346A, 187789A, 192468A, 208316A, 248597A, 249323A, 249549A, 256647A, 274038A, 291593A, 313284A, 452357A, 459260A, 486650A, 490451A, 501673A, 507878A, 612969A, 626394A, 642417A, 746419A, 748550A, 758467A, 761741A, 775061A, 854858A, 871129A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	001001A, 010361A, 167711A, 171663A, 180149A, 275874A, 282830A, 290272A, 325992A, 355603A, 412142A, 427866A, 439676A, 540140A, 586841A, 587515A, 598493A, 644311A, 668297A, 727296A, 746342A, 750626A, 761671A, 767443A, 793290A, 804956A, 818898A, 826472A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	001808A, 009747A, 042629A, 056069A, 058605A, 102298A, 150475A, 151076A, 169877A, 223108A, 283361A, 334415A, 394338A, 447480A, 468737A, 482200A, 494513A, 500297A, 508098A, 514991A, 588549A, 588574A, 695442A, 729631A, 743744A, 804845A, 807869A, 809801A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	002271A, 006932A, 034701A, 063234A, 070052A, 077996A, 161359A, 183352A, 185366A, 188546A, 229331A, 265737A, 274762A, 366296A, 456909A, 484934A, 510410A, 525645A, 583130A, 643906A, 655703A, 693170A, 799574A, 807918A, 824624A, 852276A, 852749A, 875049A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	003047B, 053780B, 053881B, 089429B, 115639B, 172400B, 191944B, 206206B, 210675B, 233850B, 257671B, 295515B, 300551B, 321269B, 329891B, 395101B, 451374B, 473164B, 510579B, 535939B, 536383B, 559176B, 562497B, 564337B, 754510B, 758033B, 766088B, 848292B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	003836A, 008650A, 066346A, 088739A, 122506A, 134583A, 151061A, 158867A, 245885A, 314660A, 351982A, 430862A, 433363A, 535891A, 554042A, 559957A, 590944A, 659691A, 667481A, 683411A, 728646A, 737812A, 786216A, 801669A, 814565A, 835881A, 844448A, 845417A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	004864A, 046839A, 110054A, 116958A, 259124A, 283017A, 297944A, 308608A, 324485A, 326192A, 417126A, 446227A, 493902A, 516970A, 561260A, 572024A, 573414A, 610801A, 636623A, 670154A, 691720A, 692200A, 702836A, 734134A, 739110A, 778035A, 793732A, 832738A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	004890A, 058104A, 121215A, 122871A, 135795A, 214754A, 228693A, 233220A, 236799A, 241768A, 296282A, 347313A, 350988A, 412035A, 447457A, 466085A, 481989A, 490251A, 503520A, 509144A, 511433A, 580798A, 598153A, 606529A	HDPE bottles: 35 mL	12/10/2020

	621818A, 635603A, 739814A, 772628A		
Research Triangle Institute	005001B, 085984B, 121144B, 196328B, 233364B, 260299B, 296557B, 299662B, 341868B, 343975B, 355044B, 359131B, 360980B, 407009B, 472541B, 474968B, 544318B, 548903B, 575078B, 600548B, 610745B, 664562B, 684604B, 707419B, 777992B, 799583B, 837563B, 880739B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	005066A, 048812A, 243621A, 566237A, 581223A, 880021A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	005534B, 034612B, 050822B, 061710B, 066936B, 129198B, 140162B, 158361B, 205966B, 207281B, 210354B, 213531B, 274337B, 316781B, 323831B, 335994B, 356342B, 419173B, 423866B, 467755B, 534017B, 549415B, 555105B, 569315B, 602971B, 613596B, 648088B, 874239B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	005582A, 023213A, 036843A, 080613A, 164917A, 249157A, 265943A, 271039A, 278598A, 442209A, 458638A, 486237A, 620773A, 645031A, 669425A, 671535A, 674508A, 687002A, 722350A, 754489A, 802089A, 807712A, 808518A, 811683A, 830198A, 833309A, 874194A, 894828A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	006049A, 024128A, 104381A, 109664A, 157790A, 187985A, 210177A, 219348A, 231340A, 246208A, 377525A, 418420A, 438936A, 494332A, 525234A, 549651A, 591092A, 627958A, 650771A, 667800A, 675985A, 682882A, 728898A, 771549A, 783875A, 793585A, 822746A, 837436A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	006125A, 027334A, 045843A, 054494A, 081896A, 134715A, 212121A, 265427A, 275410A, 292644A, 334346A, 347827A, 441530A, 451521A, 460322A, 465862A, 479332A, 498288A, 511354A, 528901A, 573509A, 604992A, 620542A, 681228A, 691445A, 832120A, 832707A, 838291A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	006266A, 009468A, 055566A, 056736A, 061293A, 091753A, 095485A, 127555A, 141731A, 184041A, 262192A, 271133A, 366532A, 396653A, 421566A, 472795A, 533791A, 545347A, 564327A, 607938A, 645133A, 661071A, 711267A, 724584A, 729090A, 747185A, 763381A, 787623A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	006799A, 055981A, 057543A, 071526A, 089207A, 129220A, 142262A, 186853A, 295422A, 347016A, 351120A, 360595A, 428947A, 445660A, 475092A, 526619A, 559979A, 560985A, 674092A, 721082A, 724196A, 739649A, 790294A, 807141A, 830526A, 833917A, 837367A, 874190A	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	010840B, 017138B, 073886B, 076498B, 123327B, 163041B, 183750B, 187008B, 193091B, 227529B, 281847B, 307968B, 369741B, 421338B, 473993B, 514436B, 577474B, 604190B, 660810B, 673368B, 707145B, 761242B, 806362B, 808534B, 871776B, 874056B, 877561B, 878686B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	011696A, 086873A, 145276A, 172367A, 173091A, 229699A, 234355A, 243845A, 249485A, 251975A, 317591A, 343023A, 396975A, 403869A, 406609A, 436015A, 443290A, 477488A, 507019A, 573615A, 590345A, 717734A, 722405A, 743006A, 759328A, 778071A, 811273A, 830707A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	011938B, 040658B, 073363B, 118528B, 128147B, 196793B, 217801B, 316866B, 376300B, 535928B, 547694B, 558008B, 618741B, 644655B, 653650B, 654775B, 672007B, 830338B, 953644B, 953703B, 954020B, 954138B, 954142B, 954237B, 954326B, 954434B, 954486B, 954730B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012302B, 022086B, 053331B, 098946B, 153403B, 183049B, 200409B, 206197B, 215295B, 216738B, 223390B, 264666B, 270417B, 277523B, 293349B, 303022B, 388142B, 468927B, 484953B, 494119B, 543703B, 559819B, 676887B, 697518B, 823188B, 836289B, 870366B, 889886B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012313A, 019191A, 068213A, 111307A, 153295A, 160177A, 163029A, 171564A, 196577A, 211657A, 273825A, 276454A, 277125A, 292999A, 302047A, 309990A, 317329A, 439498A, 499269A, 564336A, 564555A, 602456A, 644332A, 664137A, 711792A, 712656A, 751871A, 758541A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	012349B, 116785B, 192650B, 224704B, 238801B, 241442B, 301126B, 314786B, 375398B, 412724B, 422220B, 447214B, 459794B, 525094B, 526969B, 528755B, 561172B, 566771B, 616161B, 640601B, 659718B, 671845B, 746970B, 822065B, 845133B, 894488B, 937598B, 951933B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	012466A, 073550A, 086048A, 095790A, 104115A, 105037A, 188078A, 266343A, 272335A, 286374A, 326714A, 405588A, 415887A, 427469A, 445587A, 454719A, 483573A, 501641A, 563478A, 568328A, 691883A, 732494A, 739846A, 747792A, 776314A, 779737A, 808440A, 921113A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	014704B, 032099B, 032767B, 035202B, 099294B, 099434B, 139582B, 173513B, 212410B, 256134B, 264609B, 268389B, 268520B, 279998B, 305913B, 337759B, 375065B, 399178B, 409664B, 456617B, 528978B, 532268B, 594059B, 622703B, 629190B, 643810B, 806952B, 834753B	HDPE bottles: 35 mL	12/10/2020

Research Triangle Institute	017422A, 033823A, 048226A, 148086A, 218948A, 228214A, 264414A, 296863A, 346049A, 353341A, 402876A, 472996A, 476952A, 500380A, 513129A, 539322A, 555092A, 571445A, 603561A, 605604A, 611475A, 708115A, 708563A, 742120A, 768128A, 795668A, 801691A, 820896A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	018882A, 055212A, 075106A, 135406A, 204305A, 206234A, 210060A, 221146A, 363708A, 366861A, 425369A, 443983A, 451293A, 531889A, 537842A, 579185A, 614800A, 642005A, 675079A, 698931A, 760961A, 778605A, 786755A, 835129A, 836942A, 841321A, 844330A, 848670A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	019895B, 040504B, 093141B, 113379B, 241109B, 252101B, 279062B, 293537B, 368330B, 401098B, 407851B, 414860B, 418203B, 420116B, 422578B, 489342B, 525961B, 537158B, 557633B, 614910B, 645846B, 711196B, 733932B, 736246B, 778113B, 856413B, 877800B, 881321B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	020973B, 041973B, 061350B, 062252B, 090053B, 185697B, 287081B, 294869B, 336768B, 347642B, 371366B, 379411B, 414320B, 415139B, 437972B, 506656B, 515995B, 533648B, 550124B, 559208B, 588392B, 630171B, 656560B, 660153B, 693242B, 719599B, 806424B, 820340B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	021127A, 026453A, 265019A, 469431A, 664885A, 957785A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	022446A, 037643A, 046688A, 137735A, 157114A, 164723A, 166323A, 294848A, 298307A, 367175A, 407864A, 427220A, 553819A, 574914A, 597760A, 618559A, 626123A, 629296A, 649744A, 662498A, 675181A, 692130A, 736153A, 742458A, 782909A, 806043A, 830525A, 876720A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	022547A, 065400A, 126762A, 130898A, 220012A, 230463A, 257912A, 285053A, 291417A, 324782A, 380559A, 395822A, 405381A, 416243A, 449662A, 502356A, 512103A, 536482A, 613429A, 623503A, 653667A, 685944A, 785241A, 786130A, 844268A, 867143A, 871847A, 900082A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	025572B, 042733B, 066429B, 083478B, 088046B, 092695B, 106063B, 117662B, 148152B, 190582B, 229325B, 251483B, 256069B, 263096B, 308055B, 383047B, 425014B, 438707B, 503514B, 538889B, 585533B, 611066B, 634880B, 687653B, 716226B, 720481B, 813630B, 818761B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	0256, 4519, 0111, 3727, 6282, 0379, 3910, 1758, 6223, 6078, 5711, 2011, 5931, 8814, 9638, 5358, 3735, 5043, 2309, 7802, 5968, 4579, 2962, 0125, 2703, 5061, 9998, 3363	Glass vial: 5 mL	1/27/2020

Research Triangle Institute	025612A, 026988A, 072627A, 094807A, 166511A, 181417A, 191700A, 192138A, 287009A, 315357A, 363846A, 401689A, 418136A, 450575A, 464284A, 546085A, 552587A, 572974A, 646413A, 686362A, 740018A, 743299A, 771278A, 798290A, 820856A, 831054A, 837963A, 840515A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	025962A, 071005A, 086733A, 105209A, 132307A, 133119A, 140916A, 209185A, 226044A, 273430A, 274873A, 317356A, 355894A, 360219A, 366540A, 400371A, 437961A, 466971A, 511356A, 527410A, 614719A, 644358A, 746427A, 772011A, 795649A, 818819A, 829710A, 833242A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	026023A, 034356A, 059684A, 109118A, 217969A, 292339A, 329129A, 331282A, 372755A, 406983A, 424828A, 437342A, 468921A, 517829A, 552921A, 561071A, 561750A, 596027A, 644347A, 644381A, 652458A, 653560A, 708849A, 709136A, 736464A, 814653A, 817994A, 856508A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	026939A, 104863A, 152027A, 195559A, 264912A, 272367A, 289836A, 311945A, 364931A, 370400A, 379010A, 447150A, 493585A, 499249A, 604804A, 611300A, 677628A, 680186A, 768352A, 784532A, 808944A, 813627A, 834136A, 836738A, 873714A, 917534A, 925735A, 930043A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	0296, 4381, 7396, 3898, 5723, 8275, 0641, 6062, 1735, 9752, 7881, 5841, 4644, 3369, 2517, 2384, 9780, 8001, 5661, 2396, 5384, 8594, 8683, 0086, 0904, 2015, 4706, 9938	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	0296, 4381, 7396, 3898, 5723, 8275, 0641, 6062, 1735, 9752, 7881, 5841, 4644, 3369, 2517, 2384, 9780, 8001, 5661, 2396, 5384, 8594, 8683, 0086, 0904, 2015, 4706, 9938	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	029617A, 053014A, 078828A, 108137A, 126088A, 145262A, 175149A, 177780A, 189741A, 230529A, 240653A, 279885A, 298096A, 332165A, 363119A, 376752A, 405469A, 437648A, 502612A, 637894A, 731015A, 737268A, 737611A, 741769A, 745663A, 787721A, 832532A, 853633A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	029752A, 059758A, 100898A, 145286A, 151157A, 251597A, 336739A, 374305A, 403453A, 416525A, 443402A, 478175A, 481081A, 604528A, 630140A, 638370A, 649025A, 695162A, 726526A, 737214A, 755322A, 783821A, 793285A, 817227A, 826860A, 849384A, 850220A, 861835A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	030882A, 037898A, 052763A, 116268A, 119032A, 170291A, 219863A, 246102A, 286043A, 298934A, 315875A, 322490A, 343816A, 358685A, 421831A, 435394A, 444169A, 499226A, 499635A, 512707A, 551706A, 586903A, 600225A, 661103A, 669925A, 673423A, 686173A, 692221A	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	031440A, 066088A, 066402A, 068476A, 078498A, 078841A, 091547A, 115367A, 185872A, 204619A, 214799A, 217479A, 234219A, 252621A, 280327A, 361376A, 410758A, 412942A, 422258A, 438819A, 478288A, 513514A, 626659A, 666700A, 769264A, 770142A, 778485A, 797176A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	032179A, 067896A, 083089A, 104061A, 184551A, 216334A, 224793A, 295840A, 346351A, 352424A, 360903A, 371909A, 375068A, 384398A, 442279A, 527620A, 560070A, 595686A, 637716A, 656285A, 752038A, 766903A, 767102A, 810689A, 817732A, 832774A, 834320A, 884715A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	033281A, 049799A, 060433A, 086143A, 104010A, 124634A, 187381A, 191484A, 192028A, 218455A, 310303A, 313967A, 339130A, 341582A, 350381A, 369948A, 371325A, 376147A, 395210A, 397285A, 465822A, 518070A, 521694A, 523339A, 580055A, 589483A, 615884A, 738177A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	034474A, 066818A, 071793A, 077325A, 081024A, 082102A, 093893A, 119510A, 145678A, 162364A, 193883A, 250652A, 250759A, 276382A, 321388A, 338539A, 351199A, 414447A, 420508A, 509535A, 540032A, 550088A, 665513A, 694879A, 726560A, 739351A, 788193A, 802104A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	036932A, 042015A, 045924A, 067081A, 078537A, 089475A, 194932A, 225516A, 241212A, 258950A, 293965A, 312846A, 414220A, 416645A, 443068A, 491912A, 499011A, 502119A, 593802A, 612936A, 696017A, 719037A, 727830A, 770007A, 777868A, 844185A, 844249A, 899274A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	045024A, 065024A, 074497A, 126224A, 140849A, 147299A, 157818A, 178334A, 218160A, 255517A, 263186A, 310311A, 341433A, 427420A, 480334A, 481813A, 486654A, 552580A, 576845A, 595862A, 613695A, 710533A, 726692A, 739341A, 784735A, 789013A, 791552A, 805546A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	056093A, 078330A, 085572A, 090449A, 099244A, 150384A, 166367A, 252680A, 279582A, 297003A, 324442A, 345368A, 360400A, 366430A, 373701A, 386937A, 468843A, 479978A, 542542A, 579244A, 609027A, 631302A, 650586A, 753003A, 757202A, 759422A, 814908A, 837569A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	059303A, 062576A, 065217A, 066735A, 067213A, 090037A, 096220A, 148406A, 154647A, 160079A, 212888A, 219226A, 308948A, 309485A, 313847A, 329616A, 452140A, 478254A, 554143A, 586126A, 629760A, 650989A, 699638A, 742225A, 799101A, 826111A, 860419A, 867204A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	060026A, 099165A, 375409A, 621283A, 664602A, 828729A	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	064350B, 111818B, 142093B, 150369B, 192825B, 206183B, 229911B, 232179B, 235916B, 250390B, 261504B, 270322B, 289380B, 383794B, 407718B, 419003B, 430346B, 439076B, 460164B, 495135B, 513014B, 523974B, 543513B, 587458B, 596226B, 726602B, 761275B, 821842B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	078337A, 094655A, 171683A, 231500A, 242343A, 255358A, 259428A, 285164A, 350887A, 356235A, 357535A, 362983A, 423120A, 428327A, 520717A, 535649A, 597268A, 627447A, 632507A, 665825A, 677537A, 678793A, 781659A, 785374A, 807857A, 825731A, 847532A, 856414A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	090789A, 095651A, 125683A, 129454A, 135041A, 153922A, 158173A, 224481A, 230242A, 268597A, 270159A, 315492A, 336858A, 367401A, 375696A, 392710A, 419376A, 470138A, 505082A, 521512A, 556844A, 559093A, 570037A, 590228A, 597481A, 656109A, 689495A, 828599A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	098002A, 102381A, 124108A, 152851A, 177776A, 182901A, 196566A, 212602A, 231750A, 231973A, 258736A, 262333A, 288268A, 317072A, 321030A, 321563A, 335862A, 365411A, 368728A, 373247A, 390722A, 431486A, 511524A, 598758A, 620045A, 631589A, 654311A, 670320A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	103297A, 140428A, 160243A, 190484A, 232682A, 321066A, 338095A, 350482A, 389177A, 406242A, 433873A, 486312A, 533144A, 539624A, 548067A, 551156A, 566668A, 574310A, 613822A, 618651A, 619009A, 624517A, 672896A, 675419A, 750686A, 753861A, 754854A, 817547A	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	12198-02-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-01	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-08-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-24-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	12198-39-01	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-01	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-02	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-02	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-03	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-03	HDPE bottles: 50 mL	6/13/2019
Research Triangle	12198-39-04	HDPE bottles: 50 mL	6/13/2019

Institute			
Research Triangle Institute	12198-39-04	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-05	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-05	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-06	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-06	HDPE bottles: 50 mL	6/13/2019
Research Triangle Institute	12198-39-07	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-07	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-08	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-08	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-09	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-09	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-10	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-10	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-11	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-11	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-12	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-39-12	OF collection device: 4 mL	6/13/2019
Research Triangle Institute	12198-51-06	Glass tube: 10 mL	9/17/2020
Research Triangle Institute	12198-9-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	127229B, 128552B, 186751B, 245406B, 254308B, 267648B, 356600B, 364953B, 394628B, 428549B, 429095B, 465451B, 503385B, 519891B, 528673B, 585712B, 609765B, 612476B, 672603B, 690626B, 713802B, 716561B, 718555B, 755516B, 764329B, 803519B, 817059B, 819021B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	139918A, 187163A, 234674A, 510310A, 781715A, 966252A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	1528, 0163, 5031, 0794, 5451, 0162, 8278, 0591, 9198, 4523, 1291, 6754, 5320, 0707, 1631, 7307, 8879, 8286, 1357, 8197, 6745, 5369, 1120, 8671, 6318, 4291, 2069, 6628	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1528, 0163, 5031, 0794, 5451, 0162, 8278, 0591, 9198, 4523, 1291, 6754, 5320, 0707, 1631, 7307, 8879, 8286, 1357, 8197, 6745, 5369, 1120, 8671, 6318, 4291, 2069, 6628	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	167835A, 171340A, 341164A, 389569A, 615839A, 751723A	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	1863, 6097, 4548, 0522, 0770, 4471, 1926, 9137, 9900, 7602, 4357, 5713, 1735, 9959, 2090, 4143, 0065, 7610, 5720, 5862, 5445, 3509, 3946, 3097, 1667, 7634, 4320, 7875	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1863, 6097, 4548, 0522, 0770, 4471, 1926, 9137, 9900, 7602, 4357, 5713, 1735, 9959, 2090, 4143, 0065, 7610, 5720, 5862, 5445, 3509, 3946, 3097, 1667, 7634, 4320, 7875	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	1875, 0491, 9689, 6538, 0079, 2442, 7757, 5509, 7884, 9194, 7788, 2314, 9220, 9754, 6764, 5178, 4395, 4660, 6515, 4421, 2335, 1403, 6991, 1506, 5575, 9413, 3548, 7003	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	2019 PM-01	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-02	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-03	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-04	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-05	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-06	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-07	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-08	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-09	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-10	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-11	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-12	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-13	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-14	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-15	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-16	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-17	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-18	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-19	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-20	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-21	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-22	HDPE bottle: 65 mL	1/17/2019
Research Triangle	2019 PM-23	HDPE bottle: 65 mL	1/17/2019

Institute			
Research Triangle Institute	2019 PM-24	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-25	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-26	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-27	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-28	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-29	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-30	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-31	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-32	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-33	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-34	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-35	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-36	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-37	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-38	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-39	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-40	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-41	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-42	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-43	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-44	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-45	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-46	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-47	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-48	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-49	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-50	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-51	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-52	HDPE bottle: 65 mL	1/17/2019

Research Triangle Institute	2019 PM-53	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-54	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-55	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-56	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-57	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-58	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-59	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	2019 PM-60	HDPE bottle: 65 mL	1/17/2019
Research Triangle Institute	220746A, 282236A, 320626A, 686777A, 832150A, 904511A	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	221364B, 390675B, 507866B, 712211B, 712252B, 712345B, 712683B, 713190B, 810388B, 856569B, 868311B, 868699B, 868924B, 868980B, 870147B, 891514B, 891598B, 892082B, 892172B, 902446B, 902467B, 902503B, 902649B, 913028B, 913101B, 913984B, 914079B, 914231B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	2445, 2418, 1531, 2593, 9097, 7685, 3929, 8959, 1880, 8365, 9868, 2275, 3939, 2634, 3006, 7911, 3613, 2241, 5147, 2992, 2858, 2538, 4683, 4151, 9963, 3178, 8988, 4316	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	2834, 9226, 1515, 0232, 0644, 6076, 3899, 9010, 8571, 2123, 8396, 8289, 2998, 1364, 0146, 0458, 1889, 3789, 5592, 6742, 4331, 7614, 5948, 0194, 7417, 7946, 9578, 7574	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	2834, 9226, 1515, 0232, 0644, 6076, 3899, 9010, 8571, 2123, 8396, 8289, 2998, 1364, 0146, 0458, 1889, 3789, 5592, 6742, 4331, 7614, 5948, 0194, 7417, 7946, 9578, 7574	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	2873, 9921, 1910, 5451, 9674, 4055, 4201, 0728, 7321, 0802, 0444, 1871, 6745, 2850, 6439, 1011, 4630, 0574, 8294, 8286, 1270, 8908, 8845, 2075, 5843, 7391, 3817, 8272	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	3552, 2343, 6236, 5804, 5532, 9189, 3854, 7941, 3218, 9182, 6637, 5477, 4561, 1511, 3373, 2738, 9878, 5081, 1459, 3020, 9236, 0319, 8178, 2341, 0488, 2609, 6457, 4025	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	3552, 2343, 6236, 5804, 5532, 9189, 3854, 7941, 3218, 9182, 6637, 5477, 4561, 1511, 3373, 2738, 9878, 5081, 1459, 3020, 9236, 0319, 8178, 2341, 0488, 2609, 6457, 4025	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	3874, 7057, 3994, 9254, 3161, 9393, 9464, 6013, 8497, 0718, 5908, 0399, 0156, 1952, 0951, 4227, 7325, 5056, 8752, 4724, 6503, 4844, 9997, 8885, 2906, 9958, 9857, 6379	HDPE tubes: 5 mL	9/17/2020

Research Triangle Institute	4409, 5323, 2740, 4133, 3318, 8028, 5110, 0750, 2229, 3845, 2202, 8276, 9748, 0469, 8799, 8805, 1945, 6877, 9978, 4463, 5518, 1748, 6945, 5315, 5807, 7406, 5321, 5467	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	4409, 5323, 2740, 4133, 3318, 8028, 5110, 0750, 2229, 3845, 2202, 8276, 9748, 0469, 8799, 8805, 1945, 6877, 9978, 4463, 5518, 1748, 6945, 5315, 5807, 7406, 5321, 5467	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	4897, 4580, 7563, 5311, 6146, 3382, 5454, 1822, 0531, 5748, 5788, 2123, 5028, 3916, 4816, 8241, 1417, 1486, 6346, 9595, 9358, 7058, 5254, 9662, 7712, 6848, 1856, 2497	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	5198, 2869, 0551, 2122, 7849, 9436, 9321, 5277, 1548, 5540, 9695, 9611, 5355, 8593, 1759, 3204, 6361, 8433, 0474, 1905, 8867, 1700, 3239, 9511, 8812, 1144, 5744, 1433	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	530509B, 530560B, 530633B, 530738B, 530779B, 531694B, 532493B, 532678B, 532723B, 532929B, 532987B, 533116B, 533365B, 533408B, 549296B, 549351B, 550014B, 550027B, 550444B, 550455B, 858931B, 859080B, 859592B, 859714B, 875852B, 876395B, 876520B, 876977B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	530871B, 530915B, 530967B, 531400B, 983004B, 983558B, 983611B, 984039B, 984260B, 984993B, 985092B, 985607B, 985788B, 985854B, 985861B, 986647B, 986945B, 987138B, 987391B, 987447B, 987664B, 987874B, 987888B, 987931B, 987968B, 988260B, 988974B, 989064B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	5385, 7935, 8044, 6617, 0660, 7506, 5313, 8997, 1265, 7682, 0129, 7688, 7462, 7221, 8472, 7748, 5556, 8788, 9335, 8764, 8986, 0564, 5094, 3025, 1195, 1314, 9226, 9676	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	5588, 6197, 3054, 9950, 6857, 5645, 3100, 6776, 2206, 2642, 4399, 5542, 3027, 4703, 1928, 5305, 9202, 6814, 9207, 8114, 0905, 3242, 3643, 3212, 4322, 8737, 4285, 7767	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5588, 6197, 3054, 9950, 6857, 5645, 3100, 6776, 2206, 2642, 4399, 5542, 3027, 4703, 1928, 5305, 9202, 6814, 9207, 8114, 0905, 3242, 3643, 3212, 4322, 8737, 4285, 7767	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5641, 5304, 8067, 5519, 8598, 4067, 6766, 5611, 9464, 6937, 2928, 5789, 2778, 0856, 8752, 1895, 6332, 9360, 6883, 5622, 8846, 6460, 6769, 1715, 2253, 2066, 0623, 5695	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	5641, 5304, 8067, 5519, 8598, 4067, 6766, 5611, 9464, 6937, 2928, 5789, 2778, 0856, 8752, 1895, 6332, 9360, 6883, 5622, 8846, 6460, 6769, 1715, 2253, 2066, 0623, 5695	Glass vial: 5 mL	3/5/2020

Research Triangle Institute	5801, 4489, 1238, 4813, 5132, 8219, 2378, 6971, 5815, 1211, 3479, 6390, 2905, 1299, 6975, 1478, 2450, 0959, 6686, 1263, 8699, 2435, 2844, 6276, 3113, 7775, 0262, 8332	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	6029, 1473, 6352, 8580, 0229, 2357, 6333, 4787, 2168, 9168, 4497, 8584, 0601, 7771, 4038, 4708, 7157, 4701, 3308, 7803, 3857, 8179, 5032, 0282, 2071, 3995, 8316, 8123	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	6029, 1473, 6352, 8580, 0229, 2357, 6333, 4787, 2168, 9168, 4497, 8584, 0601, 7771, 4038, 4708, 7157, 4701, 3308, 7803, 3857, 8179, 5032, 0282, 2071, 3995, 8316, 8123	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	6495, 5923, 8551, 3310, 3046, 2092, 9729, 6528, 4762, 2015, 0919, 9091, 9048, 1971, 5309, 6773, 6833, 3285, 1777, 9077, 3385, 9083, 8835, 8011, 6406, 5361, 9955, 7379	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	7322, 7253, 6646, 5388, 8638, 5975, 6577, 0760, 5561, 4996, 1448, 0705, 8499, 5222, 7301, 1341, 4432, 5586, 5254, 9270, 8381, 4021, 6184, 8922, 9916, 9222, 4696, 1615	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7346, 6862, 4782, 4446, 5514, 0921, 7947, 4671, 1904, 1426, 2496, 0609, 4743, 1788, 4611, 3032, 5630, 4625, 8916, 1749, 5274, 5286, 1987, 0358, 0018, 1419, 4918, 2677	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7418-177-33.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7418-190-37.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7418-190-37.7	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	7583, 4208, 5546, 1032, 5390, 7456, 6561, 4733, 5570, 5895, 0977, 6629, 8603, 1443, 9762, 3759, 1045, 8682, 9494, 5229, 6117, 1839, 6131, 9705, 7929, 6730, 6079, 2222	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	7769, 7319, 1480, 8959, 4621, 4187, 7636, 5294, 0396, 1530, 3064, 3661, 3580, 0289, 8810, 2742, 1554, 4291, 6238, 1831, 3624, 3100, 5461, 3134, 9352, 1094, 0186, 3121	HDPE tubes: 5 mL	9/17/2020
Research Triangle Institute	7996, 8303, 1324, 1019, 3911, 6054, 9488, 4919, 9975, 5040, 3645, 3829, 2644, 8464, 3810, 6728, 5831, 0209, 3733, 6965, 1435, 1836, 7966, 3783, 6798, 4609, 2437, 2690	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	8091, 5164, 2843, 4209, 9480, 0616, 4044, 5012, 9026, 9924, 2453, 4598, 3552, 8862, 2797, 5386, 6134, 8780, 5724, 7227, 4562, 8717, 2765, 9710, 5422, 3768, 6830, 9116	HDPE tubes: 5 mL	9/17/2020

Research Triangle Institute	844299B, 844769B, 845146B, 845279B, 845835B, 846243B, 846605B, 846748B, 846854B, 846982B, 847147B, 847224B, 847501B, 848062B, 848114B, 848466B, 848504B, 848721B, 848726B, 848943B, 848970B, 849164B, 849342B, 849500B, 849613B, 849749B, 850004B, 850298B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	850891B, 850911B, 850921B, 851175B, 851226B, 851239B, 851402B, 851575B, 851644B, 851759B, 851825B, 852081B, 852210B, 852529B, 853344B, 853512B, 853694B, 855472B, 855769B, 856287B, 856366B, 856438B, 856598B, 856910B, 857242B, 857329B, 857516B, 857719B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	859765B, 860000B, 860033B, 860560B, 860737B, 861046B, 861211B, 862013B, 862385B, 862739B, 862860B, 862982B, 863476B, 863504B, 863564B, 863655B, 863813B, 864160B, 864314B, 864521B, 864603B, 864669B, 864734B, 864795B, 865030B, 865254B, 865262B, 865888B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8692, 1782, 5257, 4638, 0555, 2494, 2079, 4606, 5871, 8239, 3884, 6678, 2339, 6963, 9813, 0725, 7068, 8990, 5734, 4159, 5253, 8400, 1491, 7394, 8292, 6468, 7745, 8694	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	8692, 1782, 5257, 4638, 0555, 2494, 2079, 4606, 5871, 8239, 3884, 6678, 2339, 6963, 9813, 0725, 7068, 8990, 5734, 4159, 5253, 8400, 1491, 7394, 8292, 6468, 7745, 8694	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	869355B, 869378B, 869496B, 869576B, 869888B, 870276B, 870348B, 871126B, 871166B, 871339B, 871669B, 872120B, 872494B, 872694B, 872905B, 873059B, 873151B, 873168B, 873171B, 873614B, 873729B, 873750B, 873915B, 874305B, 874574B, 874869B, 874905B, 875078B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	8708, 6562, 0068, 3678, 9710, 1272, 0544, 1611, 9422, 4088, 9677, 4893, 7960, 5185, 0254, 3738, 4998, 1117, 5521, 9626, 1639, 2639, 0049, 4764, 4261, 0165, 4057, 8202	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	8708, 6562, 0068, 3678, 9710, 1272, 0544, 1611, 9422, 4088, 9677, 4893, 7960, 5185, 0254, 3738, 4998, 1117, 5521, 9626, 1639, 2639, 0049, 4764, 4261, 0165, 4057, 8202	Glass vial: 5 mL	3/5/2020
Research Triangle Institute	877889B, 877910B, 877939B, 878115B, 878229B, 878418B, 878434B, 878445B, 878549B, 878652B, 878754B, 878994B, 879051B, 879151B, 879286B, 879582B, 879652B, 880007B, 880094B, 880333B, 880350B, 880546B, 880629B, 880783B, 880959B, 881402B, 881509B, 881531B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	883053B, 883147B, 883400B, 883645B, 883736B, 883859B, 883876B, 884322B, 885479B, 885652B, 885673B, 886221B, 886882B, 887385B, 887528B, 887535B, 887629B, 887735B, 887970B, 888190B	HDPE bottles: 35 mL	9/29/2020

	889174B, 889237B, 889738B, 889757B, 889927B, 889966B, 889999B, 890533B		
Research Triangle Institute	8843, 9686, 7201, 3147, 0982, 8023, 4238, 0948, 5857, 7311, 7179, 3010, 0343, 4800, 2365, 4904, 7828, 4636, 7104, 9243, 7282, 7110, 6666, 6884, 5992, 4905, 7761, 6716	Glass vial: 5 mL	1/27/2020
Research Triangle Institute	892454B, 892487B, 892666B, 892721B, 892825B, 892924B, 893002B, 893113B, 893341B, 893364B, 893405B, 893521B, 893710B, 894079B, 894701B, 894749B, 895087B, 895582B, 895652B, 897712B, 897751B, 898755B, 898791B, 899460B, 899512B, 900377B, 901215B, 901356B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	902905B, 903101B, 903114B, 903340B, 904224B, 904397B, 904664B, 904669B, 905009B, 905203B, 905312B, 905429B, 906111B, 906975B, 907360B, 907687B, 907782B, 908226B, 908578B, 908768B, 908955B, 909043B, 909188B, 909881B, 910457B, 910646B, 910867B, 911118B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	914375B, 914585B, 914767B, 914948B, 914997B, 915329B, 915369B, 915494B, 916001B, 916758B, 916796B, 917402B, 917417B, 917595B, 917681B, 917832B, 917963B, 918225B, 918263B, 918607B, 918779B, 918783B, 918942B, 919153B, 919629B, 919880B, 920343B, 920567B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	922380B, 922406B, 922745B, 922783B, 922831B, 923186B, 923208B, 924201B, 924626B, 925089B, 925263B, 925701B, 925958B, 925993B, 926214B, 926417B, 926545B, 926762B, 927625B, 927760B, 928062B, 928629B, 928972B, 929139B, 929301B, 929745B, 930473B, 930832B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	932326B, 932465B, 932565B, 932764B, 932770B, 932801B, 933033B, 933148B, 933743B, 934233B, 934517B, 934522B, 934712B, 935074B, 935220B, 935358B, 935598B, 935769B, 935852B, 935883B, 936802B, 937653B, 937799B, 938341B, 938534B, 938633B, 939226B, 939430B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	940535B, 940539B, 940625B, 940978B, 941983B, 942264B, 942354B, 942385B, 942536B, 942855B, 942856B, 943007B, 943221B, 943258B, 943438B, 943781B, 943931B, 944191B, 944559B, 944951B, 945348B, 946133B, 946355B, 946870B, 947157B, 947551B, 947746B, 947885B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	948400B, 948553B, 948607B, 948814B, 948888B, 948979B, 949115B, 949248B, 949304B, 949557B, 949628B, 949985B, 950374B, 950427B, 950918B, 951025B, 951096B, 951262B, 951324B, 951613B, 951665B, 951976B, 952306B, 952550B, 952621B, 952728B, 952741B, 953076B	HDPE bottles: 35 mL	9/29/2020

Research Triangle Institute	955359B, 955772B, 955838B, 956682B, 957065B, 957270B, 957447B, 957475B, 957624B, 957636B, 957766B, 957997B, 958018B, 958019B, 958036B, 958160B, 959068B, 959196B, 959437B, 959451B, 959531B, 959814B, 959876B, 959967B, 960205B, 960438B, 960597B, 960766B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	961787B, 961958B, 962317B, 962451B, 962597B, 963038B, 963414B, 963445B, 963536B, 963575B, 963602B, 964270B, 964311B, 964801B, 965160B, 965215B, 965728B, 966246B, 967036B, 967265B, 967492B, 967945B, 968042B, 968173B, 968216B, 968643B, 968957B, 969013B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	9657-115-37.10	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-115-68.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-75.4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-76.02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-131-77.06	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-144-84.16	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-157-14	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-161-16.41	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-167-3.3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-167-3.4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-180-4.1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-186-48	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-1	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-3	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-188-4	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-191-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-191-03	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-196-06	Split-specimen vial: 45 mL	1/18/2019

Research Triangle Institute	9657-196-07	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-196-08	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-197-02	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-199-05	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-199-06	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	9657-32-47.2	Split-specimen vial: 45 mL	1/18/2019
Research Triangle Institute	971535B, 971652B, 971703B, 971731B, 972037B, 972216B, 972448B, 972481B, 972563B, 972739B, 973014B, 973535B, 974088B, 974103B, 974205B, 974339B, 974465B, 974515B, 974520B, 975298B, 975302B, 975362B, 975561B, 975885B, 976304B, 976432B, 976509B, 976993B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	978234B, 978343B, 978368B, 978398B, 978461B, 978740B, 979021B, 979155B, 979183B, 979241B, 979289B, 979710B, 979819B, 979896B, 979933B, 980066B, 980323B, 980486B, 980506B, 980542B, 980865B, 980927B, 980977B, 981116B, 981271B, 981352B, 981577B, 981770B	HDPE bottles: 35 mL	9/29/2020
Research Triangle Institute	990749B, 990936B, 990982B, 991035B, 991594B, 991604B, 992053B, 992342B, 992613B, 992773B, 992880B, 993142B, 993236B, 993385B, 993481B, 993559B, 993956B, 994274B, 994561B, 994769B, 997071B, 997221B, 997247B, 997581B, 997629B, 997901B, 997999B, 998129B	HDPE bottles: 35 mL	12/10/2020
Research Triangle Institute	DC20-01	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	DC20-02	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	DC20-03	Polyethylene bottle: 50 mL	3/30/2020
Research Triangle Institute	OF19-01	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-02	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-03	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-04	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-05	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-06	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-07	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-08	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-09	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-10	Amber vial: 3 mL	1/14/2019
Research Triangle	OF19-11	Amber vial: 3 mL	1/14/2019

Institute			
Research Triangle Institute	OF19-12	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-13	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-14	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF19-15	Amber vial: 3 mL	1/14/2019
Research Triangle Institute	OF20-01	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-02	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-03	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-04	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-05	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-06	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-07	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-08	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-09	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-10	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020

Research Triangle Institute	OF20-11	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-12	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-13	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-14	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF20-15	High Density Polyethylene externally-threaded cryogenic storage vials: 5 mL	2/5/2020
Research Triangle Institute	OF21-01	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-02	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-03	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-04	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-05	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-06	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-07	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-08	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-09	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-10	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-11	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-12	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-13	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-14	HDPE vial: 3 mL	12/16/2020
Research Triangle Institute	OF21-15	HDPE vial: 3 mL	12/16/2020
Restek Corporation	Cannabidiol (CBDV) Standard	Glass ampule: 1.3 mL	1/17/2019
Restek Corporation	Cannabigerolic Acid (CBGA) Standard	Glass ampule: 1.3 mL	1/17/2019
Restek Corporation	Cannabinoids Acids 8 Standard	Glass ampule: 1.3 mL	7/1/2020
Restek Corporation	Cannabinoids Neutrals 8 Standard	Glass ampule: 1.3 mL	9/16/2020

Restek Corporation	Custom Appendix IX Standard #2	Glass ampule: 1.3 mL	11/24/2020
Restek Corporation	Custom Chloral Hydrate Standard	Glass ampule: 1.3 mL	3/25/2019
Restek Corporation	Custom CPC Standard #2	Glass ampule: 1.3 mL	10/2/2019
Restek Corporation	Custom Oxazepam Standard	Glass Ampule: 1.3 mL	11/14/2019
Restek Corporation	Custom Pesticide Standard #15	Glass Ampule: 1.3 mL	3/26/2020
Restek Corporation	Restek Corporation	Glass ampule: 1.3 mL	1/28/2020
RTI	2021 FTC-01	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-03	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-04	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-07	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-08	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-12	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-13	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-14	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 FTC-15	HDPE screw cap bottle: 20 mL	9/14/2020
RTI	2021 NOB-01	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-02	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-04	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-05	Amber vial: 15 mL	9/14/2020
RTI	2021 NOB-06	Amber vial: 15 mL	9/14/2020
RTI	2021 SCDD-01	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-02	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-03	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-04	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-05	HDPE screw cap bottle: 10 mL	9/14/2020
RTI	2021 SCDD-06	HDPE screw cap bottle: 10 mL	9/14/2020
RTI International	2021 FTC-02	HDPE screw top Bottle: 20 mL	9/24/2020
RTI International	2021 NOB-03	Amber vial: 15 mL	9/24/2020
RTI International	PM_2019-2020	Nalgene™ Narrow-Mouth HDPE IP2 Bottle: 2000 mL	7/8/2019
Siemens Healthcare Diagnostics, Inc.	ADVIA Centaur ANDRO	Kit: 2 vials; 2 mL each	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ADVIA Centaur MCM ANDRO	Kit: 4 vials; 1 mL each	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard S2	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard S3	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare	ANDRO Gold Standard S4	Cryovial: 1.0 mL	11/14/2019

Diagnostics, Inc.			
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard S5	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard S6	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard S7	Cryovial: 1.0 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO Gold Standard Set	1 Set; 7 vials x 1 mL each	11/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S2	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S3	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S4	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S5	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S6	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS S7	Cryovial: 1.0 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MC STDS SET	1 Set; 7 vials x 1 mL each	10/28/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MCM S2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MCM S3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MCM S4	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MCM S5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	ANDRO MDP Set	5 Vials; 1.0 mL each	10/14/2019
Siemens Healthcare Diagnostics, Inc.	Andro Stock A 10 µg/mL	Glass volumetric flask: 50 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	ANDROMDP 1	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDROMDP 2	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDROMDP 3	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDROMDP 4	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	ANDROMDP 5	Cryovial: 1.0 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO	Kit: 2 vials; 2 mL each	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO CAL (CAL H)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO CAL (CAL L)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO MCM	Kit: 4 vials; 1 mL each	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO MCM 2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO MCM 3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO MCM 4	Glass vial: 1 mL	7/16/2019

Siemens Healthcare Diagnostics, Inc.	Atellica IM ANDRO MCM 5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	CAL ANDRO (CAL H)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	CAL ANDRO (CAL L)	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Calibrator ANDRO HI	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Calibrator ANDRO LO	Glass vial: 2 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO CAL HI BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO CAL HI BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO CAL LO BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO CAL LO BULK	Carboys: 18- 14,000 mL; Tanks: 12 – 1,400L	5/30/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 2	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 3	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 4	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 5	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 6	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS BULKSET 7	Carboys: 18-14,000 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO GOLD STDS Stock	Carboys: 18-2,400 mL	11/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MC STDS BULKSET 4	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MC STDS BULKSET 2	Carboys: 18-14,000 MI	10/28/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MC STDS BULKSET 3	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MC STDS BULKSET 5	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MC STDS BULKSET 7	Carboys: 18-14,000 mL	10/28/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MCM BULKSET 2	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MCM BULKSET 3	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MCM BULKSET 4	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MCM BULKSET 5	Carboys: 18-14,000 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MDP 1 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MDP 2 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MDP 3 BULK	Carboys: 18-14,000 mL	10/14/2019

Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MDP 4 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO MDP 5 BULK	Carboys: 18-14,000 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO STOCK	Carboys: 18-2400 mL	9/6/2019
Siemens Healthcare Diagnostics, Inc.	CEN ANDRO STOCK MDP Stock	Plastic Bottle: 50 mL	10/14/2019
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 10	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 4	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 5	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 6	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 7	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 8	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MC STDS BULKSET 9	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MDP 2 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MDP 3 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MDP 4 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	CENT TSTII MDP 5 BULK	Plastic bottle: 0.5 – 500 L	6/25/2020
Siemens Healthcare Diagnostics, Inc.	Dimension Vista UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	11/26/2019
Siemens Healthcare Diagnostics, Inc.	Dimension Vista UDAT CAL B	Glass vial: 3 mL	11/26/2019
Siemens Healthcare Diagnostics, Inc.	Dimension Vista UDAT Cal Pilot, Level B	Pilot Container 1 mL-250 mL	11/26/2019
Siemens Healthcare Diagnostics, Inc.	MCM ANDRO 2	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	MCM ANDRO 3	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	MCM ANDRO 4	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	MCM ANDRO 5	Glass vial: 1 mL	7/16/2019
Siemens Healthcare Diagnostics, Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 1	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics, Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 2	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics, Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 3	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics, Inc.	Pilot 6-AM/Ecstasy Cal/Ctrl Lvl 4	Pilot container: 4-250 mL	4/2/2020
Siemens Healthcare Diagnostics, Inc.	Semi-Finished AED Cal 1	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished AED Cal 2	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019

Siemens Healthcare Diagnostics, Inc.	Semi-Finished AED Cal 3	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished AED Cal 4	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished AED Cal 5	Glass vial: 3 mL; Tray: 1-350 glass vials (liquid or solid)	3/19/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished Tox Serum Low Cal	Glass Vial: 3 mL liquid or lyophilized solid	6/14/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished Tox Serum Low Cal	Tray: 1-350 vials; 3 mL each	6/14/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished Tox Serum Med Cal	Glass Vial: 3 mL liquid or lyophilized solid	6/14/2019
Siemens Healthcare Diagnostics, Inc.	Semi-Finished Tox Serum Med Cal	Tray: 1-350 vials; 3 mL each	6/14/2019
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S10	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S4	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S5	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S6	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S7	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S8	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MC STD S9	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MDP 2	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MDP 3	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MDP 4	Plastic vial: 1 mL	6/25/2020
Siemens Healthcare Diagnostics, Inc.	TSTII MDP 5	Plastic vial: 1 mL	6/25/2020
Sigma Aldrich	Allopregnanolone-2,2,3,4,4-d5 solution	Glass vial: 1 mL	2/10/2020
SMC Biosolutions	CAP (BMV2)	Amber vial: 5 mL	12/5/2019
SMC Biosolutions	CAP (CHM)	Amber vial: 5 mL	12/5/2019
SMC Biosolutions	CAP (CZQ)	Amber vial: 5 mL	12/5/2019
SMC Biosolutions	IPPR Routine Chemistry	Amber vial: 5 mL	7/20/2020
SMC Biosolutions	IPPR Special Chemistry	Amber vial: 5 mL	7/20/2020
SMC Biosolutions	LGC Chemistry/Immunoassay	Amber vial: 5 mL	7/20/2020
SMC Biosolutions	Oneworld Accuracy BCHE	Amber vial: 5 mL	7/20/2020
SMC Biosolutions	Oneworld Accuracy CCHM	Amber vial: 5 mL	7/20/2020
Thermo Fisher Scientific	Cascadion SM Total Testosterone Internal Standard	Box: 8 bottles, 29 mL each	8/16/2018
U.S. Pharmacopeial Convention Inc.	USP Cannabinoid Acids Mixture RS	Glass Ampule: 1 mL	12/11/2019
USP	Cannabinoid Mixture	Glass Ampule: 1 mL	12/11/2019
USP	Cannabinoids Mixture	Glass ampule: 1 mL	8/12/2019
USP	USP Cannabinoid Acids Mixture	Glass ampule: 1 mL	8/12/2019

The Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart II below is not consistent with the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23. Accordingly, the Assistant Administrator has determined that the chemical preparations or mixtures generally described in Chart II below and specifically described in the application materials received by DEA, are not exempt from application of any part of the CSA or from application of any part of the CFR, with regard to the requested exemption pursuant to 21 CFR 1308.23, as of the date that was provided in the determination letters to the individual requesters.

Chart II

Supplier	Product Name	Form	Application Date
Aalto Scientific, Ltd.	Phenobarbital in-house Solution	Glass bottle: 2 L	7/18/2018
Aalto Scientific, Ltd.	Phenobarbital in-house Solution 1 mg/mL	Glass bottle: 200, 250, 500 mL	8/22/2018
Aalto Scientific, Ltd.	Testosterone Stock Solution	Glass bottle: 2 L	8/13/2018
Agilent Technologies	CA/CP Required Cannabinoids Kit	Kit: 7 ampules, 1 mL each	8/1/2018
Agilent Technologies	Cannabinoid Potency Kit	Kit: 4 ampules, 1 mL each	8/1/2018
Agilent Technologies	Individual Cannabinoid Kit	Kit: 11 ampules, 1 mL each	8/1/2018
Cayman Chemical Company	DUID Urine Analysis Mixture 1 (CRM)	Glass Ampule: 1.0 mL	8/26/2019
Cayman Chemical Company	LSD (D-tartrate) (solution) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (100 µg in 1 mL acetonitrile)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Lysergic Acid Diethylamide (LSD) (CRM) (100 µg in 1 mL methanol)	Glass Ampule: 1 mL	7/5/2019
Cayman Chemical Company	Phytocannabinoid Mixture 11 (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 15 (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Phytocannabinoid Mixture 16 (CRM) (1.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020

Cayman Chemical Company	Δ^9 -THC (CRM) (5.0 mg/mL in acetonitrile)	Glass ampule: 1.0 mL	5/27/2020
Cayman Chemical Company	Δ^9 -THC (CRM) (5.0 mg/mL in methanol)	Glass ampule: 1.0 mL	5/27/2020
Cerilliant Corporation	Triazolam - D4	Glass ampule: 1 mL	7/17/2019
Cerilliant Corporation	Triazolam-D4	Glass ampule: 0.5 mL	8/29/2019
College of American Pathologists	2019 UT-05	Bottle: 50 mL	10/8/2018
College of American Pathologists	2020 SCDD-01	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 SCDD-02	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 SCDD-04	HDPE Bottle: 10 mL	10/23/2019
College of American Pathologists	2020 SCDD-05	HDPE Bottle: 10 mL	10/23/2019
IsoSciences, LLC	Testosterone Bulk Stock Solution in methanol (100 mL)	Plastic Media bottle: 100 mL	5/6/2019
LGC Standards	ISO-LSD (ISO-Lysergic Acid Diethylamide Solution, 100 mg/L, 30 x 1 mL in P/T Methanol)	Amber ampule: 1 mL x 30	12/19/2018
Lipomed Inc.	($\pm$)-11-Nor- Δ^9 -THC-carboxylic acid-D9 (0.1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	($\pm$)-11-Nor- Δ^9 -THC-carboxylic acid-D9 (1 mg/1 mL methanol)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Cannabidiolic Acid (CBDA) (1 mg/1 mL acetonitrile)	Glass ampule: 1 mL	10/18/2018
Lipomed Inc.	Furanylfentanyl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	7/25/2018
Lipomed Inc.	HU-210 (0.1 mg /1 mL methanol)	Glass ampule: 1 mL	4/1/2019
Lipomed Inc.	HU-210 (1 mg /1 mL methanol)	Glass ampule: 1 mL	4/1/2019
Lipomed Inc.	Lormetazepam-D3 (1 mg/1ml in acetonitrile)	Glass ampule: 1 mL	4/8/2019
Lipomed Inc.	THC-A (-)-trans- Δ^9 -THC carboxylic acid A (1 mg/1 mL isopropanol)	Glass ampule: 1 mL	10/18/2018
National Laboratory Certification Program, Research Triangle Institute	018301a, 025979a, 041811a, 042993a, 108594a, 123987a, 136659a, 179056a, 206560a, 266403a, 296835a, 305428a, 348054a, 363079a, 442479a, 477362a, 498427a, 518040a, 590175a, 600973a, 618232a, 623805a, 685018a, 725217a, 726429a, 734265a, 737113a	HDPE bottles: 35 mL	10/8/2019
Noramco, Inc	Naltrexone Selectivity Batch	Glass vial: 1 g	6/6/2019

o2si smart solutions	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	(-)-trans-11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 0.1 mg - NEAT	Amber ampule: 0.1 mg	4/1/2019
o2si smart solutions	(-)- Δ^9 -Tetrahydrocannabinol (Δ^9 -THC) 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 0.1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	($\pm$)-11-Hydroxy- Δ^9 -Tetrahydrocannabinol 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9 0.1 mg - NEAT	Amber ampule: 0.1 mg	4/1/2019
o2si smart solutions	11-Nor-9-carboxy- Δ^9 -Tetrahydrocannabinol D9, 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	Custom Drug Mixture, 34-0092, Various Concentrations, 1 mL in Acetonitrile w/ 0.1% Formic Acid	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Custom Drugs Mix, 25-0114, 10:20:30 mg/L, 2 x 5 mL in Methanol	Amber ampule: 5 mL x 2	12/19/2018
o2si smart solutions	Custom Drugs Mix, 25-0114, 10:20:30 mg/L, 5 mL in Methanol	Amber ampule: 5 mL	12/19/2018
o2si smart solutions	Drug IS Mix (Internal Standards), 6 components, 10 mg/L, 10 mL in Methanol	Amber ampule: 10 mL	12/19/2018
o2si smart solutions	Drug IS Mix (Internal Standards), 6 components, 10 mg/L, 2 x 10 mL in Methanol	Amber ampule: 10 mL x 2	12/19/2018
o2si smart solutions	ISO 17034 - Custom Drugs Mix, 25-0114, 10:20:30 mg/L, 2 x 5 mL in Methanol	Amber ampule: 5 mL x 2	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in Methylene Chloride	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO 17034 a,a-Dimethylphenethylamine Solution, 1,000 mg/L, 5 x 1 ml in M-t-BE	Amber ampule: 1 mL x 5	12/19/2018

o2si smart solutions	ISO 17034 Phentermine Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	ISO-LSD (ISO-Lysergic Acid Diethylamide Solution, 100 mg/L, 1 ml in P/T Methanol	Amber ampule: 1 mL	12/19/2018
o2si smart solutions	Phentermine Solution, 1,000 mg/L, 5 x 1 ml in Methanol	Amber ampule: 1 mL x 5	12/19/2018
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 0.1 mg - NEAT	Amber ampule: 0.1 mg	4/1/2019
o2si smart solutions	trans-11-Hydroxy-Δ9-Tetrahydrocannabinol D3 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 0.1 mg - NEAT	Amber ampule: 0.1 mg	4/1/2019
o2si smart solutions	Δ9-Tetrahydrocannabinolic Acid A (THCA-A) 1 mg - NEAT	Amber ampule: 1 mg	4/1/2019
Restek Corporation	Custom GC/MS Spiking Standard #1	Glass Ampule: 1.3 mL	10/29/2019
Rowley Biochemical	Klotz Fixative	HDPE bottles: 4 oz, 8 oz, pint, quart, 1 gallon; Cubitainer: 5 gallons	8/26/2019
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT Cal Bulk, Level B	Bulk Container: 1L – 20L	11/26/2019
SPEX CertiPrep Group, LLC	Phytocannabinoid Mix 3 CRM	Glass ampule: 2 mL	11/29/2018
SPEX CertiPrep Group, LLC	Phytocannabinoid Mix 5 CRM	Glass ampule: 2 mL	11/29/2018
SPEX CertiPrep Group, LLC	Phytocannabinoid Mix 6 CRM	Glass ampule: 2 mL	11/29/2018

Opportunity for Comment

Pursuant to 21 CFR 1308.23(e), any interested person may submit written comments on or objections to any chemical preparation in this order that has been approved or denied as exempt. If any comments or objections raise significant issues regarding any finding of fact or conclusion of law upon which this order is based, the Assistant Administrator will immediately suspend the effectiveness of any

applicable part of this order until he may reconsider the application in light of the comments and objections filed. Thereafter, the Assistant Administrator shall reinstate, revoke, or amend his original order as he determines appropriate.

Approved Exempt Chemical Preparations Are Posted on the DEA's Website

A list of all current exemptions, including those listed in this order, is

available on the DEA's website at http://www.DEAdiversion.usdoj.gov/schedules/exempt/exempt_chemlist.pdf. The dates of applications of all current exemptions are posted for easy reference.

William T. McDermott,

Assistant Administrator.

[FR Doc. 2021-06689 Filed 4-22-21; 8:45 am]

BILLING CODE 4410-09-C