

(1) Pelvis excursion: The load-bearing portion of the bottom of the ATD pelvis must not translate beyond the edges of its seat's bottom seat-cushion supporting structure.

(2) Upper-torso support: The lateral flexion of the ATD torso must not exceed 40 degrees from the normal upright position during the impact.

3. For seats with a shoulder and leg flail airbag system, the shoulder and leg flail airbag system must deploy and provide protection under crash conditions where it is necessary to prevent serious injury. The means of protection must take into consideration a range of stature from a 2-year-old child to a 95th percentile male. The airbag systems in the shoulder belts must provide a consistent approach to energy absorption throughout that range of occupants. At some buttock popliteal length and effective seat-bottom depth, the lower legs will not be able to form a 90-degree angle with the upper leg; at this point, the lower-leg flail would not occur. The leg-flail airbag system must provide a consistent approach to prevention of leg flail throughout that range of occupants whose lower legs can form a 90-degree angle relative to the upper legs when seated upright in the seat. Items that need to be considered include, but are not limited to, the range of occupants' popliteal height, the range of occupants' buttock popliteal length, the design of the seat effective height above the floor, and the effective depth of the seat bottom cushion. When the seat system includes an airbag system, that system must be included in each of the certification tests as it would be installed in the airplane. In addition, the following situations must be considered:

a. The seat occupant is holding an infant.

b. The seat occupant is a pregnant woman.

4. The airbag system in the shoulder belt must provide adequate protection for each occupant regardless of the number of occupants of the seat assembly, considering that unoccupied seats may have an active airbag system in the shoulder belt.

5. The design must prevent the airbag system in the shoulder belt from being either incorrectly buckled or incorrectly installed, such that the airbag system in the shoulder belt would not properly deploy. Alternatively, it must be shown that such deployment is not hazardous to the occupant, and will provide the required injury protection.

6. It must be shown that the shoulder and leg flail airbag system is not susceptible to inadvertent deployment as a result of wear and tear, or inertial loads resulting from in-flight or ground

maneuvers (including gusts and hard landings), and other operating and environmental conditions (vibrations, moisture, etc.) likely to occur in service.

7. Deployment of the shoulder and leg flail airbag system must not introduce injury mechanisms to the seated occupant, or result in injuries that could impede rapid egress. This assessment should include an occupant whose belt is loosely fastened.

8. It must be shown that inadvertent deployment of the shoulder and leg flail airbag system, during the most critical part of the flight, will either meet the requirement of § 25.1309(b) or not cause a hazard to the airplane or its occupants. This also includes preventing inadvertent airbag deployment from a static discharge.

9. If the airbag system is connected to the dynamic seat and must inflate through 9g static structure, then the static structure must not fail in such a way that it could impede egress or otherwise present a hazard to the occupants or to the airbag system.

10. The shoulder and leg flail airbag system must be protected from lightning and high-intensity radiated fields (HIRF). The threats to the airplane specified in existing regulations regarding lightning, § 25.1316, and HIRF, § 25.1317, are incorporated by reference for the purpose of measuring lightning and HIRF protection.

11. The shoulder and leg flail airbag system must function properly after loss of normal airplane electrical power, and after a transverse separation of the fuselage at the most critical location. A separation at the location of the airbag system in the shoulder belt does not have to be considered.

12. It must be shown that the shoulder and leg flail airbag system will not release hazardous quantities of gas, sharp injurious metal fragments, or particulate matter into the cabin.

13. The shoulder and leg flail airbag system installation must be protected from the effects of fire such that no hazard to occupants will result.

14. A means must be available for a crewmember to verify the integrity of the shoulder and leg flail airbag system activation system prior to each flight, or it must be demonstrated to reliably operate between inspection intervals. The FAA considers that the loss of the airbag-system deployment function alone (*i.e.*, independent of the conditional event that requires the airbag-system deployment) is a major-failure condition.

15. The inflatable material may not have an average burn rate of greater than 2.5 inches/minute when tested using the horizontal flammability test defined in

part 25, appendix F, part I, paragraph (b)(5).

16. The shoulder and leg flail airbag system, once deployed, must not adversely affect the emergency-lighting system (*i.e.*, block floor proximity lights to the extent that the lights no longer meet their intended function).

Issued in Des Moines, Washington, on March 20, 2019.

Victor Wicklund,

Manager, Transport Standards Branch, Policy and Innovation Division, Aircraft Certification Service.

[FR Doc. 2019–05872 Filed 3–26–19; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 97

[Docket No. 31243; Amdt. No. 3844]

Standard Instrument Approach Procedures, and Takeoff Minimums and Obstacle Departure Procedures; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This rule amends, suspends, or removes Standard Instrument Approach Procedures (SIAPs) and associated Takeoff Minimums and Obstacle Departure Procedures for operations at certain airports. These regulatory actions are needed because of the adoption of new or revised criteria, or because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, adding new obstacles, or changing air traffic requirements. These changes are designed to provide for the safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: This rule is effective March 27, 2019. The compliance date for each SIAP, associated Takeoff Minimums, and ODP is specified in the amendatory provisions.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the Federal Register as of March 27, 2019.

ADDRESSES: Availability of matter incorporated by reference in the amendment is as follows:

For Examination

1. U.S. Department of Transportation, Docket Ops-M30, 1200 New Jersey

Avenue SE, West Bldg., Ground Floor, Washington, DC 20590-0001;

2. The FAA Air Traffic Organization Service Area in which the affected airport is located;

3. The office of Aeronautical Navigation Products, 6500 South MacArthur Blvd., Oklahoma City, OK 73169 or,

4. The National Archives and Records Administration (NARA).

For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

Availability

All SIAPs and Takeoff Minimums and ODPs are available online free of charge. Visit the National Flight Data Center online at nfdc.faa.gov to register. Additionally, individual SIAP and Takeoff Minimums and ODP copies may be obtained from the FAA Air Traffic Organization Service Area in which the affected airport is located.

FOR FURTHER INFORMATION CONTACT:

Thomas J. Nichols, Flight Procedures and Airspace Group, Flight Technologies and Procedures Division, Flight Standards Service, Federal Aviation Administration. Mailing Address: FAA Mike Monroney Aeronautical Center, Flight Procedures and Airspace Group, 6500 South MacArthur Blvd., Registry Bldg. 29, Room 104, Oklahoma City, OK 73125. Telephone: (405) 954-4164.

SUPPLEMENTARY INFORMATION: This rule amends Title 14, Code of Federal Regulations, Part 97 (14 CFR part 97) by amending the referenced SIAPs. The complete regulatory description of each SIAP is listed on the appropriate FAA Form 8260, as modified by the National Flight Data Center (NFDC)/Permanent Notice to Airmen (P-NOTAM), and is incorporated by reference under 5 U.S.C. 552(a), 1 CFR part 51, and 14 CFR 97.20. The large number of SIAPs, their complex nature, and the need for a special format make their verbatim publication in the **Federal Register** expensive and impractical. Further, airmen do not use the regulatory text of the SIAPs, but refer to their graphic depiction on charts printed by publishers of aeronautical materials. Thus, the advantages of incorporation by reference are realized and publication of the complete description

of each SIAP contained on FAA form documents is unnecessary. This amendment provides the affected CFR sections, and specifies the SIAPs and Takeoff Minimums and ODPs with their applicable effective dates. This amendment also identifies the airport and its location, the procedure and the amendment number.

Availability and Summary of Material Incorporated by Reference

The material incorporated by reference is publicly available as listed in the **ADDRESSES** section.

The material incorporated by reference describes SIAPs, Takeoff Minimums and ODPs as identified in the amendatory language for part 97 of this final rule.

The Rule

This amendment to 14 CFR part 97 is effective upon publication of each separate SIAP and Takeoff Minimums and ODP as amended in the transmittal. For safety and timeliness of change considerations, this amendment incorporates only specific changes contained for each SIAP and Takeoff Minimums and ODP as modified by FDC permanent NOTAMs.

The SIAPs and Takeoff Minimums and ODPs, as modified by FDC permanent NOTAM, and contained in this amendment are based on the criteria contained in the U.S. Standard for Terminal Instrument Procedures (TERPS). In developing these changes to SIAPs and Takeoff Minimums and ODPs, the TERPS criteria were applied only to specific conditions existing at the affected airports. All SIAP amendments in this rule have been previously issued by the FAA in a FDC NOTAM as an emergency action of immediate flight safety relating directly to published aeronautical charts.

The circumstances that created the need for these SIAP and Takeoff Minimums and ODP amendments require making them effective in less than 30 days.

Because of the close and immediate relationship between these SIAPs, Takeoff Minimums and ODPs, and safety in air commerce, I find that notice and public procedure under 5 U.S.C. 553(b) are impracticable and contrary to the public interest and, where applicable, under 5 U.S.C. 553(d), good cause exists for making these SIAPs effective in less than 30 days.

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not a “significant regulatory action” under Executive Order 12866; (2) is not a “significant rule” under DOT regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. For the same reason, the FAA certifies that this amendment will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 97

Air traffic control, Airports, Incorporation by reference, Navigation (air).

Issued in Washington, DC, on March 8, 2019.

Rick Domingo,

Executive Director, Flight Standards Service.

Adoption of the Amendment

Accordingly, pursuant to the authority delegated to me, Title 14, Code of Federal Regulations, Part 97, (14 CFR part 97), is amended by amending Standard Instrument Approach Procedures and Takeoff Minimums and ODPs, effective at 0901 UTC on the dates specified, as follows:

PART 97—STANDARD INSTRUMENT APPROACH PROCEDURES

■ 1. The authority citation for part 97 continues to read as follows:

Authority: 49 U.S.C. 106(f), 106(g), 40103, 40106, 40113, 40114, 40120, 44502, 44514, 44701, 44719, 44721–44722.

■ 2. Part 97 is amended to read as follows:

By amending: § 97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; § 97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; § 97.27 NDB, NDB/DME; § 97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; § 97.31 RADAR SIAPs; § 97.33 RNAV SIAPs; and § 97.35 COPTER SIAPs, Identified as follows:

* * * *Effective Upon Publication*

AIRAC date	State	City	Airport	FDC No.	FDC date	Subject
25-Apr-19	AL	Monroeville	Monroe County Aeroplex	8/3604	2/14/19	This NOTAM, published in TL 19-08, is hereby rescinded in its entirety.
25-Apr-19	FL	Tampa	Tampa Executive	8/2047	3/1/19	RNAV (GPS) RWY 23, Amdt 1C.

AIRAC date	State	City	Airport	FDC No.	FDC date	Subject
25-Apr-19	FL	Tampa	Tampa Executive	8/2054	3/1/19	RNAV (GPS) RWY 5, Orig-C.
25-Apr-19	FL	Tampa	Tampa Executive	8/2100	3/1/19	RNAV (GPS) RWY 18, Amdt 1A.
25-Apr-19	FL	Tampa	Tampa Executive	8/2102	3/1/19	ILS OR LOC RWY 23, Amdt 1C.
25-Apr-19	CA	Tulare	Mefford Field	9/0276	3/1/19	VOR RWY 13, Amdt 2.
25-Apr-19	AL	Huntsville	Huntsville Executive Tom Sharp Jr Fld.	9/0352	3/1/19	Takeoff Minimums and Obstacle DP, Amdt 4A.
25-Apr-19	AL	Monroeville	Monroe County Aeroplex	9/0767	3/1/19	VOR RWY 21, Amdt 10B.
25-Apr-19	MT	Circle	Circle Town County	9/4642	2/25/19	RNAV (GPS) RWY 12, Orig-A.
25-Apr-19	MT	Circle	Circle Town County	9/4643	2/25/19	RNAV (GPS) RWY 30, Orig-B.
25-Apr-19	NJ	Trenton	Trenton Mercer	9/6484	2/25/19	RNAV (GPS) RWY 34, Orig-C.
25-Apr-19	IL	Bloomington/Normal	Central IL Rgnl Arpt At Bloom- ington-Normal.	9/6758	2/25/19	RNAV (GPS) RWY 2, Orig-C.

[FR Doc. 2019-05674 Filed 3-26-19; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION**Federal Aviation Administration****14 CFR Part 97**

[Docket No. 31242; Amdt. No. 3843]

Standard Instrument Approach Procedures, and Takeoff Minimums and Obstacle Departure Procedures; Miscellaneous Amendments**AGENCY:** Federal Aviation Administration (FAA), DOT.**ACTION:** Final rule.

SUMMARY: This rule establishes, amends, suspends, or removes Standard Instrument Approach Procedures (SIAPs) and associated Takeoff Minimums and Obstacle Departure Procedures (ODPs) for operations at certain airports. These regulatory actions are needed because of the adoption of new or revised criteria, or because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, adding new obstacles, or changing air traffic requirements. These changes are designed to provide safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: This rule is effective March 27, 2019. The compliance date for each SIAP, associated Takeoff Minimums, and ODP is specified in the amendatory provisions.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the **Federal Register** as of March 27, 2019.

ADDRESSES: Availability of matters incorporated by reference in the amendment is as follows:

For Examination

1. U.S. Department of Transportation, Docket Ops-M30, 1200 New Jersey Avenue SE, West Bldg., Ground Floor, Washington, DC 20590-0001.

2. The FAA Air Traffic Organization Service Area in which the affected airport is located;

3. The office of Aeronautical Navigation Products, 6500 South MacArthur Blvd., Oklahoma City, OK 73169 or,

4. The National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

Availability

All SIAPs and Takeoff Minimums and ODPs are available online free of charge. Visit the National Flight Data Center at nfdc.faa.gov to register. Additionally, individual SIAP and Takeoff Minimums and ODP copies may be obtained from the FAA Air Traffic Organization Service Area in which the affected airport is located.

FOR FURTHER INFORMATION CONTACT:

Thomas J. Nichols, Flight Procedures and Airspace Group, Flight Technologies and Procedures Division, Flight Standards Service, Federal Aviation Administration. Mailing Address: FAA Mike Monroney Aeronautical Center, Flight Procedures and Airspace Group, 6500 South MacArthur Blvd., Registry Bldg. 29, Room 104, Oklahoma City, OK 73125. Telephone: (405) 954-4164.

SUPPLEMENTARY INFORMATION: This rule amends Title 14 of the Code of Federal Regulations, Part 97 (14 CFR part 97), by establishing, amending, suspending, or removes SIAPs, Takeoff Minimums and/or ODPS. The complete regulatory description of each SIAP and its associated Takeoff Minimums or ODP for an identified airport is listed on FAA form documents which are incorporated by reference in this amendment under 5

U.S.C. 552(a), 1 CFR part 51, and 14 CFR part 97.20. The applicable FAA forms are FAA Forms 8260-3, 8260-4, 8260-5, 8260-15A, and 8260-15B when required by an entry on 8260-15A.

The large number of SIAPs, Takeoff Minimums and ODPs, their complex nature, and the need for a special format make publication in the **Federal Register** expensive and impractical. Further, airmen do not use the regulatory text of the SIAPs, Takeoff Minimums or ODPs, but instead refer to their graphic depiction on charts printed by publishers of aeronautical materials. Thus, the advantages of incorporation by reference are realized and publication of the complete description of each SIAP, Takeoff Minimums and ODP listed on FAA form documents is unnecessary. This amendment provides the affected CFR sections and specifies the types of SIAPs, Takeoff Minimums and ODPs with their applicable effective dates. This amendment also identifies the airport and its location, the procedure, and the amendment number.

Availability and Summary of Material Incorporated by Reference

The material incorporated by reference is publicly available as listed in the **ADDRESSES** section.

The material incorporated by reference describes SIAPs, Takeoff Minimums and/or ODPS as identified in the amendatory language for part 97 of this final rule.

The Rule

This amendment to 14 CFR part 97 is effective upon publication of each separate SIAP, Takeoff Minimums and ODP as Amended in the transmittal. Some SIAP and Takeoff Minimums and textual ODP amendments may have been issued previously by the FAA in a Flight Data Center (FDC) Notice to Airmen (NOTAM) as an emergency action of immediate flight safety relating directly to published aeronautical charts.