

Proposed Rules

Federal Register

Vol. 90, No. 39

Friday, February 28, 2025

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

9 CFR Parts 148 and 149

[Docket No. APHIS–2022–0061]

RIN 0579–AE75

US Swine Health Improvement Plan; Reopening of Comment Period

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Proposed rule; reopening of comment period.

SUMMARY: We are reopening the comment period for our proposed rule that would create the regulations governing the US Swine Health Improvement Plan, a voluntary livestock improvement program aimed at improving biosecurity, traceability, and disease surveillance for swine health. This action will allow interested persons additional time to prepare and submit comments.

DATES: The comment period for the proposed rule published on December 31, 2024 (89 FR 107045–107063) is reopened. We will consider all comments that we receive on or before March 31, 2025.

ADDRESSES: You may submit comments by either of the following methods:

- *Federal eRulemaking Portal:* Go to www.regulations.gov. Enter APHIS–2022–0061 in the Search field. Select the Documents tab, then select the Comment button in the list of documents.

- *Postal Mail/Commercial Delivery:* Send your comment to Docket No. APHIS–2022–0061, Regulatory Analysis and Development, PPD, APHIS, Station 2C–10.16, 4700 River Road Unit 25, Riverdale, MD 20737–1238.

Supporting documents and any comments we receive on this docket may be viewed at Regulations.gov or in our reading room, which is located in Room 1620 of the USDA South Building, 14th Street and Independence

Avenue SW, Washington, DC. Normal reading room hours are 8 a.m. to 4:30 p.m., Monday through Friday, except holidays. To be sure someone is there to help you, please call (202) 799–7039 before coming.

FOR FURTHER INFORMATION CONTACT: Dr. Lydia Carpenter, Veterinary Medical Officer, Aquaculture, Swine, Equine, and Poultry Health Center, VS, Department of Agriculture, Animal and Plant Health Inspection Service, 920 Main Campus Drive, Suite 200, Raleigh, NC 27606; phone: (919) 855–7276; email: lydia.carpenter@usda.gov.

SUPPLEMENTARY INFORMATION: On December 31, 2024, we published in the *Federal Register* (89 FR 107045–107063, Docket No. APHIS–2022–0061) a proposal to create the regulations governing the US Swine Health Improvement Plan, a voluntary livestock improvement program aimed at improving biosecurity, traceability, and disease surveillance for swine health.

Comments on the proposed rule were required to be received on or before January 30, 2025. We are reopening the comment period on Docket No. APHIS–2022–0061 for an additional 30 days. This action will allow interested persons additional time to prepare and submit comments. We will also consider all comments received between January 31, 2025 (the day after the close of the original comment period) and the date of this document.

(Authority: 7 U.S.C. 8301–8317; 7 CFR 2.22, 2.80, and 371.4)

Done in Washington, DC, this 20th day of February 2025.

Michael Watson,

Administrator, Animal and Plant Health Inspection Service.

[FR Doc. 2025–03100 Filed 2–27–25; 8:45 am]

BILLING CODE 3410–34–P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA–R05–OAR–2021–0544; FRL–12175–04–R5]

Air Plan Approval; Ohio; Regional Haze Plan for the Second Implementation Period

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule; reopening of comment period.

SUMMARY: The Environmental Protection Agency (EPA) is reopening the public comment period for 15 days for a proposed rule published August 30, 2024. Reopening the public comment period is focused exclusively on the references to various permit conditions within three Director’s Final Findings and Orders (DFFOs) included in the docket that were issued by the Ohio Environmental Protection Agency (Ohio EPA) as those conditions apply to the limits in the DFFOs for Cardinal Power Plant, Ohio Valley Electric Corp.—Kyger Creek, and General James M. Gavin Power Plant.

DATES: The comment period for the proposed rule published August 30, 2024, at 89 FR 71124, which ended on September 30, 2024, and was extended until October 15, 2024, at 89 FR 76442, is being reopened. Comments must be received on or before March 17, 2025.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA–R05–OAR–2021–0544, at <https://www.regulations.gov>, or via email to langman.michael@epa.gov. Additional instructions to comment can be found in the notice of proposed rulemaking published August 30, 2024 (89 FR 71124).

FOR FURTHER INFORMATION CONTACT: Alisa Liu, Air and Radiation Division (AR–18), Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604, (312) 886–6524, liu.alisa@epa.gov.

SUPPLEMENTARY INFORMATION: On August 21, 2024 (89 FR 71124), EPA proposed to approve the Regional Haze State Implementation Plan (SIP) revision submitted by Ohio EPA on July 30, 2021, as satisfying applicable requirements under the Clean Air Act and EPA’s Regional Haze Rule for the program’s second implementation period. The previous public comment period for the proposed rule ran for 45 days and ended October 15, 2024. In the notice of proposed rulemaking, EPA proposed, among other things, to incorporate by reference three DFFOs issued by Ohio EPA into Ohio’s SIP at 40 CFR 52.1870(d). Although the DFFOs were included in the docket at the time when the notice of proposed rulemaking was published on August 30, 2024, the permit conditions referenced within the

three DFFOs were not made available in www.regulations.gov until December 23, 2024, due to an oversight. EPA is, therefore, reopening the public comment period for 15 days focused exclusively on the references to the various permit conditions within these three DFFOs as they apply to the limits in the DFFOs.

The referenced permit conditions that were not included in the docket for this rulemaking at the time of the initial public comment period are contained in the permits listed below:

- *Cardinal Power Plant*: title V Permit, Ohio EPA Permit P0133672
- *Ohio Valley Electric Corp.—Kyger Creek*: title V Permit, Ohio EPA Permit P0089199
- *General James M. Gavin Power Plant*: title V Permit, Ohio EPA Permit P0134437

These three permits were publicly available through Ohio EPA's website¹ when the notice of proposed rulemaking was published on August 30, 2024, and EPA has now added them to the docket for this rulemaking.

EPA proposed to incorporate by reference these three DFFOs as well as a DFFO for Miami Fort and Zimmer Power Stations into Ohio's SIP at 40 CFR 52.1870(d) in the notice of proposed rulemaking. EPA is clarifying that EPA is doing so in accordance with requirements of 1 CFR 51.5 and by including regulatory text in the final rule.

As noted in the notice of proposed rulemaking, the DFFOs provide for on-the-way controls. The DFFO for Miami Fort Power Station provides for the permanent shutdown of coal-fired Boilers B015 and B016, and for Zimmer Power Station, provides for the permanent shutdown of coal-fired Boiler B006. The DFFO for Cardinal Power Plant provides for a sulfur dioxide (SO₂) emission limit on coal-fired Boilers B001, B002, and B009, which was previously approved by EPA into Ohio's SIP on October 22, 2019 (84 FR 56385), and references conditions of Ohio EPA permit number P0133672 for C.1.d)(1)–(11), C.1.e)(1)–(5), and C.1.f)(1)–(2). The DFFO for Ohio Valley Electric Corp.—Kyger Creek provides for a new nitrogen oxides emission limit on

coal-fired Boilers B001, B002, B003, B004, and B005, and references conditions of Ohio permit number P0089199 for C.4.d)(1)–(7), C.4.e)(1)–(6), and C.4.f)(1)–(3). The DFFO for General James M. Gavin Power Plant provides for a new SO₂ emission limit on coal-fired Boilers B003 and B004, and references conditions of Ohio permit number P0134437 for C.8.d)(1)–(11), C.8.e)(1)–(4) and, C.8.f)(1)–(2).

Dated: February 11, 2025.

Cheryl Newton,

Acting Regional Administrator, Region 5.

[FR Doc. 2025–03196 Filed 2–27–25; 8:45 am]

BILLING CODE 6560–50–P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 73

[MB Docket No. 25–14; RM–11994; DA 25–66; FR ID 275581]

Television Broadcasting Services Monroe, Louisiana

AGENCY: Federal Communications Commission.

ACTION: Proposed rule.

SUMMARY: The Video Division, Media Bureau (Bureau), has before it a petition for rulemaking filed by Louisiana Educational Television Authority (LETA or Petitioner) on January 10, 2025, as amended January 14, 2025, the licensee of noncommercial educational television PBS member station KLTM–TV, channel *13, Monroe, Louisiana (Station or KLTM). Petitioner requests that the Bureau substitute channel *29 for channel *13 at Monroe in the Table of TV Allotments (Table).

DATES: Comments must be filed on or before March 17, 2025 and reply comments on or before March 31, 2025.

ADDRESSES: Federal Communications Commission, Office of the Secretary, 45 L Street NE, Washington, DC 20554. In addition to filing comments with the FCC, interested parties should serve counsel for the Petitioner as follows: Brad Deutsch, Foster Garvey P.C., 3000 K St. NW, Suite 420, Washington, DC 20007.

FOR FURTHER INFORMATION CONTACT:

Emily Harrison, Media Bureau, at Emily.Harrison@fcc.gov, (202) 418–1665, or Mark Colombo, Media Bureau, at Mark.Colombo@fcc.gov, (202) 418–7611.

SUPPLEMENTARY INFORMATION: In support of its channel substitution request, the Petitioner asserts that allowing the Station to move from a VHF to a UHF

channel would serve the public interest by addressing ongoing reception complaints the Station has received from numerous viewers, significantly improving the Station's over-the-air-service to the viewers in its existing service area, and "enabling the Station to better serve the Monroe community by substantially improving viewer access to the Station's noncommercial educational and public affairs programming." Petitioner states that since the digital transition and commencement of digital television operations on high-band VHF channel *13 in 2009, the Station has consistently received viewer complaints of poor reception and interference. The Petitioner states that the Commission has recognized that "environmental noise blockages affecting [VHF] signal strength and reception exist" and "[vary] widely from service area to service area."

An engineering statement provided by the Petitioner confirms that the proposed channel *29 contour would provide full principal community coverage to Monroe. The proposed move from channel *13 to channel *29 is also not predicted to create a loss of service to any viewers. Petitioner's engineering statement also confirms that the proposed channel substitution contour would not cause impermissible interference to any other licensed facilities. The proposed channel *29 facility would remain at its current transmission site and operate at an effective radiated power (ERP) of 1,000 kW and height above average terrain (HAAT) of 544.5 meters.

We believe that the Petitioner's channel substitution proposal for KLTM warrants consideration. Based on an analysis by Bureau staff, channel *29 can be substituted for channel *13 as proposed, in compliance with the principal community coverage requirements of § 73.618 of the Commission's rules (Rules), at coordinates 32–11–51" N+ and 92–4–14.0" W – . In addition, we find that this channel change meets the technical requirements set forth in § 73.622(a) of the Rules. The substitution of channel *29 for channel *13 in the Table will also allow Petitioner to construct its new facility on a UHF channel and avoid the known viewer reception issues on its currently authorized VHF channel.

This is a synopsis of the Commission's *Notice of Proposed Rulemaking*, MB Docket No. 25–14; RM–11994; DA 25–66, adopted January 17, 2025, and released January 17, 2025. The full text of this document is available for download at [https://](https://www.fcc.gov)

¹ General James M. Gavin Power Plant: title V Operating Permit, Ohio EPA Permit P0134437: <https://edocpub.epa.ohio.gov/publicportal/ViewDocument.aspx?docid=2661778>; Cardinal Power Plant: title V Operating Permit, Ohio EPA Permit P0133672: <https://edocpub.epa.ohio.gov/publicportal/ViewDocument.aspx?docid=2628351>; Ohio Valley Electric Corp.—Kyger Creek: title V Operating Permit, Ohio EPA Permit P0089199: <https://edocpub.epa.ohio.gov/publicportal/ViewDocument.aspx?docid=1777386>.