

Research (HFM-25), Food and Drug Administration, 1401 Rockville Pike, Rockville, MD 20852, 301-827-0373, or Timothy M. Mahoney, Center for Drug Evaluation and Research (HFD-73), Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20857, 301-827-3540.

Regarding the ICH: Janet Showalter, Office of International Programs (HFG-1), Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20857, 301-827-0865.

SUPPLEMENTARY INFORMATION:

I. Background

In recent years, many important initiatives have been undertaken by regulatory authorities and industry associations to promote international harmonization of regulatory requirements. FDA has participated in many meetings designed to enhance harmonization and is committed to seeking scientifically based harmonized technical procedures for pharmaceutical development. One of the goals of harmonization is to identify and then reduce differences in technical requirements for drug development among regulatory agencies.

ICH was organized to provide an opportunity for tripartite harmonization initiatives to be developed with input from both regulatory and industry representatives. FDA also seeks input from consumer representatives and others. ICH is concerned with harmonization of technical requirements for the registration of pharmaceutical products among three regions: The European Union, Japan, and the United States. The six ICH sponsors are the European Commission, the European Federation of Pharmaceutical Industries Associations, the Japanese Ministry of Health, Labour, and Welfare, the Japanese Pharmaceutical Manufacturers Association, the Centers for Drug Evaluation and Research and Biologics Evaluation and Research, FDA, and the Pharmaceutical Research and Manufacturers of America. The ICH Secretariat, which coordinates the preparation of documentation, is provided by the International Federation of Pharmaceutical Manufacturers Associations (IFPMA).

The ICH Steering Committee includes representatives from each of the ICH sponsors and the IFPMA, as well as observers from the World Health Organization, Health Canada's Health Products and Food Branch, and the European Free Trade Area.

In accordance with FDA's good guidance practices (GGPs) regulation (21 CFR 10.115), this document is being

called a guidance, rather than a guideline.

To facilitate the process of making ICH guidances available to the public, the agency has changed its procedure for publishing ICH guidances. As of April 2000, we no longer include the text of ICH guidances in the **Federal Register**. Instead, we publish a notice in the **Federal Register** announcing the availability of an ICH guidance. The ICH guidance is placed in the docket and can be obtained through regular agency sources (see **ADDRESSES**). Draft guidances are left in the original ICH format. The final guidance is reformatted to conform to the GGP style before publication.

In the **Federal Register** of June 14, 2002 (67 FR 40948), FDA announced the availability of a second draft guidance entitled "Electronic Common Technical Document Specification." The notice gave interested persons an opportunity to submit comments by August 1, 2002.

After consideration of the comments received and revisions to the guidance, a final draft of the guidance was submitted to the ICH Steering Committee and endorsed by the three participating regulatory agencies in September 2002.

The eCTD guidance describes the recommended method for industry-to-agency electronic transfer of marketing applications for human drug and biological products. The guidance defines the means for industry-to-agency transfer of regulatory information that will facilitate the creation, review, life cycle management, and archiving of the electronic submission. The guidance is intended to assist industry in transferring their marketing applications for human drug and biological products to a regulatory authority. The guidance includes the following changes:

- The Document Type Definition (DTD) and specification version numbers were harmonized to 3.0.
- Throughout the guidance, references to Common Technical Document (CTD) sections were updated to reflect the current CTD specifications.
- Path names in Appendix 4 were abbreviated to avoid exceeding maximum path character limits.
- The Glossary of Terms was updated.
- Technical errors discovered during testing were corrected.

This guidance represents the agency's current thinking on this topic. It does not create or confer any rights for or on any person and does not operate to bind FDA or the public. An alternative approach may be used if such approach satisfies the requirements of the applicable statutes and regulations.

II. Comments

Interested persons may submit to the Dockets Management Branch (see **ADDRESSES**) written or electronic comments on the guidance at any time. Two copies of any comments are to be submitted, except that individuals may submit one copy. Comments are to be identified with the docket number found in brackets in the heading of this document. The guidance and received comments may be seen in the Dockets Management Branch between 9 a.m. and 4 p.m., Monday through Friday.

III. Electronic Access

Persons with access to the Internet may obtain the document at <http://www.fda.gov/ohrms/dockets/default.htm>, <http://www.fda.gov/cder/guidance/index.htm>, or <http://www.fda.gov/cber/publications.htm>.

Dated: March 25, 2003.

Jeffrey Shuren,

Assistant Commissioner for Policy.

[FR Doc. 03-7818 Filed 4-1-03; 8:45 am]

BILLING CODE 4160-01-S

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. 02E-0150]

Determination of Regulatory Review Period for Purposes of Patent Extension; GYNECARE INTERGEL

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) has determined the regulatory review period for GYNECARE INTERGEL and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of an application to the Director of Patents and Trademarks, Department of Commerce, for the extension of a patent which claims that medical device.

ADDRESSES: Submit written comments and petitions to the Dockets Management Branch (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852. Submit electronic comments to <http://www.fda.gov/dockets/ecomments>.

FOR FURTHER INFORMATION CONTACT: Claudia Grillo, Office of Regulatory Policy (HFD-013), Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20857, 301-827-3460.

SUPPLEMENTARY INFORMATION: The Drug Price Competition and Patent Term Restoration Act of 1984 (Public Law 98-417) and the Generic Animal Drug and Patent Term Restoration Act (Public Law 100-670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product's regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: A testing phase and an approval phase. For medical devices, the testing phase begins with a clinical investigation of the device and runs until the approval phase begins. The approval phase starts with the initial submission of an application to market the device and continues until permission to market the device is granted. Although only a portion of a regulatory review period may count toward the actual amount of extension that the Director of Patents and Trademarks may award (half the testing phase must be subtracted as well as any time that may have occurred before the patent was issued), FDA's determination of the length of a regulatory review period for a medical device will include all of the testing phase and approval phase as specified in 35 U.S.C. 156(g)(3)(B).

FDA recently approved for marketing the medical device GYNECARE INTERGEL. GYNECARE INTERGEL is indicated for use in patients undergoing open, conservative gynecologic surgery as an adjunct to good surgical technique to reduce postsurgical adhesions. Subsequent to this approval, the Patent and Trademark Office received a patent term restoration application for GYNECARE INTERGEL (U.S. Patent No. 5,532,221) from Lifecore Medical, Inc., and the Patent and Trademark Office requested FDA's assistance in determining this patent's eligibility for patent term restoration. In a letter dated October 31, 2001, FDA advised the Patent and Trademark Office that this medical device had undergone a regulatory review period and that the approval of GYNECARE INTERGEL represented the first permitted commercial marketing or use of the product. Thereafter, the Patent and Trademark Office requested that FDA determine the product's regulatory review period.

FDA has determined that the applicable regulatory review period for

GYNECARE INTERGEL is 2,438 days. Of this time, 1,453 days occurred during the testing phase of the regulatory review period, while 985 days occurred during the approval phase. These periods of time were derived from the following dates:

1. *The date a clinical investigation involving this device was begun:* March 17, 1995. FDA has verified the applicant's claim that the date the investigational device exemption (IDE) required under section 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) (21 U.S.C. 360j(g)) for human tests to begin became effective March 17, 1995.

2. *The date an application was initially submitted with respect to the device under section 515 of the act (21 U.S.C. 360e):* March 8, 1999. The applicant claims March 5, 1999, as the date the premarket approval application (PMA) FOR GYNECARE INTERGEL (PMA P990015) was initially submitted. However, FDA records indicate that PMA P990015 was submitted on March 8, 1999.

3. *The date the application was approved:* November 16, 2001. FDA has verified the applicant's claim that PMA P990015 was approved on November 16, 2001.

This determination of the regulatory review period establishes the maximum potential length of a patent extension. However, the U.S. Patent and Trademark Office applies several statutory limitations in its calculations of the actual period for patent extension. In its application for patent extension, this applicant seeks 867 days of patent term extension.

Anyone with knowledge that any of the dates as published are incorrect may submit to the Dockets Management Branch (see **ADDRESSES**) written or electronic comments and ask for a redetermination by June 2, 2003. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by September 29, 2003. To meet its burden, the petition must contain sufficient facts to merit an FDA investigation. (See H. Rept. 857, part 1, 98th Cong., 2d sess., pp. 41-42, 1984.) Petitions should be in the format specified in 21 CFR 10.30.

Comments and petitions should be submitted to the Dockets Management Branch. Three copies of any information are to be submitted, except that individuals may submit one copy. Comments are to be identified with the docket number found in brackets in the heading of this document. Comments and petitions may be seen in the

Dockets Management Branch between 9 a.m. and 4 p.m., Monday through Friday.

Dated: February 6, 2003.

Jane A. Axelrad,

Associate Director for Policy, Center for Drug Evaluation and Research.

[FR Doc. 03-7819 Filed 4-1-03; 8:45 am]

BILLING CODE 4160-01-S

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. 02E-0147]

Determination of Regulatory Review Period for Purposes of Patent Extension; OP-1 IMPLANT

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) has determined the regulatory review period for OP-1 IMPLANT and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of an application to the Director of Patents and Trademarks, Department of Commerce, for the extension of a patent which claims that medical device.

ADDRESSES: Submit written comments and petitions to the Dockets Management Branch (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852. Submit electronic comments to <http://www.fda.gov/dockets/ecomments>.

FOR FURTHER INFORMATION CONTACT: Claudia Grillo, Office of Regulatory Policy (HFD-013), Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20857, 301-827-3460.

SUPPLEMENTARY INFORMATION: The Drug Price Competition and Patent Term Restoration Act of 1984 (Public Law 98-417) and the Generic Animal Drug and Patent Term Restoration Act (Public Law 100-670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product's regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: A testing phase and an approval phase. For medical devices,